	UP VAN SPECIFICATIONS (EU)						
Notes: S:	Standard; O: Option; "-": Not	Short-wheelbase Low-roof	Long-wheelbase Low-roof	Long-wheelbase High-roof			
Basic Paramet	ters	·	·				
	Length (mm)	4806	5136	5136			
	Width (mm)	1900	1900	1900			
	Heght (mm)	1990	1990	2270			
	Wheel base (mm)	3050	3380	3380			
	Cargo volume (m³)	7.2	8.1	9.6			
	Kerb Weight (kg)	1640	1670	1690			
	GVM (kg)	3170	3420	3420			
Vehicle Perfor	rmance						
	Drive type	Front Wheel Drive of Motor	Front Wheel Drive of Motor	Front Wheel Drive of Motor			
	Battery Capacity (kWh)	41.85	41.85	41.85			
	Electric Range (WLTP) (km)	220	215	205			
	Electricity Consumption (WLTP) (kWh/100km)	18.3	18.8	19.8			
	Maximum speed (km/h)	110	110	110			
	Peak power (kW)	110	110	110			
	Max torque (N.m)	210	210	210			
	Driving mode(Empty mode/Standard Mode/Heavy mode)	S	S	s			
Energy Manag	gement						
	Battery type	LFP	LFP	LFP			
	Battery Thermal Management mode	Battery Heating Device	Battery Heating Device	Battery Heating Device			
	Battery Cooling type	Natural Cooling	Natural Cooling	Natural Cooling			
	DC Charge + AC Charge	S	S	S			
	DC Charging time (SOC: 30%→80%)	0.5h	0.5h	0.5h			
	Brake Regen (3 Levels)	S	S	S			
Main Specifica	ation						
	Front Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension			
	Rear Suspension	In-Independence Suspension(3 Spring)	In-Independence Suspension(3 Spring)	In-Independence Suspension(3 Spring)			
	Steering Column	Collapsible	Collapsible	Collapsible			
	Steering Type	Electric Power Steering	Electric Power Steering	Electric Power Steering			
	Brake System	Onebox (IBS+ESP)	Onebox (IBS+ESP)	Onebox (IBS+ESP)			
	Parking Brake	EPB+Autohold	EPB+Autohold	EPB+Autohold			
Chassis System	Front Brake	Disc	Disc	Disc			
	Rear Brake	Disc	Disc	Disc			
	Wheel	Steel	Steel	Steel			
	Tyre	195/75 R16LT	195/75 R16LT	195/75 R16LT			
	Spare Tyre	-	-	-			
	Tyre Repair Kits	Tire repair fluid+inflation pump	Tire repair fluid+inflation pump	Tire repair fluid+inflation pump			
	Body Frame/Envelope	Steel	Steel	Steel			
	Driver Air Bag	Ş	S	S			

Safety System	Passenger seat Air Bag	S	S	S
	Safety Belt Buckle Reminder	Driver & Passenger	Driver & Passenger	Driver & Passenger
	Collision Power-Off Protection	S	S	S
	Low Speed Pedestrian Warning	S	S	S
	Reverse Image	S	S	S
	F/R Proximity Sensor	F "-" /R "S"	F "-" /R "S"	F "-" /R "S"
	Tyre Pressure Monitoring System	s	S	S
	ESP	S	S	S
	Anti Theft System	s	S	S
	Ecall System	-	-	-
	Tool Kits (Tyre Repair Kit/Warning Triangle/Reflective	s	c	
	Vest/Detachable Front Towing Hook)		5	5
	Automatic Sensing Headlamp	S	S	S
	Headlight Delay Off	S	S	S
	Manual Adjustment	S	S	S
	Head Lamp	Halogen	Halogen	Halogen
Light System	Rear Lamp	Halogen	Halogen	Halogen
Light System	Front Fog Lamp	-	-	-
	Rear Fog Lamp	Halogen	Halogen	Halogen
	Daytime Running Lamp	LED	LED	LED
	Cargo Area Ceiling Light	LED	LED	LED
	High Mounted Brake Lamp	LED	LED	LED
	Ext Color	Three colors Options	Three colors Options	Three colors Options
	Front Bumper	Body color	Body color	Body color
	Rear Bumper	Natural color (carbon black thick	Natural color (carbon black thick	Natural color (carbon black thick
	Ouside Door Handle	leather)bumper	leather)bumper	leather)bumper
		Body color	Body color	Body color
	Outside Rearview Mirror Type	Electric Adjustment	Electric Adjustment	Electric Adjustment
External	1 Non Folding Mechanical Key + Bluetooth +1 NFC	S	S	\$
Configuration	Wheel Axis Cover	S	S	S
	Wheel full trim cover	-	-	-
	Side Door Form	Right outer swing door	Right outer swing door	Right outer swing door
	Tailgate Type	Rear double door	Rear double door	Rear double door
	Maximum opening angle of tailgate	270°	270°	270°
	Front door window	Drive Side Power Window(One Click Down)		Drive Side Power Window(One Click Down
	Front Wiper	Automatic front wiper (No frame)	Automatic front wiper (No frame)	Automatic front wiper (No frame)
	Keyless Start	S	S	S
	Polyurethane Multi-Functional	S	S	S
	Electronic Gear Shif	S	S	S
	Gear Shift Lever	Column Shifter (P/R/N/D)	Column Shifter (P/R/N/D)	Column Shifter (P/R/N/D)
	Driver Sun Visor (Without Wallet, No Cosmetic Mirror)	S	S	S
	Passenger Sun Visor (Without Wallet, No Cosmetic Mirror)	S	S	S
	12 V Power Outlet(One)	S	S	S
	3 USB (charging function)	S	S	S
Internal	12V Low-Voltage Lead-Acid Battery (With IBS Low-Voltage	s	s	S
Configuration	Power Supplement Function)	<u> </u>	*	-

-	Manual Front Cold & Warm A/C	s	s	ls
	Cockpit Floor Covering		PVC	PVC
	Floor Covering			
		Aluminum alloy patterned floor	Aluminum alloy patterned floor	Aluminum alloy patterned floor
	Cargo Side Trim	5	5	5
	Top Trim Covering	5	\$	5
	Cargo Loading Constraints	S	S	S
	Speaker	S	S	S
	Interior Rearview Mirror	-	-	-
Chair Equipment	Number Of Seats	2 Seats	2 Seats	2 Seats
	Driver Seat	4-Direct Adjustable Subdriver Seat-Manual	4-Direct Adjustable Subdriver Seat-Manual	4-Direct Adjustable Subdriver Seat-Manual
	Passenger seat	Single Seat Manual 4-Way Adjustment	Single Seat Manual 4-Way Adjustment	Single Seat Manual 4-Way Adjustment
	Seat Cover Fabric	Woven Seat Cover	Woven Seat Cover	Woven Seat Cover
	Internet Of Vehicles	-	-	-
	ТВОХ	-	-	-
	OTA	-	-	-
	Remote diagnostic system	-	-	-
	Remote air conditioning	-	-	-
	App remote control	-	-	-
	Full LCD combination instrument (5 inches)	-	-	-
Multi-Media	12.3 Inch Screen	S	s	S
	Mobile Phone Projection (iOS+Android)	S	S	S
	Bluetooth phone and music	S	s	s
	USB external audio source interface	S	S	S
	Digital Radio	-	-	-
	Container Status Monitoring (volume)	-	-	-
	Container Condition Monitoring (Load Monitoring)	-	-	-
	ETC	-	-	-







