Leapmotor C01 extended range product configuration table				
Edition	216 Comfortable Edition	216 Premium Edition	316 Premium Edition	
Basic Specifications				
ength * Width * Height (mm)	5050*1902*1515			
Wheelbase (mm);	246	2930	24.6	
CLTC by battery range (km)	216	216	316	
CLTC total range (km) VLTC by battery (km)	1176 148	1176 148	1276 248	
VLTC total range (km)	963	963	1063	
Maximum speed (km/h)	170	170	170	
0-100km/h acceleration (s)	7.6	7.6	7.8	
Minimum Ground Spacing Without Load (mm)	140	140	140	
Body		4 doors and 5 seats		
runk Volume (L)	449	449	449	
weight (kg)	1995	1995	2015	
/ehicle warranty	3 years or 50,000 km 5 years or 100,000 km			
eapmotor Power Intelligent Power System		.,		
Notor type	Pe	rmanent magnet synchronous mo	otor	
otal motor power (kW)	200	200	200	
otal motor torque (N • m)	360	360	360	
Maximum power of rear motor (kW)	200	200	200	
Maximum torque of rear motor (N • m)	360	360	360	
Notor layout		Single motor (rear)		
EEV power generation system	· ·	pirated range extender + high-ef		
nergy model	Extreme p	ure electric/pure electric priority/	tuel priority	
LTC Minimum State-of-Charge Fuel Consumption (L/100km)		4.9		
ank volume (L)		47		
invironmental standards		National VI-B RDE		
Gearbox	Lithium iron phosphata	Single speed transmission	Tornon, lithium	
lattery type lattery energy (kWh)	Lithium iron phosphate 30.1	Lithium iron phosphate 30.1	Ternary lithium 43.7	
C Standard Charge (30%-80%)	Approximately 2.6 hours	Approximately 2.6 hours	Approximately 3.8 hours	
PC fast charging (30%-80%)	Approximately 2.0 flours	About 30 minutes	Approximately 5.0 flours	
Reserve charging (30% 80%)		•		
ntelligent Battery Constant Temperature Management System		•		
Battery thermal runaway warning		•		
Battery pack warranty		8 years or 150,000 kilometers		
Chassis system				
Orive mode	RWD	RWD	RWD	
ront suspension type		ble wishbone independent suspe		
Rear suspension type		Five-link independent suspension	1	
ype of booster		Electric power-assisted EPS		
Shift mode		Column shifter		
Driving mode	Comfort/Sporty/Custom	Comfort/Sporty/Custom	Comfort/Sporty/Custom	
Brake energy recovery system		Front/rear ventilated disc brake	•	
ront/Rear Brake Types				
IHB electronic booster IPB Electronic Parking	•	•	•	
ire specification	235/50 R18	245/45 R19	245/45 R19	
Numinum alloy hub	233/30 K10	£43/43 K13 ●	245/45 K19	
eapmotor Pilot Intelligent Driving Assistance System	•	·	<u> </u>	
ront-view camera	2 megapixels x 1	2 megapixels x 2	2 megapixels x 2	
ace recognition camera		×1	×1	
urround view camera	1.3 megapixels × 4	3 megapixels x 4	3 megapixels x 4	
Iltrasonic radar	×4	×12	×12	
orward millimeter wave radar	_	×1	×1	
ateral millimeter wave radar	_	×2	×2	
ront car start reminder	•	•	•	
	•	•	•	
		•	•	
orward Collision Warning (FCW)	•			
orward Collision Warning (FCW) orward Distance Monitoring (FDM)	-	•	•	
orward Collision Warning (FCW) orward Distance Monitoring (FDM) ane Departure Warning (LDW)	-	•	•	
onward Collision Warning (FCW) orward Distance Monitoring (FDM) ane Departure Warning (LDW) lind Spot Monitoring and Early Warning (BSD)	•	•	•	
orward Collision Warning (FCW) orward Distance Monitoring (FDM) ane Departure Warning (LDW) lind Spot Monitoring and Early Warning (BSD) oor Opening Warning (DOW)	- • - -	•	•	
orward Collision Warning (FCW) orward Distance Monitoring (FDM) ane Departure Warning (LDW) dind Spot Monitoring and Early Warning (BSD) door Opening Warning (DOW) tear Collision Warnin (RCW)	- • - - -	•	•	
orward Collision Warning (FCW) forward Distance Monitoring (FDM) forward Distance Monitoring (FDM) forward Distance Monitoring (LDW) forward Monitoring and Early Warning (BSD) for Opening Warning (DOW) flear Collision Warnin (RCW) flear Cross Traffic Assist (RCTA)	- • - - -	•	•	
orward Collision Warning (FCW) forward Distance Monitoring (FDM) forward Distance Monitoring (FDM) forward Distance Monitoring (LDW) forward Monitoring and Early Warning (BSD) for Opening Warning (DOW) flear Collision Warnin (RCW) flear Cross Traffic Assist (RCTA) flear Road Assist (SDIS)	- - - - - -	•	•	
Forward Collision Warning (FCW) Forward Distance Monitoring (FDM) Forward Distance Monitoring (FDM) Forward Distance Monitoring (LDW) Forward Marning (LDW) Forward Monitoring and Early Warning (BSD) Forward Monitoring (BSD) Forward Monitoring Marnin (RCW) Forward Monitoring	- - - - - - -	•	•	
Forward Collision Warning (FCW) Forward Distance Monitoring (FDM) Forward Distance Monitoring (FDM) Forward Distance Monitoring (LDW) Forward Monitoring and Early Warning (BSD) Forward Monitoring (DOW) Forward Collision Warnin (RCW) Forward Rear Cross Traffic Assist (RCTA) Forward Road Assist (SDIS) Forward Monitoring System(DMS) Forward Monitoring System(DMS) Forward Monitoring Control)	- - - - - - - -	•	•	
Forward Collision Warning (FCW) Forward Distance Monitoring (FDM) Forward Distance Monitoring (FDM) Forward Distance Monitoring (LDW) Forward Marning (LDW) Forward Monitoring and Early Warning (BSD) Forward Monitoring (RCW) Forward Monitoring (RCW) Forward Road Assist (RCTA) Forward Monitoring System(DMS) Forward Monitoring System(DMS) Forward Monitoring Control (ATC)	- - - - - - - - -	•	•	
Speed limit recognition and speeding warning (SLIF) Forward Collision Warning (FCW) Forward Distance Monitoring (FDM) Lane Departure Warning (LDW) Slind Spot Monitoring and Early Warning (BSD) Door Opening Warning (DOW) Rear Collision Warnin (RCW) Rear Cross Traffic Assist (RCTA) Narrow Road Assist (SDIS) Driver Monitoring System(DMS) ACC (Adaptive Cruise Control) Automatic Train Control (ATC) Automatic Emergency Braking (AEB)	- - - - - - - - - - -	•	•	
Forward Collision Warning (FCW) Forward Distance Monitoring (FDM) Forward Distance Monitoring (FDM) Forward Distance Monitoring (LDW) Forward Marning (LDW) Forward Monitoring and Early Warning (BSD) Forward Monitoring (RCW) Forward Monitoring (RCW) Forward Road Assist (RCTA) Forward Monitoring System(DMS) Forward Monitoring System(DMS) Forward Monitoring Control (ATC)	- - - - - - - - -	•	•	

ADA Automatic Berling Contains		<u> </u>	ı .
APA Automatic Parking System Remote Parking Assistance System (RPA)		•	•
Reverse Image (Dynamic Auxiliary Line)	-	•	•
360° panoramic image	•	•	•
Leapmotor OS Intelligent Interactive System	_		
LCD instrument panel	10.25"	10.25"	10.25"
LCD centre console touchscreen	14.6 (2.5 K)	14.6 (2.5 K)	14.6 (2.5 K)
Front passenger touchscreen	10.25	10.25	10.25
Car-CPU	SA8155P	SA8295P	SA8295P
Rear multi-function control panel	_	•	•
Face recognition boot		•	•
Face ID Adaptive Configuration System	_	•	•
Speech recognition control system	•	•	•
Voice wake-free words		•	•
Speech Wake-up Recognition by Region	Dual zone	Dual zone	Dual zone
Speech continuous recognition	•	•	•
Visible and speakable intelligent voice control system(可见即可说) APP store	•	•	•
Mobile APP control	<u> </u>	•	•
Rest mode	 	•	•
Guardian mode	•	•	•
Sentinel mode	-	•	•
Camping Mode	•	•	•
Mobile APP Remote Control System	•	•	•
Mobile phone near-field remote control	•	•	•
Watch-controlled car	•	•	•
Vehicle KTV	•	•	•
Car bluetooth phone	•	•	•
4G network	4G	4G	4G
Online music & FM	•	•	•
Screen mirroring	Car link	Car link	Car link
DSP Digital Power Amplifier Audio System	•	•	•
Number of speakers	12	12	12
Vehicle OTA upgrade	•	•	•
Mobile phone OTA remote upgrade Safety equipment	•	•	<u> </u>
Front airbag	•	•	
Front side airbag	 	•	•
Penetrating side air curtain	•	•	•
Adjustable front seat belt height	 •	•	•
Front preload restraining belt	•	•	•
Reminder of unfastened seat belt	Front row	Front row	Front row
Three-point seat belt for second row middle seat	•	•	•
Second Row, Left and Right Seat Emergency Lock Seat Belt	•	•	•
TPMS tire pressure monitoring	Tire pressure display	Tire pressure display	Tire pressure display
ISO FIX Child Seat Interface	•	•	•
Body burglar alarm system	•	•	•
Door Not Closed Prompt	•	•	•
Interior central lock	•	•	•
Child safety door lock	Electron	Electron	Electron
Speed sensing locking	•	•	•
Auto-unlock after crash	•	•	•
Anti-lock Braking System (ABS) Electronic Brake Force Distribution System (EBD)	•	•	•
Dynamic Parking Brake (DBF)	•	•	•
Hydraulic Brake Assist (HBA)	•	•	•
Traction Control System (TCS)	•	•	•
Electronic Stability Control (ESC)	•	•	•
HHC (Hill Hold Control)	•	•	•
Auto Hold	•	•	•
HillDescentControl (HDC)	•	•	•
Anti Rolling Program (ARP)	•	•	•
Exterior			
LED headlights	•	•	•
LED daytime lights	•	•	•
Height-adjustable headlights	•	•	•
Automatic headlights on	•	•	•
Headlights with follow me home function	•	•	•
LED tail lights	•	•	•
LED high mount stop light	•	Electric Adjustable Car Lock	Electric Adjustable Car Lock
Exterior mirrors function	Electric Adjustable Electric Folding Automatic lock folding	Automatic Folding Rearview Mirror Heated Rearview Mirror Memory Reverse Automatic	Automatic Folding Rearview Mirror Heated Rearview Mirror Memory Reverse Automatic
Exterior mirror LED turn signal	•	•	•
Exterior mirror LED floor lamp	•	•	•
		-	

Front windshield inductive boneless wiper	•	•	
Front windshield inductive boneless wiper	•	•	•
Rear windshield heating	•	•	•
Electric retractable hidden door handle	_	•	•
Manual swing hidden door handle	•	-	-
Front and rear electric windows	•	•	•
Roll up and down four windows with one button (with anti-pinch function)	Full vehicle	Full vehicle	Full vehicle
Window anti-pinch function Front laminated acoustic glass	•	•	•
Rear privacy glass	•	•	•
Electric trunk (with position memory and anti-pinch)	_	•	•
Internal configuration	<u> </u>		
Steering wheel material	Leather	Leather	Leather
Multifunction steering wheel	•	•	•
Steering wheel position adjustment	Manual up and down + forward and backward adjustment	Manual up and down + forward and backward adjustment	Manual up and down + forward and backward adjustment
Seat material	Leather	Leather	Leather
Front seat headrest	Fixed	Fixed	Fixed
	0. d	n / forward&backward/ Height ad	divetorant
Driver's seat adjustment mode		forward backward and backrest	
Passenger seat adjustment mode	adjustable	adjustable	adjustable
Electric adjustable seat	Driver and front passanger	Driver and front passanger	Driver and front passanger
Front seat function		Heating	Heating
	_	Ventilation	Ventilation
Main driver's seat memory with welcome function Second Row Seat Function	_	• Heating	• Heating
Second row of seats 4/6 down	•	neating •	neaung •
Second Row Central Armrest	•	•	•
Second Row Central Arrest Cup Holder	_	•	•
Inner rearview mirror anti-glare	Manual	Automatic	Automatic
Illuminated vanity mirrors of headliner	Driver and passenger	Driver and passenger	Driver and passenger
Reading lamp	Front Row + Back Row	Front Row + Back Row	Front Row + Back Row
Interior ambient light Front foot lamp	_	Stepless discoloration •	Stepless discoloration •
Fabric ceiling	•	•	•
Trunk lamp	•	•	•
Front and rear threshold welcome step trim	_	•	•
Air conditioning system	_	•	•
Air conditioning system Automatic constant temperature single zone air conditioner	•	-	-
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner	_	-	-
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC	-	-	-
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection	_	-	-
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC	•	•	- • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element	•	•	•
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System	•	- • • •	•
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type	- • • •	- • • •	- • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors)	- • • -	- • • • • • • • • • • • • • • • • • • •	- • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors)	- • • •	- • • • • NFC×1 Bluetooth&Mechanicalx1 • •	- • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone	- · · -	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W);	- • • • • Front row × 1 (15W);
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors)	- • • •	- • • • • NFC×1 Bluetooth&Mechanicalx1 • •	- • • • Front row × 1 (15W); TYPE-A × 1 (12W);
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface	- · · -	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W);	- • • • • Front row × 1 (15W);
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface	• • • • TYPE-A × 2 (18W);	• • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W);	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); TYPE-C × 1 (15W);
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface	- • • • • • • • • • • • • • • • • • • •	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function		• • • • • • • • • • • • • • • • • •	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); TYPE-C × 1 (15W); Front row
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box	- • • • • • • • • • • • • • • • • • • •	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color		• • • • • • • • • • • • • • • • • •	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); TYPE-C × 1 (15W); Front row
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box		• • • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row •	• • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey		• • • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); TYPE-C × 1 (15W); Front row • • •	• • • • • • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey	• • • TYPE-A × 2 (18W); Front row • •	• • • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • •	• • • • • • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); Front row • • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver	• • • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • •	• • • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue	• • • • TYPE-A × 2 (18W); Front row • • • •	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •	• • • • • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color	• • • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •	• • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color Grey + Sky blue	• • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •	• • • • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color	• • • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color Grey + Sky blue Gray + Camel Brown	• • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •	• • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color Grey + Sky blue Gray + Camel Brown Canopy optional package Thermal insulation and ultraviolet protection panoramic canopy Full Package Kit (This Package does not Support Individual Optional Con	• • • • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •	Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color Grey + Sky blue Gray + Camel Brown Canopy optional package Thermal insulation and ultraviolet protection panoramic canopy Full Package Kit (This Package does not Support Individual Optional Con Nappa leather steering wheel	• • • • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • •	• • • • • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • • • • • • • •
Air conditioning system Automatic constant temperature single zone air conditioner Automatic constant temperature dual zone air conditioner Second Row AC PM2.5 Air Quality Detection High efficiency composite filter element AQS Air Quality Control System Comfort and convenience Driving video recorder Key type Electrically powered doors opening from the interior (4 doors) Interior emergency door release (4 doors) Wireless Charging for Mobile Phone Front USB interface Second Row USB Interface 12V power supply V2L external discharge function Glove box Appearance color Grey Sky Grey Metallic black Bright white Galaxy Silver Glacier Blue Interior color Grey + Sky blue Gray + Camel Brown Canopy optional package Thermal insulation and ultraviolet protection panoramic canopy Full Package Kit (This Package does not Support Individual Optional Con	• • • • • TYPE-A × 2 (18W); Front row • • • • • • • • • • • • •	• • • • NFC×1 Bluetooth&Mechanicalx1 • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-A × 1 (12W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •	• • • • • Front row × 1 (15W); TYPE-A × 1 (12W); TYPE-C × 1 (60W); TYPE-C × 1 (15W); Front row • • • • • • • • • • • • •

Driver's seat lumbar support electric 4-way adjustment		
Front seat massage		
Note: ◆ Standard — Not available ○ Optional		

- 1. The CLTC endurance shown in the configuration table is obtained by China Automotive Research and Development Center (Ningbo) Co., Ltd. for relevant vehicle models according to CLTC testing standards in pure battery (battery level from 100% -0%)/hybrid oil and electric (full oil and full charge) mode. The WLTC endurance data is obtained by China Automotive Research and Development Center (Ningbo) Co., Ltd. for relevant vehicle models according to WLTC testing standards in pure battery (range extender start)/hybrid oil and electric (full oil and full charge) mode;
- 2. The 0-100km/h acceleration time was obtained from the inspection of China Automotive Research and Development Center (Tianjin) Co., Ltd;
- 3. The actual range and acceleration ability of vehicles vary due to objective factors such as different environmental temperatures, driving conditions, driving habits and operations, and vehicle conditions;
- 4. The charging time is measured by the Zero Run laboratory under specific conditions according to relevant testing standards; The actual charging time varies due to factors such as charging power, ambient temperature, and vehicle status;
- 5. The Leapmotor Pilot intelligent driving assistance system cannot completely replace the driver's control and cannot fully cope with all possible situations such as traffic, weather, and road conditions. The driver must always maintain the necessary duty of care and intervene or take over according to the surrounding environment in a timely manner. In complex traffic situations, adverse weather, special road conditions, etc., it is necessary to carefully choose and use it;
- 6. NAPPA leather seats are made by splicing NAPPA leather and NAPPA textured PVC material;
- 7. The charging power of the USB interface is the maximum charging power;
- 8. The discharge socket needs to be purchased from Zero Run Mall;
- 9. The content of this directory is compiled based on the vehicle configuration status information at the time of writing. Due to some objective reasons, such as the continuous changes in laws and regulations, personal differences in understanding of relevant information, and the possibility of untimely updates in the introduction information, there may be certain differences between the physical vehicles and the directory content. The actual sales vehicles of the store should be taken as the basis; 10. Zero Run Motors has the right to interpret and reserve the right to change technical parameters, configurations, and other product information within the scope