



PremiDoor 76 LIFT/SLIDING DOOR SYSTEM

CREATE MORE OPEN SPACE WITH
SUSTAINABLE DOOR SOLUTIONS.



WELCOME THE SUN INTO YOUR HOME.

Bright living spaces flooded with light – a dream within reach at any time: With our PremiDoor 76 lift/sliding door system. Recharge your batteries with a view into nature, or enjoy the expanse of the urban skyline. Anything is possible. PremiDoor 76 creates generous glazed areas that integrate the outside into your four walls. Good to know: The system is barrier-free, impresses with maximum handling ease and ensures high thermal insulation. In addition, the profiles are recyclable and made of eco friendly PVC-U. The result is sustainable door solutions, perfect for new buildings and renovations.

AT A GLANCE

- Barrier-free thresholds
- Tall installed heights and glazed areas
- High level of incoming light and thus more heat recovery
- User-friendly operation when opening and closing
- Sustainable, recyclable system solution made of eco friendly, lead-free PVC-U profiles



LOOK ON THE BRIGHT SIDE.

PremiDoor 76 LUX

Are you looking for more? More transparency, more incoming light, more heat gain? Then PremiDoor 76 Lux is perfect for you. Thanks to its sophisticated design, the sash profile is exceptionally slender. This creates particularly generous glazed areas that let in even more sunlight, therefore providing additional heat gain.



PremiDoor 76

GIVE LIGHT MORE SPACE.

PremiDoor 76 AND PremiDoor 76 LU

Are maximum thermal, sound and burglary protection important to you? Then the PremiDoor 76 lift/sliding door system is perfect for you. You can choose between two variants: The classic PremiDoor 76 design, which already offers high thermal insulation. Or you can opt for PremiDoor 76 Lux with even more incoming light.

PremiDoor 76		PremiDoor 76 Lux
✓	Maximum installed height of 2.60 m	✓
✓	Glazing options up to 52 mm	✓
✓	Optimum thermal insulation up to 1.4 W/(m²K) as standard	✓
✓	Burglary protection up to security standard RC2	✓
✓	Barrier-free threshold	✓
	Significantly more incoming light thanks to reduced sash profile	✓



PremiDoor 76 LUX

PERFECT VIEWS. WONDERFUL PROSPECTS.

PremiDoor 76 opens up a wealth of design possibilities for you – thanks to a wide range of colours and materials. The palette ranges from classic white to high-quality laminated solutions and premium features such as proCoverTec, AluClip and AcrylColor.





pro **Cover** Tec



COLOUR



PROTECTION



USER-FRIENDLY

PROTECTED BY COLOUR.

proCoverTec


An innovative surface technology that can do more than just be colourful: proCoverTec gives a satin look and slightly textured feel. In addition, proCoverTec is UV and infrared light resistant as well as dirt repellent. In short, it's the perfect combination of effective protection and decorative colour.



THE NBEATABLE DUO.

PremiDoor 76 AND AluClip

The AluClip aluminium cladding gets even more out of your PremiDoor 76 solution. The combination of PVC-U profile and aluminium ensures an easy-care, elegant and cost-effective solution for you to enjoy for a long time. The particular advantage: In addition, the AluClip version offers a unlimited choice of colours.



PremiDoor 76		PremiDoor 76 Lux
✓	Classic white	✓
✓	Laminated in wood grain	✓
✓	Laminated in plain colours	✓
✓	Laminated in metallic colours	✓
✓	AluClip	✓
✓	proCoverTec	✓
✓	PMMA "AcrylColor"	

COLOURS WITH A PROTECTIVE EFFECT.

AcrylColor


Kömmerling AcrylColor offers a range of colours and a protective shield at the same time. The principle: Thanks to a heat treatment process, the acrylic is inseparably bonded with the PVC. This ensures that the window profiles remain colour-fast for a long time. They are have high scratch resistance, are easy to clean, weather resistant and virtually maintenance-free. Another advantage: AcrylColor profiles are 100% recyclable.

Let your imagination run wild: Doors that are discreetly restrained, pick up the wall colour tone-for-tone or set striking new trends? With the lift/sliding door system, anything is possible. Just let yourself be inspired by the selection of surfaces, materials and colours.

OPENING MODES




SYSTEM A, DIN left
1 lift/sliding sash
1 fixed pane



SYSTEM K
2 lift/sliding sashes
1 fixed pane



SYSTEM D
2 lift/sliding sashes



SYSTEM C
2 lift/sliding sashes
2 fixed panes

#KömmerlingForTomorrow

profine GmbH
Kömmerling

Zweibrücker Straße 200
66954 Pirmasens
Tel. +49 (0) 6331 560
E-mail: info@koemmerling.com

www.koemmerling.com

