


# Corneal Cross-Linking i-Volution

## PXL PLATINUM 330



**Variable settings from 3 mW up to 30 mW  
with simultaneous radiation time adjustment**

- Continuous, interval and LASIK modes
- Self-calibrating and self-adjusting
- 5" Color touch screen
- Eye tracking with adjustable real time camera view
- Bluetooth communication interface with treatment PDF report
- Integrated ultrasound contact pachymeter optional



**PESCHKE®**  
MedTech is our passion

# PXL PLATINUM 330



*The PXL PLATINUM 330 is portable with a high quality table mount.*

## Corneal Cross-Linking

**Corneal cross-linking (CXL)** is a treatment with the aim of strengthening the corneal stromal tissue through the formation of new chemical bonds between stromal fibres.

- CXL is the only effective non-invasive treatment to stop progressive keratoconus as well as related ectatic disorders (such as PMD and iatrogenic ectasia) and has a regularisation effect on corneal topography.
- In addition to its role in treating ectatic corneal diseases, CXL has an established place in the management of infectious keratitis. UV light has long been known for its ability to kill different microorganisms (such as bacterial and fungal ones). Since keratitis in humans is an important cause of blindness, and antibiotic resistance is an increasing problem worldwide, CXL proves to be an extremely valuable possibility to manage the condition with a satisfactory outcome.
- CXL treatments are inexpensive, easy to perform, and comfortable for the patient.

# Unique – Fast – Excellent

## Visionary MedTech for a better performance – Swiss Made

### Clinical Experience

In recent years corneal cross-linking has become the standard procedure for treating patients with progressive keratoconus and other ectatic corneal diseases because of its effectiveness and lack of serious side effects.

A large number of major clinical studies has proven the effectiveness of CXL and the lack of serious side effects. More than 85% of eyes treated with CXL showed a significant increase in BCVA.

### Background

Corneal cross-linking is a process of photo polymerization. During this process singlet oxygen is being created with the use of riboflavin as a photo mediator activated by UV light. Free radicals lead to physical intra- and inter-helical cross links of stromal collagen fibers. This process takes place mainly in the anterior 200  $\mu$  to 250  $\mu$  of the stroma.

### The Device

The PXL PLATINUM 330 was designed with a special focus on effectiveness, safety and user friendliness and incorporates the latest clinical experiences. It enables the user to select the required energy level between 3 mW and 30 mW per  $\text{cm}^2$  with automatic time adjustment. Furthermore it allows pulsed radiation in connection with the latest experience in treating infectious keratitis, with adjustable illumination on/off intervals. Also dedicated LASIK/PRK modes are available.

- The system has an integrated infrared camera for eye tracking and to ensure proper distance. The tracking area as well as the aperture can be individually set to ensure safety of the limbus. It includes a built-in calibration verification to continuously measure emitted light intensity.

- An integrated ultrasound contact pachymeter is optionally available which communicates via Bluetooth with the system and automatically transfers the pachymetry data.


- For documentation purposes, patient data as well as treatment settings can easily be exported in a pdf report.

- The 5" color touch screen shows all relevant information: Real time eye monitoring, treatment settings and remaining treatment time. Some settings such as aperture and tracking zone can even be adapted during the treatment to ensure safety throughout the procedure.

- The PXL PLATINUM 330 is portable with a high quality table mount and comes in a sturdy transport case.

- The optional floor mount is recommended for flexibility in use.

### Beam Characteristics



To guarantee the high level of safety the beam of the PXL PLATINUM 330 has a waste line at a distance of 50 mm from the optics and a depth of focus of approx.  $\pm 5$  mm.

To protect the limbal stem cells and to focus the beam on the clear cornea only the PXL PLATINUM 330 has a continuously adjustable aperture from 3 mm to 12 mm.

# Safe – Effective – Flexible


## PXL PLATINUM 330

The PXL PLATINUM 330 comes in a sturdy transport case.



### Technical Features

Directive 93/42 EEC	Class 1
Overall dimensions	60x50x105 cm (LxDxH)
Wheels	4 two of them equipped with brakes
Max carrying capacity	2 kg (PXL-Meter excluded)
Functioning temperature	0 °C   40 °C
Storage temperature	-20 °C   +70 °C
Relative humidity	90 % max
Mechanical features	Made in varnished steel
Adjustment range and stability interval	Height from the floor from 95 cm to 115 cm



Your distributor:

### Peschke GmbH

Boesch 67 | 6331 Huenenberg | Switzerland  
Phone +41 41 552 4700 | Fax +41 41 552 4708  
info@peschkeswiss.com | www.peschkeswiss.com



**PESCHKE®**  
MedTech is our passion