

acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

SECTION 1: Identification

1.1 Product identifier

Trade name California Scents Orange Squeeze Aerosol Spray

Alternative number(s) 091400000653

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: Autocare.regulatory@energizer.com

Website: http://data.energizer.com

1.4 Emergency telephone number

Emergency information service

FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585 This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
A.4S	skin sensitization	1	Skin Sens. 1	H317
A.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
B.3	flammable aerosol	1	Flam. Aerosol 1	H222
B.5	gases under pressure	D	Press. Gas D	H280

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Contains gas under pressure; may explode if heated.

United States: en Page: 1 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS02, GHS04, GHS07







- Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing mist/vapors.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear eye protection/face protection. P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

- Hazardous ingredients for labelling

(R)-p-mentha-1,8-diene, acetone

United States: en Page: 2 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

2.3 Other hazards

Hazards not otherwise classified

Repeated exposure may cause skin dryness or cracking.

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Harmful to aquatic life (GHS category 3: aquatic toxicity - acute).

Causes mild skin irritation (GHS category 3: irritant to skin).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Fluorinated alkane	CAS No 75-37-6	25 – < 50	Flam. Gas 1 / H220 Press. Gas C / H280	
acetone	CAS No 67-64-1	25 – < 50	Eye Irrit. 2 / H319 STOT SE 3 / H336 Flam. Liq. 2 / H225	♦ (!)
butane (containing ≥ 0,1 % butadiene (203-450-8))	CAS No 106-97-8	10-<25	Flam. Gas 1 / H220 Press. Gas C / H280	
propane	CAS No 74-98-6	5-<10	sA / OSHA002 Flam. Gas 1 / H220 Press. Gas C / H280	
isobutane	CAS No 75-28-5	5 – < 10	Flam. Gas 1 / H220 Press. Gas C / H280	
(R)-p-mentha-1,8-diene	CAS No 5989-27-5	<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Flam. Liq. 3 / H226	(4)

For full text of abbreviations: see SECTION 16.

United States: en Page: 3 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Legend: Press. Gas

Press. Gas C: Gas under pressure: compressed gas Press. Gas L: Gas under pressure: liquefied gas

Press. Gas R: Gas under pressure: refrigerated liquefied gas

Press. Gas D: Gas under pressure: dissolved gas.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

United States: en Page: 4 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

United States: en Page: 5 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Managing of associated risks

- Flammability hazards

 Do not spray on an open flame or other ignition source. Protect from sunlight.
- Packaging compatibilities
 Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	butane	106-97-8	PEL (CA)	800	1,900						Cal/ OSHA PEL
US	n-butane	106-97-8	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	n-butane	106-97-8	TLV®			1,000				E	AC- GIH® 2023
US	acetone	67-64-1	PEL (CA)	500	1,200	750	1,780	3,000			Cal/ OSHA PEL
US	acetone	67-64-1	REL	250 (10 h)	590 (10 h)						NIOSH REL
US	acetone	67-64-1	TLV®	250		500					AC- GIH® 2023
US	acetone	67-64-1	PEL	1,000	2,400						29 CFR 1910.1 000
US	propane	74-98-6	PEL (CA)	1,000	1,800						Cal/ OSHA PEL
US	propane	74-98-6	REL	1,000 (10 h)	1,800 (10 h)						NIOSH REL

United States: en Page: 6 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
US	propane	74-98-6	PEL	1,000	1,800						29 CFR 1910.1 000
US	propane	74-98-6	TLV®							oxy- gen, Simpl e Asp., E	AC- GIH® 2023
US	isobutane	75-28-5	REL	800 (10 h)	1,900 (10 h)						NIOSH REL
US	isobutane	75-28-5	TLV®			1,000				E	AC- GIH® 2023

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

explosive

oxygen Adequate oxygen delivery to the tissues is necessary for sustaining life

Simple Asp. simple asphyxiants

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

Biological limit values

Country	Name of agent	Parameter	Nota- tion	Identifier	Value	Source
US	acetone	acetone		BEI®	25 mg/l	ACGIH® 2023

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Fluorinated alkane	75-37-6	DNEL	2,713 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
acetone	67-64-1	DNEL	1,210 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects

United States: en Page: 7 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
acetone	67-64-1	DNEL	2,420 mg/ m ³	human, inhalatory	worker (industry)	acute - local effects
acetone	67-64-1	DNEL	186 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8- diene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(R)-p-mentha-1,8- diene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Fluorinated alkane	75-37-6	PNEC	0.48 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Fluorinated alkane	75-37-6	PNEC	0.1 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	0.01 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	2.525 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	2,318 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	231.8 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Fluorinated alkane	75-37-6	PNEC	462.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
acetone	67-64-1	PNEC	10.6 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
acetone	67-64-1	PNEC	1.06 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
acetone	67-64-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
acetone	67-64-1	PNEC	30.4 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

United States: en Page: 8 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
acetone	67-64-1	PNEC	3.04 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
acetone	67-64-1	PNEC	29.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	14 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	1.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	1.8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	3.85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	0.385 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5	PNEC	0.763 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

United States: en Page: 9 / 25

Energizer.

Holdings Inc.

acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

 $Use \ appropriate \ container \ to \ avoid \ environmental \ contamination. \ Keep \ away \ from \ drains, \ surface \ and \ ground \ water.$

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	aerosol (spray aerosol)
Color	Conforms to Standard
Particle	not relevant (aerosol)
Odor	Citrus-like

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-187.6 °C at 1,013 hPa
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point	this information is not available
Evaporation rate	Not determined
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria

Explosive limits

- Lower explosion limit (LEL)	3.7 vol%
- Upper explosion limit (UEL)	18 vol%

United States: en Page: 10 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Vapor pressure	240 hPa at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	440 °C (auto-ignition temperature (liquids and gases))
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none

9.2 Other information

Propellant content	24.5 %
Temperature class (USA, acc. to NEC 500)	T2 (maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure. Risk of ignition.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

United States: en Page: 11 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
(R)-p-mentha-1,8-diene	5989-27-5	3	

Legend

Not classifiable as to carcinogenicity in humans

United States: en Page: 12 / 25

Energizer.

Holdings, Inc.

acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fluorinated alkane	75-37-6	LC50	295.8 ^{mg} / _l	fish	96 h
Fluorinated alkane	75-37-6	EC50	146.7 ^{mg} / _l	aquatic invertebrates	48 h
Fluorinated alkane	75-37-6	LL50	>100 ^{mg} / _l	fish	96 h
Fluorinated alkane	75-37-6	EL50	>100 ^{mg} / _l	aquatic invertebrates	48 h
Fluorinated alkane	75-37-6	NOELR	100 ^{mg} / _l	fish	96 h
acetone	67-64-1	LC50	8,120 ^{mg} / _l	fish	96 h
butane (containing ≥ 0,1 % butadiene (203-450-8))	106-97-8	LC50	49.9 ^{mg} / _l	fish	96 h
butane (containing ≥ 0,1 % butadiene (203-450-8))	106-97-8	EC50	19.37 ^{mg} / _l	algae	96 h
propane	74-98-6	LC50	49.9 ^{mg} / _l	fish	96 h
propane	74-98-6	EC50	19.37 ^{mg} / _l	algae	96 h
isobutane	75-28-5	LC50	49.9 ^{mg} / _l	fish	96 h
isobutane	75-28-5	EC50	19.37 ^{mg} / _l	algae	96 h

United States: en Page: 13 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(R)-p-mentha-1,8-diene	5989-27-5	LC50	720 ^{µg} / _l	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	EC50	688 ^{µg} / _I	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5	ErC50	0.32 ^{mg} / _l	algae	72 h
(R)-p-mentha-1,8-diene	5989-27-5	NOEC	0.09 ^{mg} / _l	algae	48 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 14 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

SECTION 14: Transport information

14.1 UN number

DOT UN 1950 IMDG-Code UN 1950 ICAO-TI UN 1950

14.2 UN proper shipping name

DOT Aerosols IMDG-Code AEROSOLS

ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es)

DOT 2.1 IMDG-Code 2.1 ICAO-TI 2.1

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN1950, Aerosols, 2.1 Reportable quantity (RQ) 15,291 lbs (6,942 kg) (acetone)

Danger label(s) 2.1



Special provisions (SP) N82 ERG No 126

United States: en Page: 15 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN1950, AEROSOLS, 2.1

Marine pollutant -

Danger label(s) 2.1



Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN1950, Aerosols, flammable, 2.1

Danger label(s) 2.1



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed (ACTIVE) or exempt from

listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

United States: en Page: 16 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
acetone	67-64-1		4	5000 (2270)

Legend

Clean Air Act

Name of substance	CAS No	Type of registra- tion	Basis for listing	Threshold quantity (lbs)
Fluorinated alkane	75-37-6	Flammable sub- stance	f	10000
isobutane	75-28-5	Flammable sub- stance	f	10000
propane	74-98-6	Flammable sub- stance	f	10000
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8	Flammable sub- stance	f	10000

Legend

f Flammable gas.

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Fluorinated alkane	75-37-6	fragrance	
acetone	67-64-1	diluent	ATSDR Neurotoxicants
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8		EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
propane	68476-86-8		EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
isobutane	75-28-5	propellant	EC Annex VI CMRs - Cat. 1A EC Annex VI CMRs - Cat. 1B
(R)-p-mentha-1,8-diene	5989-27-5	fragrance	EU Fragrance Allergens
Propylene Glycol	57-55-6	diluent	

United States: en Page: 17 / 25

^{4 &}quot;4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Revision: 2023-12-05 Version number: 3.0 Replaces version of: 2023-09-08 (2)

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
acetone	67-64-1				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
acetone	67-64-1	A, N, O	
isobutane		N	
propane	74-98-6	A, O	
propane		N	
propane		А	gases
butane (containing ≥ 0,1 % butadiene (203- 450-8))		N	

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

gases N

Refers to displacement of air asphyxiation hazard.

National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards,"

August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Trans-

0 Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
acetone	67-64-1		F3
Fluorinated alkane	75-37-6		F4
(R)-p-mentha-1,8-diene	138-86-3		F2
isobutane	75-28-5		F4
propane	74-98-6		F4
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8		F4

Legend

9	
F2	Flammable - Second Degree
F3	Flammable - Third Degree
F4	Flammable - Fourth Degree

United States: en Page: 18 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
2-PROPANONE	67-64-1	E
PROPANE, 2-METHYL-	75-28-5	
PROPANE	74-98-6	
BUTANE	106-97-8	

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References
acetone	67-64-1	Т, F
isobutane	106-97-8	T, F
propane	74-98-6	Т
propane	74-98-6	T, F
butane (containing ≥ 0,1 % butadiene (203- 450-8))	106-97-8	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals			
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
beta-Myrcene	123-35-3		cancer

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. \S 802, paragraphs 34 (list I) and 35 (list II)

Name of substance	CAS No	Listed in	Special con- ditions	Excluded transac- tions	DEA - code	Concentra- tion limit
acetone	67-64-1	List II chemicals	SC-6532	excl-trans-12	6532	35% by Weight or Volume

United States: en Page: 19 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Legend

excl- Excluded transactions: Domestic and import transactions in chemical mixtures that contain acetone, ethyl ether, 2-butanone, and/ trans-12 or toluene, unless regulated because of being formulated with other List I or List II chemical(s) above the concentration limit.

List II The term "list II chemical" means a chemical (other than a list I chemical) specified by regulation of the Attorney General as a

chemic- chemical that is used in manufacturing a controlled substance in violation of this subchapter. als

SC-6532 Exports only; Limit applies to acetone or any combination of acetone, ethyl ether, 2-butanone, methyl isobutyl ketone, and toluene if present in the mixture by summing the concentrations for each chemical.

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	4	material that rapidly or completely vaporizes at atmospheric pressure and normal ambient temperature or that is readily dispersed in air and burn readily
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed

United States: en Page: 20 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Country	Inventory	Status
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes

United States: en Page: 21 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1	Flash point: -88.6°C at 1,013 hPa	Flash point: this information is not available	yes
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
14.7	Particulars in the shipper's declaration: UN1950, AEROSOLS, 2.1, -88.6°C c.c.	Particulars in the shipper's declaration: UN1950, AEROSOLS, 2.1	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Asp. Tox.	Aspiration hazard
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DEA	Drug Enforcement Administration
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances

United States: en Page: 22 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

	S VELSION OI. 2023-09-08 (2)		
Abbr.	Descriptions of used abbreviations		
EmS	Emergency Schedule		
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control		
ERG No	Emergency Response Guidebook - Number		
Eye Dam.	Seriously damaging to the eye		
Eye Irrit.	Irritant to the eye		
Flam. Gas	Flammable gas		
Flam. Liq.	Flammable liquid		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		
HHS	Higher hazard substance		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air		
IMDG	International Maritime Dangerous Goods Code		
IMDG-Code	International Maritime Dangerous Goods Code		
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval		
LHS	Lower hazard substance		
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality		
NFPA®	National Fire Protection Association (United States)		
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)		
NLP	No-Longer Polymer		
NOEC	No Observed Effect Concentration		
NOELR	No Observed Effect Loading Rate		
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition		
OSHA	Occupational Safety and Health Administration (United States)		
PBT	Persistent, Bioaccumulative and Toxic		
PEL	Permissible exposure limit		

United States: en Page: 23 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
Press. Gas C	Compressed gas
Press. Gas D	Dissolved gas
Press. Gas L	Liquefied gas
Press. Gas R	Refrigerated liquefied gas
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
sA	Simple asphyxiants
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapor.

United States: en Page: 24 / 25



acc. to 29 CFR 1910.1200 App D

California Scents Orange Squeeze Aerosol Spray

Version number: 3.0 Revision: 2023-12-05 Replaces version of: 2023-09-08 (2)

Code	Text
H226	Flammable liquid and vapor.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
OSHA002	May displace oxygen and cause rapid suffocation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 25 / 25