

## Salve

<b>Batch ID:</b>	202107-SAL-201-001	<b>Test ID:</b>	T000150995
<b>Matrix:</b>	Finished Product	<b>Received:</b>	07/09/2021 @ 01:24 PM
<b>Test:</b>	Microbial Contaminants	<b>Started:</b>	7/12/2021
<b>Method:</b>	TM24, TM25, TM26, TM27, TM28	<b>Reported:</b>	7/15/2021

## MICROBIAL CONTAMINANTS

Contaminant	Method	LOD	LOQ	Result
<b>Total Aerobic Count*</b>	TM-26 Culture Plating	10 <sup>2</sup> CFU/gram	10 <sup>3</sup> CFU/gram	<b>None Detected</b>
<b>Total Coliforms*</b>	TM-27 Culture Plating	10 <sup>1</sup> CFU/gram	10 <sup>2</sup> CFU/gram	<b>None Detected</b>
<b>Total Yeast and Molds*</b>	TM-24 Culture Plating	10 <sup>1</sup> CFU/gram	10 <sup>2</sup> CFU/gram	<b>None Detected</b>
<b>E. coli</b>	TM-28 Culture Plating	1 CFU/gram	NA	<b>Absent</b>
<b>E. coli (STEC)</b>	TM-25 PCR	1 CFU/gram	NA	<b>Absent</b>
<b>Salmonella</b>	TM-25 PCR	1 CFU/gram	NA	<b>Absent</b>

CFU/g = Colony Forming Units per Gram

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

 Examples: 10<sup>2</sup> = 100 CFU  
 10<sup>3</sup> = 1,000 CFU  
 10<sup>4</sup> = 10,000 CFU  
 10<sup>5</sup> = 100,000 CFU

## NOTES:


Free from visual mold, mildew, and foreign matter

TYM: None Detected


Total Aerobic: None Detected

Total Coliforms: None Detected

## FINAL APPROVAL


 Robert Belfon  
 15-Jul-2021  
 1:42 PM

PREPARED BY / DATE


 Sarah Henning  
 15-Jul-2021  
 2:15 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03