

**Wear the Right PPE**



**Protect Yourself**

# One Source Supplies

## Featuring Personal Protection

### Spring Flyer Specials



Q2 [www.onesourcesupplies.ca](http://www.onesourcesupplies.ca)

## SAFETY EQUIPMENT & SUPPLIES PROMOTION!

### 20" High Velocity Pedestal Fan

- 3-speed, 120 V/60 Hz, 1/5 HP motor
- All-metal construction
- Chrome grill, black painted base
- Head tilting capability of 360°
- Adjustable height
- 6' SJT type power cord



| Model No. | High | CFM Med | Low  | Promo Price |
|-----------|------|---------|------|-------------|
| EA289     | 5950 | 4550    | 3850 | 131.00      |

### Running Man Sign with Security Lights

- New easy click design allows for fast installation
- Single face or double face orientation
- Various mounting orientation (wall, side, ceiling)
- Ideal for use in offices, schools and warehouses
- Housing Material: Steel
- Backlight Bulb Type: LED
- Length: 12-1/10"
- Width: 11"
- Battery Operated, Hardwired
- Emergency Battery Duration: 2 hours




| Model No. | Battery                    | Promo Price |
|-----------|----------------------------|-------------|
| XI790     | Lead-acid battery (6V 6Ah) | 129.00      |

### Passive Ear Muffs

- Precise and secure fit provided by smooth, telescopic adjustment
- Designed for lasting comfort with extra-soft memory foam cushions and low weight padded headband
- High quality insulating and sound dampening materials in these noise-blocking ear muffs help reduce sound levels
- ANSI Certifications: ANSI S3.19

SHL233



SHL234



| Model No. | Style     | NRR DB | Colour      | Promo Price |
|-----------|-----------|--------|-------------|-------------|
| SHL232    | Headband  | 25     | Yellow      | 11.19       |
| SHL233    | Headband  | 28     | Black & Red | 14.19       |
| SHL234    | Cap Mount | 27     | Yellow      | 11.95       |

Printed in Canada

### Compliance Fall Protection Roofer's Kit

- **Includes:** V8229100 Reusable Roof Anchor Bracket, FBH-10002A Compliance Harness, SA-3206-2 SP Lanyard with Integral ADP Rope Grab, VL-1825-50 Vertical Lifeline, 15 L (4 gal.) Waterproof Pail



| Model No. | MFG No.  | Promo Price |
|-----------|----------|-------------|
| SHE932    | V8257045 | 139.00      |

Pricing in effect until June 26, 2026 or while quantities last. Taxes and freight extra. Issue #SDS226041NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.

## Z3000 Series Safety Glasses

- Modern, full-frame design with extended wraparound coverage
- Scratch-resistant, polycarbonate lens with UV protection
- Ultra-soft, non-slip nosepiece
- Black frame
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Fog, Anti-Scratch



SGU276



SGU277



| Model No. | Lens Tint  | Promo Price |
|-----------|------------|-------------|
| SGU276    | Clear      | 4.55        |
| SGU277    | Grey/Smoke | 4.65        |

## Uvex® SVP 200 Series Safety Glasses

- Dielectric, 10 base wraparound lens offers optimum protection
- Frameless, very lightweight and low-profile at 15 grams – perfect for all-day wear and fits most facial profiles
- Temple tips are flexible and comfortable
- Molded nosepiece
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Scratch

SGG292



SGG296



| Model No. | MFG No. | Lens Tint   | Frame Colour | Promo Price |
|-----------|---------|-------------|--------------|-------------|
| SGG290    | SVP200  | Clear       | Clear        | 1.69        |
| SGG292    | SVP202  | Grey/Smoke  | Grey         | 1.75        |
| SGG296    | SVP206  | Blue/Mirror | Blue         | 3.09        |

## Uvex® Bionic™ Shield

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- Height: 8-1/2"
- Width: 16-1/2"
- Thickness: 0.06"
- Material: Polycarbonate
- Shield Tint: Clear
- Suspension Type: Ratchet
- Standard(s) Met: Meets/Exceeds CSA Z94.3

SAK421



| Model No. | MFG No. | Description                        | Promo Price |
|-----------|---------|------------------------------------|-------------|
| SAK421    | S8500   | Clear uncoated faceshield          | 44.99       |
| SAK422    | S8510   | Clear anti-fog hardcoat faceshield | 54.99       |

## Adapt Safety Glasses

- The toric lens shape in ADAPT glasses gives extra space for the eyewear to fit with respirators
- The bottom rims in ADAPT glasses were shortened, giving extra space on the nose for secure-fitting masks
- Anti-fog coating keeps vision clear with or without a mask
- Soft flexible flange helps protect against flying particles
- Standard(s) Met: ANSI Z87+, Meets/Exceeds CSA Z94.3
- Lens Coating: Anti-Fog, Anti-Scratch
- Anti-Fog Coating: Two Sided NK-100

SHH509



SHH508



SHH507



| Model No. | MFG No. | Lens Tint | Promo Price |
|-----------|---------|-----------|-------------|
| SHH509    | 5002C-1 | Clear     | 13.49       |
| SHH508    | 5002S-1 | Smoke     | 14.05       |
| SHH507    | 5002A-1 | Amber     | 14.55       |

## Avatar Plus™ Safety Goggles

- HydroShield® anti-fog patented technology which helps ensure fog-free vision in diverse and challenging working conditions
- Polycarbonate, toric lens
- Polypropylene, elastomer goggle body
- Quick-adjust latex-free headband
- Standard(s) Met: Meets/Exceeds CSA Z94.3, ANSI Z87+
- Lens Coating: Anti-Fog, Anti-Scratch
- Band Type: Elastic



| Model No. | MFG No.  | Lens Tint | Promo Price |
|-----------|----------|-----------|-------------|
| SHL030    | AG01CLHS | Clear     | 21.99       |

## Dynamic™ Faceshield

- For facial protection against droplets coming from people's mouths
- Visor and suspension can be easily cleaned
- Height: 8"
- Width: 15"
- Thickness: 0.02 mils
- Material: PETG
- Suspension Type: Pinlock
- Suspension Material: HDPE



| Model No. | MFG No.    | Shield Tint | Promo Price |
|-----------|------------|-------------|-------------|
| SGU312    | FAHG320KIT | Clear       | 5.59        |

## Front-Brim Helmet with Bolt™ Headlamp Mount

- Includes a Bolt™ Headlamp Mount that works with most headlamps
- Includes a Bolt™ Marker Clip for easy access to pens and markers
- Four Bolt™ accessory slots and two universal accessory slots that easily integrate additional personal protection equipment and accessories
- Comfortable padded suspension
- Suspension Type: Ratchet
- Certification(s): ANSI Type II
- Class: ANSI Class C



SHA051

**Milwaukee**

| Model No. | MFG No.    | Colour | Promo Price |
|-----------|------------|--------|-------------|
| SHA055    | 48-73-1330 | Black  | 111.99      |
| SHA045    | 48-73-1320 | White  | 111.99      |
| SHA051    | 48-73-1326 | Green  | 111.99      |

## Grand Slam II Bump Caps

- For low-hazard area protection against minor bumps and lacerations
- Hard shell with crown foam pads for maximum comfort and fit
- Super-lightweight
- Well-vented for increased comfort during hot, sunny days



SGC422

| Model No. | MFG No.  | Colour    | Promo Price |
|-----------|----------|-----------|-------------|
| SGC425    | HP946-11 | Black     | 13.95       |
| SGC422    | HP946-08 | Navy Blue | 13.95       |
| SGC423    | HP946-15 | Red       | 13.95       |
| SGC424    | HP946-09 | Grey      | 13.95       |

## Howard Leight™ Laser-Trak™ Single-Use Detectable Earplugs

- Self-adjusting foam expands to fit virtually every wearer
- Non-ferrous metal and bright colours are easily detected by visual and automated inspections
- Blue metalized cord offers additional protection in highly-sensitive production areas
- Contoured T-shape for easy handling and wear
- NRR dB: 33
- Size: One-Size
- Certification(s): Meets/Exceeds CSA Class AL
- Packaging: Pair - Polybag
- Qty/Box: 100 pairs



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| SAK189    | LT-30   | 44.49/Box   |

## Kilimanjaro™ Hardhats

- Added sun protection to ears & neck from harmful UV rays and protection from falling materials & debris
- Sleek & attractive design
- High density polyethylene shell
- Accessory slots & chin strap attachments
- Suspension Type: Ratchet
- Certification(s): ANSI Type II, Meets/Exceeds CSA Type 2
- Class: Meets/Exceeds CSA Class E

**PIP**  
GLOBAL SAFETY




SFY807

| Model No. | MFG No.   | Colour    | Promo Price |
|-----------|-----------|-----------|-------------|
| SFY820    | HP642R/01 | White     | 34.99       |
| SFY796    | HP642R-09 | Grey      | 34.99       |
| SFY823    | HP642R/02 | Yellow    | 34.99       |
| SFY807    | HP642R/08 | Navy Blue | 34.99       |

## Howard Leight™ Quiet® Earplugs

- Patented no-roll design is easy to handle and fit
- Contoured shape comfortably matches contours of the ear canal
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- Built-in insertion stem makes insertion quick and easy
- NRR dB: 26
- Size: Regular
- Certification(s): Meets/Exceeds CSA Class AL
- Qty/Box: 100 prs.

SAK351



SE359

**PIP**  
GLOBAL SAFETY

| Model No. | MFG No. | Description        | Promo Price |
|-----------|---------|--------------------|-------------|
| SAK351    | QD1     | Uncorded, Polybag  | 48.95/Box   |
| SE359     | QD30    | Poly cord, Polybag | 80.65/Box   |

## Howard Leight™ VeriShield™ 100 Series Dielectric Passive Earmuffs

- Comfortably fits a wide range of head sizes
- Wide cup opening is ideal for workers with large ears, or who wear hearing aids
- Lightweight cushioned headband
- Memory foam ear cushions



SGS320

**PIP**  
GLOBAL SAFETY

| Model No.               | MFG No.    | Meets/Exceeds CSA Class | NRR dB | Attenuation Level | Promo Price |
|-------------------------|------------|-------------------------|--------|-------------------|-------------|
| <b>FOLDING HEADBAND</b> |            |                         |        |                   |             |
| SGS320                  | 1035198-VS | A                       | 25     | Low/Flat          | 22.99       |
| <b>HEADBAND</b>         |            |                         |        |                   |             |
| SGS321                  | 1035192-VS | A                       | 26     | Mid               | 25.99       |
| SGS323                  | 1035195-VS | AL                      | 29     | High              | 32.79       |

## 7700 Series Half-Mask Respirators

- Non-allergenic silicone facepiece material conforms to facial features and doesn't harden with age
- Easy to clean, extremely durable and resists distortion, ensuring a better fit
- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Minimal dead air space improves worker comfort by limiting rebreathing of exhaled air
- Facepiece Material: Silicone

**PIP**  
GLOBAL SAFETY



| Model No. | MFG No. | Size   | Promo Price |
|-----------|---------|--------|-------------|
| ZC352     | 770030S | Small  | 37.49       |
| SM802     | 770030M | Medium | 37.49       |
| SA788     | 770030L | Large  | 37.49       |

## Squids® 3158 Hardhat Tool Lanyards

- Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion
- Comfortably attaches to hard hats and other headwear to prevent item from falling
- Clamp connecting lanyards feature an easy release clamp that attaches to just about anything
- Third party tested using a 2:1 safety factor
- Load Rating: 2 lbs.
- Length: 12" - 48"

**ergodyne**  
WORK GEAR



Hardhat not included

SDL092

| Model No. | MFG No. | Colour | Connection Type | Promo Price |
|-----------|---------|--------|-----------------|-------------|
| SDL089    | 19156   | Black  | Clip            | 7.79        |
| SDL090    | 19157   | Lime   | Buckle          | 7.79        |
| SDL091    | 19158   | Black  | Clamp           | 6.99        |
| SDL092    | 19159   | Lime   | Clamp           | 6.99        |

## Arsenal® 5970 Swiveling Hook Hoist Bucket

- Molded plastic top ring to maintain wide opening for viewing and accessing contents
- High tensile strength web handle with leather reinforcement
- Heavy-gauge nylon stitching
- Interior pocket
- Load Rating: 100 lbs.
- Diameter: 12.5"
- Height: 15"
- Nylon Grade: 840D

**ergodyne**  
WORK GEAR



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| SGS624    | 14970   | 93.99       |

## Particulate Respirators

- Contoured facial seal, fully adjustable head straps, and adjustable nose clip offer a comfortable secure fit
- Exhalation valve reduces hot air buildup to facilitate breathing in humid environments
- Certification(s): NIOSH • Size: Medium/Large
- Style: Cup • With Exhalation Valve
- Type: P100 • Qty/Box: 5

**ZENITH**  
Safety Products



| Model No. | Promo Price |
|-----------|-------------|
| SDN714    | 41.99/Box   |

## H100 Harnesses

- Meets the most common fall protection needs while maintaining a focus on value and safety
- Covering protects the identification label during the life of the harness
- Lightweight and more comfortable
- Visible distinctive colour
- Type: Fall Arrest • CSA Class: A
- Weight Capacity: 420 lbs.
- D-Rings: Back
- Leg Strap Connections: Tongue Buckle
- Chest Strap Connections: Pass-Through/Mating
- Back D-Ring Material: Steel
- Webbing: 1-3/4" Polyester

SHA921



**PIP**  
GLOBAL SAFETY

| Model No. | MFG No.   | Size               | Promo Price |
|-----------|-----------|--------------------|-------------|
| SHA921    | H13110021 | Small, Medium      | 58.99       |
| SHA922    | H13110022 | Universal          | 58.99       |
| SHA923    | H13110023 | 2X-Large, 3X-Large | 58.99       |

## Miller™ TurboLite™+ Personal Fall Limiter

- Enhanced graphics, icons, and colours on UV-resistant scratch-proof labeling
- New Miller look and feel, designs aligned with Honeywell harnesses for mix and match protection
- High-impact resistant nylon housing
- Abrasion-resistant webbing helps provide long service life
- Lifeline Length: 6'
- No. of SRLs: 1
- Stationary
- Unit Connector: Carabiner
- Unit Connector Material: Steel
- Lifeline Connector Material: Steel
- CSA Certification: SRL
- Max. Working Capacity: 310 lbs. (141 kg)
- Hub: Shock-Absorbing Engineered Co-Polymer
- Braking Mechanism: Stainless Steel
- Thread: Polyester
- Standard(s) Met: OSHA 1926.502, ANSI Z359.14, CSA Z259.2.2

SHH407

**PIP**  
GLOBAL SAFETY

SHG675



| Model No. | MFG No.         | Lifeline Connector | Promo Price |
|-----------|-----------------|--------------------|-------------|
| SHH407    | MTL-OHW1-01/6FT | Locking Snap Hook  | 186.99      |
| SHG675    | MTL-OHW1-02/6FT | Locking Rebar Hook | 179.99      |

## Ultimate Dexterity Coated Gloves

- Excellent abrasion resistance
- Premium comfort and breathability
- 13-gauge seamless polyester knit provides ultimate dexterity and reduces hand fatigue
- Superior dry grip
- Ultra soft polyurethane coated palm
- Coating Style: Dipped Palm
- EN 388 Performance Levels: 4141
- EN 420 Dexterity Level: 5
- **Must be ordered in multiples of 12**



**ZENITH**  
Safety Products

| Model No.     | Size         | Promo Price      |
|---------------|--------------|------------------|
| <b>SAX694</b> | X-Small, 6   | <b>0.95/Pair</b> |
| <b>SAX695</b> | Small, 7     | <b>0.95/Pair</b> |
| <b>SAX696</b> | Medium, 8    | <b>0.95/Pair</b> |
| <b>SAX697</b> | Large, 9     | <b>0.95/Pair</b> |
| <b>SAX698</b> | X-Large, 10  | <b>0.95/Pair</b> |
| <b>SAX699</b> | 2X-Large, 11 | <b>0.95/Pair</b> |

## TouchNTuff® 92-600 Gloves

- Nitrile with smooth fingertips
- Contains absolutely no fillers, silicones or plasticizers
- Provide three times the puncture resistance of competitive latex or vinyl gloves
- Durable yet soft for improved comfort
- Length: 9.5"
- Thickness: 5-mil • Finish: Untextured
- Colour: Green • Powder-Free
- Cuff Style: Rolled
- Grade: AQL 1.5
- Qty/Box: 100



**Ansell**

| Model No.     | MFG No.    | Size    | Promo Price      |
|---------------|------------|---------|------------------|
| <b>SAW927</b> | 9260011070 | Small   | <b>16.85/Box</b> |
| <b>SAW928</b> | 9260011080 | Medium  | <b>16.85/Box</b> |
| <b>SAW929</b> | 9260011090 | Large   | <b>16.85/Box</b> |
| <b>SAW930</b> | 9260011100 | X-Large | <b>16.85/Box</b> |

## Hyflex® 11-800 Gloves

- Light-duty foam nitrile coated
- Knit nylon liner
- Excellent grip in light oil applications, oil is channelled away from the glove surface
- Highest level of comfort and protection
- Resistant to snags and abrasions
- Gauge: 15
- Coating Style: Dipped Palm
- Cuff Style: Knit
- Colour: Grey/White



**Ansell**

| Model No.     | MFG No.    | Size         | Promo Price      |
|---------------|------------|--------------|------------------|
| <b>SAW921</b> | 1180011060 | X-Small, 6   | <b>3.75/Pair</b> |
| <b>SAW922</b> | 1180011070 | Small, 7     | <b>3.75/Pair</b> |
| <b>SAW923</b> | 1180011080 | Medium, 8    | <b>3.75/Pair</b> |
| <b>SAW924</b> | 1180011090 | Large, 9     | <b>3.75/Pair</b> |
| <b>SAW925</b> | 1180011100 | X-Large, 10  | <b>3.75/Pair</b> |
| <b>SAW926</b> | 1180011110 | 2X-Large, 11 | <b>3.75/Pair</b> |

## Longhorn Fitters Gloves

- Economy-grade full-grain cowhide leather
- Cotton drill back
- Full leather index finger, pulse protector, knuckle bar and hooded fingertips
- Outside elastic wrist
- Slip-on style safety cuff



**WATSON GLOVES**  
Quality since 1918

| Model No.     | MFG No. | Size    | Promo Price      |
|---------------|---------|---------|------------------|
| <b>SHJ782</b> | A281E-M | Medium  | <b>7.99/Pair</b> |
| <b>NJZ096</b> | A281E-L | Large   | <b>7.99/Pair</b> |
| <b>SHJ784</b> | A281E-X | X-Large | <b>7.99/Pair</b> |

## Deny® Cut-Resistant Gloves

- Nitrile palm coating over full glove coating
- Elastic knit wrist with hemmed cuff
- Liquid-resistant
- Gauge: 13
- Shell Material: HPPE
- Coating Style: Full Dip
- Cut Resistance: ASTM ANSI Level A3, EN 388 Level C
- Abrasion Resistance: EN 388 Level 4
- Tearing Strength: EN 388 Level 4
- Puncture Resistance: EN 388 Level 3



| Model No.     | MFG No.      | Size         | Promo Price      |
|---------------|--------------|--------------|------------------|
| <b>SHB132</b> | 99-1-9660-7  | Small, 7     | <b>9.29/Pair</b> |
| <b>SGV995</b> | 99-1-9660-8  | Medium, 8    | <b>9.29/Pair</b> |
| <b>SGV996</b> | 99-1-9660-9  | Large, 9     | <b>9.29/Pair</b> |
| <b>SGV998</b> | 99-1-9660-10 | X-Large, 10  | <b>9.29/Pair</b> |
| <b>SGV997</b> | 99-1-9660-11 | 2X-Large, 11 | <b>9.29/Pair</b> |

**BDG**  
BOB DALE GLOVES

## Original® High-Visibility Work Gloves

- Form-fitting, breathable TrekDry® material keeps hands cool and comfortable
- Adjustable Thermoplastic Rubber (TPR) wrist closures create a secure fit
- Reflective ink on fluorescent material creates eye-catching luminance
- Reinforced thumb and index finger support for added durability
- Touchscreen capable synthetic leather keeps you connected while you work
- Palm Material: Synthetic
- Abrasion Resistance Rating: EN 388 Level 3
- Cut Resistance Rating: EN 388 Level 1
- Tearing Strength Rating: EN 388 Level 2
- Puncture Resistance Rating: EN 388 Level 1



| Model No.     | MFG No.    | Size        | Promo Price       |
|---------------|------------|-------------|-------------------|
| <b>NKE427</b> | SMG-91-009 | Medium, 9   | <b>23.99/Pair</b> |
| <b>NKE428</b> | SMG-91-010 | Large, 10   | <b>23.99/Pair</b> |
| <b>NKE429</b> | SMG-91-011 | X-Large, 11 | <b>23.99/Pair</b> |

**MECHANIX WEAR**

## Disposable Sleeves

- 0.02 mm polyethylene
- Elastic at both ends
- Length: 18"
- Qty/Bag: 100



SFU586



| Model No. | Colour | Promo Price |
|-----------|--------|-------------|
| SFU586    | Blue   | 4.79/Bag    |
| SGZ815    | White  | 5.45/Bag    |

## Beard Nets

- Elasticized band for an optimum fit
- Covers beard and mustache
- 100% latex-free
- Material: Polypropylene
- Size: One size fits all
- Qty/Pkg.: 100



SEC384



| Model No. | Colour | Description             | Material      | Promo Price |
|-----------|--------|-------------------------|---------------|-------------|
| SEC383    | White  | One string behind head  | Polypropylene | 3.99/Pkg.   |
| SEC384    | White  | Two strings behind ears | Polypropylene | 3.99/Pkg.   |
| SGY078    | White  | One string behind head  | Nylon         | 7.45/Pkg.   |
| SGY079    | Brown  | One string behind head  | Nylon         | 7.45/Pkg.   |

## RZ300 Rain Suits

- 0.20 mm thick unsupported yellow PVC material
- Jacket features storm flap, dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Ultrasonically-welded seams



| Model No. | Size     | Promo Price |
|-----------|----------|-------------|
| SEH092    | Small    | 15.15       |
| SEH093    | Medium   | 15.15       |
| SEH094    | Large    | 15.15       |
| SEH095    | X-Large  | 15.15       |
| SEH096    | 2X-Large | 15.40       |
| SEH097    | 3X-Large | 15.40       |
| SEH098    | 4X-Large | 16.15       |

## Polyethylene Aprons

- Disposable, 0.02 mm thick polyethylene apron
- This bib-style apron is 35" x 46" with waist ties
- Accepted for use in Canadian food processing facilities
- Qty/Pkg.: 100



| Model No. | Colour | Promo Price |
|-----------|--------|-------------|
| SEK351    | White  | 10.45/Pkg.  |
| SGR277    | Blue   | 10.45/Pkg.  |

## Hooded Coveralls

- Zipper front with storm flap, attached hood, elastic wrists and ankles
- Microporous film laminated to a polypropylene substrate
- Offers protection against liquid, dust, and light chemical splashes
- High quality, lightweight, microporous fabric provides comfortable fit and breathability
- Fabric Weight: 1.41 oz/yd<sup>2</sup> (48 g/m<sup>2</sup>)
- Colour: White
- Qty/Case: 50



| Model No. | Size     | Promo Price |
|-----------|----------|-------------|
| SGM432    | Medium   | 3.35/Ea.    |
| SGM433    | Large    | 3.35/Ea.    |
| SGM434    | X-Large  | 3.35/Ea.    |
| SGM435    | 2X-Large | 3.35/Ea.    |
| SGM436    | 3X-Large | 3.35/Ea.    |
| SGM437    | 4X-Large | 3.35/Ea.    |
| SGM438    | 5X-Large | 3.35/Ea.    |

## Disposable Poncho

- Ideal for jobsites and other outdoor events
- Individually packaged for easy and convenient storage
- Heat-sealed seams
- Features attached hood and roomy sleeves
- Material: LDPE
- One Size
- Colour: Blue
- Size: 50" x 80"
- Thickness: 0.02 mm
- Qty/Pkg.: 10



| Model No. | Promo Price |
|-----------|-------------|
| SHB893    | 12.55/Pkg.  |

## Bacteriostatic Water Preservative

- Sterile bacteriostatic additive permits storage of the water for up to four months
- Size: 8 oz.
- Qty/Box: 4



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| SAR315    | 9082    | 111.99/Box  |

## Eyewash Station

- Cost effective solution for applications with an existing faucet
- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- One-step activation
- Installation Type: Sink Mount
- Standard(s) Met: ANSI Z358.1
- Includes a safety sign and inspection tag



| Model No. | MFG No.  | Promo Price |
|-----------|----------|-------------|
| SAK621    | S19-200B | 144.99      |

## Dielectric Zenex™ Padlocks

- Designed exclusively for lockout/tagout applications
- Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key
- All components are non-sparking and non-magnetic plastic, copper and brass
- Type: Safety Padlock
- Body Width: 1-1/2"
- Shackle Diameter: 1/4"
- Shackle Clearance Height: 1-1/2"
- Shackle Clearance Width: 25/32"
- Body Material: Thermoplastic
- Shackle Material: Nylon
- Key Type: Keyed Different
- Body Height: 1-3/4"



| Model No. | MFG No. | Colour | Promo Price |
|-----------|---------|--------|-------------|
| SAR835    | 406YLW  | Yellow | 19.45       |
| SAR840    | 406TEAL | Teal   | 19.45       |
| SAR833    | 406RED  | Red    | 19.45       |
| SAR839    | 406PRP  | Purple | 19.45       |
| SAR834    | 406ORJ  | Orange | 19.45       |

## Eyewash Station

- 9-gallon high-density green polyethylene tank made from FDA compliant materials
- Gravity fed to supply a continuous flow of water for 15 minutes at 0.4 GPM
- Easy-to-operate yellow activation arm protects eyewash spouts when not in use
- Wide-fill opening with threaded cap allows easy inspection, cleaning and filling
- Type: Gravity-Fed
- Standard(s) Met: ANSI Z358.1



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| SAR314    | 7501    | 359.00      |

## Grip Tight™ Lockouts

- Fits all American Lock® and Master Lock® safety padlocks and hasps
- Two products replace at least five. SAO595 is used for single and double breaker toggles, while SAO594 is appropriate for tall and wide breaker toggles
- Narrow profile permits side-by-side breaker lockout
- Grips tight with a simple thumb turn and clamping handle
- Type of Electrical Device: Circuit Breaker



| Model No. | MFG No. | Description                        | Promo Price |
|-----------|---------|------------------------------------|-------------|
| SAO595    | 493B    | Standard Single and Double Toggles | 10.19       |
| SAO594    | 491B    | Tall & Wide Toggles                | 13.69       |
| SAO707    | 506     | Set of one each SAO594 and SAO595  | 23.49       |

## Latch Tight™ Lock Boxes

- Can only release when no padlocks are fastened to the lock box
- Has lockout points for 14 padlocks or hasps
- Powder coated finish on heavy-duty steel box and stainless steel handle withstand harsh industrial environments
- Unit can be mounted to a wall or carried with the comfortable form fitted handle



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| SAO597    | 503RED  | 106.00      |

## Sound Level Meter and Calibrator Kit

- The kit includes the R8050 Sound Level Meter, the R8090 Sound Level Calibrator (SC-05), the R8888 Hard Carrying Case with Laser Etched Custom Foam Interior (specifically designed for the included instruments), as well as a wind shield ball and batteries
- Frequency Weighting: A/C
- Measuring Range: 30 - 130 dB
- Not Data Logging
- Frequency Range: 31.5 Hz to 8 kHz
- Time Weighting: Fast/Slow (125ms and 1s)
- Display: 4-digit LCD
- Auto Shut-off: Yes (after 15 mins)
- Power Supply: 9V battery
- Battery Life: Approx. 50 hours
- Product Certifications: CE, IEC 61672-1 Class 2, ANSI S1.4-1983
- Operating Temperature: 32 to 104°F (0 to 40°C)
- Operating Humidity: 10-90%



**REED**

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| IB831     | R8050-KIT | 485.50      |

## Infrared Thermometer

- Built-in laser pointer identifies target area
  - Digitally adjustable emissivity
- Max, min, average and differential readings
  - Backlit display
  - Temperature Range: -25.6° - 752° F ( -32° - 400° C )
  - Spot Size Ratio: 12:1
  - Emissivity: Adjustable
- Accuracy:  $\pm 4^\circ(2^\circ)$  or  $\pm 2\%$  rdg.



**REED**

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| IB967     | R2300   | 71.50       |

## Hand Tally Counters

- Recommended for applications where operator must be mobile, such as checking meeting attendance, taking warehouse inventories, etc.
  - Count Range: 4 Digits



**BAKER**  
INSTRUMENTS

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| HD317     | B1100   | 14.50       |

## Data Logging Indoor Air Quality Meter with Humidity Calibration Standards

- **Includes:** R9905 Data Logging Indoor Air Quality Meter, R9933 33% Humidity Calibration Standard, R9975 75% Humidity Calibration Standard
- Measures carbon dioxide (CO<sub>2</sub>), temperature, humidity and automatically calculates time-weighted average (TWA) and short-term exposure Limit (STEL)
- CO<sub>2</sub> Range: 0 - 30000 ppm
- Temperature Range: -4° - 140° F ( -20° - 60° C )
- Humidity Range: 0% - 100% RH



**REED**

| Model No. | MFG No.   | Promo Price |
|-----------|-----------|-------------|
| IC861     | R9905-KIT | 685.00      |

## Wet-Bulb Globe Temperature (WBGT) Heat Stress Meter

- Measures ambient temperature, humidity, wet bulb temperature, black globe temperature, WBGT (wet bulb global temperature), heat stress index, dew point and pressure
- Heat Stress Index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
- Black Globe Temperature (GT) monitors the effects of direct solar radiation on an exposed surface
- Humidity Range: 0% - 99.9% RH
- Product Certifications: CE, RoHS
- Air Temperature Range: 0 to 50°C (32 to 122°F)
- Power Supply: 4 x AAA Batteries, Optional AC Adapter



**REED**

| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| IB908     | R6200   | 198.00      |

## SW600 Stopwatch

- Records real time and split times
- Displays hour, minute, second and day of the week
- High contrast digital display
- 1/100th second resolution
- Display Type: Digital
- Accuracy:  $\pm 3$  seconds/day
- Timing Capacity: 9:59:59
- Water Resistant

**REED**



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| IA742     | SW600_  | 21.75       |

## Twin-Head Work Light

- Adjustable tripod for desired height
- Extendable tripod legs provide greater stability
- LED bulbs included
- Fixtures can adjust 120°
- Certified for sale in Canada by an accredited certification body
- Lumens: 4800
- Wattage: 40 W
- Housing Material: Aluminum
- Voltage: 120 V



**AURORA**  
TOOLS

| Model No. | Promo Price |
|-----------|-------------|
| XG817     | 139.95      |

## Portable Work Light

- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance
- Lumens: 2500
- Wattage: 20 W
- Housing Material: Aluminum



**AURORA**  
TOOLS


| Model No. | Promo Price |
|-----------|-------------|
| XG816     | 66.85       |

## Polyurethane Cable Protectors

- Protect your cables or hoses from vehicle and pedestrian traffic
- High-visibility yellow lid features added tabs for a more secure connection between base and lid
- Heavy-duty polyurethane base with LDPE lid for indoor or outdoor use
- Multiple units can be interconnected
- Length: 35.43"
- Width: 19.69"
- Colour: Yellow/Black
- **SHJ532** Bearing Weight: 25 Tons
- **SHJ533** Bearing Weight: 20 Tons



SHJ533



**ZENITH**  
Safety Products

| Model No. | No. of Channels | H" | Channel W" x H" | Promo Price |
|-----------|-----------------|----|-----------------|-------------|
| SHJ532    | 3               | 3  | 2.17 x 2.17     | 260.00      |
| SHJ533    | 5               | 2  | 1.38 x 1.38     | 240.00      |

## Heavy-Duty Vinyl Extension Cords

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- Gauge (AWG): 14/3
- Type: Outdoor
- Voltage: 300 V
- No. of Outlets: 1
- Trade Designation: SJTW
- Min. Temperature: -40°C (-40°F)
- Max. Temperature: 60°C (140°F)

XC482

**AURORA**  
TOOLS

| Model No. | Length' | Amps (A) | Wattage W | Promo Price |
|-----------|---------|----------|-----------|-------------|
| XC482     | 25      | 15       | 1875      | 23.95       |
| XC483     | 50      | 15       | 1875      | 41.50       |
| XC484     | 100     | 13       | 1625      | 78.95       |



## Extra Heavy-Duty Vinyl Extension Cords

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- Gauge (AWG): 14/3
- Amps: 15 A
- Type: Outdoor
- Voltage: 300 V
- Wattage: 1875 W
- No. of Outlets: 1
- Trade Designation: SJTW
- Min. Temperature: -40°C (-40°F)
- Max. Temperature: 60°C (140°F)

XC485

**AURORA**  
TOOLS

| Model No. | Length' | Promo Price |
|-----------|---------|-------------|
| XC485     | 25      | 34.95       |
| XC486     | 50      | 61.95       |
| XC487     | 100     | 124.95      |



## AFL400 LED Spotlight

- Single LED spotlight has an extremely bright beam featuring long distance visibility
- Spotlight features an additional side-light that can be used as a free-standing lantern
- Certified for sale in Canada by an accredited certification body
- Spotlight is ideal for various applications, such as household work, facility maintenance, general labor and recreational activities
- Lumens (High): 516
- Run Time Hrs. (High): 6
- Battery Type: Rechargeable
- Body Material: Plastic
- Beam Distance (High): 500 m
- Batteries Included
- Side-light Lumens: 180

**AURORA**  
TOOLS



| Model No. | Promo Price |
|-----------|-------------|
| XH109     | 39.99       |

## CSA Compliant T-Shirts

- Fluorescent orange 100% polyester "bird's eye" mesh material
- 3" fluorescent yellow/silver dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2



| Model No. | Colour   | Promo Price |
|-----------|----------|-------------|
| SEL243    | Medium   | 15.40       |
| SEL244    | Large    | 15.40       |
| SEL245    | X-Large  | 15.40       |
| SEL246    | 2X-Large | 15.40       |

## Standard-Duty Traffic Harnesses

- 1 1/2" lime-yellow/silver reflective stripes
- Elasticized material permits optimal fit
- Four strap adjusters and front clip for maximum adjustability



| Model No. | Size     | Promo Price |
|-----------|----------|-------------|
| SEF117    | Medium   | 8.65        |
| SEF118    | Large    | 8.65        |
| SEF119    | X-Large  | 8.65        |
| SEF120    | 2X-Large | 8.65        |
| SEF121    | 3X-Large | 8.65        |

## PVC Traffic Cones

- Temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Available with 6" and 4" reflective collars
- High-density interlocking base offers maximum stability



| Model No. | Height" | Base Dim. |   |        | Collar" | Promo Price |
|-----------|---------|-----------|---|--------|---------|-------------|
|           |         | W"        | x | L"     |         |             |
| SEF026*   | 18      | 10-1/4    | x | 10-1/4 | 6       | 12.35       |
| SEF027**  | 28      | 13-3/4    | x | 13-3/4 | 4       | 21.70       |
| SEF028*   | 28      | 13-3/4    | x | 13-3/4 | 6 & 4   | 24.70       |

\* Meets Minister of Transport regulations for Quebec, Ontario and Alberta

\*\* Meets Minister of Transport regulations for Ontario and Alberta

## CSA Compliant Traffic Safety Vests

- Lightweight and comfortable, fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" reflective stripes offer maximum nighttime visibility
- Front hook and loop closure permits optimal fitting
- Colour: High Visibility Orange
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2



| Model No. | Size     | Promo Price |
|-----------|----------|-------------|
| SGI273    | Medium   | 8.65        |
| SGI274    | Large    | 8.65        |
| SGI275    | X-Large  | 8.65        |
| SGI276    | 2X-Large | 8.65        |



## CSA Compliant Surveyor Vests

- Lightweight and comfortable fluorescent sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum night-time visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- **Includes:** Clear plastic pocket for ID badges
- Colour: High Visibility Orange
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 - Level 2




| Model No. | Size     | Promo Price |
|-----------|----------|-------------|
| SEF101    | Medium   | 11.75       |
| SEF102    | Large    | 11.75       |
| SEF103    | X-Large  | 11.75       |
| SEF104    | 2X-Large | 11.75       |



## Retractable Cone Bars

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent colour for enhanced daytime visibility
- Reflective tape offers maximum nighttime visibility and safety



| Model No. | Collapsed Length | Extended Length | Colour       | Promo Price |
|-----------|------------------|-----------------|--------------|-------------|
| SGS309    | 4'3"             | 7'2"            | Black/Yellow | 10.20       |
| SDP614*   | 4'5"             | 7'5"            | Black/Orange | 32.95       |

\*3M™ Reflective tape

## Speed Bump Kits

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations, and UV light
- Perfect for speed reduction in parking lots, school zones, and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Colour: Black, Yellow
- **Includes:** Speed bump; End caps; Rebar spikes



**ZENITH**  
Safety Products

| Model No. | Overall Dim. |   |    |   |    | Promo Price |
|-----------|--------------|---|----|---|----|-------------|
|           | L'           | x | W" | x | H" |             |
| SHF708    | 4            | x | 11 | x | 2  | 138.00      |
| SHF709    | 6            | x | 11 | x | 2  | 168.00      |

## Safety Baton Light

- High visibility LED light source to safely direct traffic
- Durable weather resistant design with carrying strap
- Two light modes include Steady On and Flashing
- Requires (2) D batteries
- Light Colour: Orange
- Length: 21"



**ZENITH**  
Safety Products

| Model No. | Promo Price |
|-----------|-------------|
| SGW959    | 10.65       |

## Flagging Tape

- Quick and easy way to lay out boundaries
- Non-adhesive
- Brightly coloured tape offers maximum visibility
- Width: 1.1875"
- Material: Vinyl



**ZENITH**  
Safety Products

| Model No. | Colour             | Length' | Promo Price |
|-----------|--------------------|---------|-------------|
| SGQ805    | Fluorescent Orange | 164     | 2.15        |
| SGQ807    | Fluorescent Pink   | 164     | 2.15        |
| SHB928    | Fluorescent Green  | 164     | 2.15        |
| SHB929    | Fluorescent Yellow | 164     | 2.15        |
| SGQ806    | Red                | 164     | 2.15        |

## High-Visibility Delineator Posts

- Standard 42"-high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" high intensity reflective tape collars
- Colour: Orange



**ZENITH**  
Safety Products

| Model No. | Base Shape         | Dimensions" | Promo Price |
|-----------|--------------------|-------------|-------------|
| SGJ239    | Octagonal w/Handle | 16 x 16     | 27.70       |
| SGJ240    | Rectangular        | 15 x 17     | 27.20       |

## Megaphone

- Up to one mile carry sound range
- Features pistol grip and trigger for 1-hand operation
- Requires 8 "C" batteries
- Includes piercing siren sound for emergency situations
- Power Output: 25-w Peak
- 15 W RMS power output
- Weight: w/o batteries 2.7 lbs., w/batteries 3.9 lbs.
- Dimensions: 15" L x 9" H (cone diameter)




**ZENITH**  
Safety Products

| Model No. | Promo Price |
|-----------|-------------|
| SEE894    | 96.99       |

## Conspicuity Tape

- Impact proof
- UV stable
- Increases visibility in low light or poor visibility situations
- Easy to cut and apply
- Width: 2"
- Length: 150'
- Standard(s) Met: DOT-C2 and FMVSS108, the Standard Set by the Department of Transportation

**ZENITH**  
Safety Products



| Model No.   | Description                           | Promo Price |
|-------------|---------------------------------------|-------------|
| WHITE       |                                       |             |
| SGU268      | -                                     | 92.99       |
| RED & WHITE |                                       |             |
| SGU269      | 6" white, 6" red alternating pattern  | 92.99       |
| SGU270      | 7" white, 11" red alternating pattern | 92.99       |



EA290

## High Velocity Floor Fans

- 3-speed, 120 V/60 Hz, 1/4 HP motor
- All-metal construction
  - 3-prong plug with ground industrial wire
  - Rotates up for vertical airflow



EA528



| Model No.            | Dia." | High | CFM Med | Low  | Promo Price |
|----------------------|-------|------|---------|------|-------------|
| <b>BLACK FINISH</b>  |       |      |         |      |             |
| EA528                | 16    | 2370 | 1950    | 1560 | 80.20       |
| <b>CHROME FINISH</b> |       |      |         |      |             |
| EA290                | 18    | 4725 | 3850    | 2975 | 116.00      |

## High Velocity Floor Fan

- Powerful fan output with 3 speed settings
- Vertical tilt feature and a rotating grill
- Aluminum base
- Diameter: 18"
- No. of Speeds: 3
- Power: 0.087HP (65W)
- Max. Speed Rating: 1300 RPM
- Voltage: 120 V
- Power Cord Length: 6'



| Model No. | Promo Price |
|-----------|-------------|
| EB289     | 121.00      |

## Heavy-Duty Fixed Belt Drive Drum Fan



- Fully enclosed motor
- All-metal construction
  - 9' power cord
- Features 8" casters with easy moving handle
  - No. of speeds: 2
  - Motor: 120V/60 Hz
    - Power: 900 W
    - Amps: 7.5 A



| Model No. | Dia." | HP  | CFM High | Low  | Promo Price |
|-----------|-------|-----|----------|------|-------------|
| EA662     | 42    | 3/4 | 17900    | 7400 | 1150.00     |

## Wall Mount Oscillating Fan

- Rotating or fixed air direction
  - Easy to assemble
- Remote with timer mode included
  - 3 speed with Eco mode feature
    - Diameter: 16"
    - Motor: 120 V/55 Hz



| Model No. | High | CFM Med | Low  | Eco mode | Promo Price |
|-----------|------|---------|------|----------|-------------|
| EA526     | 1600 | 1400    | 1220 | 940      | 59.95       |

## Light Industrial Air Circulating Fans

- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Open motor
- Voltage: 120 V

EA282



EA284



| Model No.                        | Description    | HP  | High | CFM Med | Low  | Promo Price |
|----------------------------------|----------------|-----|------|---------|------|-------------|
| <b>OSCILLATING, 3 SPEEDS</b>     |                |     |      |         |      |             |
| EA282*                           | 26" Pedestal   | 1/4 | 7525 | 6060    | 4050 | 299.00      |
| EA283*                           | 30" Pedestal   | 1/3 | 8775 | 7500    | 6780 | 375.00      |
| EA284                            | 26" Wall Mount | 1/4 | 7525 | 6060    | 4050 | 246.00      |
| EA654                            | 30" Wall Mount | 1/3 | 8775 | 7500    | 6780 | 294.00      |
| <b>NON OSCILLATING, 2 SPEEDS</b> |                |     |      |         |      |             |
| EA657*                           | 26" Pedestal   | 1/4 | 7700 | -       | 6060 | 385.00      |
| EA571*                           | 30" Pedestal   | 1/3 | 8000 | -       | 7000 | 269.00      |
| EA655                            | 26" Wall Mount | 1/4 | 7700 | -       | 6060 | 220.00      |
| EA656                            | 30" Wall Mount | 1/3 | 8000 | -       | 7000 | 252.00      |

\*Features adjustable height and a heavy-duty round base for added stability


## Industrial-Duty Air Circulating Fans

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal 89-124 cm
- No. of Speeds: 2
- Voltage: 120 V

EA643



EA645



| Model No.              | Description    | Motor Type | HP  | High  | CFM Low | Promo Price |
|------------------------|----------------|------------|-----|-------|---------|-------------|
| <b>OSCILLATING</b>     |                |            |     |       |         |             |
| EA643*                 | 24" Pedestal   | Open       | 1/4 | 11800 | 7760    | 509.00      |
| EA647*                 | 30" Pedestal   | Closed     | 1/3 | 13200 | 6700    | 739.00      |
| EA645                  | 24" Wall Mount | Closed     | 1/4 | 11500 | 7680    | 398.00      |
| EA649                  | 30" Wall Mount | Closed     | 1/4 | 10780 | 7760    | 459.00      |
| <b>NON OSCILLATING</b> |                |            |     |       |         |             |
| EA642*                 | 24" Pedestal   | Open       | 1/4 | 11800 | 7760    | 348.00      |
| EA646*                 | 30" Pedestal   | Closed     | 1/4 | 10780 | 7440    | 484.00      |
| EA644                  | 24" Wall Mount | Closed     | 1/4 | 11500 | 7680    | 312.00      |
| EA648                  | 30" Wall Mount | Closed     | 1/4 | 10780 | 7440    | 346.00      |

\*Features adjustable height and a heavy-duty round base for added stability

## Light Industrial Direct-Drive Slim Drum Fans

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz
- Power: 215 W

EA778



| Model No. | Dia." | No. of Speeds | HP   | CFM  |      |      | Promo Price |
|-----------|-------|---------------|------|------|------|------|-------------|
|           |       |               |      | High | Med  | Low  |             |
| EA778     | 24    | 3             | 3/10 | 7770 | 6000 | 4200 | 181.00      |
| EB114     | 30    | 2             | 1/3  | 9500 | -    | 6700 | 383.00      |

## Waterproof Motor Misting & Oscillating Pedestal Fan

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Voltage: 120 V
- Power: 220 W
- Diameter: 30"
- No. of Speeds: 3

MATRIX INDUSTRIAL PRODUCTS



| Model No. | CFM  |      |      | Promo Price |
|-----------|------|------|------|-------------|
|           | High | Med  | Low  |             |
| EA779     | 7200 | 5470 | 3780 | 459.00      |

## Mobile 3-in-1 Air Conditioners

- 3-in-1 system (A/C, fan, and dehumidifier)
  - Features Control panel with LED display on unit with remote control
    - Equipped with casters
      - 24 hour timer
    - Window kit included
      - Portable
        - Voltage: 115 V
      - Frequency: 60 Hz

MATRIX INDUSTRIAL PRODUCTS



EA830



EB118

| Model No.                                     | Coverage sq.ft. | BTU Rating | Cooling Speed | Promo Price |
|---|-----------------|------------|---------------|-------------|
| 11-13/16" W X 12-5/8" D X 27-3/16" H<br>EB118 | 300 - 350       | 8000       | 2             | 677.00      |
| 17-1/3" W X 12-4/5" D X 27-1/3" H<br>EA830    | 450 - 550       | 12000      | 3             | 682.00      |

## Light Industrial Direct-Drive Drum Fans

- Motor: 120 V/60 Hz
- All-metal construction, painted black
- 6' SJT type power cord
- 6" casters and easy moving handle
- No. of Speeds: 2

EA286



MATRIX INDUSTRIAL PRODUCTS

| Model No. | Dia." | HP  | Watts | CFM   |      | Promo Price |
|-----------|-------|-----|-------|-------|------|-------------|
|           |       |     |       | High  | Low  |             |
| EA286     | 28    | 2/5 | 290   | 8050  | 6650 | 233.00      |
| EA288     | 36    | 3/5 | 405   | 11200 | 9100 | 505.00      |

## Air Curtains with Remote Control

- Maintains indoor air quality and saves energy by minimizing air loss through open doorways
- Prevents dust, odours, fumes, and insects, from entering indoors through powerful air flow
- Airflow directed by oscillating louvers
- Mount on the interior of doors, windows, or walls
- Features a 5' long power cord with grounded NEMA 5-15 plug
- No. of Speeds: 2
- Voltage: 120 V
- Maximum Door Height: 10'
- Phase: 1
- Decibels: 56
- Hertz: 60

MATRIX INDUSTRIAL PRODUCTS



EB290

| Model No. | Dim. W" x D" x H"  | CFM  |     | Promo Price |
|-----------|--------------------|------|-----|-------------|
|           |                    | High | Low |             |
| EB290     | 36 x 8-1/2 x 8-5/8 | 815  | 670 | 214.00      |
| EB291     | 48 x 8-1/2 x 8-5/8 | 990  | 816 | 253.00      |

## Horizontal Window Air Conditioner

- For 450 to 550 sq.ft rooms
- 3 fan speeds
- Washable filter
- Remote control included
- Overall Dimensions: 19" W x 14-19/32" D x 21-13/32" H
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0
- Includes: Window filler panel; Mounting hardware

MATRIX INDUSTRIAL PRODUCTS



| Model No. | BTU Rating | Promo Price |
|-----------|------------|-------------|
| EB236     | 12000      | 520.00      |

## FMX-12™ Dispenser

- Delivers more than 1700 hand washes
- ADA compliant, one-push operation
- Optional key lock included
- Great for locations where a smaller, more traditional dispenser is preferred
- Capacity: 1250 ml
- Style: Push
- Format: Cartridge Refill
- Colour: Black



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JA408     | 5155-06 | 21.69       |

## FMX-12™ Hand Soap

- Great for hand washing in restrooms and kitchens
- Designed for general, light-duty washing
- Pleasant, cranberry fragrance and translucent, pink colour
- Sanitary Sealed™ refill helps prevent contamination
- Type: Foam
- Container Type: Plastic Cartridge
- Net Volume: 1250 ml
- Fragrance: Scented
- Colour: Pink
- Qty/Case: 4



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JN632     | 5161-04 | 111.00/Case |

## LTX-12™ Dispenser

- High capacity dispenser ideal for high traffic areas
- Large sight window and skylight allow at-a glance product monitoring
- Converts to a locking dispenser at any time by simply removing the key from inside the dispenser
- Removable pump makes recycling easy
- Capacity: 1200 ml
- Style: Touchless
- Format: Cartridge Refill
- Colour: Grey



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JD463     | 1984-04 | 43.89       |

## LTX-12™ Clear & Mild Hand Soap

- Green certified hand soap offers luxurious foam lather in a dye-free formulation
- Enriched with moisturizers and skin conditioners
- Gojo® Sanitary Sealed™ refill helps lock out germs
- Durable, recyclable PET bottle uses 30% less material than standard rigid HDPE
- Type: Foam
- Container Type: Plastic Cartridge
- Net Volume: 1.2 L
- Fragrance: Unscented
- Qty/Case: 2



| Model No. | MFG No. | Promo Price |
|-----------|---------|-------------|
| JD459     | 1911-02 | 94.99/Case  |

## Pink Lotion Hand Soap

- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate free
- Accepted for use in Canadian food processing facilities
- Type: Liquid
- 4-L Jug
- Fragrance: Scented



| Model No. | Promo Price |
|-----------|-------------|
| NI343     | 11.99       |

## Anti-Fatigue Matting

- Designed to help prevent injuries and increase worker comfort
- Beveled edging to help prevent tripping
- Easy to clean
- Width: 1-2/3'
- Length: 3-1/4'
- Thickness: 3/4"
- Material: Polyurethane
- Environment: Dry
- Style: Solid
- Surface Type: Diamond

SGW898



| Model No. | Colour        | Promo Price |
|-----------|---------------|-------------|
| SGW898    | Black, Yellow | 56.99       |
| SGW899    | Black         | 56.99       |

## Disinfectant & Cleaner

- Concentrated and multi-purpose cleaner
- Effective disinfectant against bacteria, fungi, mould and mildew
- Lemon fresh scent
- Controls germs and odours
- Container Size: 4 L
- Container Type: Jug



| Model No. | Promo Price |
|-----------|-------------|
| JC686     | 20.59       |

## Industrial Garbage Bags


- Excellent strength and puncture resistance eliminates the need for double bagging
- Excellent performance when compared to standard in the category
- RMP® garbage bags are certified UL Ecologo® by a well recognized Canadian third party certification body
- UL Ecologo® certified bags are less harmful for the environment
- Strength: X-Strong
- Colour: Black
- Material: Recycled Material
- Type: Open Top



| Model No. | Dimensions W" x L" | Qty /Box | Thickness mils | Volume Capacity | Promo Price |
|-----------|--------------------|----------|----------------|-----------------|-------------|
| JP572     | 35 x 50            | 100      | 1.2            | 194 L (44 Gal.) | 28.99/Box   |
| JM679     | 26 x 36            | 125      | 1.2            | 45 L (12 Gal.)  | 19.99/Box   |
| JM680     | 30 x 38            | 125      | 1.2            | 88 L (20 Gal.)  | 24.99/Box   |
| JP573     | 42 x 48            | 75       | 1.2            | 242 L (55 Gal.) | 24.99/Box   |
| JO224     | 50 x 50            | 50       | 1.5            | 242 L (55 Gal.) | 25.99/Box   |

## Basic Wall Brackets

- The one-piece bracket kit includes screws, wall anchors, and mounting instructions
- Provides a colour-coded storage option for tools
- Non-slip coating prevents tools from sliding out of the bracket
- One-piece bracket is smooth and easy to clean
- Tool Capacity: 1-3
- Length: 9-1/2"
- Width: 6-1/2"
- Height: 2-1/2"
- Material: Polyamide/PVC



| Model No. | MFG No. | Colour | Promo Price |
|-----------|---------|--------|-------------|
| JO020     | 6155    | White  | 24.99       |
| JO017     | 6159    | Black  | 24.99       |
| JO021     | 6154    | Red    | 24.99       |
| JO019     | 6156    | Yellow | 24.99       |
| JO023     | 6152    | Green  | 24.99       |

## Super Concentrated Cleaner & Degreaser



- Heavy-duty formulation
- Biodegradable water soluble
- Accepted for use in Canadian food processing facilities
- Emulsifying agents break down grease, oil and tough stains on contact
- 4-L Jug



| Model No. | Promo Price |
|-----------|-------------|
| JA466     | 22.99       |

## Handles

- For use with Vikan brooms, scrapers, and squeegees
- Accepted for use in Canadian food processing facilities
- Style: Standard
- Material: Aluminum
- Length: 59"
- Diameter: 1-1/4"
- Tip Style: Euro Threaded

JL176 JL178

JL175



| Model No. | MFG No. | Colour | Promo Price |
|-----------|---------|--------|-------------|
| JL176     | 29373   | Blue   | 36.69       |
| JL175     | 29372   | Green  | 36.69       |
| JL103     | 29374   | Red    | 36.69       |
| JL177     | 29375   | White  | 36.69       |
| JL178     | 29376   | Yellow | 36.69       |
| JL834     | 29379   | Black  | 36.69       |

## Foam Blade Squeegees

- Excellent on all types of floors, as the soft rubber reaches into and cleans all spaces on the floor, such as grouting between tiles
- Cartridge system blades can be removed for easy cleaning and replaced when worn out
- Blade Length: 24"
- Blade Style: Straight
- Block Material: Polypropylene
- Blade Material: Foam Rubber



| Model No. | MFG No. | Colour | Promo Price |
|-----------|---------|--------|-------------|
| JL841     | 77543   | Blue   | 38.89       |
| JL840     | 77542   | Green  | 38.89       |
| JL842     | 77544   | Red    | 38.89       |
| JL843     | 77545   | White  | 38.89       |
| JL844     | 77546   | Yellow | 38.89       |
| JL158     | 77549   | Black  | 38.89       |

## Dusting & Cleaning Cloths

- Perfectly sized at 16" x 16", this cloth tackles big messes yet folds up neatly for small jobs
- Lightweight but mighty at 250 GSM, it grabs dust, dirt, and smudges with ease
- Material: Microfibre
- Qty/Pkg.: 12



| Model No. | Colour | Promo Price |
|-----------|--------|-------------|
| JQ715     | Blue   | 9.98/Pkg.   |
| JQ716     | Green  | 9.98/Pkg.   |

## Sqwincher® Squeeze Freezer Pops


- The great taste and performance of Sqwincher® in a refreshing frozen treat
- Simply freeze each package, then Squeeze!
- Mixed case consists of Orange, Grape, Lemon-Lime, Cherry and Mixed Berry flavours.
- Serving Size: 3 oz.
- Servings/Package: 150



| Model No. | Promo Price |
|-----------|-------------|
| SAM804    | 139.00/Case |

## Grease Monkey® Disposable Gloves

- Exceptionally durable with superior abrasion and puncture resistance
- Extended 11" rolled cuff for greater strength and higher wrist protection
- Material: Nitrile
- Thickness: 8-mil
- Finish: Untextured
- Colour: Black
- Powder-Free
- Approval/Certification(s): Accepted for use in Canadian Food Processing Facilities
- Qty/Box: 50



| Model No. | MFG No.    | Size     | Promo Price |
|-----------|------------|----------|-------------|
| NJZ055    | 5555PF-S   | Small    | 18.99/Box   |
| NJZ054    | 5555PF-M   | Medium   | 18.99/Box   |
| NJZ053    | 5555PF-L   | Large    | 18.99/Box   |
| NJZ056    | 5555PF-X   | X-Large  | 18.99/Box   |
| NJZ057    | 5555PF-XXL | 2X-Large | 18.99/Box   |

## Proflex® 670 Ambidextrous Single Strap Wrist Support

- Reversible hook & loop strap
- Supplemental support to help relieve stress associated with repetitive strain and overuse discomfort
- Material: Neoprene
- Ambidextrous



| Model No. | MFG No. | Size    | Promo Price |
|-----------|---------|---------|-------------|
| SEI541    | 16612   | Small   | 12.95       |
| SEI542    | 16613   | Medium  | 12.95       |
| SEI543    | 16614   | Large   | 12.95       |
| SEI544    | 16615   | X-Large | 12.95       |

## Tyvek® 400 Hooded Coveralls

- Features include serged seams, attached hood, front zipper closure, elastic wrists and ankles
- The best balance of protection, durability and comfort
- Inherent barrier protection against dry particulate hazards
- Even after abrasion, stops sub-micron particles better than reusable garments
- Applications include general maintenance/operations, spray painting, lead abatement, environmental cleanup, asbestos abatement, agriculture, food processing, mold remediation, micro crystalline silica
- Colour: White



SAS042



| Model No. | MFG No.   | Size     | Promo Price |
|-----------|-----------|----------|-------------|
| SAS042    | TY127S-MD | Medium   | 10.99       |
| SAS043    | TY127S-LG | Large    | 10.99       |
| SAS044    | TY127S-XL | X-Large  | 10.99       |
| SAS045    | TY127S-2X | 2X-Large | 11.59       |
| SAS046    | TY127S-3X | 3X-Large | 12.29       |
| SAS047    | TY127S-4X | 4X-Large | 13.29       |

## Safety Whip® Heavy-Duty Whips

- Heavy-duty, non-powered, fiberglass whip
- Comes with orange, all-weather 11.5"x11.5" mesh flag
- Threaded base 1/2"-20
- Height: 8'
- Length: 8'



| Model No. | MFG No.   | Flag                  | Promo Price |
|-----------|-----------|-----------------------|-------------|
| SDN981    | W08NP-M   | Orange                | 67.99       |
| SDN980    | W08NP-SXW | Orange w/Reflective X | 82.99       |

Pricing in effect until June 26, 2026 or while quantities last. Taxes and freight extra. Issue #SDS226041NA

Due to the ongoing tariff dispute and recent commodity and market volatility, promotional prices and minimum order multiples are subject to immediate change and may vary without prior notice. Contact us to confirm pricing before ordering.