


Vaccination is not Immunization

1828 Webster Definition Vaccination: EXTERMINATION of an UNWANTED VARMINT

What are "THEY" Afraid of? COVID VACCINE will crumble the confidence in ALL Vaccines?


We the People will REPENT and turn Back to GOD GIVEN NATURAL IMMUNIITY



1859



1999






2015

2022 GOD WINS: THE FEAR OF THE LORD is the Beginning of Knowledge but Fools Despise Wisdom & Instruction (PROVERBS 1:7)

SINCE FAUCI AKA "SCIENCE" IS RESIGNING: A WALK DOWN CRIMES AGAINST HUMANITY LANE

AIDS Plandemic Driven By HBV Vaccine & AZT HIV antibody Positive

LAV Isolation in GRID-1982



[AIDS](#). 2016 Sep 24;30(15):2289-98. doi: 10.1097/QAD.0000000000001201.

Standard vaccines increase HIV-1 transcription during antiretroviral therapy.

[Yek C¹](#), [Gianella S](#), [Plana M](#), [Castro P](#), [Scheffler K](#), [Garcia E](#), [Massanella M](#), [Smith DM](#).

Author information

Abstract

OBJECTIVES: Curative strategies using agents to perturb the HIV reservoir have demonstrated only modest activity, whereas increases in viremia after standard vaccination have been described. We investigated whether vaccination against non-HIV pathogens can induce HIV transcription and thereby play a role in future eradication strategies.

HIV First Fauci GOF 1984
HIV/LAV EM Antibodies
DIFFERENT

HIV DID NOT EXIST IN NATURE

November 7, 1991 MAGIC TESTS POSITIVE FOR HIV ANTIBODIES
November 14, 1991 MIKOVITS THESIS:

HIV COULD NOT CAUSE AIDS IF INNATE IMMUNITY Healthy

DANGERS OF USE OF ANIMAL RNA,DNA PROTEIN

All Vaccines are GMO Synthetic viruses

- XMRV RNA/DNA in 67% of CFS patients tested
- XMRV protein detected in >85% stimulated/dividing T and B cells
- Antibody to XMRV Env detected in >50% CFS patient plasma
- Infectious virus transmitted from >90% CFS patient plasma
- XMRV is a Blood Borne, Infectious Human Retrovirus

Evidence of XMRV infection in >98% of this cohort
(Mikovits et al Virulence 1:5 1-5 October 2010)




Animal

- Bovine serum (several forms)
- Avian serum - chicken
- Egg protein – ovalbumin
- VERO cell Line – monkey
- Dog kidney cell Line (MDCK)
- Insect cell line

Human cell Lines

- WI-38
- MRC-5
- PER.C6



HOW MANY NEW VIRUSES HAVE WE CREATED John Coffin ??

If my people, who are called by my name, will humble themselves, pray & seek my face & turn from their wicked ways, then I hear from heaven, and I will forgive their Sin and will heal their land (2 Chronicles 7:14)

AIDS RESEARCH AND HUMAN RETROVIRUSES
Volume 36, Number 7, 2020
Mary Ann Liebert, Inc.
DOI: 10.1089/aid.2020.0095

COMMENTARY

Fake Science: XMRV, COVID-19, and the Toxic Legacy of Dr. Judy Mikovits

Stuart J.D. Neil¹ and Edward M. Campbell²

Abstract


One cannot spend >5 min on social media at the moment without f regarding the origin of SARS-CoV2, the coronavirus responsible being deliberately released as a bioweapon to pharmaceutical cor boost their dangerous drugs and vaccines, the Internet is rife with the first immunization trials have started, the antivaccine lobby h the trailer for a new “bombshell documentary” *Plandemic* has be repeatedly removed from YouTube and Facebook. We usually w retrovirologists like us, the name associated with these claims is

SCIENCEINSIDER HEALTH



Fact-checking Judy Mikovits, the controversial virologist attacking Anthony Fauci in a viral conspiracy video

In *Plandemic*, the former chronic fatigue syndrome researcher makes countless unsubstantiated claims and accusations

8 MAY 2020 • BY MARTIN ENSERINK, JON COHEN



WHO & WHY?




Because in 1991 ONE million Americans were Infected with HIV
in 2010 when studies showed between 25-50 Million Americans were
infected with HIV & XMRVs
which likely got into humans via contaminated blood products & vaccines

XMRVs: of MICE, Monkey & Manufactured Viruses generated Human Xenotransplantation: BIOWEAPONS Masquerading as Vaccines.

Ebola In The Air: What Science Says About How The Virus Spreads

DECEMBER 01, 2014 12:29 PM ET

MICHAELEEN DOUCLEFF



Viruses can spread through the air in two ways: inside large droplets that fall quickly to the ground (red), or inside tiny droplets that float in the air (gray). In the first route, called droplet transmission, the virus can spread only about 3 to 6 feet from an infected person. In the second route, called airborne transmission, the virus can travel 30 feet or more.

Adapted from CDC

Here's an Ebola puzzle for you: If the virus isn't airborne, why do doctors and nurses need to wear full protective suits, with face masks, while treating patients?


2014 Ebola Outbreak in Liberia : Zaire Strain
By Way of BSL4 Facility Ft Detrick MD

Ft Detrick houses National Cancer Institute
and USAMRIID

▶ Harold Varmus was NIH Director who implemented the xenotransplantation program in 1999. This included xenografts for cancer research, gene therapy. Varmus also started the NIH Vaccine Research Program.

▶ Many infectious diseases of animals can be transmitted to humans via routine exposure to or consumption of animals (e.g., rabies). Viruses that are not pathogenic in their natural host reservoirs may, in some cases, be highly pathogenic when transmitted to a new host species. Several zoonotic viruses have produced significant outbreaks when introduced into human hosts under normal circumstances of exposure (e.g., Ebola, Hanta Virus, Influenza).

2014 EBOLA Plandemic




CHRISTIAN DOCTOR, HYDROXY CLOROQUINE, SALINE INFUSION AND PRAYER STOPPED FAUCI

ZIKA: A Multicomponent Animal Virus Isolated from Mosquitoes

Ladner et al., 2016, Cell Host & Microbe 20, 357–367
September 14, 2016 © 2016 Elsevier Inc.
<http://dx.doi.org/10.1016/j.chom.2016.07.011>

Graphical Abstract



Authors

Jason T. Ladner, Michael R. Wiley, Brett Beitzel, ..., Laura D. Kramer, Robert B. Tesh, Gustavo Palacios

Correspondence

jason.t.ladner.ctr@mail.mil (J.T.L.), gustavo.f.palacios.ctr@mail.mil (G.P.)

In Brief

Multicomponent viruses, which separately package different genome segments, were thought to be restricted to plant and fungal hosts. Ladner et al. characterize a multicomponent mosquito virus and describe an evolutionarily related, segmented virus in a nonhuman primate. These findings provide evidence for multicomponent animal viruses and suggest relevance to animal health.

HOME > NEWS > ALL NEWS > RESEARCHERS TURN MOSQUITOES INTO FLYING VACCINATORS

NEWS | ASIA

Researchers Turn Mosquitoes Into Flying Vaccinators

Insects could theoretically protect against various diseases, but concept is unlikely to take off

18 MAR 2010 · BY MARTIN ENSERINK

August 28, 2016

Print This Post

Zika: A Masterpiece of Public Mind Control

It's been nearly nine months since the word "Zika" flashed like a lightning bolt in the headlines of mainstream news. Before January 1, 2016, Zika was just one of many viruses that public health officials monitored. But suddenly in January of this year everything changed, as a nearly harmless virus was transformed into a worldwide threat.

EXPRESSION OF SYNCYTIN IN COVID vaccine KNOWN to CAUSE infertility and the Development of CANCER & Autoimmunity

Head of Pfizer Research: Covid Vaccine is Female Sterilization

Health & Money News / December 2, 2020 / News


The vaccine contains a **spike protein (see image) called syncytin-1**, vital for the formation of human placenta in women. If the vaccine works so that we form an immune response AGAINST the spike protein, we are also **training the female body to attack syncytin-1**, which could lead to infertility in women of an unspecified duration.



- The vaccinations are expected to produce antibodies against spike proteins of SARS-CoV-2. However, spike proteins also contain **syncytin-homologous proteins**, which are essential for the formation of the placenta in mammals such as humans. It must be absolutely ruled out that a vaccine against SARS-CoV-2 could trigger an immune reaction against syncytin-1, as otherwise **infertility of indefinite duration could result in vaccinated women.**
- The mRNA vaccines from BioNTech/Pfizer contain **polyethylene glycol (PEG)**. 70% of people develop antibodies against this substance - this means that many people can develop allergic, potentially fatal reactions to the vaccination.
- The much too short duration of the study does **not allow a realistic estimation of the late effects.**

Nevertheless, BioNTech/Pfizer apparently submitted an application for emergency approval on December 1, 2020.

- Human Syncytin expressed from HERV W
- required for **placenta** formation in mammals
- part of the Spike Protein make autoAntibodies
- Injection of XMRV/SYNTHETIC SYNCYTIN CAUSES CANCER, MS, STERILATION AND ABORTION



VACCINE AIDS = COVID19

Autoimmune, Autoinflammatory Disease & Cancer *Unintended* Consequences of 3 DECADES LIABILITY FREE VACCINES

Prostate Cancer*	Crohn's Disease*	Gulf War Syndrome*
Breast Cancer *	Hashimoto's Thyroiditis*	Autism / ASD*
Multiple Myeloma*	Polymyositis*	Multiple Sclerosis*
Non-Hodgkins Lymphoma*	Sjogren's Syndrome *	Parkinson's*
Chronic Lymphocytic Leukemia*	Bechet's Disease*	ALS*
Mantle Cell Lymphoma*	Primary Biliary Cirrhosis*	Fibromyalgia*
Hairy Cell Leukemia*	Inflammatory Bowel Disease*	Chronic Lyme Disease*
Bladder Cancer *	Psoriasis, Dermatitis	OCD*
Colorectal Cancer*	Diabetes*	ADHD*
Kidney Cancer *	Cardiovascular Disease*	PTSD*
Ovarian Cancer*	ME / CFS*	Psychosis*
Neuroendocrine Tumors	Lupus/SLE	Rheumatoid Arthritis*

KEY to IMMUNITY is do not defile the TEMPLE of GOD
NEVER GET ANOTHER VACCINE

Call To Action: #stoptheshots

- **MORATORIUM on ALL VACCINES on CDC SCHEDULE**
- **Repeal 1986 National Vaccine Injury Compensation Act**
- **End all Mandates and Restore Liability to all**
- **Convict criminals at CDC, FDA, NIH for crimes against humanity**
- **Eliminate Advisory Committee on Immunization Practices (ACIP)**
- **Use NIH and CDC & FDA Patent Royalties to Compensate all Victims of this 35 Year Plague Of Corruption**

<https://writeyourlaws.com/amendments-to-section-230-eliminating-censorship-from-big-tech-version-2>

<https://writeyourlaws.com/the-vaccine-manufacturer-full-product-liability-restoration-act-of-2021>



BlogTalkRadio.com/citizenaction
www.WriteYourLaws.com

Citation Wiedemar N, Hauser DA, Mäser P.
2020. 100 years of suramin. *Antimicrob Agents
Chemother* 64:e01168-19. <https://doi.org/10.1128/AAC.01168-19>.

Copyright © 2020 American Society for
Microbiology. All Rights Reserved.

Address correspondence to Pascal Mäser,
pascal.maeser@unibas.ch.

Accepted manuscript posted online 16
December 2019

Published 21 February 2020

100 Years of Suramin

Natalie Wiedemar,^{a,b} Dennis A. Hauser,^{a,b}  Pascal Mäser^{a,b}

SURAMIN, THE FRUIT OF EARLY MEDICINAL CHEMISTRY

SURAMIN AS AN ANTIPARASITIC DRUG

SURAMIN AS AN ANTIVIRAL AGENT

SURAMIN AGAINST CANCER

SURAMIN AS AN ANTIDOTE

Three of the many biological activities of suramin support its potential use as a protective agent: the inhibition of thrombin, the inhibition of phospholipase A2, and the inhibition of purinergic signaling.

FURTHER POTENTIAL USES OF SURAMIN

TABLE 1 Diseases and pathogens susceptible to suramin

Disease and/or pathogen	Activity in ^a :		
	Cell culture	Animal model	Patient
Parasitic infections			
<i>T. b. rhodesiense</i> HAT	X	X	X
<i>T. brucei gambiense</i> HAT	X	X	X
Surra, <i>T. evansi</i>	X	X	NA
River blindness, <i>O. volvulus</i>	X	X	X
<i>T. cruzi</i>	X		
<i>Leishmania</i> spp.	X		
<i>P. falciparum</i>	X		
Viral infections			
Hepatitis virus	X	X	X
AIDS, HIV	X		X
Herpes simplex virus	X	X	
Chikungunya virus	X	X	
Enterovirus 71	X	X	
Dengue virus	X		
Zika virus	X		
Ebola virus	X		
Neoplastic diseases			
Non-small cell lung cancer	X	X	
Breast cancer	X	X	
Bladder cancer	X	X	
Brain tumors	X	X	
Prostate cancer	X	X	X
Other			
Snakebite	X	X	
Arthritis	X	X	
Autism	NA	X	X

Fauci's Trojan horse Poisons Remdesivir and Paxlovid "Suramin/Ivermectin" With Cyanide & Fluorine

Cyanide
From Wikipedia, the free encyclopedia

This article is about the class of chemical compounds. For other uses, see *Cyanide (disambiguation)*.

A **cyanide** is a chemical compound that contains the group C≡N. This group, known as the **ciano group**, consists of a carbon atom triple-bonded to a nitrogen atom.^[1]

In inorganic cyanides, the cyanide group is present as the anion CN⁻. Soluble salts such as sodium cyanide and **potassium cyanide** are highly toxic.^[2] **Hydrocyanic acid**, also known as hydrogen cyanide, or HCN, is a highly volatile liquid that is produced on a large scale industrially. It is obtained by acidification of cyanide salts.

Organic cyanides are usually called **nitriles**. In nitriles, the CN group is linked by a covalent bond to carbon. For example, in acetonitrile, the cyanide group is bonded to methyl (CH₃). Although nitriles generally do not release cyanide ions, the cyanohydrins do and are thus rather toxic.

5 ATOMS OF FLOURINE

PENTA-FLOURINE

HIDDEN FLOURINE NEUROTOXIN BOMB

CYANO-HYDRIN FORMATIONS

Remdesivir (GS-5734) POISON




CYANIDE

SHOWN DEPLOYING INTO THE BODY


THIS IS A TROJAN HORSE DRUG CARRYING CYANIDE POISON WHICH WILL METABOLIZE & THEN BE IN YOUR BODY, POISONING YOU. ALSO AS A KICKER IT HAS DEADLY NEUROTOXIN FLOURINE IN IT, NOT ONCE, BUT 5 TIMES. IT CAUSES STROKES, MS, PARKINSONS DISEASE, ALZHEIMERS, NERVE DAMAGE & DEATH. MURDER NOT MEDICINE. 8-26-50% KILL RATE. IT CAN ALSO FORM THE EVEN MORE DEADLY POISONS CYANOHYDRINS & POTASSIUM-CYANIDES.



Proven Effective Oral Therapeutic/Immunization strategies for XMRVs



Proven Effective Nutritional Support for Vaccine AIDS: VIRUSES/POSIONS: Loss of TASTE AND SMELL Lack of Minerals, Essential Amino acids, Phytocannabinoids





'GODWIN'S'
 25% Off For American Freedom Attendees!
 SHOP NOW!
 thehmbstore.com

Be Strong & Courageous
 - Joshua 1:9

Donations are welcome and appreciated, thank you!
 Please scan QR code to donate.

Light Dove
 MINISTRIES
 LIGHTDOVEMINISTRIES.COM



Dear Dr. Judy, I am excited to report that thanks to my jabbed neighbors and friends I have now developed sufficient immunity and ample antibodies. Look at my value: 417! Thanks to your protocol I am not afraid of the vaccinated. I take my Immune Formulation 200, Cardio Miracle, Prolean Greens DMG & Paximune regularly. **Natural immunity for the win! It truly works!**

**AFFIDAVIT OF Proof of IMMUNITY
EXEMPTION ON RELIGIOUS GROUNDS FROM Vaccination/Inoculations**

Date: ___/___/20___

Governing Authority Name (business issuing mandate): _____
Address: _____

**RE: Religious Exemption from Vaccination Requirements. Declaration of
God Given IMMUNITY**

I, (Name) _____, the undersigned do hereby swear and affirm that I am a member of a recognized religious organization, and that the immunizations required by (Governing Authority Name) _____, are contrary to my religious tenets and practices. On this basis, as no vaccination on the CDC schedule has been safety tested as acknowledged by the CDC in 2019 and EUA COVID19 inoculations/immunization requirements violate my right to freely exercise my religion as guaranteed by the First Amendment of the Constitution of The United States of America, I am asserting my rights to an exemption by (Governing Authority Name) _____ from EUA Inoculation and nasal Swab PCR test requirements as I am immunized/vaccinated by virtue of the robust natural immunity I acquired when I recovered from COVID19.

I also am immunized according to my religious beliefs as I regularly take oral booster. My immunization strategy **exceeds** FDA and CDC mandated standards, which were recently changed such that the vaccination need not provide immunity.


I qualify for this exemption based on the First Amendment of the United States Constitution and *42 U.S. Code § 2000a - Prohibition against discrimination or segregation in places of public accommodation*, which states "All persons shall be entitled to the full and equal enjoyment of the goods, services, facilities, privileges, advantages, and accommodations of any place of public accommodation, as defined in this section, without discrimination or segregation on the ground of race, color, religion, or national origin." Failure to uphold 42 U.S. Code § 2000a may be met with legal action.

Thank you in advance



SARS CoV 2 (COVID-19) Tests		
Test Name	Result	Reference Range
SARS CoV 2 AB (IgG) NUCLEOCAPSID, QL		
SARS CoV 2 AB IGG	POSITIVE	
Reference range: Negative		
<p>This test is intended for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating infection. Results are for the detection of SARS-CoV-2 antibodies. IgG antibodies to SARS-CoV-2 are generally detectable several days after initial infection, although the duration of time antibodies are present post-infection is not well characterized. It is not known for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. It is not detectable virus by molecular testing present for several weeks following seroconversion. Negative results do not preclude infection. This test should not be used to diagnose acute SARS-CoV-2 infection. If acute infection is suspected, direct testing methods for SARS-CoV-2 is necessary. False positive results for the test may occur due to cross-reactivity from pre-existing antibodies to other coronaviruses.</p> <p>Please review the "Fact Sheets" available for health care providers and patients using the following websites: QuestDiagnostics.com/home/Covid-19/HCP/antibody/fact-sheet2 QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet2</p> <p>This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The authorized labeling is available on the Quest Diagnostics website www.questdiagnostics.com/Covid19.</p> <p>For additional information please refer to http://education.questdiagnostics.com/faq/FAQ219 (This link is being provided for informational purposes only.)</p>		
SARS COV 2 AB, TOTAL SPIKE SEMI QN	417.4 H	<0.8 U/mL
INDEX	INTERPRETATION	
<0.8	Negative	
> or = 0.8	Positive	
<p>This test is intended to help identify individuals with antibodies to SARS-CoV-2 (COVID-19). The results of this semi-quantitative test do not indicate the degree of immunity or protection from reinfection.</p>		

GOD'S People are destroyed from lack of Knowledge (Hosea 4:6)


THE FEAR OF THE LORD is the Beginning of Knowledge but Fools Despise Wisdom & Instruction (PROVERBS 1:7)



2014 (James 1:19-22) 2017



2020 (Psalm 91)



2020 1(Cor 3:18)



2021(Ephesians 5:11)



2021(2 Chronicles 7:14)

DrJudy@TheRealDrJudy.com

www.Plaguethebook.com

Shop.therealdrjudy.com

