



VACCINE AIDS = COVID19

Autoimmune, Autoinflammatory Disease & Cancer *Unintended* Consequences of 3 DECADES LIABILITY FREE VACCINES

Prostate Cancer*	Crohn's Disease*	Gulf War Syndrome*
Breast Cancer *	Hashimoto's Thyroiditis*	Autism / ASD*
Multiple Myeloma*	Polymyositis*	Multiple Sclerosis*
Non-Hodgkins Lymphoma*	Sjogren's Syndrome *	Parkinson's*
Chronic Lymphocytic Leukemia*	Bechet's Disease*	ALS*
Mantle Cell Lymphoma*	Primary Biliary Cirrhosis*	Fibromyalgia*
Hairy Cell Leukemia*	Inflammatory Bowel Disease*	Chronic Lyme Disease*
Bladder Cancer *	Psoriasis, Dermatitis	OCD*
Colorectal Cancer*	Diabetes*	ADHD*
Kidney Cancer *	Cardiovascular Disease*	PTSD*
Ovarian Cancer*	ME / CFS*	Psychosis*
* <i>Neuroendocrine Tumors</i>	Lupus/SLE*	Rheumatoid Arthritis*


KEY to IMMUNITY is do not defile the TEMPLE of GOD
NEVER GET ANOTHER VACCINE

WHO & WHY?



Because in 1991 ONE million Americans were Infected with HIV
in 2010 when studies showed between 25-50 Million Americans were
infected with HIV & XMRVs
which likely got into humans via contaminated blood products & vaccines

Breakdown of cell membranes and release of the PLA2...starts inflammation



SCAN ME






Detoxing that synthetic Lipid Nano Particle (SARS-CoV2 virus & COVID Vaccine)

- Ozone therapies
- Specialized Pro resolving mediators
- Chlorine Dioxide, MMS, CDS

DiMethylGlycine

Nutrition's Best Kept secret for strengthening Genomic Pathways and Preventing Disease

- Amino Acid – Intermediary metabolite of the human body




- Important nutrient found in low levels in our food
- As a Key Nutrient DMG PROTECTS OUR GENES

Imbalanced IFN Response to RNA Viruses Drives Development of Autoimmune, Autoinflammatory Disease & Cancer

TIME INTERFERON

The IF Drug For Cancer

Graphical Abstract



Authors

Daniel Blanco-Melo,
Benjamin E. Nilsson-Payant,
Wen-Chun Liu, ..., Jean K. Lim,
Randy A. Albrecht, Benjamin R. tenOever

Correspondence

res2025@med.cornell.edu (R.E.S.),
jean.lim@mssm.edu (J.K.L.),
randy.albrecht@mssm.edu (R.A.A.),
benjamin.tenoever@mssm.edu (B.R.t.)


In Brief

In comparison to other respiratory viruses, SARS-CoV-2 infection drives a lower antiviral transcriptional response that is marked by low IFN-I and IFN-III levels and elevated chemokine expression, which could explain the pro-inflammatory disease state associated with COVID-19.



Glyphosate: Damages Key GOD GIVEN antioxidant Glutathione

Produced by the liver, glutathione is made up of three amino acids: [L-cysteine](#), [glycine](#), and L-glutamate



American Chemical Society
Public Health Emergency Collection
Public Health Emergency COVID-19 Initiative

[ACS Infect Dis.](#) 2020 May 28 : acsinfecdis.0c00288.

PMCID: PMC7263077


Published online 2020 May 28. doi: [10.1021/acsinfecdis.0c00288](#)

PMID: [32463221](#)

Endogenous Deficiency of Glutathione as the Most Likely Cause of Serious Manifestations and Death in COVID-19 Patients

[Alexey Polonikov^{MD}](#)

▶ Author information ▶ Article notes ▶ Copyright and License information ▶ [Disclaimer](#)





Endogenous glutathione deficiency appears to be a crucial factor enhancing SARS-CoV-2-induced oxidative damage of the lung and, as a result, leads to serious manifestations, such as acute respiratory distress syndrome, multiorgan failure, and death in COVID-19 patients. When the antiviral activity of GSH is taken into account, individuals with glutathione deficiency seem to have a higher susceptibility for uncontrolled replication of SARS-CoV-2 virus and thereby suffer from an increasing viral load. The severity of clinical manifestations in COVID-19 patients is apparently determined by the degree of impaired redox homeostasis attributable to the deficiency of reduced glutathione and increased ROS production. This assumption can be supported by our findings. In particular, COVID-19 patients with moderate and severe illness had lower levels of glutathione, higher ROS levels, and greater redox status (ROS/GSH ratio) than COVID-19 patients with a mild illness. Long-term and severe manifestations of COVID-19 infection in one of our patients with marked glutathione deficiency suggest that the degree of glutathione decrease correlates negatively with viral replication rate and that an increasing viral load exacerbates oxidative damage of the lung. This finding suggests that the virus cannot actively replicate at higher levels of cellular glutathione, and therefore, milder clinical symptoms are observed with lower viral loads.

SUPPLEMENT FACTS			
Servings Per Container			62
Serving Size			1 Scoop (1.6g)
Amount per serving			
Calories			0
	Standard DV	% Daily Value*	
Selenium (from selenomethionine)	4.5 mcg	75 mcg	6%
Proprietary Amino Acid Blend	1450 mg		
Glycine			
L-Glutamine			
L-Cystine			

Glyphosate in our soil -> our plants are SICK -> Does toxic food cause COVID?

GOD GIVEN/Endogenous Microbiome Metabolizes Food



Cell Host & Microbe

Short Article



Gut Dysbiosis Promotes M2 Macrophage Polarization and Allergic Airway Inflammation via Fungi-Induced PGE₂

- Only certain antibiotics promote fungal overgrowth in the gut
- Specific commensal bacteria prevent colonization of *Candida*

The Human Endocannabinoid System (eCS) GOD GIVEN DIMMER SWITCH ON INFLAMMATION

A signaling system that helps to modulate all other physiological, behavioral, and energetic processes in the body.


Glia. 2010 July ; 58(9): 1017–1030



Anxiety
Depression
Sleep Disorders
Pain
Itch
Wound healing


- *neuroprotection & plasticity*
- *immunity & inflammation*
- *apoptosis & carcinogenesis*
- *pain and emotional memory*
- *Supports detoxification:*
 - *repairs Fibrosis*
 - *fatty Liver disease*

CB2 Dysregulation is associated with Chronic Inflammation Driving Cardiovascular disease, Obesity & Cancer




Cannabinoids are Anti-Viral and Reduce inflammation

THE DIMMER SWITCH ON THE FLAME



CANNABIS is NOT a DRUG! IT'S Food!! Nourish CELLS ALL Plants (HEMP & CANNABIS) Removed from US 1938!



GOD GIVEN LIPID/FAT SIGNALING SYSTEM in EVERY Cell MEMBRANE

Taking advantage of synergies/cross talk in Pathways enhances Efficacy and Safety profiles of Pharmaceutical Drugs



Beta-caryophyllene is a dietary cannabinoid

Jürg Gertsch^{*†}, Marco Leonti^{*§}, Stefan Raduner^{*§}, Ildiko Racz[¶], Jian-Zhong Chen[¶], Xiang-Qun Xie[¶], Karl-Heinz Altmann^{*}, Meliha Karsak[¶], and Andreas Zimmer[¶]

^{*}Institute of Pharmaceutical Sciences, Department of Chemistry and Applied Biosciences, Eidgenössische Technische Hochschule (ETH) Zurich, 8092 Zürich, Switzerland; [†]Dipartimento Farmaco Chimico Tecnologico, University of Cagliari, 01924 Cagliari, Italy; [¶]Department of Molecular Psychiatry, University of Bonn, 53115 Bonn Germany; and [§]Department of Pharmaceutical Sciences, University of Pittsburgh, Pittsburgh, PA 15260

β -Caryophyllene, A Natural Dietary CB2 Receptor Selective Cannabinoid can be a Candidate to Target the Trinity of Infection, Immunity, and Inflammation in COVID-19

 Niraj Kumar Jha^{1†},  Charu Sharma^{2†},  Hebaallah Mamdouh Hashiesh³,  Seenipandi Arunachalam³,  MF Nagoor Meeran³,  Hayate Javed⁴,  Chandragouda R. Patil⁵,  Sameer N. Goyal⁶ and  Shreeshe Ojha^{3*}

Beta-caryophyllene enhances wound healing through multiple routes

Sachiko Koyama , Anna Purk, Manpreet Kaur, Helena A. Soini, Milos V. Novotny, Keith Davis, C. Cheng Kao, Hiroaki Matsunami, Anthony Mescher

Published: December 16, 2019 • <https://doi.org/10.1371/journal.pone.0216104>



Cannabinoids regulate MINERALS in Immune Cells via endocannabinoid System Receptors

- A downside of activation of MINERALS is the dysregulation endogenous microbes
- OUR SOILS ARE DEPLETED OF MINERALS

TRPV1/2	Ca ²⁺ /Na ⁺	PM	Heat (fever?), low pH, mechanical stress		Mono, macro	Degranulation, phagocytosis, cytokine production
TRPC3/6	Ca ²⁺ /Na ⁺	PM	PLC activation (DAG), PIP ₂		T, B, NK cells, neutro	Chemotaxis, degranulation
TRPM2	Ca ²⁺ /Na ⁺	PM, lys	H ₂ O ₂ , NAADP, cADPR		T, B, neutro, mast cells, DC	Cytokine production, degranulation
Magnesium						
TRPM6	Mg ²⁺ >Ca ²⁺	PM		Inhibited by [Mg ²⁺] _i	Gut, kidney, hematopoietic (not T cells)	Unknown in immune cells
TRPM7	Mg ²⁺ >Ca ²⁺	PM	Unknown (BCR, TCR?) PIP ₂ (?)	Inhibited by [Mg ²⁺] _i	Ubiquitous	T cell development, T and B cell proliferation, cytokine production



Review

CellPress

Divalent cations of two alkaline earth metals Ca²⁺ and Mg²⁺ and the transition metal Zn²⁺ play vital roles in the immune system, and several immune disorders are associated with disturbances of their function. Until re-

Divalent cation signaling in immune cells

Benjamin Chaigne-Delalande and Michael J. Lenardo

Molecular Development of the Immune System Section, Lymphocyte Molecular Genetics Unit, Laboratory of Immunology, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD 20892, USA

Trends in Immunology July 2014, Vol. 35, No. 7

Nitric oxide is a soluble gas that is continually being made from arginine in endothelial cells. Endothelial cells comprise a layer of cells inside the lining of our blood vessels.

Pharmacogn. Res.
A multidisciplinary peer-reviewed journal in the field of Pharmacognosy and Natural Products
www.phocogres.com | www.frontiersin.com

ORIGINAL ARTICLE

Vitamin D₃, L-Arginine, L-Citrulline, and Antioxidant Supplementation Enhances Nitric Oxide Bioavailability and Reduces Oxidative Stress in the Vascular Endothelium – Clinical Implications for Cardiovascular System

Hazem Dawoud, Tadeusz Malinski
Department of Chemistry and Biochemistry, Nanomedical Research Laboratories, Ohio University, Athens, Ohio, USA

ABSTRACT
Background: Nitric oxide (NO) is a crucial signaling molecule which regulates the blood flow and prevents the adhesion of blood components to the vascular wall. A deficiency in bioavailable NO concentration is associated with the dysfunction of endothelial NO synthase (eNOS) and/or an increase in oxidative stress. The deficiency of bioavailable NO is a common denominator of several cardiovascular diseases, including diabetes, atherosclerosis, and hypertension. **Materials and Methods:** We used a nanomedical technology to elucidate the balance between bioavailable NO and oxidative stress (peroxynitrite ONOO⁻) in human umbilical vein endothelial cells (HUVECs) treated with a supplement containing L-arginine, L-citrulline, Vitamin D₃, and antioxidants. Nanosensors, with a diameter of 200–300 nm, are capable of measuring *in situ* NO and peroxynitrite (ONOO⁻) concentrations produced by single endothelial cells. **Results:** The ratio of the concentration of cytoprotective NO [NO] to the concentration of cytotoxic peroxynitrite [ONOO⁻] was used to estimate the efficiency of eNOS. HUVECs incubated with L-citrulline, L-arginine, and Vitamin D₃ increased the [NO]/[ONOO⁻] ratio by 25%, while in the presence of antioxidants, the increase was 15%. The synergistic effect between the mix of L-arginine, L-citrulline, Vitamin D₃, and antioxidants was a favorable increase of the overall [NO]/[ONOO⁻] ratio by 50%. **Conclusion:** The findings of the study presented here clearly indicate that L-arginine, L-citrulline, and Vitamin D₃ can significantly alter the function of the endothelium and NO production, in a favorable manner, while potently reducing ONOO⁻ – the main component of oxidative stress. This effect can be significantly potentiated in the presence of antioxidants. **Key words:** Antioxidant, endothelium, L-arginine, L-citrulline, nitric oxide, peroxynitrite, Vitamin D₃

SUMMARY
• Nanomedical studies were used to elucidate the role of a mixture of Vitamin D₃, L-arginine, L-citrulline, and several antioxidants in the improvement of nitric oxide production and the reduction of oxidative stress in human endothelial cells. It appears that the combination of natural products can effectively improve endothelial function by about 50% and has shown that, on cellular models, it could potentially be used to improve the endothelial function in cardiovascular diseases.

Abbreviations Used: HUVECs: Human umbilical vein endothelial cells; O₂⁻: Superoxide; HBSS: Hank's balanced salt solution; EC: Endothelial cell; Cal: Calcium ionophore; CVD: Cardiovascular disease; eNOS: Endothelial nitric oxide synthase.

Correspondence:
Prof. Tadeusz Malinski,
Nanomedical Research Laboratories, Ohio University, 352 West State Street, Athens, Ohio, USA.
E-mail: malinski@ohio.edu
DOI: 10.4103/pr_79_19

Access this article online
Website: www.phocogres.com
Quick Response Code:

INTRODUCTION
Nitric oxide (NO) is a gaseous molecule that is generated by the NO synthase (NOS) enzyme. NO is synthesized from two substrates: L-arginine (non-essential amino acid) and oxygen.^{1,2} This synthesis occurs through NOS in a five-electron transfer oxidation of L-arginine to L-citrulline. NOS is located in the membrane of endothelial cells, and its synthesis is stimulated by calcium flux.^{3–6} In the cardiovascular system, the calcium flux is triggered by a mechanical process (shear stress)³ and chemical stimuli such as acetylcholine, norepinephrine, angiotensin II, and many others.^{4,7}

NO can react rapidly with many biological components, including superoxide (O₂⁻), Fe (III) of hemoglobin, guanylate cyclase, and many others.^{8–10} Therefore, the measurement of reactive “free” NO is a challenging problem. In our laboratories, we are able to perform measurements of bioavailable NO produced by a single endothelial cell in different segments of the cardiovascular system, such as capillary vessels, aorta, and heart. Maximal NO concentrations vary significantly, depending on the location of the endothelial cells – with the lowest concentrations in the small capillary (about 80 nM) and the highest in the endocardium of the heart (about 2.0 μM).¹¹ The level of NO concentration depends largely on the velocity and type of blood flow (laminar vs. turbulent).^{12–14}

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credits given and the new creations are licensed under the identical terms.

For reprints contact: reprint@medknow.com

Cite this article as: Dawoud H, Malinski T. Vitamin D₃, L-Arginine, L-Citrulline, and antioxidant supplementation enhances nitric oxide bioavailability and reduces oxidative stress in the vascular endothelium – Clinical implications for cardiovascular system. Phocog Res 2020;12:17-23.

© 2020 Pharmacognosy Research | Published by Wolters Kluwer - Medknow

frontiers | Frontiers in Nutrition

TYPE Original Research
PUBLISHED 15 August 2022
DOI 10.3389/fnut.2022.885364

[Check for updates](#)

Functional characterization of nutraceuticals using spectral clustering: Centrality of caveolae-mediated endocytosis for management of nitric oxide and vitamin D deficiencies and atherosclerosis

OPEN ACCESS

EDITED BY
Maurizio Muscaritoli,
Sapienza University of Rome, Italy


REVIEWED BY
Simone Potje,
Minas Gerais State University, Brazil
Ridha Oueslati,
University of Carthage, Tunisia

*CORRESPONDENCE
Anton Franz Fliri
anton.fliri@emergentsa.com

SPECIALTY SECTION
This article was submitted to
Clinical Nutrition,
a section of the journal
Frontiers in Nutrition

RECEIVED 07 March 2022
ACCEPTED 12 July 2022
PUBLISHED 15 August 2022

Emergent System Analytics LLC, Clinton, CT, United States



Provide the building blocks to support nitric oxide formation enhance overall circulation, including heart health and erectile dysfunction.

Suramin & Ivermectin: Purinergic Modulators important for restoring balance of Innate and adaptive Immunity


Annual Review of Immunology

Purine Release, Metabolism, and Signaling in the Inflammatory Response

Joel Linden,^{1,2} Friedrich Koch-Nolte,³ and Gerhard Dahl⁴

Annu. Rev. Immunol. 2019. 37:325–47

The *Annual Review of Immunology* is online at immunol.annualreviews.org



- Antiparasitic 1920s
- Potent RT inhibitor 1986
- P2Y Purinergic Receptor inhibitor
- Cancer therapy prostate cancer,
- HTLV-1 cancer Bladder Cancer
 - inhibits the binding of growth factors (TGF-beta, EGF, PDGF) to their receptors and thus antagonize the ability of these factors to stimulate growth of tumor cells
- modulator of the ATP/P2X4/P2X7 axis
- selectively targets immunosuppressive myeloid cells and Tregs
- functions as an RNA helicase
- an activator of chloride channel receptors
- inducer of mitochondrial dysfunction and oxidative stress



Both Inhibit Plasmodium parasite of the blood plasma that affects the oxygen carrying capacity of the red blood cells

Dear Dr. Judy, I am excited to report that thanks to my jabbed neighbors and friends I have now developed sufficient immunity and ample antibodies. Look at my value: 417! Thanks to your protocol I am not afraid of the vaccinated. I take my Immune Formulation 200, Cardio Miracle, Prolean Greens DMG & Paximune regularly. **Natural immunity for the win! It truly works!**

**AFFIDAVIT OF Proof of IMMUNITY
EXEMPTION ON RELIGIOUS GROUNDS FROM Vaccination/Inoculations**

Date: ___/___/20___

Governing Authority Name (business issuing mandate): _____
Address: _____

**RE: Religious Exemption from Vaccination Requirements. Declaration of
God Given IMMUNITY**

I, (Name) _____, the undersigned do hereby swear and affirm that I am a member of a recognized religious organization, and that the immunizations required by (Governing Authority Name) _____, are contrary to my religious tenets and practices. On this basis, as no vaccination on the CDC schedule has been safety tested as acknowledged by the CDC in 2019 and EUA COVID19 inoculations/immunization requirements violate my right to freely exercise my religion as guaranteed by the First Amendment of the Constitution of The United States of America, I am asserting my rights to an exemption by (Governing Authority Name) _____ from EUA Inoculation and nasal Swab PCR test requirements as I am immunized/vaccinated by virtue of the robust natural immunity I acquired when I recovered from COVID19.




I also am immunized according to my religious beliefs as I regularly take oral booster. My immunization strategy **exceeds** FDA and CDC mandated standards, which were recently changed such that the vaccination need not provide immunity.

I qualify for this exemption based on the First Amendment of the United States Constitution and *42 U.S. Code § 2000a - Prohibition against discrimination or segregation in places of public accommodation*, which states "All persons shall be entitled to the full and equal enjoyment of the goods, services, facilities, privileges, advantages, and accommodations of any place of public accommodation, as defined in this section, without discrimination or segregation on the ground of race, color, religion, or national origin." Failure to uphold 42 U.S. Code § 2000a may be met with legal action.


Thank you in advance

SARS CoV 2 (COVID-19) Tests		
Test Name	Result	Reference Range
SARS CoV 2 AB (IgG) NUCLEOCAPSID, QL		
SARS CoV 2 AB IGG	POSITIVE	
Reference range: Negative		
<p>This test is intended for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating infection. Results are for the detection of SARS-CoV-2 antibodies. IgG antibodies to SARS-CoV-2 are generally detectable several days after initial infection, although the duration of time antibodies are present post-infection is not well characterized. It is not known for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. It is not detectable virus by molecular testing present for several weeks following seroconversion. Negative results do not preclude infection. This test should not be used to diagnose acute SARS-CoV-2 infection. If acute infection is suspected, direct testing methods for SARS-CoV-2 is necessary. False positive results for the test may occur due to cross-reactivity from pre-existing antibodies to other coronaviruses.</p> <p>Please review the "Fact Sheets" available for health care providers and patients using the following websites: QuestDiagnostics.com/home/Covid-19/HCP/antibody/fact-sheet2 QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet2</p> <p>This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The authorized labeling is available on the Quest Diagnostics website www.questdiagnostics.com/Covid19.</p> <p>For additional information please refer to http://education.questdiagnostics.com/faq/FAQ219 (This link is being provided for informational purposes only.)</p>		
SARS COV 2 AB, TOTAL SPIKE SEMI QN	417.4 H	<0.8 U/mL
INDEX	INTERPRETATION	
<0.8	Negative	
> or = 0.8	Positive	
<p>This test is intended to help identify individuals with antibodies to SARS-CoV-2 (COVID-19). The results of this semi-quantitative test do not indicate the degree of immunity or protection from reinfection.</p>		



Proven Effective Oral Immunization strategies for XMRVs Including SARSCoV2




Truth + Transparency = Trust



2014 (James 1:19-22)



2020 (Psalm 91)



2021(Ephesians 5:11)



Light Dove
MINISTRIES

<https://www.blogtalkradio.com/citizenaction>

<https://writeyourlaws.com/amendments-to-section-230-eliminating-censorship-from-big-tech-version-2>

<https://writeyourlaws.com/the-vaccine-manufacturer-full-product-liability-restoration-act-of-2021>

Shop.theRealDrJudy.com

Therealdrjudy.com

Plaguethebook.com