




GOD's People are destroyed from lack of Knowledge (Hosea 4:6)


THE FEAR OF THE LORD is the Beginning of Knowledge but Fools Despise Wisdom & Instruction
(PROVERBS 1:7)




2014 (James 1:19-22) 2017




2020 (Psalm 91)



2020 1(Cor 3:18)



2021(Ephesians 5:11)



2021(2 Chronicles 7:14)


DrJudy@TheRealDrJudy.com

www.Plaguethebook.com

Shop.therealdrjudy.com

Quote by Thomas Jefferson




"If people let the government decide what foods they eat and what medicines they take, their bodies will soon be in as sorry a state as are the souls who live under tyranny." -- Thomas Jefferson



Vaccination is not Immunization, It's Extermination/Sterilization

HIV/AIDS Driven By HBV Vaccine & AZT In Asymptomatic Carriers

LAV Isolation in GRID-
1982



[AIDS](#). 2016 Sep 24;30(15):2289-98. doi: 10.1097/QAD.0000000000001201.

Standard vaccines increase HIV-1 transcription during antiretroviral therapy.

[Yek C¹](#), [Gianella S](#), [Plana M](#), [Castro P](#), [Scheffler K](#), [Garcia E](#), [Massanella M](#), [Smith DM](#).

Author information

Abstract

OBJECTIVES: Curative strategies using agents to perturb the HIV reservoir have demonstrated only modest activity, whereas increases in viremia after standard vaccination have been described. We investigated whether vaccination against non-HIV pathogens can induce HIV transcription and thereby play a role in future eradication strategies.

HIV First Fauci GOF 1984
HIV/LAV EM Antibodies
DIFFERENT

HIV DID NOT EXIST IN NATURE

November 7, 1991 MAGIC TESTS POSITIVE FOR HIV ANTIBODIES
November 14, 1991 MIKOVITS THESIS: HIV Latency in Monocyte

HIV COULD NOT CAUSE AIDS IF INNATE IMMUNITY Healthy

DANGERS OF USE OF ANIMAL RNA, DNA PROTEIN

All Vaccines are GMO Manufactured viruses


Detection of an Infectious Retrovirus, XMRV, in Blood Cells of Patients with Chronic Fatigue Syndrome

Vincent C. Lombardi,^{1*} Francis W. Ruscetti,^{2*} Jaydip Das Gupta,³ Max A. Pfost,¹ Kathryn S. Hagen,¹ Daniel L. Peterson,¹ Sandra K. Ruscetti,⁴ Rachel K. Bagni,⁵ Cari Petrow-Sadowski,⁶ Bert Gold,² Michael Dean,² Robert H. Silverman,³ Judy A. Mikovits^{1†}

www.sciencemag.org SCIENCE VOL 326 23 OCTOBER 2009

- XMRV RNA/DNA in 67% of CFS patients tested
- XMRV protein detected in >85% stimulated/dividing T and B cells
- Antibody to XMRV Env detected in >50% CFS patient plasma
- Infectious virus transmitted from >90% CFS patient plasma
- XMRV is a Blood Borne, Infectious Human Retrovirus

Evidence of XMRV infection in >98% of this cohort
(Mikovits et al Virulence 1:5 1-5 October 2010)





Animal

- Bovine serum (several forms)
- Avian serum - chicken
- Egg protein – ovalbumin
- VERO cell Line – monkey
- Dog kidney cell Line (MDCK)
- Insect cell line

Human cell Lines

- WI-38
- MRC-5
- PER.C6



HOW MANY NEW VIRUSES HAVE WE CREATED Infection by Injection??

XMRVs are pivotal because associated diseases have overlapping pathways/ Mechanisms of pathogenesis

- Evidence of infection in families with diagnoses: ASD, CFS, HIV/AIDS Chronic Lyme disease, prostate cancer, psychosis and EVERY study found antibodies 4-6% in US “healthy controls”.. that is 20 million Americans at risk of Developing Vaccine AIDS
- ANTIBODY Test identified XMRV ENV/Spike Syncytin pathology
 - Including infection of brain microglia
 - Infection and dysregulation of gut tight junctions
 - Vasculitis



International Journal of
Molecular Sciences



Article

G Protein-Coupled Receptor 15 Expression Is Associated with Myocardial Infarction



*brain
sciences*




Review


Lyme Neuroborreliosis: Mechanisms of *B. burgdorferi* Infection of the Nervous System

and *GPR15* [129]. Of the genes identified, only *GPR15* is associated with an immune response [154]. *GPR15* is a G-protein coupled receptor that acts as a chemokine receptor for human immunodeficiency virus (HIV) 1 and 2, and has been implicated in various lymphomas [154]. *CCDC163P* and *ZNF266* are involved in protein binding, with the latter

Xenotropic Murine Leukemia Virus-Related Virus (XMRV)



Xenotropic/Polytropic MLV



Like mouse xenotropic MuLV, XMRV uses the Xpr-1 receptor to enter cells (Dong et al., PNAS, 2007)

An infectious clone was constructed and sequenced and found to be a novel gammaretrovirus (Dong et al., PNAS, 2007)

XMRV proviral integration occurs preferentially in CpG islands: gene promoters (Kim et al., JVirol, 2008)

SYNCYTIN: ONLY One Component of Snake Venom additional components/toxins in Food, Water “Drugs”

FEBS Letters 436 (1998) 256–258

FEBS 20902

Enhancement and inhibition of snake venom phosphodiesterase activity by lysophospholipids



ScienceDirect

Estuarine, Coastal and Shelf
Science

Volume 219, 5 April 2019, Pages 161–168

Microplastic pollution in commercial salt for human consumption: A review

Diogo Peixoto ^{a,✉}, Carlos Pinheiro ^a, João Amorim ^a, Luís Oliva-Teles ^{a, b}, Lúcia Guilhermino ^{a, c}, Maria
Natividade Vieira ^{a, b}

Show more

Outline | Share | Cite

<https://doi.org/10.1016/j.ecss.2019.02.018>

Under a Creative Commons license

[Get rights and content](#)

[Open access](#)

Highlights

- Plastics as marine debris are the new addition to the list of global threats.
- Marine pollution will undoubtedly lead to the contamination of sea products.
- Microplastics in salts might pose a threat to human food safety and health.
- Microplastics sorb contaminants and transfer them to salt and other products.

Bayer Request for Additional Information and Attestation Regarding Religious Exemption / Accommodation Form (Covid-19 Vaccine)



Bayer requires additional information to further consider your request for a religious exemption/accommodation. Please complete this form and attestation and submit it to accommodations_US@bayer.com.

Your request appears to be principally based upon your objection to the use of fetal cell lines in the testing, research, or development of the COVID-19 vaccine and/or your belief concerning the purity of the body. The information reported on this form will serve to validate your understanding of fetal cell use in common medicines and consumer products, and aid in assessing the sincerity of your professed religious belief.

The following is a non-exhaustive list of common medicines and products that have used fetal cells in testing, research, and/or development.¹

Acetaminophen	Enbrel	Maalox	Sudafed
Acetylsalicylic Acid (ASA)	Ex-Lax, Zocor	Metformin/Glucophage	Suphedrine
Advil	Havrix	Motrin	Toprol
Albuterol	Hydroxychloroquine	Mucinex	Tums
Aleve	Ibuprofen	Pepto Bismol	Tylenol
Amlodipine/Norvasc	Ivermectin	Preparation H	Varilrix
Aspirin	Levothyroxine	Prilosec OTC/Zegrid	Zoloft
Azithromycin	Lidocaine	Robitussin/Delsym	Zostavax
Benadryl	Lipitor	Senokot	
Claritin	Losartan/Cozaar	Simvastatin	

To be Completed by Individual Requesting the Accommodation


Full Name:	Click here to enter name.
Employee or Contractor ID #	
Email:	Click here to enter email.

Please state whether your religious objection to the COVID-19 vaccine is equally applicable to the above medicines and other products that used fetal cells in testing, research, and/or development. If not, please explain why.	Click here to enter text.
If your religious objection to the COVID-19 vaccine is equally applicable to medicines and products that used fetal cells in testing, research, and/or development, please state whether you abstain from using all such medicines and products. If not, please	Click here to enter text.

VACCINE AIDS = COVID19

Autoimmune, Autoinflammatory Disease & Cancer *Unintended* Consequences of 3 DECADES LIABILITY FREE VACCINES

Prostate Cancer*	Crohn's Disease*	Gulf War Syndrome*
Breast Cancer *	Hashimoto's Thyroiditis*	Autism / ASD*
Multiple Myeloma*	Polymyositis*	Multiple Sclerosis*
Non-Hodgkins Lymphoma*	Sjogren's Syndrome *	Parkinson's*
Chronic Lymphocytic Leukemia*	Bechet's Disease*	ALS*
Mantle Cell Lymphoma*	Primary Biliary Cirrhosis*	Fibromyalgia*
Hairy Cell Leukemia*	Inflammatory Bowel Disease*	Chronic Lyme Disease*
Bladder Cancer *	Psoriasis, Dermatitis	OCD*
Colorectal Cancer*	Diabetes*	ADHD*
Kidney Cancer *	Cardiovascular Disease*	PTSD*
Ovarian Cancer*	ME / CFS*	Psychosis*
Neuroendocrine Tumors	Lupus/SLE	Rheumatoid Arthritis*




Experimentation without Informed Consent is Crimes Against Humanity

XMRVs: of MICE, Monkey & Manufactured Viruses generated Human Xenotransplantation: BIOWEAPONS Masquerading as Vaccines.

Ebola In The Air: What Science Says About How The Virus Spreads

DECEMBER 01, 2014 12:29 PM ET

MICHAEELEN DOUCLEFF



Viruses can spread through the air in two ways: inside large droplets that fall quickly to the ground (red), or inside tiny droplets that float in the air (gray). In the first route, called droplet transmission, the virus can spread only about 3 to 6 feet from an infected person. In the second route, called airborne transmission, the virus can travel 30 feet or more.

Adam Cota/NPR

Here's an Ebola puzzle for you: If the virus isn't airborne, why do doctors and nurses need to wear full protective suits, with face masks, while treating patients?


2014 Ebola Outbreak in Liberia : Zaire Strain
By Way of BSL4 Facility Ft Detrick MD

Ft Detrick houses National Cancer Institute
and USAMRIID

► Harold Varmus was NIH Director who implemented the xenotransplantation program in 1999. This included xenografts for cancer research, gene therapy. Varmus also started the NIH Vaccine Research Program.

► Many infectious diseases of animals can be transmitted to humans via routine exposure to or consumption of animals (e.g., rabies). Viruses that are not pathogenic in their natural host reservoirs may, in some cases, be highly pathogenic when transmitted to a new host species. Several zoonotic viruses have produced significant outbreaks when introduced into human hosts under normal circumstances of exposure (e.g., Ebola, Hanta Virus, Influenza).

2014 EBOLA Plandemic



100 Years of Suramin

Natalie Wiedemar,^{a,b} Dennis A. Hauser,^{a,b}  Pascal Mäser^{a,b}

SURAMIN, THE FRUIT OF EARLY MEDICINAL CHEMISTRY

SURAMIN AS AN ANTIPARASITIC DRUG

SURAMIN AS AN ANTIVIRAL AGENT

SURAMIN AGAINST CANCER

SURAMIN AS AN ANTIDOTE

Three of the many biological activities of suramin support its potential use as a protective agent: the inhibition of thrombin, the inhibition of phospholipase A2, and the inhibition of purinergic signaling.

FURTHER POTENTIAL USES OF SURAMIN

TABLE 1 Diseases and pathogens susceptible to suramin

Disease and/or pathogen	Activity in ^a :		
	Cell culture	Animal model	Patient
Parasitic infections			
<i>T. b. rhodesiense</i> HAT	X	X	X
<i>T. brucei gambiense</i> HAT	X	X	X
Surra, <i>T. evansi</i>	X	X	NA
River blindness, <i>O. volvulus</i>	X	X	X
<i>T. cruzi</i>	X		
<i>Leishmania</i> spp.	X		
<i>P. falciparum</i>	X		
Viral infections			
Hepatitis virus	X	X	X
AIDS, HIV	X		X
Herpes simplex virus	X	X	
Chikungunya virus	X	X	
Enterovirus 71	X	X	
Dengue virus	X		
Zika virus	X		
Ebola virus	X		
Neoplastic diseases			
Non-small cell lung cancer	X	X	
Breast cancer	X	X	
Bladder cancer	X	X	
Brain tumors	X	X	
Prostate cancer	X	X	X
Other			
Snakebite	X	X	
Arthritis	X	X	
Autism	NA	X	X

Trojan horse Poisons Remdesivir and Paxlovid "Suramin/Ivermectin" With Cyanide & Fluorine

Cyanide

From Wikipedia, the free encyclopedia

This article is about the class of chemical compounds. For other uses, see [Cyanide \(disambiguation\)](#).


A **cyanide** is a chemical compound that contains the group C≡N. This group, known as the **ciano group**, consists of a carbon atom triple-bonded to a nitrogen atom.^[1]

In inorganic cyanides, the cyanide group is present as the anion CN⁻. Soluble salts such as sodium cyanide and [potassium cyanide](#) are highly toxic.^[2] [Hydrocyanic acid](#), also known as hydrogen cyanide, or HCN, is a highly volatile liquid that is produced on a large scale industrially. It is obtained by acidification of cyanide salts.

[Organic cyanides](#) are usually called [nitriles](#). In nitriles, the CN group is linked by a covalent bond to carbon. For example, in acetonitrile, the cyanide group is bonded to methyl (CH₃). Although nitriles generally do not release cyanide ions, the cyanohydrins do and are thus rather toxic.

040-000-309 Remdesivir-compound6', CAS 1911578-98-7

5 ATOMS OF FLOURINE




PENTA-FLOURINE

Remdesivir-compound6' Specifications

Product Name	Remdesivir-001
CAS Registry Number	1911578-98-7
Molecular Formula	C21H29F5N5O8P
Molecular Weight	485.38 g/mol
Purity	99%
Boiling point	176.8±20.0 °C at 760 mmHg

HIDDEN FLOURINE NEUROTOXIN BOMB



Remdesivir (GS-5734)

CYANIDE POISON


SHOWN DEPLOYING INTO THE BODY

CYANO-HYDRIN FORMATIONS


THIS IS A TROJAN HORSE DRUG CARRYING CYANIDE POISON WHICH WILL METABOLIZE & THEN BE IN YOUR BODY, POISONING YOU. ALSO AS A KICKER IT HAS DEADLY NEUROTOXIN FLOURINE IN IT. NOT ONCE, BUT 5 TIMES. IT CAUSES STROKES, MS, PARKINSONS DISEASE, ALZHEIMERS, NERVE DAMAGE & DEATH. MURDER NOT MEDICINE. 8-26-50% KILL RATE. IT CAN ALSO FORM THE EVEN MORE DEADLY POISONS CYANOHYDRINS & POTASSIUM-CYANIDES.



Proven Effective Oral Therapeutic/Immunization strategies for HIV & Vax AIDS



Proven Effective Natural Therapies for HIV & VaX AIDS: Detox Spike Proteins & Heal HIV & Vax AIDS Including COVID



Dear Dr. Judy, I am excited to report that thanks to my jabbed neighbors and friends I have now developed sufficient immunity and ample antibodies. Look at my value: 417! Thanks to your protocol I am not afraid of the vaccinated. I take my Immune Formulation 200, Cardio Miracle, Prolean Greens DMG & Paximune regularly. Natural immunity for the win! It truly works!

**AFFIDAVIT OF Proof of IMMUNITY
EXEMPTION ON RELIGIOUS GROUNDS FROM Vaccination/Inoculations**

Date: ____/____/20____

Governing Authority Name (business issuing mandate): _____

Address: _____

**RE: Religious Exemption from Vaccination Requirements. Declaration of
God Given IMMUNITY**

I, (Name) _____, the undersigned do hereby swear and affirm that I am a member of a recognized religious organization, and that the immunizations required by (Governing Authority Name) _____, are contrary to my religious tenets and practices. On this basis, as no vaccination on the CDC schedule has been safety tested as acknowledged by the CDC in 2019 and EUA COVID19 inoculations/immunization requirements violate my right to freely exercise my religion as guaranteed by the First Amendment of the Constitution of The United States of America, I am asserting my rights to an exemption by (Governing Authority Name) _____ from EUA Inoculation and nasal Swab PCR test requirements as I am immunized/vaccinated by virtue of the robust natural immunity I acquired when I recovered from COVID19.

I also am immunized according to my religious beliefs as I regularly take oral booster. My immunization strategy **exceeds** FDA and CDC mandated standards, which were recently changed such that the vaccination need not provide immunity.

I qualify for this exemption based on the First Amendment of the United States Constitution and 42 U.S. Code § 2000a - Prohibition against discrimination or segregation in places of public accommodation, which states "All persons shall be entitled to the full and equal enjoyment of the goods, services, facilities, privileges, advantages, and accommodations of any place of public accommodation, as defined in this section, without discrimination or segregation on the ground of race, color, religion, or national origin." Failure to uphold 42 U.S. Code § 2000a may be met with legal action.

Thank you in advance

SARS CoV 2 (COVID-19) Tests		
Test Name:	Result	Reference Range
SARS CoV 2 AB (IgG) NUCLEOCAPSID, QL		
SARS CoV 2 AB IGG	POSITIVE	
Reference range: Negative		
<p>This test is intended for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating infection. Results are for the detection of SARS-CoV-2 antibodies. IgG antibodies to SARS-CoV-2 are generally detectable several days after initial infection, although the duration of time antibodies are present post-infection is not well characterized. It is unknown for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. It is not detectable virus by molecular testing present for several weeks following seroconversion. Negative results do not preclude infection. This test should not be used to diagnose acute SARS-CoV-2 infection. If acute infection is suspected, direct testing methods for SARS-CoV-2 is necessary. False positive results for the test may occur due to cross-reactivity from pre-existing conditions or other possible causes.</p> <p>Please review the "Fact Sheets" available for health care providers and patients using the following websites: QuestDiagnostics.com/Covid-19/HCP/antibody/fact-sheet2 QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet2</p> <p>This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The authorized labeling is available on the Quest Diagnostics website: www.questdiagnostics.com/Covid19.</p> <p>For additional information please refer to http://education.questdiagnostics.com/faq/FAQ219 (This link is being provided for informational purposes only.)</p>		
SARS COV 2 AB, TOTAL SPIKE SEMI QN	417.4 H	<0.8 U/mL
INDEX	INTERPRETATION	
-----	-----	
<0.8	Negative	
> or = 0.8	Positive	
<p>This test is intended to help identify individuals with antibodies to SARS-CoV-2 (COVID-19). The results of this semi-quantitative test do not indicate the degree of immunity or protection from reinfection.</p>		

Call To Action: #stoptheshots

- **MORATORIUM on ALL VACCINES on CDC SCHEDULE**
- **Repeal 1986 National Vaccine Injury Compensation Act**
- **End all Mandates and Restore Liability to all**
- **Convict criminals at CDC, FDA, NIH for crimes against humanity**
- **Eliminate Advisory Committee on Immunization Practices (ACIP)**
- **Use NIH and CDC & FDA Patent Royalties to Compensate all Victims of this 35 Year Plague Of Corruption**

<https://writeyourlaws.com/amendments-to-section-230-eliminating-censorship-from-big-tech-version-2>

<https://writeyourlaws.com/the-vaccine-manufacturer-full-product-liability-restoration-act-of-2021>



BlogTalkRadio.com/citizenaction
www.WriteYourLaws.com

GlobalTekMD – C.A.M. Complementary and Alternative Methods

- One-on-one consultations
- Care Calls
- Health history review
- Protocol and lifestyle recommendations
- Testing and Analysis
- Educational Courses
- Like-minded Communities
- The C.A.M. also includes full access to the Allopathic/Medical Arm
 - Get the prescriptions you need. Full access to a medical physician within 7 minutes - No waiting room!
- NO One is offering solutions like this!
 - Consultation, lifestyle modification, Supplement protocols and solutions, special group for specific issues, complementary modalities (IV therapy, redlight, Ozone and more).
- We are the NEW MODEL or TRUE Health Care for your whole family!

