


God Is All We Need


The World will try to scare them & create Doubt about God's protection over their Life



1859



1999




2015

2022 GOD (LOVE) WINS! WE THE PEOPLE ARE ONE NATION UNDER GOD INDIVISIBLE!!!!

VACCINE AIDS = COVID19


Autoimmune, Autoinflammatory Disease & Cancer *Unintended* Consequences of 3 DECADES LIABILITY FREE VACCINES

Prostate Cancer*	Crohn's Disease*	Gulf War Syndrome*
Breast Cancer *	Hashimoto's Thyroiditis*	Autism / ASD*
Multiple Myeloma*	Polymyositis*	Multiple Sclerosis*
Non-Hodgkins Lymphoma*	Sjogren's Syndrome *	Parkinson's*
Chronic Lymphocytic Leukemia*	Bechet's Disease*	ALS*
Mantle Cell Lymphoma*	Primary Biliary Cirrhosis*	Fibromyalgia*
Hairy Cell Leukemia*	Inflammatory Bowel Disease*	Chronic Lyme Disease*
Bladder Cancer *	Psoriasis, Dermatitis	OCD*
Colorectal Cancer*	Diabetes*	ADHD*
Kidney Cancer *	Cardiovascular Disease*	PTSD*
Ovarian Cancer*	ME / CFS*	Psychosis*
Neuroendocrine Tumors	Lupus/SLE	Rheumatoid Arthritis*



Experimentation without Informed Consent is Crimes Against Humanity

Specialized Pro-Resolving Mediators (SPM)









Serhan CN. *Nature*. 2014;510:92-101

They are called 'resolving mediators' because of their role in facilitating natural resolution of the inflammatory response. Examples of SPMs include resolvins, lipoxins, protectins, and maresins.

DiMethylGlycine


Nutrition's Best Kept secret for strengthening Genomic Pathways and Preventing Disease

- Amino Acid – Intermediary metabolite of the human body




- Important nutrient found in low levels in our food
- As a Key Nutrient DMG PROTECTS OUR GENES

Imbalanced IFN Response to RNA Viruses Drives Development of Autoimmune, Autoinflammatory Disease & Cancer



Graphical Abstract



Authors

Daniel Blanco-Melo,
Benjamin E. Nilsson-Payant,
Wen-Chun Liu, ..., Jean K. Lim,
Randy A. Albrecht, Benjamin R. tenOever

Correspondence

res2025@med.cornell.edu (R.E.S.),
jean.lim@mssm.edu (J.K.L.),
randy.albrecht@mssm.edu (R.A.A.),
benjamin.tenoever@mssm.edu (B.R.t.)



In Brief

In comparison to other respiratory viruses, SARS-CoV-2 infection drives a lower antiviral transcriptional response that is marked by low IFN-I and IFN-III levels and elevated chemokine expression, which could explain the pro-inflammatory disease state associated with COVID-19.



Glyphosate: Damages Key GOD GIVEN antioxidant Glutathione

Produced by the liver, glutathione is made up of three amino acids: Lcysteine, glycine, and L-glutamate



**American Chemical Society
Public Health Emergency Collection**

Public Health Emergency COVID-19 Initiative

[ACS Infect Dis.](#) 2020 May 28 : acsinfectdis.0c00288. PMID: [32463277](#)
Published online 2020 May 28. doi: [10.1021/acsinfectdis.0c00288](#)

Endogenous Deficiency of Glutathione as the Most Likely Cause of Serious Manifestations and Death in COVID-19 Patients

[Alexey Polonikov^{1,2*}](#)

► Author information ► Article notes ► Copyright and License information ► [Disclaimer](#)



Endogenous glutathione deficiency appears to be a crucial factor enhancing SARS-CoV-2-induced oxidative damage of the lung and, as a result, leads to serious manifestations, such as acute respiratory distress syndrome, multiorgan failure, and death in COVID-19 patients. When the antiviral activity of GSH is taken into account, individuals with glutathione deficiency seem to have a higher susceptibility for uncontrolled replication of SARS-CoV-2 virus and thereby suffer from an increasing viral load. The severity of clinical manifestations in COVID-19 patients is apparently determined by the degree of impaired redox homeostasis attributable to the deficiency of reduced glutathione and increased ROS production. This assumption can be supported by our findings. In particular, COVID-19 patients with moderate and severe illness had lower levels of glutathione, higher ROS levels, and greater redox status (ROS/GSH ratio) than COVID-19 patients with a mild illness. Long-term and severe manifestations of COVID-19 infection in one of our patients with marked glutathione deficiency suggest that the degree of glutathione decrease correlates negatively with viral replication rate and that an increasing viral load exacerbates oxidative damage of the lung. This finding suggests that the virus cannot actively replicate at higher levels of cellular glutathione, and therefore, milder clinical symptoms are observed with lower viral loads.



SUPPLEMENT FACTS			
Servings Per Container			62
Serving Size			1 Scoop (1.6g)
Amount per serving			
Calories			0
		Standard DV	% Daily Value*
Selenium (from selenomethionine)	4.5 mcg	75 mcg	6%
Proprietary Amino Acid Blend	1450 mg		
Glycine			
L-Glutamine			
L-Cystine			

Glyphosate in our soil -> our plants are SICK -> Does toxic food cause COVID?

GOD GIVEN/Endogenous Microbiome Metabolizes Food



Cell Host & Microbe

Short Article

Gut Dysbiosis Promotes M2 Macrophage Polarization and Allergic Airway Inflammation via Fungi-Induced PGE₂



- Only certain antibiotics promote fungal overgrowth in the gut
- Specific commensal bacteria prevent colonization of *Candida*

The Human Endocannabinoid System (eCS)

GOD GIVEN DIMMER SWITCH ON INFLAMMATION

A signaling system that helps to modulate all other physiological, behavioral, and energetic processes in the body.

Glia. 2010 July ; 58(9): 1017–1030



Anxiety
Depression
Sleep Disorders
Pain
Itch
Wound healing

- **neuroprotection & plasticity**
- **immunity & inflammation**
- **apoptosis & carcinogenesis**
- **pain and emotional memory**
- **Supports detoxification:**
 - **repairs Fibrosis**
 - **fatty Liver disease**

Taking advantage of synergies/cross talk in Pathways enhances Efficacy and Safety profiles of Pharmaceutical Drugs



Beta-caryophyllene is a dietary cannabinoid

Jürg Gertsch^{*†}, Marco Leonti^{*§}, Stefan Raduner^{*§}, Ildiko Racz[¶], Jian-Zhong Chen[¶], Xiang-Qun Xie[¶], Karl-Heinz Altmann^{*}, Meliha Karsak[¶], and Andreas Zimmer[¶]

^{*}Institute of Pharmaceutical Sciences, Department of Chemistry and Applied Biosciences, Eidgenössische Technische Hochschule (ETH) Zurich, 8092 Zürich, Switzerland; [†]Dipartimento Farmaco Chimico Tecnologico, University of Cagliari, 01924 Cagliari, Italy; [¶]Department of Molecular Psychiatry, University of Bonn, 53115 Bonn Germany; and [§]Department of Pharmaceutical Sciences, University of Pittsburgh, Pittsburgh, PA 15260

β -Caryophyllene, A Natural Dietary CB2 Receptor Selective Cannabinoid can be a Candidate to Target the Trinity of Infection, Immunity, and Inflammation in COVID-19

 Niraj Kumar Jha^{1†},  Charu Sharma^{2†},  Hebaallah Mamdouh Hashiesh³,  Seenipandi Arunachalam³,  MF Nagoor Meeran³,  Hayate Javed⁴,  Chandragouda R. Patil⁵,  Sameer N. Goyal⁶ and  Shreesesh Ojha^{3*}

Beta-caryophyllene enhances wound healing through multiple routes


Sachiko Koyama , Anna Purk, Manpreet Kaur, Helena A. Soini, Milos V. Novotny, Keith Davis, C. Cheng Kao, Hiroaki Matsunami, Anthony Mescher

Published: December 16, 2019 • <https://doi.org/10.1371/journal.pone.0216104>



Ion Channel Functions in Early Brain Development

The diagram shows a lymphocyte membrane with a CB2 receptor (shaded oval) and a Gi protein (white circle). THC (a shaded rectangle) binds to the CB2 receptor. An arrow points from the CB2 receptor to the Gi protein, labeled with a minus sign (-). Another arrow points from the Gi protein to an AC (Adenylate Cyclase, white oval), also labeled with a minus sign (-). ATP (a curved line) is converted to cAMP by AC. The resulting cAMP level is labeled 'Decreased cAMP'. This leads to an increase in TGF-β expression, indicated by a plus sign (+) and an arrow pointing to a box labeled 'TGF-β expression'. A feedback loop arrow points from the 'TGF-β expression' box back to the CB2 receptor, labeled with a minus sign (-).



Cannabinoids regulate MINERALS in Immune Cells via endocannabinoid System Receptors

- A downside of activation of MINERALS is the dysregulation endogenous microbes
- OUR SOILS ARE DEPLETED OF MINERALS

TRPV1/2	Ca ²⁺ /Na ⁺	PM	Heat (fever?), low pH, mechanical stress		Mono, macro	Degranulation, phagocytosis, cytokine production
TRPC3/6	Ca ²⁺ /Na ⁺	PM	PLC activation (DAG), PIP ₂		T, B, NK cells, neutro	Chemotaxis, degranulation
TRPM2	Ca ²⁺ /Na ⁺	PM, lys	H ₂ O ₂ , NAADP, cADPR		T, B, neutro, mast cells, DC	Cytokine production, degranulation
Magnesium						
TRPM6	Mg ²⁺ >Ca ²⁺	PM		Inhibited by [Mg ²⁺] _i	Gut, kidney, hematopoietic (not T cells)	Unknown in immune cells
TRPM7	Mg ²⁺ >Ca ²⁺	PM	Unknown (BCR, TCR?) PIP ₂ (?)	Inhibited by [Mg ²⁺] _i	Ubiquitous	T cell development, T and B cell proliferation, cytokine production



Review CellPress

Divalent cation signaling in immune cells

Benjamin Chaigne-Delalande and Michael J. Lenardo

Molecular Development of the Immune System Section, Lymphocyte Molecular Genetics Unit, Laboratory of Immunology, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD 20892, USA

Divalent cations of two alkaline earth metals Ca²⁺ and Mg²⁺ and the transition metal Zn²⁺ play vital roles in the immune system, and several immune disorders are associated with disturbances of their function. Until re-

Trends in Immunology July 2014, Vol. 35, No. 7

Non-selective cationic channels in chemical and physical stress?



J Physiol 594.15 (2016) pp 4151–4169

SYMPOSIUM REVIEW

TRPA1 channels: molecular sentinels of cellular stress and tissue damage

Félix Viana

Instituto de Neurociencias de Alicante, Universidad Miguel Hernández-CSIC, Alicante, Spain



REVIEW

Taming THC: potential cannabis synergy and phytocannabinoid-terpenoid entourage effects

Ethan B Russo

GW Pharmaceuticals, Salisbury, Wiltshire, UK

Correspondence

Ethan Russo, MD, 20402 81st
Avenue SW, Vashon, WA 98070,
USA. E-mail:
ethanrusso@comcast.net

Keywords

cannabinoids; terpenoids;
essential oils; THC; CBD;
limonene; pinene; linalool;
caryophyllene; phytotherapy

Received

19 November 2010

Revised

29 December 2010

Accepted

12 January 2011



molecules



Article









Terpenoids and Phytocannabinoids Co-Produced in *Cannabis Sativa* Strains Show Specific Interaction for Cell Cytotoxic Activity









Dvora Namdar ^{1,*}, Hillary Voet ¹, Vinayaka Ajampura ¹, Stalin Nadarajan ¹,
Einav Mayzlish-Gati ², Moran Mazuz ¹, Nurit Shalev ¹ and Hinanit Koltai ¹

¹ Institute of Plant Sciences, Agricultural Research Organization, Volcani Center, Bet Dagan 7505101, Israel

² Israeli Gene Bank, Volcani Center, Bet Dagan 7505101, Israel

* Correspondence: dvoran@volcani.agri.gov.il

Terpenoid	Structure	Commonly encountered in	Pharmacological activity (Reference)	Synergistic cannabinoid
Limonene		 Lemon	Potent AD/immunostimulant via inhalation (Komori et al., 1995) Acidolytic (Carvalho-Freitas and Costa, 2002; Pálfi et al., 2006) via 5-HT _{1A} (Kornya et al., 2004) Apoptosis of breast cancer cells (Vigushin et al., 1998) Active against acne bacteria (Kim et al., 2008) Dermatophytes (Sanguinetti et al., 2007; Singh et al., 2010) Gastro-esophageal reflux (Harris, 2010)	CBD CBD CBD, CBG CBD CBG THC
α -Pinene		 Pine	Anti-inflammatory via PGE-1 (Gil et al., 1989) Bronchodilatory in humans (Falk et al., 1993) Acetylcholinesterase inhibitor, aiding memory (Perry et al., 2003)	CBD THC THC, CBD
β -Myrcene		 Hop	Blocks inflammation via PGE-2 (Lorenzetti et al., 1991) Analgesic, antagonized by naloxone (Rao et al., 1990) Sedating, muscle relaxant, hypnotic (de Vile et al., 2002) Blocks hepatic carcinogenesis by aflatoxin (de Oliveira et al., 1997)	CBD CBD, THC THC CBD, CBG
Linalool		 Lavender	Anti-anxiety (Russo, 2001) Sedative on inhalation in mice (Buchbauer et al., 1993) Local anesthetic (Re et al., 2000) Analgesic via adenosine A _{2A} (Peters et al., 2004) Anticonvulsant/anti-glutamate (Silabekbay et al., 1995) Potent anti-leishmanial (do Socorro et al., 2003)	CBD, CBG THC THC CBD CBD, THC, CBG ?

β -Caryophyllene		 Pepper	AI via PGE-1 comparable phenylbutane (Balle et al., 1988) Gastric cytoprotective (Tambe et al., 1994) Anti-malarial (Campbell et al., 1997) Selective CB ₂ agonist (100 nM) (Gerlach et al., 2000) Treatment of pruritus? (Karak et al., 2007) Treatment of addiction? (Xi et al., 2010)	CBD THC ? THC THC CBD
Caryophyllene Oxide		 Lemon balm	Decreases platelet aggregation (Lin et al., 2003) Antifungal in onychomycosis comparable to ciclopiroxolamine and sulconazole (Yang et al., 1999) Insecticidal/anti-feedant (Battarini et al., 1993)	THC CBG, CBG THCA, CBGA
Nerolidol		 Orange	Sedative (Siret et al., 1972) Skin penetrant (Cornwell and Barry, 1994) Potent antimalarial (Lopes et al., 1999; Rodriguez Goubert et al., 2004) Anti-leishmanial activity (Amada et al., 2005)	THC, CBN – ? ?
Phytol		 Green tea	Breakdown product of chlorophyll Prevents Vitamin A toxicogenesis (Arrthold et al., 2002) TGABA via SSADH inhibition (Rang et al., 2002)	– – CBG

VIRUSES/POSIONS


Lack of Minerals, Essential Amino acids, Phytocannabinoids




$G_{i/o}$ -Protein Coupled Receptors in the Aging Brain

Patricia G. de Oliveira^{1†}, Marta L. S. Ramos^{1†}, António J. Amaro², Roberto A. Dias^{1††} and Sandra I. Vieira^{1*†}

A GPCRs main functions



B Tissue distribution of $G_{i/o}$ -coupled GPCRs



- Bone marrow & immune sy
- Brain
- Gastrointestinal tract
- Lung
- Male tissues
- Female tissues
- Endocrine tissues
- Kidney & Urinary bladder
- Skin
- Liver and gallbladder
- Muscle tissues
- Pancreas
- Adipose and soft tissues



Taking advantage of synergies/cross talk in Pathways enhances Efficacy and Safety profiles of Pharmaceutical Drugs



Beta-caryophyllene is a dietary cannabinoid

Jürg Gertsch^{*†}, Marco Leonti^{*§}, Stefan Raduner^{*§}, Ildiko Racz[¶], Jian-Zhong Chen[¶], Xiang-Qun Xie[¶], Karl-Heinz Altmann^{*}, Meliha Karsak[¶], and Andreas Zimmer[¶]

^{*}Institute of Pharmaceutical Sciences, Department of Chemistry and Applied Biosciences, Eidgenössische Technische Hochschule (ETH) Zurich, 8092 Zürich, Switzerland; [†]Dipartimento Farmaco Chimico Tecnologico, University of Cagliari, 01924 Cagliari, Italy; [¶]Department of Molecular Psychiatry, University of Bonn, 53115 Bonn Germany; and [§]Department of Pharmaceutical Sciences, University of Pittsburgh, Pittsburgh, PA 15260

β -Caryophyllene, A Natural Dietary CB2 Receptor Selective Cannabinoid can be a Candidate to Target the Trinity of Infection, Immunity, and Inflammation in COVID-19

 Niraj Kumar Jha^{1†},  Charu Sharma^{2†},  Hebaallah Mamdouh Hashiesh³,  Seenipandi Arunachalam³,  MF Nagoor Meeran³,  Hayate Javed⁴,  Chandragouda R. Patil⁵,  Sameer N. Goyal⁶ and  Shreesesh Ojha^{3*}

Beta-caryophyllene enhances wound healing through multiple routes

Sachiko Koyama , Anna Purk, Manpreet Kaur, Helena A. Soini, Milos V. Novotny, Keith Davis, C. Cheng Kao, Hiroaki Matsunami, Anthony Mescher

Published: December 16, 2019 • <https://doi.org/10.1371/journal.pone.0216104>




Provide the building blocks to support nitric oxide formation enhance overall circulation, including heart health and erectile dysfunction.

Vitamin D₃, L-Arginine, L-Citrulline, and Antioxidant Supplementation Enhances Nitric Oxide Bioavailability and Reduces Oxidative Stress in the Vascular Endothelium – Clinical Implications for Cardiovascular System

Hazem Dawoud, Tadeusz Malinski

Department of Chemistry and Biochemistry, Nanomedical Research Laboratories, Ohio University, Athens, Ohio, USA

ABSTRACT
Background: Nitric oxide (NO) is a crucial signaling molecule which regulates the blood flow and prevents the adhesion of blood components to the vascular wall. A deficiency in bioavailable NO concentration is associated with the dysfunction of endothelial NO synthase (eNOS) and/or an increase in oxidative stress. The deficiency of bioavailable NO is a common denominator of several cardiovascular diseases, including diabetes, atherosclerosis, and hypertension. **Materials and Methods:** We used a nanomedical technology to elucidate the balance between bioavailable NO and oxidative stress (peroxynitrite (ONOO⁻)) in human umbilical vein endothelial cells (HUVECs) treated with a supplement containing L-arginine, L-citrulline, Vitamin D₃, and antioxidants. Nanoprobes, with a diameter of 200–300 nm, are capable of measuring *in situ* NO and peroxynitrite (ONOO⁻) concentrations produced by single endothelial cells. **Results:** The ratio of the concentration of cytoprotective NO [NO] to the concentration of cytotoxic peroxynitrite (ONOO⁻) was used to estimate the efficiency of eNOS. HUVECs incubated with L-citrulline, L-arginine, and Vitamin D₃ increased the [NO]/[ONOO⁻] ratio by 25%, while in the presence of antioxidants, the increase was 15%. The synergistic effect between the mix of L-arginine, L-citrulline, Vitamin D₃, and antioxidants was a favorable increase of the overall [NO]/[ONOO⁻] ratio by 50%. **Conclusion:** The findings of the study presented here clearly indicate that L-arginine, L-citrulline, and Vitamin D₃ can significantly alter the function of the endothelium and NO production, in a favorable manner, while potently reducing ONOO⁻ – the main component of oxidative stress. This effect can be significantly potentiated in the presence of antioxidants. **Key words:** Antioxidant, endothelium, L-arginine, L-citrulline, nitric oxide, peroxynitrite, Vitamin D₃.
SUMMARY
• Nanomedical studies were used to elucidate the role of a mixture of Vitamin D₃, L-arginine, L-citrulline, and several antioxidants in the improvement of nitric oxide production and the reduction of oxidative stress in human endothelial cells. It appears that the combination of natural products can effectively improve endothelial function by about 50% and has shown that, on cellular models, it could potentially be used to improve the endothelial function in cardiovascular diseases.



Abbreviations Used: HUVECs: Human umbilical vein endothelial cells; O₂⁻: Superoxide; HBSS: Hank's balanced salt solution; EC: Endothelial cell; Cal: Calcium ionophore; CVD: Cardiovascular disease; eNOS: Endothelial nitric oxide synthase.
Correspondence: Prof. Tadeusz Malinski, Nanomedical Research Laboratories, Ohio University, 350 West State Street, Athens, Ohio, USA. E-mail: malinski@ohio.edu
DOI: 10.4103/pr_79_19



INTRODUCTION

Nitric oxide (NO) is a gaseous molecule that is generated by the NO synthase (NOS) enzyme. NO is synthesized from two substrates: L-arginine (non-essential amino acid) and oxygen.^[1,2] This synthesis occurs through NOS in a five-electron transfer oxidation of L-arginine to L-citrulline. NOS is located in the membrane of endothelial cells, and its synthesis is stimulated by calcium flux.^[3-6] In the cardiovascular, the calcium flux is triggered by a mechanical process (shear stress)^[5] and chemical stimuli such as acetylcholine, norepinephrine, angiotensin II, and many others.^[4,7] NO can react rapidly with many biological components, including superoxide (O₂⁻), Fe (III) of hemoglobin, guanylate cyclase, and many others.^[8-10] Therefore, the measurement of reactive "free" NO is a challenging problem. In our laboratories, we are able to perform measurements of bioavailable NO produced by a single endothelial cell in different segments of the cardiovascular system, such as

capillary vessels, aorta, and heart. Maximal NO concentrations vary significantly, depending on the location of the endothelial cells – with the lowest concentrations in the small capillary (about 80 nM) and the highest in the endocardium of the heart (about 2.0 μM).^[11] The level of NO concentration depends largely on the velocity and type of blood flow (laminar vs. turbulent).^[12-14]

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credits given and the new creations are licensed under the identical terms.

For reprints contact: reprint@medknow.com

Cite this article as: Dawoud H, Malinski T. Vitamin D₃, L-Arginine, L-Citrulline, and antioxidant supplementation enhances nitric oxide bioavailability and reduces oxidative stress in the vascular endothelium – Clinical implications for cardiovascular system. Phcog Res 2020;12:17-23.

Check for updates

OPEN ACCESS

EDITED BY
Maurizio Muscaritoli,
Sapienza University of Rome, Italy

REVIEWED BY
Simone Potje,
Minas Gerais State University, Brazil
Ridha Oueslati,
University of Carthage, Tunisia

*CORRESPONDENCE
Anton Franz Fliri
anton.fliri@emergentsa.com

SPECIALTY SECTION
This article was submitted to
Clinical Nutrition,
a section of the journal
Frontiers in Nutrition

RECEIVED 07 March 2022
ACCEPTED 14 July 2022
PUBLISHED 15 August 2022


CITATION
Fliri AF and Kajiji S (2022) Functional
characterization of nutraceuticals
using spectral clustering: Centrality
of caveolae-mediated endocytosis
for management of nitric oxide
and vitamin D deficiencies

Functional characterization of nutraceuticals using spectral clustering: Centrality of caveolae-mediated endocytosis for management of nitric oxide and vitamin D deficiencies and atherosclerosis

Anton Franz Fliri* and Shama Kajiji

Emergent System Analytics LLC, Clinton, CT, United States

It is well recognized that redox imbalance, nitric oxide (NO), and vitamin D deficiencies increase risk of cardiovascular, metabolic, and infectious diseases. However, clinical studies assessing efficacy of NO and vitamin D supplementation have failed to produce unambiguous efficacy outcomes



Dear Dr. Judy, I am excited to report that thanks to my jabbed neighbors and friends I have now developed sufficient immunity and ample antibodies. Look at my value: 417! Thanks to your protocol I am not afraid of the vaccinated. I take my Immune Formulation 200, Cardio Miracle, Prolean Greens DMG & Paximune regularly. Natural immunity for the win! It truly works!

**AFFIDAVIT OF Proof of IMMUNITY
EXEMPTION ON RELIGIOUS GROUNDS FROM Vaccination/Inoculations**

Date: ____/____/20____

Governing Authority Name (business issuing mandate): _____

Address: _____

**RE: Religious Exemption from Vaccination Requirements. Declaration of
God Given IMMUNITY**

I, (Name) _____, the undersigned do hereby swear and affirm that I am a member of a recognized religious organization, and that the immunizations required by (Governing Authority Name) _____, are contrary to my religious tenets and practices. On this basis, as no vaccination on the CDC schedule has been safety tested as acknowledged by the CDC in 2019 and EUA COVID19 inoculations/immunization requirements violate my right to freely exercise my religion as guaranteed by the First Amendment of the Constitution of The United States of America, I am asserting my rights to an exemption by (Governing Authority Name) _____ from EUA Inoculation and nasal Swab PCR test requirements as I am immunized/vaccinated by virtue of the robust natural immunity I acquired when I recovered from COVID19.

I also am immunized according to my religious beliefs as I regularly take oral booster. My immunization strategy **exceeds** FDA and CDC mandated standards, which were recently changed such that the vaccination need not provide immunity.


I qualify for this exemption based on the First Amendment of the United States Constitution and 42 U.S. Code § 2000a - Prohibition against discrimination or segregation in places of public accommodation, which states "All persons shall be entitled to the full and equal enjoyment of the goods, services, facilities, privileges, advantages, and accommodations of any place of public accommodation, as defined in this section, without discrimination or segregation on the ground of race, color, religion, or national origin." Failure to uphold 42 U.S. Code § 2000a may be met with legal action.

Thank you in advance



SARS CoV 2 (COVID-19) Tests		
Test Name:	Result	Reference Range
SARS CoV 2 AB (IgG) NUCLEOCAPSID, QL		
SARS CoV 2 AB IGG	POSITIVE	
Reference range: Negative		
<p>This test is intended for use as an aid in identifying individuals with an adaptive immune response to SARS-CoV-2, indicating infection. Results are for the detection of SARS-CoV-2 antibodies. IgG antibodies to SARS-CoV-2 are generally detectable several days after initial infection, although the duration of time antibodies are present post-infection is not well characterized. It is unknown for how long antibodies persist following infection and if the presence of antibodies confers protective immunity. It is not detectable virus by molecular testing present for several weeks following seroconversion. Negative results do not preclude infection. This test should not be used to diagnose acute SARS-CoV-2 infection. If acute infection is suspected, direct testing methods for SARS-CoV-2 is necessary. False positive results for the test may occur due to cross-reactivity from pre-existing conditions or other possible causes.</p> <p>Please review the "Fact Sheets" available for health care providers and patients using the following websites: QuestDiagnostics.com/Covid-19/HCP/antibody/fact-sheet2 QuestDiagnostics.com/home/Covid-19/Patients/antibody/fact-sheet2</p> <p>This test has been authorized by the FDA under an Emergency Use Authorization (EUA) for use by authorized laboratories. The authorized labeling is available on the Quest Diagnostics website: www.questdiagnostics.com/Covid19.</p> <p>For additional information please refer to http://education.questdiagnostics.com/faq/FAQ219 (This link is being provided for informational purposes only.)</p>		
SARS COV 2 AB, TOTAL SPIKE SEMI QN	417.4 H	<0.8 U/mL
INDEX	INTERPRETATION	
-----	-----	
<0.8	Negative	
> or = 0.8	Positive	
<p>This test is intended to help identify individuals with antibodies to SARS-CoV-2 (COVID-19). The results of this semi-quantitative test do not indicate the degree of immunity or protection from reinfection.</p>		

GOD's People are destroyed from lack of Knowledge (Hosea 4:6)


THE FEAR OF THE LORD is the Beginning of Knowledge but Fools Despise Wisdom & Instruction
(PROVERBS 1:7)




2014 (James 1:19-22) 2017




2020 (Psalm 91)



2020 1(Cor 3:18)



2021(Ephesians 5:11)



2021(2 Chronicles 7:14)

DrJudy@TheRealDrJudy.com

www.Plaguethebook.com

Shop.therealdrjudy.com

Quote by Thomas Jefferson

"If people let the government decide what foods they eat and what medicines they take, their bodies will soon be in as sorry a state as are the souls who live under tyranny." -- Thomas Jefferson

