

205.823.7800



242 W Valley Ave Ste 105  
Birmingham, AL 35209



### Steps to Receive an AmTryke Adaptive Tricycle

1. Determine a need by working with a therapist and receiving a referral.
2. Fill out all 4 (four) forms of the AmTryke (Tryke) Application Packet with the help and guidance of a therapist. The AmTryke Adaptive Tricycle Request and Waiver form needs to be completed by the adult recipient or child's legal guardian. The AmTryke Assessment Form and Tryke Selection Order form needs to be completed by the therapist.
3. Greater Birmingham AMBUCS requires a \$100 donation before we schedule any fittings. Note: AmTryke adaptive tricycles are distributed based on available AmTrykes, funds and need. Individual placements of AmTryke adaptive tricycles are at the discretion of the Greater Birmingham AMBUCS Chapter. The AmTrykes cost between \$700-\$1700 if you can afford a larger donation, it helps us bless more recipients.
4. AMBUCS will review the completed application packets and then order the AmTryke based on availability. Sometimes an AmTryke model is on back order, and we will keep a waiting list.
5. After Birmingham AMBUCS receives the AmTryke and it is assembled the last step is to coordinate your family and a therapist to make sure the AmTryke is fitted properly.

Birmingham AMBUCS is dedicated to creating mobility and independence for children with disabilities. We are committed to doing all we can to continue serving as many families as possible.

# AmTryke Adaptive Tricycle Request Form

(Must be filled out completely by adult rider or parent/guardian)

Recipient's Name: \_\_\_\_\_ Date of Request: \_\_\_\_\_  
 Mailing Address: \_\_\_\_\_ Age: \_\_\_\_\_  
 City/State/Zip: \_\_\_\_\_ Phone#: \_\_\_\_\_  
 County: \_\_\_\_\_  
 Diagnosis: \_\_\_\_\_ Email: \_\_\_\_\_

## If Recipient is Under Age 18

Parent/Guardian Name: \_\_\_\_\_

If different from above

Mailing Address: \_\_\_\_\_ Phone #: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_ Email: \_\_\_\_\_

Secondary Contact Name: \_\_\_\_\_ Phone #: \_\_\_\_\_

Treating Therapist's Name: \_\_\_\_\_

Phone #: \_\_\_\_\_ Email: \_\_\_\_\_

Are you a first-time recipient of an AmTryke? Yes \_\_\_\_ No \_\_\_\_ If yes, which model and size do you currently have? \_\_\_\_\_

Do you have a place to store the AmTryke out of the weather? ☐ Yes ☐ No

Do you have a vehicle that will transport your AmTryke? ☐ Yes ☐ No

\* If no, do you have a place to ride the AmTryke? ☐ Yes ☐ No

Iron City Trykes/Birmingham AMBUCS requires a \$100 donation before we schedule any fittings. We will provide each accepted applicant with a fundraising link that can be shared with family, friends, and your community to assist with raising funds for the Amtryke. AmTrykes on average, cost between \$700 - \$1700 so any amount contributed through your efforts, will help us impact more lives.

Note: Amtryke adaptive tricycles are distributed based on available funds and need. Individual placements of Amtryke adaptive tricycles are at the discretion of the local chapter.

Tell Us about the recipient: \_\_\_\_\_

Please include a photo of the recipient to be added to the fundraising link and help us obtain a sponsor for the Amtryke. Digital images preferred but we also accept professionally printed glossy photos. No photocopies or folded images.

\*By including a photo, you are giving consent for AMBUCS to use the image online and in print to help obtain funding.

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Individuals will not be considered for placement until all four forms are returned to AMBUCS: request form and waiver filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.

# AmTryke Adaptive Tricycle Waiver Form

(Must be filled out completely by adult rider or parent/guardian)

AMBUCS members nationwide are dedicated to creating opportunities for mobility and independence by providing Amtryke adaptive tricycles, offering educational scholarships to therapy students and performing various forms of community service.

**Purpose:** The Amtryke adaptive tricycle creates a feeling of freedom, builds self-esteem, strengthens muscles and improves motor coordination and range of motion—all while making exercise fun.

**Steering:** Initially, the rider may have difficulty turning or changing directions. Encourage the rider to go straight ahead, back up and slowly turn around. On many models there are three steering options for the Amtryke. On the front column of the tricycle, you will find two holes for the steering pin. The top hole is straight steering, the bottom hole allows a 20-degree turning radius. Leaving the pin out gives the rider free steering.

## Safety Cautions

- Fast speeds and sharp turns can cause the Amtryke adaptive tricycle to tip or turn over.
- Always wear a helmet when riding an Amtryke. Use of other protective gear is highly recommended.
- Adult supervision required if used by younger or developmentally delayed riders.
- Use caution near vehicles, swimming pools and other bodies of water, hills, alleys and sloped driveways.
- Always wear shoes.
- Never allow more than one rider.
- Use of the steering pin is recommended to prevent over-steering or possible tip-overs.

The information contained in this service is not intended nor implied by National AMBUCSTM, Inc. to be professional medical advice by National AMBUCS, Inc. Always seek the advice of your physician, therapist or other qualified healthcare provider prior to starting any treatment or with any question you may have regarding a medical condition. Nothing contained in this document is intended by National AMBUCS, Inc. to be for medical diagnosis or treatment by National AMBUCS, Inc. or on behalf of National AMBUCS, Inc.

In no event shall National AMBUCS, Inc. be liable for any direct, indirect, incidental, consequential, special, exemplary, punitive, or any other monetary or other damages, personal injury or property damages, fees, fines, costs, attorney fees, or liabilities of any kind arising out of or relating in any way to this service or use of the Amtryke® adaptive tricycle, and/or content or information provided herein.

☐ I agree that the rider listed on the front of this document may be photographed. I also agree that the photos and recipient's name may be used in promotional efforts for National AMBUCS, Amtryke or the local AMBUCS chapter. I further grant AMBUCS the ability to use the photos and name for advertising/publicity purposes without additional compensation, except where prohibited by law. If anybody in my party does not want to be photographed under these same terms, I will let the photographer know as soon as possible.

By signing below, I acknowledge that I have read and understood this liability waiver.

Recipient's Name: \_\_\_\_\_

Adult Recipient Signature: \_\_\_\_\_

If Recipient is Under Age 18

Legal Guardian Name: \_\_\_\_\_

Legal Guardian Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.

# AmTryke Evaluation Packet

(Must be filled out completely by therapist or physician)

Thanks for choosing an Amtryke adaptive tricycle! In order to accommodate the widest variety of people, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose the perfect tryke for your client from what might seem like a dizzying array of options. Remember you can always refer to our website, [www.amtrykestore.org](http://www.amtrykestore.org), or the Amtryke catalogue for more information and product images.

**Step 1:** Fill out the Amtryke Assessment Form.

**Step 2:** Choose the way the tryke will be propelled: Hand & Foot, Foot, or Hand. Your choice should be based on the rider's ability and therapy goals.

Foot trykes were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

Hand & Foot trykes improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

Hand trykes are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

**Step 3:** Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart (the final page of this packet). This will narrow the choices considerably.

**Step 4:** Choose any adaptations and/or accessories needed by the rider. Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms, or with accessories from the Generic Accessories section. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.

Note: The 1416, 1420, and 1420XL Foot Trykes offer two drive possibilities: fixed drive or geared drive. A fixed drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of geared drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast. This option is available under the High Functioning Set Up.

# 2025 amtryke Sizing Chart

**NOTE:** This chart supersedes all previous version and is subject to change with release of new models

PROPEL	MEASURE		TRYKE							
AMTRYKE TYPE be propelled? How will the tryke	RIDER LEG LENGTH hip to knee feet to knee of	RIDER ARM LENGTH center of digit crease to center of elbow shoulder to	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TRYKE HEIGHT (Inches)	TRYKE LENGTH (Inches)	TRYKE WIDTH (Inches)
HAND & FOOT	15-21	13-17	AM-10	55	40	45	10	24	38	21
	19-24	15-20	AM-12S	150	40	45	12	27	38	24
	21-29	14-23	AM-12	150	47	45	12	36	60	32
	24-36	18-27	AM-16	175	66	55	16	36	68	33
FOOT	15-21	12-20	1410	55	40	45	10	24	38	21
	21-31	10-24	Paceline 16	200	60	65	16	38.5	56	31.5
	28-45	20-34	Paceline 20	275	76	76	20	50	67	31.5
	30-41	20-28	JT-2000/ JT2300USS	250	74	80	20	48	72	32
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33
HAND*	up to 37	19-26	1020	250	67	74	20	41	69	30
	up to 41	22-30	1024	250	72	85	24	45	75	32

NEW!

**All trykes in the hand and foot section can be converted to hand trykes**  
**HELMET SIZES**

Size	Head Circumference Inches
XS (Toddler)	17.7"- 19.3"
S (Child)	20.5" - 21.7"
M (Youth)	21.3" - 22.9"
L (Adult)	22.9" - 24.0"

# AmTryke Assessment Form

(Must be filled out completely by therapist or physician)

Recipient's Name: \_\_\_\_\_

Age: \_\_\_\_\_ Weight (lbs.):\* \_\_\_\_\_ Height (inches):\* \_\_\_\_\_


Diagnosis(es):\* \_\_\_\_\_

\*This private information is only used to help appropriately fit the rider.

Is the recipient ambulatory? ☐ Yes ☐ No

Right Handed ☐ Left Handed ☐

RIDER'S MEASUREMENTS				
Arm Measurements (inches)				Total Length
Left	A to B:		B to C:	
Right	A to B:		B to C:	
Trunk	A to D:			
Leg Measurements (inches)				Total Length
	Left D to E:		E to F:	
	Right D to E:		E to F:	



A	Center of Shoulder
B	Center of Elbow
C	Center of Digit Crease
D	Center of Hip
E	Center of Knee
F	Bottom of Foot

Arm Length & Leg Length Measurements are critical to correct Amtryke Selection

Sizing Chart is available online:  
[www.ambucs.org/riders](http://www.ambucs.org/riders)

/wish-list/sizing-chart/

Notes on Provided Measurements (if any):

--

Helmet Sizing	
Size	Measurement (head circumference)
Toddler (XS)	17.7" – 19.3"
Child (S)	20.5" – 21.7"
Youth (L)	20.9" – 22.4"
Adult (XL)	22.4" – 23.6"

Therapist Name: \_\_\_\_\_ Is this the treating therapist? ☐ Yes ☐ No

Credentials: \_\_\_\_\_

Phone: \_\_\_\_\_ Email: \_\_\_\_\_

Facility Name: \_\_\_\_\_

Street Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Is the recipient able to transfer independently? Yes \_\_\_\_\_ No \_\_\_\_\_ If not, how much assistance is needed? \_\_\_\_\_

Does the recipient transfer independently? Yes \_\_\_\_\_ No \_\_\_\_\_ If not, how much assistance is needed? \_\_\_\_\_

Does the recipient stand independently? Yes \_\_\_\_\_ No \_\_\_\_\_ If not, how much assistance is needed? \_\_\_\_\_

Does the recipient walk independently? Yes \_\_\_\_\_ No \_\_\_\_\_ If not, how much assistance is needed? \_\_\_\_\_

Does the recipient have muscle tone issues? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, please list \_\_\_\_\_

Does the recipient have orthopedic concerns? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, please list \_\_\_\_\_

Does the recipient have sensory needs? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, special accommodations needed? \_\_\_\_\_

Has the recipient used an adaptive Tryke? Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, which model and how much assistance was needed? \_\_\_\_\_ Any additional info? \_\_\_\_\_

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. You assume no liability.

Therapist Signature: \_\_\_\_\_ Date: \_\_\_\_\_



Please see graphic below highlighting changes on the Paceline vs Pro series.

Please use the following forms to order the Paceline 16 and Paceline 20.



## Paceline 16" & 20"

### NEW FEATURES INCLUDE:

- Quick-release front wheel and rear steering kit
- Front disc brake now standard
- Additional rider adjustment to cover leg lengths from 21" to 31" (Paceline16) and 28" to 45" \*(Paceline20)
- Aluminum frame for easier transport
- Disk brake and brake cable preinstalled on rear axle
- Easy separation of frame for transport
- Recumbent seating options
- Flat-free solid tires
- Consolidates previous generation models 1412 and 1416 (Paceline 16) and previous generation models 1420 and 1420XL (Paceline20)
- Fully padded back comes standard with easy adjustment of lumbar pad and headrest options



CONTACT AMTRYKE CUSTOMER SUPPORT FOR LATEST INFORMATION ON AVAILABILITY  
[amtryke@ambucs.org](mailto:amtryke@ambucs.org)

## Amtryke Paceline 20" Foot Cycle Order Form

Choose below to order a Standard or Customized tryke based on your riders' needs

Date:

**PLEASE NOTE:** We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist

### Standard Paceline 20" Foot Tryke

Quantity

Must be ordered as listed: Telescoping Handlebar, Expanding Pedals with leveler cord, Large Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping

**OR**

### Customized Paceline 20" Foot Tryke

Part Type	Part Number	Description	Qty:	
Frame	LAF-20	LAF-20 Base Frame Price includes all standard components: Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet		
Handlebar	AM68000	Telescoping Loop Handlebar with foam Grip- Can be adjusted 13" in/out and swiveled up/down for ideal positioning		
	30-24-0011	12" Hi-rise handlebars with grips- For riders that do not need additional hand support or prefer a traditional style handlebar		
Pedals	AM78000	Expanding Pedals- Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit		
	30-30-0122	Exercise Pedals- Provides support for riders that need minimal assistance in keeping feet on pedals. Includes adjustable strap		
	AM70000	Platform pedals- Standard bicycle pedals with no foot support options		
Seat	AM30001	Medium Pommel- Soft countoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel. Helps prevent hip sublimation and promotes knee separation		
	AM30000	Large Pommel- Soft countoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel. Helps prevent hip sublimation and promotes knee separation		
	30-01-0201	Tractor Seat- Large contoured area for stable seating, 14" wide by 9" deep		
	30-01-0109	Simple Saddle Seat- Offers good stability and smaller seating area, 11" wide by 9" deep		
Seatback	AM38002	Yes- Includes position belt, 3-way angle adjust, full padded backrest, and push handle		
	N/A	No-My rider does not need back, trunk, or head support (Add Ons below not needed)		
Seatback Add Ons	AM38003	Lateral Supports- Padded trunk supports that swivel, adjust up/down, and in/out		
	AM38008	Simple Headrest- Countoured headrest adjusts up/down, in/out (does not swivel)		
	AM38009	Lumbar Pad- Flat pad to support low back that adjusts up/down, in/out		
Rear Steer Kit	AM58004	Yes- Added rear caregiver bar to assist with steering and braking		
	N/A	No-My rider does not need assistance with steering or braking		
Drive System	AM48005	Single Speed Drive System- can be swapped between freewheel and direct drive		
	AM48003	Multi Speed Drive System- Shiftable 3-speed system for improved useability		
Rear Brake	AM58003	Rear Brake- Added rider control for rear brakes (cannot be used with Rear Steer Kit)		
	N/A	No- I have already added rear steer kit above or my rider does not need a rear brake		

### Accessories- Choose All that Apply for Your Rider

Hand Accessories		Foot and Leg Accessories		General Accessories		Helmet -FREE
Part	Qty:	Part	Qty:	Part	Qty:	Circle One
Wrist Wrap (Pr)		2" Knee Separator-		H-Harness -		XS
XS, S, M, L Size:		Knee Abductor Strap -		Trainer Roller System -		S
Left WristBrace (Ea)		Medium FootCups (Pr)		Water Bottle w Cage -		M
XXS, XS, S, M Size:		Small FootCups (Pr)		License Plate (Ea) -		L
Right WristBrace(Ea)		Pedal Blocks (Ea) -		Name /Chapter		
XXS, XS, S, M Size:		Each Ea		Email (For Confirmation)		
		Pair Pr		Rider Name (Purchase Order)		



# Amtryke Paceline 16" Foot Cycle Order Form

Choose below to order a Standard or Customized tryke based on your riders' needs

Date:

**PLEASE NOTE: We highly recommend that each tryke is fitted to a rider by a licensed Physical or Occupational Therapist**

## Standard Paceline 16" Foot Tryke

Quantity

Must be ordered as listed: Telescoping Handlebar, Expanding Pedals with leveler cord, Medium Pommel Seat, Seatback, Lateral Supports, Single Speed Drive System, 85% assembled with free shipping

OR

## Customized Paceline 16" Foot Tryke

Part Type	Part Number	Description	Qty:	
Frame	MAF-16	MAF-16 Base Frame Price Includes all standard components: Front and Rear Frame, Front Wheel, Front Disc brake, Crank Set, Chainguard, Seat Base, Seat Post, Rear Axle, Rear Loading brake, Rear Wheels, Basket, Flag, and Helmet		
Handlebar	AM68000	Telescoping Loop Handlebar with foam Grip- Can be adjusted 13" in/out and swiveled up/down for ideal positioning		
	30-24-0011	12" Hi-rise handlebars with grips- For riders that do not need additional hand support or prefer a traditional style handlebar		
Pedals	AM78000	Expanding Pedals- Comes with adjustable pedal base, front and rear pedal straps, and leveling pulley kit		
	30-30-0122	Exercise Pedals- Provides support for riders that need minimal assistance in keeping feet on pedals, Includes adjustable strap		
	AM70000	Platform pedals- Standard bicycle pedals with no Foot support options		
Seat	AM30001	Medium Pommel- Soft countoured seat with high sides and built in pommel, 11.5" wide, 10.5" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation		
	AM30000	Large Pommel- Soft countoured seat with high sides and built in pommel, 14" wide, 13" deep, and a 3" pommel, Helps prevent hip sublimation and promotes knee separation		
	30-01-0201	Tractor Seat- Large contoured area for stable seating, 14" wide by 9" deep		
Seatback	AM38007	Yes- Includes position belt, 3-way angle adjust, full padded backrest, and push handle		
	N/A	No-My rider does not need back, trunk, or head support (Add Ons below not needed)		
Seatback Add Ons	AM38003	Lateral Supports- Padded trunk supports that swivel, adjust up/down, and in/out		
	AM38008	Simple Headrest- Countoured headrest adjusts up/down, in/out (does not swivel)		
	AM38009	Lumbar Pad- Flat pad to support low back that adjusts up/down, in/out		
Rear Steer Kit	AM58001	Yes- Added rear caregiver bar to assist with steering and braking		
	N/A	No-My rider does not need assistance with steering or braking		
Drive System	AM48005	Single Speed Drive System- can be swapped between freewheel and direct drive		
	AM48003	Multi Speed Drive System- Shiftable 3-speed system for improved useability		
Rear Brake	AM58003	Rear Brake- Added rider control for rear brakes (cannot be used with Rear Steer Kit)		
	N/A	No- I have already added rear steer kit above or my rider does not need a rear brake		

## Accessories- Choose All that Apply for Your Rider

Hand Accessories		Foot and Leg Accessories		General Accessories		Helmet -FREE
Part	Qty:	Part	Qty:	Part	Qty:	Circle One
Wrist Wrap (Pr)		2" Knee Separator		H-Harness		XS <input type="checkbox"/>
XS, S, M, L Size:		Knee Abductor Strap		Trainer Roller System		S <input type="checkbox"/>
Left WristBrace (Ea)		Medium FootCups (Pr)		Water Bottle w Cage		M <input type="checkbox"/>
XXS, XS, S, M Size:		Small FootCups (Pr)		License Plate (Ea)		L <input type="checkbox"/>
Right WristBrace(Ea)		Pedal Blocks (Ea)		Name /Chapter		
XXS, XS, S, M Size:		Each Ea		Email (For Confirmation)		
		Pair Pr		Rider Name (Purchase Order)		

***Please note that Pro-Series Models 1412, 1416, 1420 and 1420 XL are no longer available.***

## Amtryke Selection

Rider's Name: \_\_\_\_\_

### Generic Accessories

**Leg and Foot  
Items**

Foot cups (pair): Small

Pedal Blocks: 1= ¾ inch

**Hand Items**

Wrist Wraps (pair)

Xsmall:

Medium:

Small:

Large:

Quantity

Wrist Brace/Mitt:

Right

Left

XXS

XS

XxS

XS

**Safety/Position**

H-harness=11.5"

\*not compatible with large  
wheelchair seat or recumbent seats

Knee Adductor Strap

Small

Medium

Small

Medium

Generic accessories are compatible with most models.

**Therapist notes or comments:**

**Foot Tryke Specific Accessories:**

<input type="checkbox"/>	Knee Separator: 2" <input type="checkbox"/> 5" <input type="checkbox"/> (not compatible with blue bucket, grey bucket, or snappy seat)
<input type="checkbox"/>	9-inch Extender Tube 2" <input type="checkbox"/> 5" <input type="checkbox"/> (used with knee separator)
<input type="checkbox"/>	Hi-Rise handlebars 5" (only 1412) <input type="checkbox"/> 8" <input type="checkbox"/> 12" <input type="checkbox"/> 23" <input type="checkbox"/>
<input type="checkbox"/>	½" Exercise Pedals (cannot be used with pedal blocks and footcups) Models: 1412, 1416, 1420, 1420XL
<input type="checkbox"/>	½" Expanding Pedals [Models: 1412, comes standard on 1416, 1420, 1420XL]
<input type="checkbox"/>	Rear steering kit with rear disk brake [Models: 1416, 1420, 1420XL] (cannot be used with dual hand brake- caregiver activates rear brake)
<input type="checkbox"/>	Dual hand brake with rear disk brake [Models: 1416, 1420, 1420XL] (single lever- rider activates front and rear brakes)
<input type="checkbox"/>	3-speed kit/coaster brake [Models: 1416, 1420, 1420XL] (pedaling backward activates brake)
<input type="checkbox"/>	Calf & Leg supports [Models: 1416, 1420, 1420XL]

**\*\*Please make sure to select generic accessories at beginning of form\*\***

**Foot Trykes:** please check the box for your tryke selection.

<b>1410 Foot Tryke-</b> comes standard with 10-inch wheels, fixed drive, and rear steering	
<input type="checkbox"/>	<b><u>Option 1:</u></b> Standard seating system: Blue bucket seat
<input type="checkbox"/>	<b><u>Option 2:</u></b> Snappy Seat system
	Accessories for Snappy: Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/>
	<b><u>1410 Accessories:</u></b> Separator Cube <input type="checkbox"/>

<b>ProSeries 1412 Foot Tryke-</b> Comes standard with 12-inch wheels, fixed drive, and rear steering	
<input type="checkbox"/>	<b><u>Option 1:</u></b> Standard seating system: Medium Pommel Saddle Seat and 1600 simple seat back
	Seat options: Bench Seat <input type="checkbox"/> Large Pommel <input type="checkbox"/> Saddle Seat <input type="checkbox"/>
<input type="checkbox"/>	<b><u>Option 2:</u></b> 1400 ProSeries Seat Back System- (push grip, back pad, medium pommel and lateral supports)
	Seat options: Bench Seat <input type="checkbox"/> Large Pommel <input type="checkbox"/> Saddle Seat <input type="checkbox"/>
	<b><u>ProSeries Accessories:</u></b> Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/> Recumbent Post (10 deg) <input type="checkbox"/>
<input type="checkbox"/>	<b><u>Option 3:</u></b> Gray Bucket Seat
<input type="checkbox"/>	<b><u>Option 4:</u></b> Snappy Seat System (be sure of measurements)

	<b>Snappy Seat Accessories:</b> Laterals <input type="checkbox"/> Head Rest <input type="checkbox"/> Separator Cube <input type="checkbox"/>
	<b>1412 Accessories:</b> Front Handle Brake Kit (cannot be used with rear steer brake) <input type="checkbox"/>

<b>ProSeries 1416</b> Foot Tryke- Comes standard with 16-inch wheels, fixed or freewheel drive	
<input type="checkbox"/>	<b>Option 1:</b> Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, medium pommel saddle seat and lateral supports) Seat options: Bench Seat <input type="checkbox"/> Large Pommel <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Saddle Seat <input type="checkbox"/> ProSeries Accessories: Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/> Recumbent Post (10 deg) <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 2:</b> 1600 Simple Seat back with Medium pommel saddle seat Seat options: Bench Seat <input type="checkbox"/> Large Pommel <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Saddle Seat <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 3:</b> Gray Bucket Seat

<b>ProSeries 1420</b> Foot Tryke- Comes standard with 20-inch wheels, fixed or freewheel drive	
<input type="checkbox"/>	<b>Option 1:</b> Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, large pommel saddle seat and lateral supports) Seat options: Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Saddle Seat <input type="checkbox"/> ProSeries Accessories: Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/> Recumbent Post (10 deg) <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 2:</b> 1600 Simple Seat back with large pommel saddle seat Seat options: Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Saddle Seat <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 3:</b> Gray Bucket Seat

<b>ProSeries 1420XL</b> Foot Tryke- Comes standard with 20 inch wheels, fixed or freewheel drive	
<input type="checkbox"/>	<b>Option 1:</b> Standard Seating System- 1400 ProSeries Seat back system- (push grip, back pad, large pommel saddle seat and lateral supports)



<input type="checkbox"/>	<u>Seat options:</u> Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Saddle Seat <input type="checkbox"/> <u>ProSeries Accessories:</u> Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/> Recumbent Post (10 deg) <input type="checkbox"/>
<input type="checkbox"/>	<b><u>Option 2:</u></b> 1600 Simple Seat back with large pommel saddle seat <u>Seat options:</u> Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Saddle Seat <input type="checkbox"/>
	_____ Wheelchair seat option discontinued _____
	_____ _____

### **Recumbent Tryke Specific Accessories:**

<input type="checkbox"/>	Exercise pedals (cannot be used with pedal blocks and footcups)
<input type="checkbox"/>	XL exercise pedals (cannot be used with pedal blocks and footcups)
<input type="checkbox"/>	9/16 expanding pedals
<input type="checkbox"/>	Basket (JT models only)
<input type="checkbox"/>	Toe clips ( only compatible with standard bike pedals )
<input type="checkbox"/>	Dual Hand Brake

**Recumbent Foot Trykes:** please check the box for your tryke selection.

<input type="checkbox"/>	<b>JT-2000</b> Recumbent Foot Tryke- Comes standard with 14-speed shifter, rider must be able to brake, steer, and change gears independently
<input type="checkbox"/>	<b>JT-2300</b> Recumbent Foot Tryke- Comes standard with 14-speed shifter with <u>under the seat steering</u> , rider must be able to brake, steer, and change gears independently
<input type="checkbox"/>	<b>TP-3000 Tadpole</b> Recumbent Foot Tryke- Comes standard with 7-speed shifter with <u>under the seat steering</u> , rider must be able to brake, steer, and change gears independently



Rider's Name: \_\_\_\_\_

**Hand and Hand-Foot Tryke Specific Accessories:**

<input type="checkbox"/>	Knee Separator: 2" <input type="checkbox"/> 5" <input type="checkbox"/> (only on AM12 and AM16)
<input type="checkbox"/>	9-inch extender tube (used with knee separator) 2" <input type="checkbox"/> 5" <input type="checkbox"/>
<input type="checkbox"/>	Vertical Hand Grips [Models: AM10, AM12s, AM12, AM16]
<input type="checkbox"/>	9/16th inch exercise pedals [Models: AM12s, AM12, AM16]
<input type="checkbox"/>	Foot platform converts Hand-Foot to Hand only (only compatible with AM10, AM12, AM12s, and AM16)

**\*\*Please make sure to select generic accessories at beginning of form\*\***

**Hand-Foot Trykes:** please check the box for your tryke selection.

<b>AM-10</b> Hand-Foot Tryke- Comes standard with 10 inch wheels, 2.5 inch crank arms, and rear steering kit	
<input type="checkbox"/>	<b>Option 1:</b> Blue Bucket Seat
<input type="checkbox"/>	<b>Option 2:</b> Snappy Seat System Snappy Accessories: Head Rest <input type="checkbox"/> Laterals <input type="checkbox"/>
<input type="checkbox"/>	<b>AM-10 Accessories:</b> Separator Cube <input type="checkbox"/>

<b>AM-12s</b> Hand-Foot Tryke- Comes standard with 12 inch wheels, 3 inch crank arms, saddle seat, and rear steering kit	
<input type="checkbox"/>	<b>Option 1:</b> 1600 Seat back with saddle seat Seat Options: Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Large Pommel <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 2:</b> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports) Seat options: Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Large Pommel <input type="checkbox"/> ProSeries Accessories: Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 3:</b> Blue Bucket Seat Blue bucket Accessories: Separator Cube <input type="checkbox"/>



<input type="checkbox"/>	<b>Option 4:</b> Snappy Seat System <u>Snappy Accessories:</u> Head Rest <input type="checkbox"/> Laterals <input type="checkbox"/> Separator Cube <input type="checkbox"/>
--------------------------	---

<b>AM-12</b> Hand-Foot Tryke: Comes standard with 12 inch wheels, 4 inch crank arms, and rear steering kit	
<input type="checkbox"/>	<b>Option 1:</b> 1600 Seat back with saddle seat Seat Options:      Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Large Pommel <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 2:</b> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports) <u>Seat options:</u> Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Large Pommel <input type="checkbox"/> <u>ProSeries Accessories:</u> Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 3:</b> Gray Bucket Seat
<input type="checkbox"/>	<b>Option 4:</b> Snappy Seat System (please check measurements) <u>Snappy Accessories:</u> Head Rest <input type="checkbox"/> Laterals <input type="checkbox"/> Separator Cube <input type="checkbox"/>

<b>AM-16</b> Hand-Foot Tryke- Comes standard with 16 inch wheels, 5 inch crank arm, and rear steering kit	
<input type="checkbox"/>	<b>Option 1:</b> 1600 Seat back with saddle seat Seat Options:      Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Large Pommel <input type="checkbox"/> Tractor Seat <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 2:</b> ProSeries 1400 Seat back system (push grip, back pad, saddle seat, and lateral supports) <u>Seat options:</u> Bench Seat <input type="checkbox"/> Medium Pommel <input type="checkbox"/> Large Pommel <input type="checkbox"/> Tractor Seat <input type="checkbox"/> <u>ProSeries Accessories:</u> Full Padded Back <input type="checkbox"/> Head Rest <input type="checkbox"/> Lumbar Pad <input type="checkbox"/>
<input type="checkbox"/>	<b>Option 3:</b> Gray Bucket Seat
	<b>AM-16 Accessories:</b> XL exercise pedals <input type="checkbox"/>





**Hand Cycles:** please check the box for your tryke selection.

<b>1020 "Junior" Hand Tryke-</b> Comes standard with 20 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently.	
<input type="checkbox"/>	<b>Option 1:</b> Small Wheelchair Seat Seat Alternatives:                      Large wheelchair seat <input type="checkbox"/>
	<b>1020 Accessories:</b> Wheelchair seat bar ends <input type="checkbox"/> Swing away arms <input type="checkbox"/>

<b>1024 Hand Tryke-</b> Comes standard with 24 inch wheels and 3-speed drive train. Rider should be able to steer, brake, and change gears independently.	
<input type="checkbox"/>	<b>Option 1:</b> Large Wheelchair Seat Seat Alternatives:                      Small wheelchair seat <input type="checkbox"/>
	<b>1024 Accessories:</b> Wheelchair seat bar ends <input type="checkbox"/> Swing away arms <input type="checkbox"/>