








CONTENT

- **ABOUT EDELRID**
- **7-11** HARNESSES
- 12-16 CARABINERS | QUICKDRAWS
- **17-19** HELMETS
- 20-23 SLINGS & LANYARD
 - **24** FALL ARRESTER & ANCHOR
- **25-26** FALL ARRESTER & ATC
 - **27** SMART BELAY DEVICE
 - **BELAY & RAPPEL DEVICES**
 - **ASCENDERS**
 - **PULLEYS**
 - ICE GEAR
- HEADLAMP
- **34-35** ACCESORIES
 - **ROPE CUTTER-ACCESORIES**



MADEINGERMANY



WE PRODUCE ORIGINALS FDFI RID - THE ROPEMAKER

We have been manufacturing our core products here in Isny/Allgäu for over 150 years now. Today,we generate more than 60 % of our sales volume through products made in Germany.



EXCELLENT PRODUCTSINNOVATION IS OUR MOTIVATION

When it comes to developing new products, we are inventors and thought leaders.



QUALITY WITH CONSISTENCYWE HAVE BEEN GROWING

RELIABLY FOR YEARS

Constant growth, double the number of employees and

constant in a rapidly changing world.


new products in the last 10 years - we are the reliable

STEEL BUILT

Sustainabi while you sustainabl when it co sustainabi

STEEL STORY BUILT TO LAST

Sustainability is one of EDELRID's core values, but while you have countless possibilities of producing sustainable textiles, you will quickly reach the limits when it comes to metals. Transferring our claim of sustainability to our carabiners, quickdraw kits, belay devices and pulleys therefore was quite a challenge. Nevertheless, we finally got there and laid the foundation for working sustainably with metals!



We are the first rope manufacturer to adapt our ropes to meet the tough demands of the Swiss bluesign® system. It is the most stringent environmental standard for the production of textile products: independent, internationally recognised and based on the five principles of resource productivity, consumer safety, water emission, air emission as well as occupational health & safety.

TECHNOLOGY

We apply complex finishing treatment to make our ropes durably water - and dirt resistant. This prolongs their service life and gives them their tries and tested EDELRID handling and flexibility. All of our finishing treatment traetment are bluesign approved and involve only strictly-regulated, environmentally-friendly processes that contaon no harmful substances.

















	Edelrid Cobra	Edelrid Parrot	Edelrid Python
Diametre	10.3mm	9.8mm	10mm
Size	200 mtr 50mtr	50 mtr	200 mtr 50mtr
Certification	EN 892	EN 892	EN 892, UIAA
MRP	₹45,000 ₹11,750	₹10,750	₹42,500 ₹11,000









Edelrid Performance Static (Snow)

Diametre	9mm 10mm 10.5mm 11mm 12mm
Size	100 mtr 200mtr
Certification	EN 1891
MRP (100 mtr)	₹15,500 ₹18,500 ₹19,000 ₹20,500 ₹22,500
MRP (200 mtr) 9mm 10mm 12mm	₹24,000 35,500 43,000

Edelrid Performance Static (Night)

Diametre	10.5mm 11 mm
Size	100 mtr 200mtr
Certification	EN 1891
MRP (100 mtr) MRP (200 mtr)	₹19,500 ₹19,000 ₹37,500 ₹41,000





Diametre	6mm 8mm
Size	100 mtr
Certification	EN 564
MRP	₹10,800 ₹14,000

Edelrid Powerloc Expert




Diametre	4mm
Size	100 mtr
Certification	EN 564
MRP	₹5,500

Edelrid PES




TECHNOLOGY


Minimum weight, maximum safety and highest comfort – we continuously work on improving our climbing harnesses.




3D-Vent Technology



Fusion Layer Construction




Light Frame Construction



Center Fit Construction

CONSTRUCTION	LOAD TRANSMISSION	VENTILATION	WEIGHT	DIMENSIONS
3D-Vent Lite	***	***	**	**
3D-Vent	***	***	*	*
Light Frame	_	**	***	***
Fusion Layer	**	_	**	**
Center Fit	**	*	*	*









Edelrid Joker II

Weight	485 g
Leg Loop Size	22-75 cm
CE Marking	CE 0123
Certification	EN 12277 Type C
MRP	₹4,150



Edelrid Jaylll

Weight	423 g
Waist Size	83 cm(S) 90 cm(M) 98cm(L)
Leg Loop Size	55 cm 60 cm 65cm
CE Marking	CE 0123
Certification	EN 12277 Type C
MRP	₹5,850



Edelrid Moe

Weight	351 g
Waist Size	83 cm(S) 90 cm(M) 98cm(L)
CE Marking	CE 0123
Certification	EN 12277 Type C
MRP	₹5,150



Edelrid Jayne III

Size	Small Medium
Waist Size	62-83 cm 70-90 cm
Weight	373 g 407 g
Leg Loop Size	Max. 57 cm 62 cm
CE Marking	CE 0123
	EN 12277
Certification	Type C
MRP	₹5,400





Weight	355 g
Leg Loop Size	Max. 48 cm
CE Marking	CE 0123
Certification	EN 12277 Type B
MRP	₹ 5,450



Edelrid Solid Komplettgurt

Weight	530 g
Leg Loop Size	Max. 75 cm
CE Marking	CE 0123
Certification	EN 12277 Type A
MRP	₹6,950



Weight	225 g
CE Marking	CE 0123
Certification	EN 12277 Type D
MRP	₹4,100



WORK SAFETY

Triple Lock buckle

The Triple Lock buckle is the safest and most innovative buckle in the EDELRID range. We primarily use it for our top harnesses. Triple Lock buckles are particularly safe as three motions are required to open them. Furthermore, they cannot be opened when under load. Despite this high level of safety, Triple Lock buckles are still quick and easy to use. They can be fully opened, enable rapid length adjustment and, thanks to the large push buttons, can even be conveniently operated when wearing gloves. Triple Lock buckles are tested in accordance with ANSI criteria.






Weight	1.580 kg
Leg Loop Size	45-75 cm
Waist Belt	75-125 cm
Size	S - XL
Certification	EN 813, EN 358, EN 361
MRP	₹23,900

Edelrid Core Plus Tripple Lock Harness



Weight	880 g
Leg Loop Size	45-75 cm
Waist Belt	75-125 cm
Size	S - XL
Certification	EN 813, EN 358
MRP	₹12,900

Edelrid Core Tripple Lock Harness



ADVENTURE PARK & WORK SAFETY





Weight	870 g
Size	Oasis (XS-M) Ice Mint (XL-L)
Certification	EN 12277 Typ A
MRP	₹ 17,200

Edelrid Radialis Pro Adjust Harness



Edelrid Radialis Comp II Night/Oasis

Weight	990 g
Leg Loop Size	25-85 cm
Waist Belt	45-140 cm
Size	Fit to all
Certification	EN 12277 Typ A
MRP	₹12,800


E

Weight	2250 g
Size	Fit to all
Certification	EN 813, EN 358, EN 361
MRP	₹36,000




TECHNOLOGY

Carabiners are a key element in the safety chain. That is why at EDELRID the latest findings from research and material technologies are incorporated into our development.




Screwgate

These classic carabiners cover a wide range of uses. The easy-grip threaded sleeve allows the gate to be closed quickly, intuitively and one-handed if required. Screwgates have a manual locking mechanism which must be actively closed to ensure full safety.



Twist Lock

Twist-lock carabiners have a twisting sleeve. You have to open them by turning the sleeve approximately 90° before you can open the gate. Twist-lock carabiners are auto-locking carabiners. They are self closing, shut automatically as soon as you release the gate and can still be operated with one hand. They are ideal for situations where both safety and speed are paramount.



Slide Gate

A new innovation from EDELRID. This new generation of locking carabiners has an automatic locking mechanism integrated into the gate. The slide gate is auto-locking, quick, intuitive and can be operated with one hand. When used as a quickdraw, the slide gate minimizes the risk of accidental unclipping – perfect for precarious belay points, traverses or moral support on exposed sections. As there is no barrel that can get in the way, the carabiner can rotate freely in bolts and belay devices. This improves handling for better stance organisation or when belaying.









abat 130



Edelrid Mission - Oasis

Edelrid Pure Straight

Edelrid Pure Bent









Edelrid Pure Screw Silver

Edelrid Pure Screw Night

Edelrid Bulletproof Straight-Slate










Edelrid HMS Bulletproof Screw FG

Edelrid HMS Bulletproof Screw

Edelrid HMS Bullet Screw - Black











Edelrid HMS Magnum Twist

Edelrid HMS Magnum Screw

Edelrid HMS Strike Twist





Weight

99 g


Breaking
Load

22/9/8 kN

₹2,050

1850

MR



Edelrid HMS Strike Screw

Edelrid HMS Triple Lock Carabiner

Edelrid Steel Oval Twist Carabiner











Edelrid Oval Power 2400 Triple Carabiner

Edelrid Oval Power 2400 Screw Carabiner

Edelrid Steel HMS Screw Carabiner









Edelrid Screwlink 8 mm



Edelrid Screwlink 10 mm

CARABINERS - Not for Climbing



Weight	13 g
Maximum Strength	250 kg (Major axis)
Material	Aluminium
Width	46 mm
MRP	₹350

Edelrid Aranya Carabiner



Weight	7g
Material	Aluminium
Width	27 mm
MRP	₹250

Edelrid Micro 0



QUICKDRAWS





Edelrid Jim Steel Bent Set -18 Cm



Edelrid Jim Steel Set -18 Cm



Weight	11 g	18 g
Load Capacity	22 kN	22 kN
Length	10 cm	18 cm
Certification	EN 566	EN 566
MRP	₹440	₹440


Edelrid PES Quick Draw Sling



Edelrid Jim Protector




EDELRID helmets are characterized by good ventilation, innovative closure systems and high comfort. For more than 25 years, they have stood for quality and safety.



Hybrid Helmets

Hybrid helmets combine the advantages of both softshell and hardshell helmets. The outer shell is made of robust and impact-resistant ABS. Underneath the outer shell, an internal EPS (expanded Polystyrene) foam shell provides excellent shock absorption. Hybrid helmets are particularly robust all-rounders.



Hardshell Helmets:

Hardshell helmets have an extremely robust and impact-resistant shell made of polypropylene or ABS. The internal textile webbing cradle increases their energy absorption and ensures that there is clearance between the head and the shell. Their extremely sturdy construction makes this type of helmet ideal for rental use at mountain schools or adventures parks.





(1	Nigh	nt)
	mil	
		EDELRID

Edelrid Ultralight (Red)

Weight	435 g
Head Size	54 - 60 cm
Shell	Polypropylene
Certification	EN 12492 UIAA
MRP	₹5,350

Weight	435 g
Head Size	54 - 60 cm
Shell	Polypropylene
Certification	EN 12492 UIAA
MRP	₹5,350



Weight	435 g
Head Size	54 - 60 cm
Shell	Polypropylene
Certification	EN 12492 UIAA
MRP	₹5,350





(Red)

Weight	359 g
Head Size	54 - 62 cm
Shell	Abs Shell
Certification	EN 12492 UIAA
MRP	₹5,400



Edelrid	Kid's	Shield	Helmet

Weight	248 g
Head Size	48 - 56 cm
Shell	Softshell
Certification	EN 12492 UIAA
MRP	₹6,650



Tech Web webbing combines the low weight and high-tensile strength of Dyneema® with the knot stability of polyamide. This is made possible by its special kernmantel construction. The Dyneema® core is given a polyamide sheath in a complex kernmantel weaving technique.

Kernmantel construction

High-strength Dyneema® core keeps weight to a minimum. The polyamide sheath protects the core from external influences (e.g. UV radiation) and increases overall abrasion resistance.

Saving weight

Weighing 22 g/m, Tech Web lies between 8 mm Dyneema \mathbb{R} (12 g/m) and 16 mm polyamide (56 g/m).

Greater knot stability

Tech Web 12 mm has significantly greater knot stability than 8 mm Dyneema® and 16 mm polyamide. This means that it provides additional safety, particularly when used as a belay sling. As a knotted sling Tech Web complies with the EN 354 standard (22 kN) and therefore may be sold by the meter.




Fig.: Tensile strength tape knot as a percentage of the original strength of the sewn sling.

* Dyneema® slips at about 5 kN and therefore may not be knotted.




Fig.: Tensile strength clove hitch as a percentage of the original strength of the sewn sling.




Fig.: Tensile strength double bowline as a percentage of the original strength of the sewn sling.









Edelrid Tubular Sling

Weight	24 g	45 g	65 g	86 g	169 g
Load Capacity	23 kn				
Width	16 mm				
Certification	EN 566				
Length	30 cm	60 cm	90 cm	120 cm	240 cm
MRP	₹440	₹620	₹725	₹850	₹950







Edelrid X -Tube 16 mm

Edelrid X -Tube 25 mm

Weight	34 g/m	43 g/m
Load Capacity	15 kn	20 kn
Width	16 mm	25 mm
Certification	EN 565	EN 565
Length	100 mtr	100 mtr
MRP	₹15,000	₹20,000

Edelrid Bandschlinge 25 mm

Load Capacity	30 kn
Length	120 cm
Width	25 mm
CE Marking	1019
Certification	EN 566, 364
MRP	₹ 900





Edelrid Gibbon

Weight	195 g
Load Capacity	22 kn
Length	100 cm
Certification	EN 566, EN 354 EN 795
MRP	₹2900



Edelrid Absorber Sling 70 Cm

Weight	107 g
Load Capacity	15 kn
Length	70 cm
Certification	EN 355
MRP	₹2900



Edelrid Y - Fix

Weight	800 g
Load Capacity	22 kn
Length	130 cm
Certification	EN 354
MRP	₹7,500



Edelrid Shockstop Pro, Twister Triple

Load Capacity	16 kn
Certification	EN 354
ocitiiiodtioii	EN 355
MRP	₹ 14,000







Weight	65 g
Breaking Strength	15 (kn)
Lengths Size	75 cm
Certification	EN 17520, UIAA
MRP	₹1,950



Edelrid Switch Double

Weight	90 g
Breaking Strength	15 (kn)
Lengths Size	75 cm/40 cm
Certification	EN 17520, UIAA
MRP	₹2,350





Weight	164 g
Approved rope diameter	9 - 11 mm
CE marking	CE 0120
Certification	EN 12841
MRP	₹ 11,000



Weight	82 g
Load Capacity	36 kN
CE marking	CE 0639
MRP	₹ 2,700



Edelrid Master Rig

Weight	165 g
Load Capacity	40 kN
CE marking	CE 0333
MRP	₹8,200





Weight	65 g
Approved rope diameter	7.9-10.5 mm
CE marking	CE 0123
Certification	EN 15151-2
MRP	₹4,400



Weight	105 g
Approved rope diameter	8.9 - 11 mm
CE marking	CE 0123
Certification	EN 15151-2
MRP	₹3,350



Edolpid	Gida	List	Rolay	Device
caema	Giga	Jui	Delay	Device

Weight	121 gm
Approved rope diameter	7.1 - 10 mm
Certification	EN 15151-2
MRP	₹5,800





Edelrid Eddy(Assisted Breaking Device)

Weight	360 g
Approved rope diameter	9 - 11 mm
CE marking	CE 0123
Certification	EN 15151-1
MRP	₹10,450




Weight	470 g
Approved rope diameter	8.9 - 11 mm
CE marking	CE 0123
Certification	EN 12275
MRP	₹9500



SMART BELAY are the intercommunicating roller carabiners. If one of the carabiners is opened, the opening mechanism of the other carabiner is automatically blocked. A new feature is the magnetic locking device: the opening mechanism of the SMART BELAY is only released by an integrated magnet when it comes into contact with the steel rope. Complete unhooking of the system is not possible without additional tools. The advantage: more safety for visitors, less risk for operators.

TECHNOLOGY

SMART BELAY - now with innovative magnet technology with intercommunicating roller carabiners for consistent safety and maximum freedom of movement in high ropes course.



Weight	1.4 kg
Size	85 cm
Safety-Line in height	1,6 m - 2,1 m
Steel rope diameter	10 mm - 14 mm
Certification	EN 17109 (class D)
MRP	₹60000





Edelrid Bud Royal

Weight	110 g
Approved rope diameter	7.8 - 12 mm
Load Capacity	30 kN
Certification	EN 15151-2
MRP	₹1,250



Edelrid Bud Slate

Weight	110 g
Approved rope diameter	7.8 - 12 mm
Load Capacity	30 kN
Certification	EN 15151-2
MRP	₹1,250



Edelrid Hannibal

Weight	105 g
Approved rope diameter	8.5 - 12 mm
CE marking	CE 0123
Certification	EN 15151-2
MRP	₹2,900



Edelrid Rescue 8

Weight	240 g
Approved rope diameter	9 - 16 mm
CE marking	CE 0123
Certification	EN 15151-2
MRP	₹3,400





Weight	200 g
Approved rope diameter	8 - 13 mm
CE marking	CE 0123
Certification	EN 12841-B, EN 567
MRP	₹5,800



Edelrid Hand Cruiser Left

Weight	220 g
Approved rope diameter	8 - 13 mm
CE marking	CE 0333
Certification	EN 12841-B, EN 567
MRP	₹ 5,800



Edelrid Wind Up
Oasis

Weight	140 g
Approved rope diameter	8 - 13 mm
CE marking	CE 0333
Certification	EN 12841-B, EN 567
MRP	₹4,500





Weight	275 g
Approved rope diameter	8 - 13 mm
Suitability	Steel Cables & Static Ropes
Load Capacity	25 kN
Certification	EN 12278
MRP	₹5,950



Edelrid Easy Pulley

Weight	108 g
Approved rope diameter	8 - 13 mm
Suitability	Static Ropes
Load Capacity	30 kN
Certification	EN 12278
MRP	₹2,350



Edelrid Spoc Oasis

Weight	60 g
Approved rope diameter	7-11 mm
Suitability	Static Ropes
Load Capacity	15 Kn
Certification	EN 567, EN 12278
MRP	₹5,500



Weight	94 g
Approved rope diameter	Upto 13mm
Diameter pulley outside	29 mm
Load Capacity	30 Kn
Certification	EN 12278
MRP	₹2,850





Weight	550 g / 587 g
Length	55 Cm / 65 Cm
Shaft	Aluminum
Certification	EN 113089 Type 2
MRP	₹8,300



Edelrid Shark Crampons

Weight	847 g
Points	12
Material	High-Grade Steel
CE marking	CE 0123
Certification	EN 893
MRP	₹ 1,490



Edelrid Spiderpick Sahara

Weight	450 g
Available Sizes	Small/Large/X-Large
Material	Steel
CE marking	CE 0123
MRP	₹4,350





Edelrid Novalite

Light output	134 lumens
Luminous range	60 m
Burn time	Max 75 hours
IP Rating	X6
MRP	₹3,450




Edelrid Pentalite

Light output	33 lumens
Luminous range	25 m
Burn time	Max 30 hours
IP Rating	X1
MRP	₹1,850



Edelrid Cometalite

Light output	165 lumens
Luminous range	60 m
Burn time	Max 200 hours
IP Rating	X5
MRP	₹3,950





Edelrid Vegalite

Light output	250 lumens
Luminous range	110 m
Burn time	Max 50 hours
IP Rating	X6
MRP	₹5,850



Edelrid Asteri

Light output	33 lumens
Luminous range	100 m
Burn time	Max 85 hours
IP Rating	X6
MRP	₹4,950





Edelrid Liquid Chalk

Weight	100 ml
Volume	100 ml g
MRP	₹720



Edelrid Chalk Block

Weight	50 g
Material	HQ Magnesium Carbonate
Colour	Snow
MRP	₹265



Edelrid Chalk Ball

Weight	2 x 30 g
Material	Filled with Magnesium Carbonate
Colour	Green
MRP	₹540
	500



Edelrid Chalk Loose

Weight	100g 300g
Material	HQ Magnesium Carbonate
MRP	₹540 ₹960





Edelrid Chalk Jar

Weight	125g
Material	HQ Magnesium Carbonate
Feature	Refillable, dustproof closure
MRP	₹860



Edelrid Boulder Brush

Feature	Dual Head in Diff. sizePractical Cigar storage Tube
MRP	₹440



Edelrid Boulder Bag

Weight	300 g
Diameter	16 mm
Depth	20 cm
Pockets	2 Mesh Pockets with Brush Holder
MRP	₹2,950



Edelrid Bandit

Weight	61 g
Diameter	8 mm
Depth	11 cm
Attacthment	Waist Belt, Loops & Brush holder
MRP	₹1200





Edelrid HEIßSCHNEIDER U. SCHNEIDE

Weight

MRP

1200 g ₹14,500



Edelrid ROPE TOOTH EINHANDMESSER

Weight	48 g
Material	Blade made of High Quality SS
Feature	With Large swivel hole for attaching to harness with carabiner
MRP	₹1800