

14STX – 2+2 Champ



14STX Champ Cart for Resorts and Communities Premium 2+2 Seat Design

Key Features

- Aluminum Alloy Wheels
- Large Colorful TFT Display (speed, battery status, total mileage, trip)
- LED Lights
- Foldable Windshield
- Rear View Mirror and Side Mirrors
- Multiple USB Ports
- Two Storage Compartments Under the Rear Seat
- Front LED Light Bar
- Score Card Holder on Steering Wheel
- Self Compensating Rack & Pinion Steering
- Four-Passenger Capacity
- 48V 155AH Maintenance Free Battery
- 48V AC 5KW KDS Motor
- Large rear platform
- Two Golf Bag Holder Attachments

Key Features Cont'

- Front Independent double A-Arm suspension
- Dual grab bars
- Rear flip deck
- Four large cup holders
- Premium seats
- Grease zerks fitting on suspension components
- Large metal front bumper
- Intuitive battery wall charger 48V 25-Amp output
- 10-Foot battery charging cable





14STX 2+2 Champ - Specifications

Motor Type Controller Battery Battery type Charger Drivetrain Transaxle Gear Selection Electric 48V AC 5KW KDS Motor 48/350A AC Controller 48V 155AH 6- Led Acid 110V Smart Charger Output Current 25A Motor Shaft Direct Drive Differential with Helical Gears Seat Mounted F-N-R / Key Switch

Brake

Suspension Rear Suspension Front Parking Brake Tire Front Tire Rear Wheels Chassis Passenger Capacity Front Body & Finish

Rear Drum

Leaf Springs with Hydraulic Shock Absorbers Front Independent double A-Arm suspension Yes 23x10.5-14 23x10.5-14 Aluminum Alloy Aluminum Alloy 4 n Injection Molded

Ground Clearance	7 Inches
Wheelbase	68 Inches
Unassembled Crated Weight	1550 Lbs
Assembled Weight	TBD
Vehicle LxWxH	TBD
Unassembled Crated Dimensions 92x53x52.5 Inches	

