



PROFESSIONAL AND SAFE TOWING ACCESSORIES FOR YOUR NEEDS!



Trailer Parts & Towing Accessories

 **Intradin (Shanghai) Hardware Co., Ltd.**

Room 505, 58 Huancheng East Road, Fengxian District, Shanghai 201401, China
Tel: 86-21-67580719 Fax: 86-21-67580733
Website: www.towking.com.cn
E-mail: towking@intradinchina.com

RS Supply LLC

2245 Dean Ave
Des Moines, IA 50317
515-265-0602 Office
515-443-7233 Ray's Cell
515-779-8965 Stan's Cell
515-619-6192 Fax
Ray's Email: raymondsmith99@yahoo.com
Stan's Email: stanleykeller@mchsi.com

COMPANY PROFILE

WE ARE COMMITTED TO BEING THE BEST GLOBAL SUPPLIER OF TOOLS AND EQUIPMENT.

TOWKING, a well-reputed brand owned by a Taiwanese group – Intradin, has been committed to the industry of trailer parts and towing accessories since year 2000.

As one of leading manufacturers, all the products under our brand have undergone significant safety and quality checks using ISO9001 standards. SAE tests are conducted in-house and by third-party labs in the U.S.A.


All TOWKING products are offering a one-year warranty assuring manufacturing to be free of defects in material and workmanship. Our US\$2,000,000 Product Liability Insurance also confirms our commitment to you.

TOWKING is committed to providing the highest quality products with highly competitive prices which are promptly delivered to your door. We will not substitute price for quality we want only the best for our dedicated customers.

In January of 2017, we teamed up with RS Supply LLC who combined the experience of over 66 years in this industry working for the customer to keep them competitive in the market with high quality trailer parts.

Feel free to contact us for further information!

SAE International
Approved



US\$2 million Product Liability Insurance



Contents

1-9
Jacks



10~12
Couplers



13~15
Winches



16~21
Ball Mounts



22~25
Hitches



26~27
Hitches Accessories



28
Sway Control & Tow Bar



29~31
Ramp



32~33
Cargo Carries



34~42
Lights



43~45
Cargo



46~49
Axle & Components



50~51
Hanger Kits & Accessories



52~54
Others



SAFE TOWING SYSTEM

3500LBS | A FRAME ELECTRIC JACK

- 12 Volt DC powered plus manual over-ride crank
- 24" of total travel - 18" screw travel and 6" drop leg
- 48" Long prewired 7-pin RV type trailer connector for quick plug-in operation
- Hardened steel gears
- Dual LED night lights
- Powder coated outer tube and zinc plated inner tube for durable use
- Item No.: #70113601

**PASSED THE
3RD PARTY
LAB TEST
IN USA**



#70113601

3500LBS | A FRAME ELECTRIC JACK

- 12 Volt DC powered plus manual over-ride crank
- 24" of total travel - 18" screw travel and 6" drop leg
- Hardened steel gears
- Dual LED night lights
- Powder coated outer tube and zinc plated inner tube for durable use
- White and Black covers are available
- Item No.: #70113602



#70113602

1500LBS & 2500LBS | A FRAME ELECTRIC JACK WITH WHEEL

- 12 Volt DC powered plus manual over-ride crank
- 18" of total travel
- Hardened steel gears
- Dual LED night lights
- Powder coated outer tube and zinc plated inner tube for durable use
- White and Black covers are available
- Item No.: #70113506 1500lbs with 8"Hx2"W wheel
- Item No.: #70113507 2500lbs with 8"Hx4"W wheel



#70113506

4500LBS | A FRAME ELECTRIC JACK

- 12 Volt DC powered plus manual over-ride crank
- Hardened steel gears
- Three LED night lights
- 18" of total travel
- Ball screw shaft, with brake system
- Powder coated outer tube and zinc plated inner tube for durable use
- White and Black covers are available
- Item No.: #70113508




#70113508

BOLT-THRU JACK

- Acme threaded inner screw for smooth, precise rolling
- Easy cranking 8 turns per inch
- Fit up to a 3" x 5" trailer frame
- Dependable vertical and slide load capacity
- Safe operation is ensured by a 1/2" diameter spring loaded pin

**PASSED THE
3RD PARTY
LAB TEST
IN USA**



#701120



#701002A



#701061



#701130




#70113209

Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind	Type of Wheel
701120	1,000 lbs	10"	12-3/4"	21-1/2"	6-3/4"	Side	6" Wheel
701002A	1,000 lbs	10"	12-3/4"	21-1/2"	6-3/4"	Side	6" Wheel
701061	1,500 lbs	10"	13-1/2"	23-3/4"	9"	Side	8" Wheel
701130	1,500 lbs	10"	10-3/4"	21-1/8"	6-1/2"	Side	Double 6" Wheel
70113209	1,500 lbs	14"	13-1/2"	27-1/2"	9"	Side	4" x 8" wheel
70113210	2,500 lbs	14"	13-1/2"	27-1/2"	9"	Side	4" x 8" wheel

1000LBS | BOLT-THRU JACK WITH FOOT PLATE/WHEEL

- Ideal for ATV, snowmobile, and personal watercraft trailers
- Fold-away handle
- Swing away towing position



**PASSED THE
3RD PARTY
LAB TEST
IN USA**



#701064




#701128

Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind	Type of Wheel
701064	1,000 lbs	10"	11-1/5"	15-1/2"	N/A	Top	Foot plate
701128	1,000 lbs	10"	13"	21"	6-3/4"	Top	6" Wheel

500LBS | BOLT-ON CENTER BOLT SWIVEL JACK

- Acme threaded inner screw for smooth, precise rolling
- Four 90-degree quick locking positions
- Convenient easy grip pin to allow rapid transition between transport and load bearing arrangements



#701043

Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind	Type of Wheel
701043	500 lbs	9"	17-3/4"	30"	11-1/2"	Top	10" Pneumatic Wheel

2500LBS & 5000LBS | BOLT-ON/WELD-ON SQUARE JACK

- Fits tongue size up to 3" x 5"
- Heavy-duty fixed mount bracket
- Quick release for easy foot plate adjustments
- Perfect for tall truck & SUVs
- Power grip handle



#701045-01



#701050-01

Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind
701045-01	2,500 lbs	14" + 15"	5-1/3"	23-7/8"	N/A	Side
701050-01	5,000 lbs	15" + 12"	6-1/3"	24"	N/A	Side

600LBS | "SIDEKICK"

- Ideal for catamaran trailers, jet ski trailers, utility, snowmobile and onedesign boat trailers
- Factory assembled mounting bracket provides for quick and easy installation
- Zinc-plated finish
- Capacity: 600lbs



#701131

300LBS | ECONOMY TRAILER STAND

- A versatile compact design mounts under trailer tongue and locks into the storage position
- Pivots up and out of the way for trailering
- Ideal for wet bike, jet ski, personal watercraft, snowmobile, small utility, log splitters and other light duty trailers
- Provides 15in. of ground clearance to keep trailer tongue up off the ground
- Fits trailer tongues up to 3in. Wide by 3in. High and 300lbs maximum capacity
- Easy bolt-on mounting, includes all hardware and instructions
- Zinc-plated for superior corrosion resistance



#701132

2 PCS 300 LBS RV STABILIZER JACK


- Height Range: 11 to 19 in.
- Handle: Thumb bar for easy raising & lowering
- Sold as pair
- Non-slip rubber feet, zinc plated
- Item No.: #701133



#701133

TOP WIND A-FRAME JACK


- For mounting on A-frame couplers
- Bracket for bolt-on or weld-on applications
- Acme threaded inner screw for smooth, precise rolling
- Easy cranking 8 turns per inch



Item No.	Lift Capacity	Lift	A Retracted	B Retracted	Tube	Type of Wind
701023	1,000 lbs	15"	8-7/8"	20-1/4"	Round	Top
701056	2,000 lbs	15"	8"	20"	Round	Top
701057	5,000 lbs	15"	10-1/2"	20-1/5"	Round	Top
701135	5,000 lbs	15" +13-1/2"	8-5/8"	24-1/8"	Square	Top

SIDE WIND A-FRAME JACK

- For mounting on A-frame couplers
- Bracket for bolt-on or weld-on applications
- Acme threaded inner screw for smooth, precise rolling
- Easy cranking 8 turns per inch



Item No.	Lift Capacity	Lift	A Retracted	B Retracted	Tube	Type of Wind
701058	1,000 lbs	15"	9-1/8"	21"	Round	Side
701059	2,000 lbs	15"	8"	23-1/2"	Round	Side
701134	5,000 lbs	15"	8-1/2"	21-1/4"	Round	Side

A-FRAME JACK ACCESSORIES


- Casters and foot plates for round-tube A-frame jacks



Item No.	Description	Fits Item No.	Lift Capacity	Additional Lift	Tube Dia.
701070	6" caster	701023/701058	1,000 lbs	8-3/4"	2"
701071	6" caster	701056/701057/701059	1,200 lbs	8-3/4"	2-1/4"
701180	Jack drop leg	701023/701058	2,000 lbs	8-3/4"	2"
701072	Jack drop leg	701056/701057/701059	2,000 lbs	8-3/4"	2-1/4"
701073-1	Jack foot	701056/701057/701059	5,000 lbs	N/A	2-1/4"
701073-2	Jack foot	All A-frame jacks	5,000 lbs	N/A	N/A
701072B	Jack drop leg	701023/701058	2,000 lbs	8"	1-3/4"

L BEND BRACKET JACK

- Easy cranking 8 turns per inch
- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Operate in seconds with new pull-pin swivel release
- Tight tubing alignment guarantees against wobbling
- Powder coated outer tube and zinc plate inner tube




**PASSED THE
3RD PARTY
LAB TEST
IN USA**



Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind
701000	2,000 lbs	10"	11-1/4"	17"	N/A	Top
701076	2,000 lbs	15"	15"	20-1/4"	N/A	Top
701153	5,000 lbs	10"	11-1/4"	16-1/2"	N/A	Top
701155	5,000 lbs	15"	16-1/4"	21-1/2"	N/A	Top
701121	2,000 lbs	10"	11-1/4"	16-1/2"	N/A	Side
701122	2,000 lbs	15"	15"	22-1/2"	N/A	Side
701123	5,000 lbs	10"	11-1/4"	17-1/4"	N/A	Side
701126	5,000 lbs	15"	15-3/4"	21-1/4"	N/A	Side

TUBE MOUNT JACK

- Provide increased capacity for heavier tongue weights and greater side loads
- Rolled acme threads of the inner screw
- Easy cranking 8 turns per inch
- 5/8" diameter locking pin secures jacks in the vertical position for added support or in the storage position for ease of transport.



Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind
701081	2,000 lbs	10"	11-1/4"	16-1/2"	N/A	Top
701007	2,000 lbs	15"	16-1/4"	21-1/2"	N/A	Top
701086	5,000 lbs	10"	11-1/4"	16-1/2"	N/A	Top
701082	5,000 lbs	15"	16-1/4"	21-1/2"	N/A	Top
701009	2,000 lbs	10"	11-1/4"	16-1/2"	N/A	Side
701008	2,000 lbs	15"	16-1/4"	23-1/4"	N/A	Side
701124	5,000 lbs	10"	11-1/4"	17-1/4"	N/A	Side
701125	5,000 lbs	15"	15-3/4"	21-1/4"	N/A	Side

WELD-ON SQUARE JACK

- Telescopically structured steel tubing for superior strength
- Heavy gauge steel foot provides a strong base for lifting heavy loads
- Rolled acme threads and steel anti-friction thrust bearing, provide smooth cranking and long cycle life
- Ergonomically designed handle folds away for clearance and simple transport



Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind
701028	5,000 lbs	17" + 12"	N/A	22-3/4"	N/A	Side
701046	5,000 lbs	17" + 12"	N/A	23-2/3"	N/A	Top
701048	7,000 lbs	15" + 12"	N/A	23-1/2"	N/A	Top
701065	7,000 lbs	15" + 12"	N/A	24-1/2"	N/A	Side

SQUARE JACK ACCESSORIES

Item No.	Description	Lift Capacity	Additional Lift
701074	8" caster	1,500 lbs	9-1/4"
701075	caster adapter plate	5,000 lbs	1/4"
701088	Jack drop leg	5,000 lbs	13"
701077	Jack drop leg	5,000 lbs	1/4"
701099	Jack drop leg	5,000 lbs	13-1/2"



1000LBS | HEAVY DUTY JACK

- 12,000lb. static capacity and 10,000lb. lift capacity
- Accessbly with 12.5" travel and 13.5" additional adjustment with spring return drop-leg
- Force-reducing gearing ratios crank smoothly under load
- Heat-treated gears and long-wearing bronze bushings last decades under normal use
- Spring return makes extending and retracting the jack a snap
- Locking the drop leg in any desired position is simple, with step-and-release catches at five evenly-spaced reinforced openings



PASSED THE 3RD PARTY LAB TEST IN USA

Item No.	Lift Capacity	Lift	A Retracted	B Retracted	C	Type of Wind	Type of Pin	Spring
701138F	10,000 lbs	12-1/2" + 13-1/2"	N/A	30"	N/A	Side	Front	W
701138S	10,000 lbs	12-1/2" + 13-1/2"	N/A	30"	N/A	Side	Side	W
701139F	10,000 lbs	12-1/2" + 13-1/2"	N/A	30"	N/A	Side	Front	W/O
701139S	10,000 lbs	12-1/2" + 13-1/2"	N/A	30"	N/A	Side	Side	W/O
701140F	10,000 lbs	12-1/2" + 13-1/2"	N/A	30"	N/A	Top	N/A	W
701141F	10,000 lbs	12-1/2" + 13-1/2"	N/A	30"	N/A	Top	N/A	W/O

PROP STAND

- Zinc plated and Hot dipped galvanized construction are available
- Easy to fit & operate

Item No.	Outer tube round	Height	Unitary Weight
701149	48mm	600mm	2.1kg
701150	48mm	700mm	2.4kg



#701149



#701150

PARKING JACK

Item No.	Outer tube	Lifting	Load capacity
701144	40mm	210mm	200kg
701145	57mm	300mm	600kg
701151	50mm	300mm	800kg



#701145



#701144򫋟

JOCKEY WHEEL CLAMP

Item No.	For outer tube
701089	34mm
701090	42mm
701091	48mm
701146	60mm



#701089




JOCKEY WHEEL



Item No.	Outer tube	Size of wheel	Tyre	Lifting	Loading capacity
701142	48mm	200mm x 50mm	Steel rim, Solid	200mm	150kg
701143	48mm	200mm x 50mm	Plastic rim, Solid	200mm	150kg
701083	48mm	260mm x 85mm	Pneumatic	200mm	75kg
701148	60mm	220mm x 65mm	Steel rim, Solid	250mm	350kg
701149	60mm	200mm x 60mm	Steel rim, Solid	200mm	350kg
701160C	48mm- Serrated	200mm x 50mm	Steel rim, Solid	240mm	350kg
701160D	48mm- Serrated	220mm x 60mm	Steel rim, Solid	240mm	350kg

JOCKEY WHEEL WITHOUT CLAMP


Item No.	A Retracted	B Retracted	Wheel size	Lifting	Loading capacity
02701001	159mm	545mm	6"	240mm	350kg
02701004	215mm	580mm	8"	240mm	350kg
02701007	263mm	638mm	10"	240mm	350kg



#02701001

JOCKEY WHEEL WITH CLAMP

Item No.	A Retracted	B Retracted	Wheel size	Lifting	Loading capacity
02701002	159mm	545mm	6"	240mm	350kg
02701005	215mm	580mm	8"	240mm	350kg
02701008	263mm	638mm	10"	240mm	350kg



#02701003

JOCKEY WHEEL CLAMP

Item No.	For outer tube
02701000	48mm

JOCKEY WHEEL WITH SWIVEL PLATE

Item No.	A Retracted	B Retracted	C Retracted	Wheel size	Lifting	Loading capacity
02701003	159mm	305mm	545mm	6"	240mm	350kg
02701006	215mm	315mm	580mm	8"	240mm	350kg
02701009	263mm	400mm	638mm	10"	240mm	350kg

QUICK-LOCK TRAILER COUPLER

- The most popular straight tongue stamped couplers
- Quick-lock latching mechanism allows quick and easy trailer hook-up
- Full line of SAE Class I through III
- A coupler lock hole is provided for additional trailer security
- Zinc plated, oil finished available on request
- Super-coated available for marine market, pass over 500 hours of salt spray test



#703014

Item No.	Material	Ball size	Chanel Width	SAE Class	Trailer GVW
703000	steel	1-7/8"	2"	I	2,000lbs
703002	steel	1-7/8"	2-1/2"	I	2,000lbs
703003	steel	1-7/8"	3"	I	2,000lbs
703004	steel	2"	2"	II	3,500lbs
703005	steel	2"	2-1/2"	II	3,500lbs
703006	steel	2"	3"	II	3,500lbs
703007	steel	2"	3"	III	5,000lbs
703014	Stainless Steel	2"	3"	II	3,500lbs



EZ Lifter Coupler Handle
#703024

A-FRAME COUPLER

- Weld onto frame members set at 50-degree angles
- Contain jack mounting holes



#703021 & 703027



#703016

Item No.	Ball Size	Chanel Width	SAE Class	Trailer GVW	Finish
703016	2"	A-frame	III	5,000 lbs	Primed
703026	2"	A-frame	IV	8,000 lbs	E-coating
703021	2-5/16"	A-frame	IV	10,000 lbs	E-coating
703027	2-5/16"	A-frame	IV	14,000 lbs	E-coating



#703026

SLEEVE LOCK TRAILER COUPLERS

- Stronger A-frame sleeve couplers comply with SAE J684 standard
- Black oily finish available on request

Item No.	Material	Ball size	Trailer GVW	Finish
703028	Steel	2"	7,000 lbs	Black powder coat finish
703029	Steel	2-5/16"	12,500 lbs	Black powder coat finish



#703028

ADJUSTABLE COUPLERS

- Heavy duty steel construction
- Adjustable tongue mounting fit your needs



#703017



#703035



#703037



#703038 & #703039



#703018



#703019

Item No.	Ball Size	Trailer GVW	Finish	Description
703017	2"	8,000 lbs	Black powder coat finish	Stamped adjustable coupler with grade 8 bolts/nuts
703022	2-5/16"	14,000 lbs	Black powder coat finish	Stamped adjustable coupler with grade 8 bolts/nuts
703035	2"	7,000 lbs	Black powder coat finish	Solid shank, sleeve lock adjustable coupler with grade 8 bolts/nuts
703036	2-5/16"	12,500 lbs	Black powder coat finish	Solid shank, sleeve lock adjustable coupler with grade 8 bolts/nuts
703037	2-5/16"	15,000 lbs	Black powder coat finish	Heavy duty cast steel adjustable coupler with grade 8 bolts/nuts
703038	2"	10,000 lbs	Oil	Heavy duty cast steel adjustable coupler with grade 8 bolts/nuts, 6 hole/5 position channel
703039	2-5/16"	15,000 lbs	Oil	Heavy duty cast steel adjustable coupler with grade 8 bolts/nuts, 6 hole/5 position channel
703018	N/A	14,000 lbs	Black powder coat finish	4 hole/3 position channel
703019	N/A	14,000 lbs	Black powder coat finish	6 hole/5 position channel
703023	N/A	15,000 lbs	Black powder coat finish	6 hole/5 position channel(1/2" plate material)

ROUND TUBE GOOSENECK COUPLERS

- Meet the SAE J2638 standard
- Come with load bearing pin and 2 sets of 3/4in screws
- 30K couplers include a welded sleeve on the bottom of the outer tube to strengthen the safety

Item No.	Ball size	Capacity	Outer tube size	Inner tube wall Thickness	Retracted Height	Adj.
703043	2-5/16"	25,000 lbs	4.5"	0.24"	32"	8"
703045	2-5/16"	30,000 lbs	4.5"	0.32"	32"	8"



#703043

TRAILER COUPLING

- 2000kg Capacity
- Suits a 50mm ball
- Cast in steel, these couplings are extremely strong yet simple to operate



#02703000

Item No.	Material	Ball size	Trailer GVW	Finish
02703000	steel	50mm	2,000KG	Painting
02703001	steel	50mm	2,000KG	Zinc plated
02703002	steel	50mm	2,000KG	Hot galvanized

TRAILER COUPLING

- 2000kg Capacity
- Suits a 1-7/8" ball



#02703005

Item No.	Material	Ball size	Trailer GVW	Finish
02703003	steel	1-7/8"	2,000KG	Painting
02703004	steel	1-7/8"	2,000KG	Zinc plated
02703005	steel	1-7/8"	2,000KG	Hot galvanized

HEAVY DUTY OFF ROAD POLYBLOCK COUPLING HITCH

- Rated to 2000 Kg.
- Heavy duty Full 360° rotation offroad design.
- Durable polyblock with brass bushes and 19 mm locking pin.
- Grease nipples fitted for easy servicing.
- Includes towbar adaptor kit



#02703006



#02703007

CAR ADAPTER BRACKET

- Zinc plated car adaptor bracket with pin and lynch pin clip
- Use with poly block coupling 02703006 & 02703007




#02703008



#02703009

PULLING WINCHES

- Reversible ratchet to allow cranking cable or strap onto the drum in either direction
- Load matched gear ratios for easier cranking
- 2-speed models have a drive shaft system allowing for both high and low speed cranking from one side
- Surface: Zinc coated or powder coated
- Best suited for boat trailer and other horizontal pulling applications which require the freewheeling feature of ratchet type winches
- High carbon steel gears for longer life
- Rigid, welded reel construction for added strength
- Embossed, reinforced bases
- Base plates fit BIA standard mounting hole pattern for easy installation



PULLING WINCHES

Item No.	Capacity	Drum Capacity	Gear Ratio	Reversible ratchet	Speed
702000	600lbs	5/32" * 33' / 2" * 23'	3.2:1	n/a	1
702001	800lbs	11/64" * 33' / 2" * 23'	3.2:1	n/a	1
702002	1000lbs	11/64" * 33' / 2" * 23'	4.1:1	yes	1
702003	1200lbs	3/16" * 33' / 2" * 23'	4.1:1	yes	1
702004	1400lbs	3/16" * 33' / 2" * 23'	4:1	yes	1
702005	1600lbs	3/16" * 33' / 2" * 23'	4:1	yes	1
702006	1800lbs	3/16" * 33' / 2" * 23'	4:1/8:1	yes	2
702007	2000lbs	3/16" * 33' / 2" * 23'	4:1/8:1	yes	2
702008	2500lbs	7/32" * 33' / 2" * 23'	4:1/8:1	yes	2



#702003

PULLING WINCHES WITH CABLE AND HOOK

Item No.	Capacity	Cable Size	Gear Ratio	Reversible ratchet	Speed
702009	600lbs	5/32" * 33'	3.2:1	n/a	1
702010	800lbs	11/64" * 33'	3.2:1	n/a	1
702011	1000lbs	11/64" * 33'	4.1:1	yes	1
702012	1200lbs	3/16" * 33'	4.1:1	yes	1
702013	1400lbs	3/16" * 33'	4:1	yes	1
702014	1600lbs	3/16" * 33'	4:1	yes	1
702015	1800lbs	3/16" * 33'	4:1/8:1	yes	2
702016	2000lbs	3/16" * 33'	4:1/8:1	yes	2
702017	2500lbs	7/32" * 33'	4:1/8:1	yes	2



#702011

PULLING WINCHES WITH STRAP AND HOOK

Item No.	Capacity	Strap Size	Gear Ratio	Reversible ratchet	Speed
702018	600lbs	2" * 23'	3.2:1	n/a	1
702019	800lbs	2" * 23'	3.2:1	n/a	1
702020	1000lbs	2" * 23'	4.1:1	yes	1
702021	1200lbs	2" * 23'	4.1:1	yes	1
702022	1400lbs	2" * 23'	4:1	yes	1
702023	1600lbs	2" * 23'	4:1	yes	1
702024	1800lbs	2" * 23'	4:1/8:1	yes	2
702025	2000lbs	2" * 23'	4:1/8:1	yes	2
702026	2500lbs	2" * 23'	4:1/8:1	yes	2




#702026

MARINE PULLING WINCHES

- Ergonomic winch with easy grip handle
- Dual drive gear for even load distribution
- Safety Brake for Pulling & Lifting Heavy Load
- Strong winch features reinforced frame and one piece solid gears

SAE International
Approved

**PASSED THE
3RD PARTY
LAB TEST
IN USA**



Heat treated pinion and ratchet pawl

Ergonomic easy grip

Reinforced frame

2" x 20' Strap

#702062Z

WELL BUILT FOR EXTRA-DURABLE USE



Ergonomic Easy Grip

DUAL Drive Gear

Heat Treated Pinion and Ratchet Pawl

Reinforced Frame

- Capacity: 2500 lbs.
- Gear Ratio: 5:1 & 12:1
- Strap Length: 2-1/2" x 24'

Safety Brake for Pulling & Lifting Heavy Load



Brake System

Shift System



#702066Z

Item No.	Capacity	Drum Capacity	Gear Ratio	Reversible ratchet	Speed
702061Z	1000lbs	2" * 20'	4.1:1	yes	1-speed
702062Z	1200lbs	2" * 20'	4.1:1	yes	1-speed
702063Z	1400lbs	2" * 20'	4.1	yes	1-speed
702064Z	1600lbs	2" * 20'	4.1:1	yes	1-speed dual gears
702065Z	2000lbs	2" * 25'	4.1:1	yes	1-speed dual gears
702066Z	2500lbs	2-1/2" * 24'	5:1 & 12:1	yes	2-speed



WINCH STRAPS

- Equip your winch with nylon straps and end the hassle of pinched ropes and cables. Designed for boat trailers or other horizontal pulling applications.



#702100

Item No.	Length	Width	Breaking Strength	Hardware
702100	15'	1-3/4"	3000lbs	Snap hook
702107	12'	1-3/4"	3000lbs	Snap hook & Loop
702102	20'	1-3/4"	3000lbs	Snap hook
702110	24'	2-1/2"	8000lbs	Snap hook

WINCH CABLES

- Galvanized steel cables provide the flexibility and high strength needed for large boats and vertical lifting.



#702121

Item No.	Diameter	Length	Tensile strength
702121	1/8"	20'	2000lbs
702123	3/16"	25'	4000lbs
702125	3/16"	50'	4200lbs
702127	7/32"	50'	5600lbs

WINCH HANDLE

- Ergonomic power grip handle
- Mounting hardware included



#702090򫚋

Item No.	Length
702090	7"
702091	10"



HEAVY DUTY BALL MOUNT

- Class III
- Fit 2" receiver tubes
- These ball mounts are designed to fit 2"*2" receivers and have a high gloss powder coated black finish
- Custom Colors are also available
- Accept 1" hitch ball shank
- Requires 5/8" hitch pin with a safety clip

**PASSED THE
3RD PARTY
LAB TEST
IN USA**



Item No.	Drop	Rise	Shank Length	GTW	TW	Finish
705000	2"	3/4"	8-1/4"	6000lbs	600lbs	Powder coated
705001	2"	3/4"	10-1/4"	6000lbs	600lbs	Powder coated
705002	4"	2-3/4"	8-1/4"	6000lbs	600lbs	Powder coated
705003	6"	4-3/4"	8-1/4"	6000lbs	600lbs	Powder coated
705032	2"	3/4"	8-1/4"	6000lbs	600lbs	Chrome plated
705033	4"	2-3/4"	8-1/4"	6000lbs	600lbs	Chrome plated
705034	6"	4-3/4"	8-1/4"	6000lbs	600lbs	Chrome plated

BALL MOUNT KITS

- Class III ball mount rated at 6000lbs(8-1/4" length,2" drop)
- 5/8" hitch lock
- 2" chrome trailer ball-factory torqued
- Includes durable storage case
- Q'TY of 20':3320pcs
- Item No.: #705098

BALL MOUNT KITS

- 6,000 lbs Capacity
- Each kit includes 1pc of ball mount,1pc of 2" chrome ball and 1 set of 5/8" receiver lock



#705098



#705022W-#705092W

Item No.	Drop	Rise	Shank Length	GTW	TW	Finish
705022W	2"	3/4"	8-1/4"	6000lbs	600lbs	Pin and clip
705023W	4"	2-3/4"	8-1/4"	6000lbs	600lbs	Pin and clip
705024W	6"	4-3/4"	8-1/4"	6000lbs	600lbs	Pin and clip
705040W	2"	3/4"	8-1/4"	6000lbs	600lbs	Lock
705027W	4"	2-3/4"	8-1/4"	6000lbs	600lbs	Lock
705092W	6"	4-3/4"	8-1/4"	6000lbs	600lbs	Lock

TRI-BALL HITCH

- Three-balls in one for total versatility and convenience
- Get 1-7/8", 2" and 2-5/16" solid steel balls on one rotating assembly
- 12" Long solid shank for 2" receiver tubes
- Welded steel hitch balls
- 5/8" Hitch pin hole

Item No.	Ball Sizes	Finished
705008	1-7/8", 2" & 2-5/16"	Powder coated with chrome plated ball
705021	1-7/8", 2" & 2-5/16"	All powder coated



#705008

DOUBLE BALL HITCH

- Welded steel hitch balls
- 5/8" Hitch pin hole
- Black powder coated hollow shank and chromed hitch ball

Item No.	Ball Sizes	Capacity
705082	1-7/8" & 2"	2,000lbs & 5,000lbs
705083	2" & 2-5/16"	5,000lbs & 7,500lbs



#705082

- 1-7/8" ball supports up to 2,000lbs; 2" ball supports up to 6,000lbs and 2-5/16" ball support up to 10,000lbs
- 2" solid steel with 5/8" hitch pin hole
- Black powder coated solid shank and chromed hitch ball

Item No.	Ball Sizes	Capacity	Shank
705014	1-7/8" & 2"	2,000lbs & 6,000lbs	Solid steel
705015	2" & 2-5/16"	6,000lbs & 10,000lbs	Solid steel



#705014



REVERSIBLE BALL HITCH

- 1-7/8" ball supports up to 2,000lbs, 2" ball supports up to 3,500lbs
- 2-5/16" ball support up to 6,000lbs
- Powder coated

Item No.	Ball Sizes	Shank Length	Finish
705016	1-7/8"&2"	8-1/4"	Black
705017	2"&2-5/16"	8-1/4"	Black



#705016

ATV 2" RECEIVER ADAPTER

- 2" hitch collar mounts to ATV factory hitch with 3/4" bolt
- Mount to your ATV hitch for a range of uses with 4 easy to change attachment options
- Chrome-plated ball
- Item No.: #705118



#705118

ADJUSTABLE BALL MOUNT

- Class III
- Fit 2" receiver tubes
- Tongue accept 1" diameter shank hitch balls
- Require 5/8" hitch pin with a safety clip
- Powder coated black finish

Item No.	Drop	Rise	Shank Length	GTW	TW
705007	4-3/8" to 10-3/8"	3" to 9"	13"	5000 lbs	500 lbs



#705007



CLASS III 4-WAY ADJUSTABLE BALL MOUNT

- Adjustable ball mount offers different positions to match the height of your application
- Can be used in either the rise or drop position
- Sturdy steel construction
- Black powder coated finish
- Includes quick release pin and clip

Item No.	Drop	Rise	GTW	TW
705007B	3" to 7-1/2"	1-3/4" to 6-1/4"	5000 lbs	500 lbs



#705007B

TRI-BALL HITCH WITH HOOK

- Hitch ball sizes of 1-7/8", 2" and 2-5/16"
- Welded steel hitch balls
- 5/8" Hitch pin hole
- Black powder coated

Item No.	Ball Sizes	Capacity	Shank
705021C	1-7/8", 2" & 2-5/16"	5000lbs, 7500lbs & 10,000lbs	Solid steel



#705012C

ADJUSTABLE TRI-BALL MOUNT FOR 2" HITCHES

- Chrome welded trailer ball sizes: 1-7/8", 2" & 2-5/16"
- 1-7/8" ball - 6,000lb Capacity
- 2" ball - 7,500lb Capacity
- 2-5/16" ball - 10,000lb Capacity
- Fully adjustable from 6" drop to 6" rise
- 12" total vertical travel
- Black powder coated solid steel shank
- Fits for 2" square receiver tubes
- 3pcs 5/8" hitch pins included



#705206

CLEVIS BALL MOUNT WITH SQUARE TUBE

- Clevis mount with a 2 inch square tube
- Tongue weight: 600 pounds
- GTW: 6,000 pounds
- Length: 9-1/4 inch
- Black powder coated
- Item No.: #705600



#705600

FORGED ALLOY STEEL COMBINATION HITCH

- Drop forged combination pintle hook/ball hitch
- Forged steel bar
- Interchangeable hitch balls
- 2-1/2" to 3" up to 1-9/16" cross section

Item No.	Material	Ball Size	GVW	GTW	Finish
712011	Steel	1-7/8"	3,000 lbs	16,000 lbs	Black powder coat finish
712012	Steel	2"	3,000 lbs	16,000 lbs	Black powder coat finish
712013	Steel	2-5/16"	3,000 lbs	16,000 lbs	Black powder coat finish



#712011

STEEL PINTLE HOOK

- Drop forged alloy steel rigid type pintle hook
- 2in. to 3in. ID drawbar eye with 1 1/4in. to 1 5/8in. dia. Section
- For use with lunette eye couplers



#712015

Item No.	Material	Description	GVW	GTW	Finish
712008	Steel	5 Ton light duty	2,000 lbs	10,000 lbs	Black powder coat finish
712009	Steel	8 Ton medium duty	3,200 lbs	16,000 lbs	Black powder coat finish
712015	Steel	10 Ton medium duty	4,000 lbs	20,000 lbs	Black powder coat finish
712010	Steel	15 Ton heavy duty	6,000 lbs	30,000 lbs	Black powder coat finish
712000	Steel	20 Ton heavy duty	8,000 lbs	40,000 lbs	Black powder coat finish
712016	Steel	30 Ton heavy duty	12,000 lbs	60,000 lbs	Black powder coat finish

STEEL PINTLE HITCH

- Forged metal construction
- Drawbar eye dimensions 2-1/2in. to 3in.
- For use with a tow ring

Item No.	Material	Description	GVW	GTW	Finish
712014	Steel	5 Ton	2,000 lbs	10,000 lbs	Black powder coat finish



#712014

PINTLE HOOK

- Strong steel construction with rust-resistant finish
- Tethered safety pin is included for the pintle hook
- Interchangeable hitch balls
- Hitch ball connects to standard ball couplers

Item No.	Material	Ball Size	GVW	GTW	Finish
712017	Steel	1-7/8"	2,400 lbs	12,000 lbs	Black powder coat finish
712018	Steel	2"	2,400 lbs	12,000 lbs	Black powder coat finish
712019	Steel	2-5/16"	2,400 lbs	12,000 lbs	Black powder coat finish



#712017

PINTLE HOOK ADAPTER

- Hitch-mounted adapter plate provides a mounting point for a pintle hook
- Application: 2" x 2" trailer hitch receivers
- Sturdy steel construction

Item No.	Material	Description	GTW	Finish
712001	Steel	3 positions-8 holes	10,000 lbs	Black powder coat finish
712003	Steel	6 positions-14 holes	10,000 lbs	Black powder coat finish



PINTLE EYE

- WITH 4-BOLT FLANGE MOUNT
- Black powder coated

Item No.	Material	I.D.	Capacity	Finish
712025	Forged steel	2.5"	24,000 lbs	Black powder coat finish
712026	Forged steel	3"	60,000 lbs	Black powder coat finish



ADJUSTABLE EYE ASSEMBLY

- Ductile cast iron eye
- 3" I.D. eye
- Item No.: #712020 14,000lbs Weight capacity
- Item No.: #712024 24,000lbs Weight capacity
- Lunette ring is designed to couple with a pintle hitch
- Use with #703018, # 703019 & 703023 channel



TRAILER HITCH RECEIVER MOUNTED FORGED TOW HOOK

- Fits 2" receiver tube
- Weight capacity: 12,000 lbs
- Solid shank
- Black powder coat finish
- Item No.: #712023



TRAILER HITCH RECEIVER MOUNTED FORGED TOW EYE

- Fits 2" receiver tube
- Weight capacity: 12,000 lbs
- Solid shank
- Black powder coat finish
- Item No.: #712021



UNIVERSAL RECEIVER HITCH

- Heavy-duty receiver fits most Chevy, Dodge, GM, Ford and Toyota full-size pickups
- Hide-away design
- Easy to install with included hardware (some trucks require no drilling)
- 6,000lbs max trailer load
- 600lbs max tongue load
- Accepts all 2" accessories



#706024

HEAVY DUTY STEP BUMPER RECEIVER

- Welded class III receiver is rated for 5,000lbs gross load and 500lbs tongue load
- Fit many factory and after market step bumpers
- Have a high gloss powder coated black finish
- Accept any 2" square ball mount



#706000

STEP BUMPER RECEIVER

- Easy bolts to bottom of step bumper with hardware included
- Minimum 4-1/2" Deep Mounting Surface required
- Durable black polyester finish resists rust & corrosion



#706020

RECEIVER TUBE

- 2" standard receiver tube
- 5/8" pin hole
- Powder Coated
- Oiled tube is available

Item No.	Length	GTW
706009	6"	5000lbs
706010	12"	5000lbs
706011	18"	5000lbs
706012	24"	5000lbs
706013	36"	5000lbs



#706009

RECEIVER SLEEVE ADAPTER

- Converts 2-1/2" tube to 2" tube
- 5-3/4" Overall Length
- 5/8" Hitch pin hole
- Allow you to use towing and hitch-mounted accessories
- Item No.: #706310



#706310

1-1/4" to 2" HITCH ADAPTOR

- Receiver size: 1-1/4 inch to 2 inch
- Maximum tongue weight: 500 pounds
- Black powder coated
- Item No.: #706031



#706031

RECEIVER HITCH EXTENSION

- Tongue weight: 500LBS
- Fits into 2in. receiver tubes
- Black powder coated



#706036

Item No.	Material	T.W.	Finish
706036	8" Receiver extension	500 lbs	Black powder coat finish
706037	12" Receiver extension	500 lbs	Black powder coat finish
706038	18" Receiver extension	500 lbs	Black powder coat finish



BOLT-ON RECEIVER TUBE

- 2" I.D. receiver tube
- Standard 4-hole Pintle Hook Pattern
- 5/8" Hitch pin hole
- Fits 2" receiver tubes
- Black powder coated
- Item No.: #706031



#706031

BOLT-ON RECEIVER TUBE

- Four-hole mounting pattern
- Fits 2" receiver tubes
- 5/8" Hitch pin hole
- Mounting hardware not included
- Item No.: #706064



#706064

CLASS III/IV DUAL HITCH RECEIVER EXTENSION

- Fits 2" receiver tubes
- Tongue weight: 350lbs
- Black powder coated
- Item No.: #706033




#706033



#706033

3-POINT QUICK HITCH

- Heavy-duty steel construction
- Recommended for use with tractors with more than 50 HP
- Adjustable top hook
- Durable powder coat finish



Item No.	Material	Description	Finish
706025	Steel	Category 1	Black powder coat finish
706026	Steel	Category 2	Black powder coat finish
706027	Steel	Category 3	Black powder coat finish

CATEGORY 1 3-POINT HITCH TO 2IN RECEIVER ADAPTER

- Heavy-duty steel construction
- Fits all Category 1 tractors
- Includes a 2-5/16in. ball for moving gooseneck trailers
- Height is adjustable with your tractor's 3-pt. hydraulic system
- Haul trailers and use other 2in. hitch accessories with this 3-pt. hitch to 2in. receiver adapter

Item No.	Ball Size	Pulling Capacity	Tongue Weight
706028	2"	10,000 lbs	8,000 lbs



#706028

3-POINT TRAILER MOVER

- Category 1 hitch
- Steel construction
- High gloss paint protection



#715013



#715014



#715015

Item No.	Material	Ball Size	Finish
715013	Steel	2" & 2-5/16"	Black powder coat finish
715014	Steel	N/A	Black powder coat finish
715015	Steel	N/A	Black powder coat finish

HITCH BALL

- All hitch balls have quality finish and fine threads for more holding power
- Meet the US V-5 specifications and are tested for safety

Item No.	Ball Size	Shank Dia.	Shank Length	Lift	Trailer GVW
704001	1-7/8"	3/4"	1-3/4"	standard	2000lbs
704002	1-7/8"	1"	2-1/4"	standard	2000lbs
704004	2"	3/4"	1-3/4"	standard	3500lbs
704005	2"	1"	2-1/4"	standard	5000lbs
704009	2-5/16"	1"	2"	standard	6000lbs
704010	2-5/16"	1-1/4"	2-1/4"	standard	10000lbs
704030	1-7/8"	3/4"	2-3/8"	standard	2000lbs
704031	2"	3/4"	2-3/8"	standard	3500lbs
704011	2-5/16"	1-1/4"	2-3/4"	standard	30000lbs
704012	2-5/16"	1-1/4"	2-5/8"	1"	30000lbs
704013	2-5/16"	1-1/2"	2-3/4"	2"	30000lbs



#704001



#704004

SAFETY CHAIN ASSEMBLY WITH "S" HOOK

- Use one or two safety chains set to a length that will allow for the turning radius of the vehicle but will not drag on the ground when in operation



#710016



#710019



#710029

Item No.	Cell Dia.	Overall Length	Capacity (lbs)	Cell Grade	Hook Description
710029	3/16"	24"	3200	30	1 S-Hook with safety latch
710030	3/16"	27"	3200	30	1 S-Hook with safety latch
710016	3/16"	48"	3200	30	2 S-Hooks(1 hook on each end of chain assembly) with safety latches
710015	1/4"	27"	5200	30	1 S-Hook with safety latch
710017	1/4"	48"	5200	30	2 S-Hooks(1 hook on each end of chain assembly) with safety latches
710021	1/4"	54"	5200	30	2 S-Hooks(1 hook on each end of chain assembly) with safety latches
710028	1/4"	60"	5200	30	2 S-Hooks(1 hook on each end of chain assembly) with safety latches
710020	5/16"	30"	7600	30	1 S-Hook with safety latch
710026	5/16"	54"	7600	30	2 S-Hooks(1 hook on each end of chain assembly) with safety latches
710022	1/4"	30"	7800	43	1 Forged slip hook with safety latch
710025	5/16"	35"	11700	43	1 Forged slip hook with safety latch
710023	3/8"	35"	16200	43	1 Forged slip hook with safety latch
710027	1/4"	36"	12600	70	1 Forged slip hook with safety latch
710019	3/8"	35"	26400	70	1 Forged slip hook with safety latch

Grade 70 Transport Chain with Grab Hooks

Item No.	Cell Dia.	Overall Length	Capacity (lbs)	Cell Grade	Hook Description
710106	5/16"	16'	4700lbs	18800lbs	Alloy Steel
710107	5/16"	20'	4700lbs	18800lbs	Alloy Steel
710108	3/8"	16'	6600lbs	26400lbs	Alloy Steel
710109	3/8"	20'	6600lbs	26400lbs	Alloy Steel



#710106

SAFETY CHAIN

- For use with the heavy duty adjustable tow bar
- Length:36"; Breaking strength:5000lbs



#710013

WRENCH

- 1-1/8" & 1-1/4" Nut sizes
- Fits most trailer hitch balls



#711012

TRAILER COUPLER LOCK

- Fit all fast-lock and other standard couplers
- Cast housing with hardened steel pins
- Chrome or black powder coated
- Item No.: #708005

- 1/4" COUPLER LOCK
- Fit most Class I through IV couplers
- Protective cap keeps dirt and grime out of lock
- Item No.: #708009



#708005



#708009

RECEIVER LOCK

- Fit 2" square receivers
- Protective cap shields lock mechanism from road debris
- Item No.: #708010



#708010

5/8" HITCH RECEIVER PIN AND CLIP

- Use with ball mounts or hitch receivers
- Securely holds the ball mount in place
- 3" Usable length
- 5/8" Diameter * 5-1/4" long pin



#706001

PINS



#760109



#760112



#760114

Item No.	Pin type	Size	Finish
760109	LINCH PIN	1/4" x 1-3/4"	Zinc plated
760110	LINCH PIN	3/16" x 1-3/8"	Zinc plated
760111	LINCH PIN	7/16"	Zinc plated
760112	SNAPPER PIN	3/16" x 1-5/8"	Zinc plated
760113	SNAPPER PIN	5/16" x 2-19/32"	Zinc plated
760114	HITCH PIN	1/2" x 4-1/4"	Zinc plated
760115	HITCH PIN	5/8" x 6-1/4"	Zinc plated
760116	HITCH PIN	3/4" x 4-1/4"	Zinc plated

SWAY CONTROL

- Reduce the lateral movements of the trailer caused by the wind

Includes:

- Sway control unit
- Trailer-mounted ball
- Trailer-mounted ball hardware
- Welded-on tab
- Hitch-mounted ball
- Mount reinforcement plated
- Attachment clips



#711004

TOW BAR

- Provides a convenient way to tow your truck
- Mounting brackets attached to vehicle using 5/8" bolts
- Quick release pins to remove bar when not in use
- Constructed of 2" hollow structural steel tubing
- 5,000lbs coupler fits 2" ball
- In a competitive price
- Towing arms are fully adjustable with a max width of 37-1/2"



#711006



STEEL TRAILER RAMP

- 1000lbs. rated capacity per pair
- 16' W * 46' L each
- Small and economy ramps especially for getting your ATV easily on the trailer
- Plastic coated anti-skid fingers to protect trailer finish
- Safety straps secure the ramps in place
- Special powder-coat finish assure it'll last and last
- Q'TY of 40': 1160sets



#713032

HEAVY-DUTY LOADING RAMP

- 1000lbs. rated capacity per pair
- 49-1/2" W * 66" L open
- Sturdy, 16 gauge steel unit folds compactly
- Plastic coated anti-skid fingers to protect your tailgate
- The 66" length makes loading safe and easy
- Rugged construction and special powder coated finish assure it'll last and last
- Comes with safety chains for attaching to vehicle
- 49-1/2" W * 66" L open; 17" W folded



#713033

FOLDABLE STEEL RAMP

- 500lbs. rated capacity each
- 11" W * 78" L open
- Heavy-duty raised wire mesh center folding and arched for loading ATV and lawnmowers easily
- Plastic coated anti-skid fingers to protect your tailgate
- 78" length makes loading safe and easy
- OEM is available
- Safety straps secure the ramps in place
- Q'TY of 40': 504sets
- 11" W * 78" L open; 40" W folded



#713019

ANTI-SKID STEEL RAMP

- Makes loading your ATVs and other wheeled vehicles easy and safe
- Anti-skid surface prevents slipping, even when wet
- Safety straps secure the ramps in place



#713007

ARCHED ALUMINUM RAMP

- Ideal if you need to load wheeled vehicles in trailers, vans and higher 4*4 pickups
- Arched ramps make it easier to load lawn tractors with mowing deck attached
- Plastic-coated anti-skid tab to protect your tailgate
- Safety straps secure the ramps in place
- Comes with safety chains for attaching to vehicle
- 49-1/2" W * 66" L open; 17" W folded



#713011

TRI-FOLD ALUMINUM RAMP

- Safely load any four-wheel ATV or lawn tractor into your pickup or trailer
- Folding design for easy storage
- Constructed of aircraft aluminum with plastic-coated fingers
- Comes with safety chains for attaching to vehicle

Three types are available:

- Heavy-duty tri-fold 69" * 45" open, 15" W folded
- 1500lbs. Capacity
- Q'TY of 40': 504 pcs
- Item No.: 713009
- Extra-Long, Heavy-duty tri-fold, welded type 77" * 50" open, 16" W folded
- 1500lbs. Capacity
- Q'TY of 40': 504 pcs
- Item No.: 713010-M
- Extra-Long, Heavy-duty tri-fold 77" * 50" open, 16" W folded
- 1500lbs. Capacity
- Q'TY of 40': 430 pcs
- Item No.: 713010



#712014

ALUMINUM RAMPS



#713101



#713105



#713111



#713112

ALUMINUM BENDED LOADING RAMP

Item No.	Length	Width	Height	Loading Capacity	Trailer Height
713101	1500mm	200mm	35mm	400kg	405-450mm
713102	2000mm	200mm	50mm	400kg	550-600mm
713103	2000mm	260mm	60mm	1000kg	550-600mm
713104	2500mm	260mm	75mm	1000kg	700-750mm

ALUMINUM STRAIGHT LOADING RAMP

Item No.	Length	Width	Height	Loading Capacity	Trailer Height
713105	1500mm	200mm	35mm	400kg	405-450mm
713106	1500mm	260mm	60mm	1000kg	405-450mm
713107	1500mm	200mm	50mm	400kg	550-600mm
713108	2000mm	260mm	60mm	1000kg	550-600mm
713109	2500mm	260mm	75mm	1000kg	700-750mm
713110	3000mm	260mm	90mm	1000kg	850-900mm

ALUMINUM FOLDED LOADING RAMP

Item No.	Folded Length	Unfolded length	Width	Loading Capacity
713111	1175mm	2250mm	310mm	340kg
713112	1175mm	2250mm	310mm	680kg

DELUXE CARGO CARRIER

- Easy to add storage capacity to your truck or SUV
- Steel mesh floor and 6" sides hold cargo securely in place
- Heavy duty, all steel square tubular construction
- Q'TY of 40':470pcs
- Foldable extension bar fits into a 2" receiver
- Size:60"L * 20"W
- Capacity: 800lbs



#713031

STEEL CARGO CARRIER

- Ideal for lugging coolers, camping gear, game meat and all the other stuff you'd rather carry outside
- 24"W * 60"L with heavy gauge side rails
- Heavy duty steel mesh floor platform
- Q'TY of 40' H: 670pcs
- Slides conveniently into your 2" hitch receiver
- Holds up to 500lbs. of cargo



#713020

TAKE-DOWN CARGO HAULER

- Extend your carrying capacity
- Ideal for coolers, large tools and other oversized loads
- Capacity:500lbs
- Q'TY of 40':680pcs
- Fit into 2" receiver hitch



#709016



ATV DROP BASKET RACK

- Hunting, camping and fishing gear, coolers, fuel cans and tools will fit nicely into the dropped compartment
- Universal fit, tightly secures to virtually any ATV
- Expanded steel mesh with welded outer trim to eliminate sharp edges
- Q'TY of 40':430pcs
- Give you the added space needed to haul large, bulky items on your ATV



#709013

ATV REAR BASKET RACK

- Universal fit, tightly secures to virtually any ATV
- Expanded steel mesh with welded outer trim to eliminate sharp edges
- Q'TY of 40':442pcs
- ATV rear basket luggage rack
- Extend your ATV's payload capacity




#709014

MOTORCYCLE CARRIER

- Just roll your motorcycle up the ramp and into the carrying channel measures 5"W * 76"L
- The carrying channel and secure it
- Fits into a 2" receiver
- Capacity:500lbs
- Q'TY of 40':760pcs



#713034



STANDARD TRAILER LIGHT KIT

- Complete light kit for trailers under 80" wide
- Kit includes: 1 pair of multi-function tail lights, 2 pcs clearance/marker lights, 22ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751000

Item No.	Description
751000	Standard Trailer Light Kit
751000R	Tail light kit - Passengr
751000L	Tail light kit - Driver

12V SUBMERSIBLE TRAILER LIGHT KIT

- Rear light kit for trailers over/under 80" wide
- Kit includes: 1 pair of multi-function tail lights, 22ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751001

Item No.	Description
751001	12V Submersible Trailer Light Kit
751001R	Tail light kit - Passenger
751001L	Tail light kit - Driver

12V SUBMERSIBLE LED TRAILER LIGHT KIT

- Complete light kit for trailers under 80" wide
- Kit includes: 1 pair of multi-function tail lights, 2 pcs clearance/marker lights, 22ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751002

Item No.	Description
751002	12V Submersible LED Trailer Light Kit
751002R	Tail light kit - Passenger
751002L	Tail light kit - Driver

12V MAGNETIC TOWING LIGHT KIT

- Round, dual-color incandescent lights shine amber in front and red in back
- 8-lb. pull magnetic base
- Kit includes: 2 lights with magnets, 20ft wiring harness with standard flat 4-wire vehicle trailer light connector
- DOT certified
- Item No.: #751003



#751003

LED MAGNETIC TOWING LIGHT KIT

- 8-lb. pull magnetic base
- Kit includes: 2 LED lights with magnets, 20ft wiring harness with standard flat 4-wire vehicle trailer light connector
- DOT certified
- Item No.: #751003S



#751003S

SUBMERSIBLE LED TRAILER LIGHT KIT

- Rear light kit for trailer over 80" wide
- Kit includes: 1 pair of multi-function square tail lights, 25ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751004

Item No.	Description
751004	Submersible LED Trailer Light Kit
751004R	Tail light kit - Passenger
751004L	Tail light kit - Driver

SUBMERSIBLE TRAILER LIGHT KIT

- Complete light kit for trailer over 80" wide
- Kit includes: 1 pair of multi-function square tail lights, 25ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751005

Item No.	Description
751005	Submersible Bulb Trailer Light Kit
751005R	Tail light kit - Passenger
751005L	Tail light kit - Driver

TRAILER LIGHT KIT

- Complete light kit for trailer under 80" wide
- Kit includes: 1 pair of multi-function tail lights, 2 pcs clearance/ marker lights, 22ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751006

Item No.	Description
751006	Trailer Light Kit
751006R	Tail light kit - Passenger
751006L	Tail light kit - Driver

STANDARD TRAILER LIGHT KIT

- Rear light kit for trailer under 80" wide
- Kit includes: 1 pair of multi-function tail lights, 22ft split Y-style harness, 4ft vehicle harness, license plate bracket, and mounting hardware
- DOT certified



#751007

Item No.	Description
751007	Standard Trailer Light Kit
751007R	Tail light kit - Passenger
751007L	Tail light kit - Driver

12V SUBMERSIBLE LED TRAILER LIGHT KIT

- Rear light kit for trailer over/under 80" wide
- Kit includes: 1 pair of multi-function tail lights, 22ft split Y-style harness, license plate bracket, and mounting hardware
- DOT certified



#751009

Item No.	Description
751009	12V Submersible LED Trailer Light Kit
751009R	Tail light kit - Passenger
751009L	Tail light kit - Driver

12V MAGNETIC WARNING LIGHT

- Portable magnetic base allows for easy mounting on almost any vehicle
- Rotating action provides 120 flashes per minute, making it ideal for a variety of uses
- Utilizes a neoprene seal for corrosion resistance
- ITEM: #751202



#751202

12V MAGNETIC WARNING LIGHT


- 12V DC plug with 10 ft cord & on/off switch
- With magnetic base
- ITEM: #751203



#751203

12V 72 FPM WARNING BEACON


- Screw mount on the roof of vehicles
- P 2 pc 9-3/8 in. 18 gauge wire
- Warning purpose
- ITEM: #751204



#751204

AMBER LED WARNING BEACON

- Includes light with magnet
- 120pcs high output LED
- Heavy duty magnetic base for secure mount
- ITEM: #751205



#751205

LED MINI WARNING LIGHT BAR

- Includes 12ft power cord, 12V plug with double switch
- 24 high output LED patterns
- High strength, impact resistant polycarbonate lens and base
- 7 flash patterns
- Lower current draw
- 2 heavy-duty magnets
- Maintenance free



#751206



#751207

LED 3/4" ROUND CLEARANCE/ SIDE MARKER LIGHT

- Includes light with grommet
- Easy install into any 3/4" opening
- 1 Diode



#751030A

#751030R

#751030W

Item No.	Description
751206	LED Mini Warning Light Bar
751207	LED Mini Warning Light Bar

Item No.	Description
751030A	Amber kit
751030R	Red kit
751030W	White kit

LED 2" ROUND CLEARANCE/ SIDE MARKER LIGHT

- Acrylic lens and ABS housing are sonic welded
- Grommet mount
- 3 Diodes



#751031KA~#7510PG

Item No.	Description
751031KA	Amber kit
751031KR	Red kit
751031A	Amber
751031R	Red
7510GM2	Grommet
7510PG	Plug

LED 2.5" ROUND CLEARANCE/ SIDE MARKER LIGHT

- Acrylic lens and ABS housing are sonic welded
- Grommet mount
- 3 Diodes



#751032KA~#7510PG

Item No.	Description
751032KA	Amber kit
751032KR	Red kit
751032A	Amber
751032R	Red
7510GM3	Grommet
7510PG	Plug

6" OVAL STOP/TAIL/TURN LIGHT

- Includes light, grommet and plug
- Polycarbonate lenses and housing are sonic welded
- 6 Diodes



Item No.	Description	Light type
751022KA	Amber kit	LED
751022KR	Red kit	LED
751022A	Amber	LED
751022R	Red	LED
751023KA	Amber kit	BULB
751023KR	Red kit	BULB
751023A	Amber	BULB
751023R	Red	BULB
7510GM6	Grommet	
7510PG6	Plug	

LED 4" ROUND CLEARANCE/SIDE MARKER LIGHT

- Polycarbonate lenses and housing are sonic welded
- Available in amber or red




Item No.	Description
751033A	7 Diode Amber
751033R	7 Diode Red
751034A	12 Diode Amber
751034R	12 Diode Red
751035A	24 Diode Amber
751035R	24 Diode Red
751036A	32 Diode Amber
751036R	32 Diode Red
7510GM4	Grommet
7510PG6	Plug

MARKER LAMPS

- Includes light only
- ABS housing with acrylic lens
- Dual bulbs
- If one burns out the other remains lit



#751104R



#751101A

Item No.	Description	Light type
751101A	Marker lamp-Amber	BULB
751101R	Marker lamp-Red	BULB
751104A	LED Marker lamp-Amber	LED
751104R	LED Marker lamp-Red	LED

MARKER LAMPS WITH REFLEX

- Includes light only
- ABS housing with acrylic lens



#751100A

Item No.	Description
751100A	LED Marker lamp with reflex-Amber
751100R	LED Marker lamp with reflex-Red

4" x 3/4" LED RECTANGULAR CLEARANCE AND SIDE MARKER LIGHT

- Includes light with grommet
- Fits standard 3" centers with wired leads
- 6 Diodes



#751108R



#751107A

Item No.	Description
751107A	LED Rectangular Clearance and Side Marker Light-Amber
751108R	LED Rectangular Clearance and Side Marker Light-Red

MARKER LAMPS

- Includes light only
- Stud mount ABS housing with acrylic lens

Item No.	Description
751106A	Marker lamp-Amber
751106R	Marker lamp-Red
751105A	LED Marker lamp-Amber
751105R	LED Marker lamp-Red
751103A	Marker lamp-Amber
751103R	Marker lamp-Red
751102A	LED Marker lamp-Amber
751102R	LED Marker lamp-Red



#751106A



751103A



751105R



751102R

2" LED RECTANGULAR CLEARANCE AND SIDE MARKER LIGHT

- Includes light only
- ABS housing with acrylic lens
- 2 Diodes



Item No.	Description
751109A	LED Rectangular Clearance and Side Marker Light-Amber
751109R	LED Rectangular Clearance and Side Marker Light-Red

2-5/8" LED MINI CLEARANCE LIGHT


- Includes light only
- Electronics are sealed in epoxy to resist corrosion and moisture
- 2 Diodes



Item No.	Description
751110A	LED Mini Clearance Light-Amber
751110R	LED Mini Clearance Light-Red

2-5/8" LED MINI CLEARANCE LIGHT WITH CHROME BASE

- Includes light with chrome bezel
- Electronics are sealed in epoxy to resist corrosion and moisture
- 2 Diodes



Item No.	Description	Light type
751111A	LED Mini Clearance Light with Chrome Base-Amber	LED
751111R	LED Mini Clearance Light with Chrome Base-Red	LED
751112A	Mini Marker Lamps-Amber	Bulb
751112R	Mini Marker Lamps-Red	Bulb

RECTANGULAR SIDE CLEARANCE MARKER WITH REFLEX KIT

- Includes light, chrome base and lead
- Housing and lens are sonic welded to create a fully sealed light
- PC Rated



Item No.	Description
751113A	Rectangular Side Clearance Marker with Reflex Kit-Amber
751113R	Rectangular Side Clearance Marker with Reflex Kit-Red
751114A	LED Rectangular Side Clearance Marker with Reflex Kit-Amber
751114R	LED Rectangular Side Clearance Marker with Reflex Kit-Red

ID LIGHT BAR

- Includes light only
- Ideal for trailers, campers, vans and trucks
- 9 Diodes



Item No.	Description
751056A	ID Light Bar-Amber
751056R	ID Light Bar-Red
751057A	LED ID Light Bar-Amber 6 Diodes
751057R	LED ID Light Bar-Red 6 Diodes

CLEARANCE LAMPS

- Includes light only
- Stud mount ABS housing with acrylic lens



Item No.	Description
751115A	Clearance Lamps-Amber
751115R	Clearance Lamps-Red
751116A	Armored Clearance Marker-Amber
751116R	Armored Clearance Marker-Red

LIGHT BAR

- Includes light only
- Three sealed lights mounted on black polycarbonate bar



Item No.	Description
751058A	Sealed Identification Light Bar-Amber
751058R	Sealed Identification Light Bar-Red
751059A	LED Sealed ID Light Bar-Amber
751059R	LED Sealed ID Light Bar-Red

CAR MARKER LIGHT

- Includes light only
- Easily replaced lens
- Thick mounting pad seals out moisture and dirt
- Durable plastic housing
- Item No.: #751118



LED ID LIGHT BAR

- Includes light only
- Ideal use on boat trailers
- 9 Diodes



#751060R



#751061R

Item No.	Description
751060A	LED ID Light Bar-Amber
751060R	LED ID Light Bar-Red
751061A	LED ID Light Bar with Chrome Base-Amber
751061R	LED ID Light Bar with Chrome Base-Red

LED ID LIGHT BAR WITH S/S FRAME

- Includes light with stainless steel Frame
- Stainless steel frame
- 15" lead wires
- 9 Diodes



#751063A

Item No.	Description
751063A	LED ID Light Bar with Stainless Steel Frame-Amber
751063R	LED ID Light Bar with Stainless Steel Frame-Red

LED LICENSE PLATE LIGHT

- Includes light only
- Chrome plated housing with stud mount clear lens
- Ideal for foreign cars, vans, trucks and custom trailers
- Item No.: #751064



#751064



#751065~66



#751067

Item No.	Description
751064	Snap-in License Plate Light
751065	License Plate Light
751066	LED License Plate Light
751067	License Plate Light

ID LIGHT BAR WITH S/S FRAME

- Includes light with stainless steel Frame
- Stainless steel frame
- 15" lead wires



#751062A

Item No.	Description
751062A	LED Light Bar with Stainless Steel Frame-Amber
751062R	LED ID Light Bar with Chrome Base-Red

TRAILER HITCH COVER WITH BRAKE LIGHT

- Perfect protection for your trailer hitch
- Built-in brake light provides added safety when your hitch is not in use
- Foam lining ensures a snug fit
- Fits all 2" trailer hitch receivers
- Item No.: #751068



#751068

LED MINI WARNING LIGHT BAR

- Includes light and installation kit
- Aluminum die-case housing and polycarbonate lens
- 6 3W high output LEDs
- Item No.: #751300



#751300

ROUND UTILITY TRACTOR LIGHT

- Includes light and installation kit
- 12V Par 36 trapezoid beam rubber housing
- Shock proof rubber housing
- Single stud mounting
- Ideal for farm implement use
- Item No.: #751301



#751301


4" x 6" MULTI-PURPOSE TRACTOR LIGHT

- Heavy duty adjustable mounting hardware for easy installation
- High output 55W halogen bulb for maximum illumination
- Made for use on all farm implement vehicles
- 12V H3-55W halogen trapezoid beam
- Corrosion resistant molded housing
- Includes light and installation kit
- Item No.: #751302



4-WAY 5FT. TRAILER WIRE

- 4-way flat wiring car ends for basic lighting functions
- 12 volt, 5ft. Long
- Item No.: #7510HS1



JUNCTION BOX- 6 OR 7 TERMINAL

- The 7-wire Terminal Junction Box is designed to offer a quick & trouble-free method for connecting wires between the trailer and the towing vehicle.
- Black ABS plastic cover and base complete with 5 open rubber grommets and 5 closed rubber grommet.



REFLECTIVE MARKING TAPE

- High-brightness reflective material rated at 600 candle power
- Industrial-strength adhesive to mount on flat or curved surfaces
- Alternating strips of 7" white and 11" red, 2" width
- Each roll contains 150 foot of tape
- DOT certified



7 RV Blade (plastic) Trailer-Side Connector

- The Standard 7 RV blade trailer side towing electrical connector is designed with easy pull grips and manufactured of durable plastic.
- Trailer side plug rear grommet/ strain relief for weatherproofing



6-way Round Metal Connector Trailer End

- Die-cast zinc for durability.
- Impact and corrosion resistant.



HARNES 4 FLAT 25" WISHBONE

- Molded 4 Way flat connector, Trailer end included
- High quality copper stand marine grade wire



Item No.	Description
7510MTR	Reflective Marking Tape-Rail
7510MTS	Reflective Marking Tape-Strip

Item No.	Length	Description
7510HS2	25"	/
7510HS3	25"	42" LEAD
7510HS4	30"	/

PLUG 4 FLAT 12" LOOP W/PLUG & SOCKET

- Extends wiring system for more flexibility for Ford towing packages
- 12 inch 4 wire flat non-shrouded loop
- Wire functions printed on wire for easy reference



PLUG MOLDED 7 WAY RV

- Replaces the trailer-end plug of any 7-way harness
- Commercial grade trailer cord
- Weatherproof and corrosion resistant



Item No.	Length
7510HS7	6'
7510HS8	8'
7510HS9	12'

6 POLE ROUND TRAILER CONNECTORS/ADAPTERS

- Connect your trailer lights and brakes with 6 pole round trailer connectors.
- Includes a stainless steel cover spring to help prevent water and rust damage.



#751401



#751402

Item No.	Description
751401	6 Pole Connector Socket - Truck End Round
751402	6-Way Round Receptacle To Flat 4-Way Plug

TRAILER CONNECTORS ADAPTERS

- Trailer connector adapters are available for converting different styles of plugs and receptacles. No other wiring or installation is necessary.



#751403

Item No.	Description
751403	7-Way Blade-Type Receptacle To 6-Way Plug
751404	7-Way Blade-Type Receptacle To 6-Way Round And 4-Way Flat Plug

LICENSE MOUNTING BRACKETS

- License brackets are universally designed to work with most tail lights.



#751405



#751406

Item No.	Description
751405	Plastic
751406	Zinc Plated Steel

QUICK SPLICES

- Quick Splices make wiring jobs easier by allowing you to tap into wires without cutting and splicing. Sold as each



#751407



#751408

Item No.	Description
751407	18/14 Gauge w/o stop
751408	18/14 Gauge w/stop & Corrosion Resistant Gel

LASHING RINGS AND D-RINGS

- Lashing rings and D-rings are available for both rope-ties(light-duty) and chain-type ties(heavy duty)



#710028



#710030



#710032



#710033

Item No.	Ring Type	Capacity	Ring Dia.	Inner Dia
710028	D-ring - Bolt on	11,781 lbs.	0.5"	2.5" x 2.375"
710029	D-ring - Weld on	11,781 lbs.	0.5"	2.5" x 2.375"
710030	D-ring	18,380 lbs.	0.625"	3" x 3"
710031	Lashing Ring	700 lbs.	0.25"	n/a
710032	Lashing Ring	1,000 lbs	0.25"	n/a
710033	Lashing Ring	6,000 lbs	0.3125"	n/a
710034	Lashing Ring/Rotating	6,000 lbs	n/a	n/a




#702111



#702112

SLIDING WINCHES

Item No.	A	B	C	D	Finish
702111	204	204	204	90	Black powder
702112	204	204	204	90	Black powder
702113	204	204	204	90	Black powder
702115	200	200	200	0:00	Black powder



RAILS

Item No.	Dimension	Material
702116	6'	Plain Steel
702117	6'	Aluminum



#702116



#702117

RATCHET TIE DOWN

- For cars, pickup, 4x4's, and farm equipment
- Lighter and stronger than chain
- With steel hooks

1" RATCHET TIE DOWN

Item No.	Size	Breaking Strength	Length	Material	Color
707010	1"	1200 LB	14'	Polyester	Any color
707011	1"	1700 LB	14'	Polyester	Any color
707012	1"	1700 LB	26'	Polyester	Any color



#707010

1.5" RATCHET TIE DOWN

Item No.	Size	Breaking Strength	Length	Material	Color
707013	1.5"	6,000 LB	19'	Polyester	Any color
707014	1.5"	10,000 LB	19'	Polyester	Any color
707015	1.5"	12,000 LB	26'	Polyester	Any color



#707014

2" RATCHET TIE DOWN

Item No.	Size	Breaking Strength	Length	Material	Color
707016	2"	10,000 LB	39'	Polyester	Any color
707017	2"	10,000 LB	29'	Polyester	Any color
707018	2"	8,000 LB	39'	Polyester	Any color



#707018

3" & 4" RATCHET TIE DOWN

Item No.	Dimensions	Breaking Strength	Length	Material	Color
707019	3"	16200 LB	30'	Polyester	Any color
707020	4"	16200 LB	30'	Polyester	Any color



#707020

LOGISTIC TRACKS

Item No.	Description	Dimensions	Material
707023	12 Gauge	10'	Galvanized steel



#707023

BOX END WINCH BAR



#710020~#710022

Item No.	Length	Finish
710020	32"	Painted/Chromed
710021	35"	Painted/Chromed
710022	37"	Painted/Chromed

STANDARD WINCH BAR



#710023~#710024

Item No.	Length	Finish
710023	35"	Painted/Chromed
710024	40"	Painted/Chromed




ELECTRIC BRAKES

Item No.	Gross Capacity	Description
752401	3.5K	10"x2-1/4" LH Brake Assembly-Bulk
752402	3.5K	10"x2-1/4" RH Brake Assembly-Bulk
752403	7K	12"x2" LH Brake Assembly-Bulk
752404	7K	12"x2" RH Brake Assembly-Bulk
752405	10K	12-1/4"x3-3/8" LH Brake Assembly-Bulk
752406	10K	12-1/4"x3-3/8" RH Brake Assembly-Bulk



#752401



#752403

BRAKE DRUMS

Item No.	Bolt Pattern	Capacity
752407	5 on 4.5"	3,500LB
752408	5 on 4.75"	3,500LB
752409	5 on 5"	3,500LB
752410	6 on 5.5"	3,500LB
752411	6 on 5.5"	5,200-6,000-7,000 LB
752412	8 on 6.5"	5,200-6,000-7,000 LB



#752408


IDLER HUB

Item No.	Bolt Pattern	Spindle	Capacity
752301	4 on 4"	BT8 & BT16	2000 LB
752302	5 on 4.5"	BT8 & BT16	2000 LB
752303	5 on 4.5"	/	3500 LB
752304	5 on 4.75"	/	3500 LB
752305	5 on 5"	/	3500 LB
752306	6 on 5.5"	/	3500 LB
752307	6 on 5.5"	/	5,200-6,000-7,000 LB
752308	8 on 6.5"	/	5,200-6,000-7,000 LB



#751301


SLIPPER SPRINGS



#752101

Item No.	# of leaves	Capacity	A	B	C	D	Width	EYE Dia	Bushing
752101	5	3,000 LB	26-5/8"	3-1/2"	12"	25-1/4"	2"	9/16"	NYLON
752102	5	3,500 LB	26-1/8"	3"	11-3/16"	24-7/8"	2"	9/16"	NYLON
752103	7	4,000 LB	26-1/8"	3"	11-3/16"	24-7/8"	2"	9/16"	NYLON
752104	6	4,000 LB	29-1/2"	3-1/2"	13-1/2"	27-1/2"	2"	9/16"	NYLON

DOUBLE EYE SPRINGS



#752105

Item No.	# of leaves	Capacity	A	B	C	Width	EYE Dia	Bushing
752105	4	1,750 LB	25-1/4"	3"	12-5/8"	1-3/4"	9/16"	NYLON
752106	4	2,400 LB	25-1/4"	3"	12-5/8"	1-3/4"	9/16"	NYLON
752107	5	2,900 LB	25-1/4"	3"	12-5/8"	1-3/4"	9/16"	NYLON
752108	6	3,500 LB	24-7/8"	3"	12-5/8"	1-3/4"	9/16"	NYLON

SEALS

Item No.	Type	Spindle	I.D	O.D
752204	Double Lip	BT8	1.250"	1.983"
752205	Double Lip	BT16	1.50"	1.987"
752206	Double Lip	#84	1.719"	2.565"
752207	Double Lip	D42	2.125"	3.375"
752208	Double Lip	#42	2.250"	3.376"
752209	Unitized	#99	2.750"	3.784"
752210	Unitized	D10GD	2.875"	3.880"
752211	Unitized	D10	3.125"	4.506"
752212	Unitized	#120	3.125"	4.50"



#752204

SPINDLES HARDWARES



#752508



#752509



#752510

Item No.	Item	Description	Size
752508	Spindle Nut	Castelated 6 Slot	0.75"-16
752509	Cotter Pin	2,000-8,000 LB Axles	0.125"x2"
752510	Spindle Washer	Plain	1"
752511	Spindle Washer	"D"	0.875"
752512	Spindle Washer	"D" Folding Tang	1"

BEARINGS AND RACES



#752213




#752214

Bearing Item No.	Race Item No.	Spindle	Bearing I.D.	Race O.D.
752213	752222	BT8	1"	1.98"
752214	752222	BT8/BT16/#84 Outer	1.063"	1.98"
752215	752223	#42	1.25"	2.328"
752216	752224	#42	1.25"	2.441"
752217	752225	#42	1.25"	2.717"
752218	752226	#42	1.25"	2.688"
752219	752227	#84	1.378"	2.632"
752220	752228	#42	1.75"	3.265"
752221	752229	#120/#160	1.9685"	3.5433"

SPINDLES

- Spindle assemblies include the spindle, castle nut, washer, and cotter pin. Most sizes are available with Posi-Lube and Brake Flange as options.



#752501

Item No.	Type	Capacity	A	B	C	Inner bearing	Outer Bearing	Seal Area
752501	BT8	1,000 LB	1.25"	3.5"	8.25"	1"	1"	1.25"
752502	BT16	1,100 LB	1.25"	3.5"	8.25"	1.063"	1.063"	1.5"
752503	#84	1,750 LB	1.75"	3.5"	8.25"	1.375"	1.063"	1.72"
752504	#84	1,750 LB	1.75"	6"	10.75"	1.375"	1.063"	1.72"
752505	#84	1,750 LB	1.75"	3.5"	8.25"	1.375"	1.063"	1.72"
752506	#42	3,000 LB	2"	6"	11"	1.75"	1.25"	2.25"
752507	#42	3,000 LB	2.25"	6"	11"	1.75"	1.25"	2.25"

END UNITS

- End units are used extensively in the marine industry. They are available in numerous configurations—straight or drop with electric, hydraulic or hydraulic disc brakes. All end units are assembled, lubed and ready for mounting on your axle tube.

Item No.	Capacity	Spindle	Bolt Circle	Lube
752201	1,000 LB	752502	440	Plain
752202	1,750 LB	752503	545	Plain



#752201

GREASE CAPS

Item No.	Type	Size
752230	Galvanized	1.98"
752231	Posi-Lube, Galvanized	1.98"
752232	Galvanized	2.44"
752233	Posi-Lube, Galvanized	2.44"
752234	Galvanized	2.717"
752235	Posi-Lube, Galvanized	2.717"
752236	Posi-Lube, Rubber Plug	n/a



#752230



#752236

WHEEL ATTACHING HARDWARE

Item No.	Type	Size
752237	60 Degree Cone Nut	.5"-20
752238	60 Degree Cone Nut	.5625"-18




#752237

HANGER KITS

• Ensure you have all the parts needed to hang spring axles on your frame.

SINGLE AXLE HANGER KITS WITH DOUBLE EYE SPRINGS


Item No	Hanger Top To Bolt C/L			Strap C/L	Application
	Front	Center	Rear		
715001	1.75"	/	0.91"	3.125"	2,000-3,500 LB



#715001

TANDEM AXLE HANGER KITS WITH DOUBLE EYE SPRINGS


Item No	Hanger Top To Bolt C/L			Strap C/L	Application
	Front	Center	Rear		
715002	1.75"	3.25"	1.75"	3.125"	2,000-7,000 LB
715003	3.25"	3.25"	3.25"	3.125"	3,500-7,000 LB
715004	3.25"	3.25"	3.25"	2.625"	3,500-7,000 LB



#715002


TANDEM AXLE HANGER KITS WITH SLIPPER SPRINGS

Item No	Hanger Top To Bolt C/L			Strap C/L	Application
	Front	Center	Rear		
715005	3.5"	3.5"	5"	2"	3,500-7,000 LB Wet Center




#715005

EQUALIZER BARS



#715006




#715007

Item No.	Type	Dimension						Finish
		A	B	C	D	E	F	
715006	Double eye Spring	7.75"	3.875"	0.5625"	0.5625"	2.875"	/	Raw
715007	Slipper Spring	12"	4.75"	4.625"	0.5625"	/	0.375"	Raw

SHACKLE STRAPS

• Stocked in various length and finishes, shackle strap are usually the first suspension component needing replacement.



Item No.	Material	Dimension				
		A	B	C	D	E
715008	Raw	2.625"	3.75"	.62"	.23"	1.25"
715009	Raw	3.125"	4.375"	.62"	.23"	1.25"



#715008򮤁

SPRING HANGERS

- From weld-on to bolt-on hangers, we stock a wide variety of configurations.





#715010&11&12&13



#715014



#715015



#715010

Item No.	Spring Width	Application	Dimension						Finish
			A	B	C	D	E	F	
715010	1.75"	Rear sngle	1.5"	2.312"	n/a	0.1875"	3"	0.5625"	Raw
715011	1.75"	Universal	1.25"	2"	1.875"	0.1875"	3"	0.5625"	Raw
715012	1.75"	Universal	3.25"	3.875"	1.875"	0.1875"	3"	0.5625"	Raw
715013	2"	Front	3.5"	4.375"	2.1875"	0.25"	4"	0.5625"	Raw
715014	2"	Rear	5"	6"	2.1875"	0.25"	4"	0.5625"	Raw
715015	2"	Center	3.375"	4.5"	3.125"	0.3125"	4"	0.875"	Raw

SUSPENSION BOLTS

- Bolts with zerks enable you to create "wet", grease lubricated suspension systems.

Item No	Description	Thread Dia	Length
715016	Shackle	0.5625"-18	3"
715017	Shackle	0.5625"-18	3.5"
715018	Equalizer,w/Zerk	0.875"-9	4.687"



#715016



#715018

SUSPENSION NUTS

- Lock nuts are used for hangers and attaching bolts.

Item No	Thread	Type	Finish
715019	0.5625"-15	Lock	Raw
715020	0.875"-9	Lock	Raw



#715019

STAKE POCKETS

- Stake pockets are for use on truck or flated trailers.
These stake pockets will accept standrad 2"x4" stakes.



#715021

Item No.	Description	Application
715021	3" Tall, 1.625"x3.5" Inner Diameter, 4 Ga.	Weld-on
715022	3" Tall, 1.625"x3.5" Inner Diameter, 7 Ga.	Weld-on

TRAILER DOLLY

- 600lbs Capacity
- 1-7/8in Chrome hitch ball
- Pneumatic tires cushion the load and provide smooth maneuverability
- Supports up to 600lbs for easy maneuverability of utility,boat, cargo,jet-ski and other small trailers



#750000

Item No.	Capacity	Hitch ball Size	Dia. shank	Pneumatic tires Size	Tires Size
750000	600lbs	1-7/8in Chrome	3/4in	10-1/2in*3-3/8in	10-1/2in*3-3/8in

SPARE TIRE CARRIER

- Suitable for 4 or 5 hole rims
- In a high quality
- Heavy 7/16" U-bolt secures tire on trailer tongue or frame up to 3"
- Will fit 8" through 14" and 15" wheels
- This kit contains:1pc 7/16"*8-3/8" formed
- U-bolt and 2pcs 7/16" - 20 wheel nuts



#710004

HI-MOUNT SPARE TIRE CARRIER

- Heavy-duty welded & reinforced steel plate construction
- Side offset allows for mounting away from trailer
- Offset height raises tire to provide adequate ground clearance
- Adequate bolt circle to fit both 4 lug and 5 lug wheels



#710011



#715202

FULL SIZE ADJUSTABLE TRUCK RACK

- Type: Full size
- Max. Load Capacity: 1000 lb
- Overall Length: 138 in.
- Overall Width: 60 in.
- Overall Height: 34 in.
- Black powder coated
- Item No.: #715200



#715200

250 LB TRUCK LADDER RACK

- Max. Load Capacity: 250 lb
- Size: Adjustable width from 20 to 28 in.
- Material: Steel
- Black powder coated
- Item No.: #715201



CAB RACK 500LBS CAPACITY

- Max. load capacity: 500 lb
- Fits most truck bed rails
- Foot plates: 13-3/4 in. L
- Black powder coated
- Hardware included



#7150202

EXTEND-A-TRUCK 2 IN 1 COMBINATION LOAD SUPPORT

- For using with any pick up or sport utility with a 2" insertion hitch
- One model fits all trucks
- Install in seconds, remove in seconds
- Adjustable height
- Store flat



#715003

WHEEL CLAMP

- Simple ratchet action makes protection quick and easy
- Fully lockable and supplied with two keys
- 740mm max. clamp dia, 540mm min. clamp dia, 220mm max. tyre width



702808C

- Fully lockable and supplied with two keys
- No need to touch tire when installing or removing so hands remain clean
- Plastic-sleeved claws will not damage alloys



702808B



Tipper Latch

- Make for an easy release mechanism for light utility and boat trailer
- It's the ideal release system for "tilt type" trailers.

Item No.	Description
760101	Tipper Latch



#760101

Rubber Bumper

- Be used as cushions for handles, door stops or dock bumpers.

Item No.	Outer Dia	Height	Mounting Hole
760102	2.5"	1"	0.375"



#760102

Torx Floor Screw

- An easy and cost-effective way to secure wood flooring to trailers.

Item No.	Length	Diamater
760103	2.25"	0.25"



#760103

MESH TARP & HARDWARE KIT

- Kit Includes:
 1. Standard Roller Kit
 2. 12 oz. Mesh Tarp
 3. Hardware Kit
 4. 20 ft. Pull Rope

Item No.	Description	Weight
760104	6-1/2' x 18'	25.00 LB
760105	7' x 18' Mesh Tarp & Hardware Kit	30.25 LB
760106	7' x 20' Mesh Tarp & Hardware Kit	34 LB
760107	7-1/2' x 18' Mesh Tarp & Hardware Kit	31 LB



#760104

Tarp Kit Options & Accessories

Item No.	Description	Weight
760108	Rear Anti-sail Tarp Retention Bow Set, Universal	14 LB



#760108

