

ACCREDITED REFERENCE MATERIAL (GA ARM) : CATALOGUE

ACCREDITED TO ISO 17034 : General requirements for the competence of reference material producers.

(Available in 250g units, except GA ARM048, GA ARM 062 which is in 50g units,) (GA ARM042 onwards available in 200g units)

LIST OF SPECIFICATIONS FOR GENERAL ANALYSIS SAMPLES-Version 19/02/2025

PULVERISED COAL LESS THAN 212 μ m, < 60 MESH (DRY BASE RESULTS)

PRODUCT	ISO ASH%	ISO VOLATILES (%)	CALORIFIC VALUE (MJ/Kg)	TOTAL SULPHUR (%)	PHOSPHORUS IN COAL (%)	TOTAL CARBON (%)	HYDROGEN (%)	NITROGEN (%)	AFT (REDUCING) DEFORMATION (°C)	AFT (REDUCING) SOFTENING (°C)	AFT (REDUCING) HEMISPHERE (°C)	AFT (REDUCING) FLOW (°C)
GA -ARM 019	64.11	10.30	9.55	3.02	-	-	-	-	-	-	-	-
GA -ARM025	-	-	-	0.59	0.036	-	-	-	-	-	-	-
GA -ARM026	-	-	-	2.10	-	-	-	-	-	-	-	-
GA- ARM 027	-	-	-	0.82	0.015	-	-	-	1350	1375	1405	1430
GA -ARM028	-	-	-	0.94	-	-	-	-	1228	1253	1277	1325
GA ARM029	-	-	-	2.24	-	-	-	-	-	-	-	-
GA- ARM030	-	-	-	1.34	-	-	-	-	1383	1418	1446	1488
GA -ARM034	-	-	-	0.74	-	-	-	-	-	-	-	-
GA- ARM036	13.18	10.03	29.70	2.23	0.091	-	-	-	-	-	-	-
GA- ARM038	15.05	23.53	28.06	0.76	0.079	-	-	-	-	-	-	-

PRODUCT	ISO ASH%	ISO VOLATILES (%)	CALORIFIC VALUE (MJ/Kg)	TOTAL SULPHUR (%)	PHOSPHORUS IN COAL (%)	TOTAL CARBON (%)	HYDROGEN (%)	NITROGEN (%)	AFT (REDUCING) DEFORMATION (°C)	AFT (REDUCING) SOFTENING (°C)	AFT (REDUCING) HEMISPHERE (°C)	AFT (REDUCING) FLOW (°C)
GA-ARM 063	19.39	33.15	27.33	1.21	0.016	66.74	4.48	1.45	1230	1300	1320	1356
GA -ARM 064	35.55	24.92	19.93	1.56	0.057	50.38	3.25	1.13	1340	1370	1400	1450
GA-ARM 065	23.27	24.64	24.24	0.62	0.050	62.82	3.46	1.50	1370	1395	1420	1458

PRODUCT	ASTM ASH%	ASTM VOLATILES (%)	Chlorine	FLUORINE
GA- ARM039	14.65	18.57	-	-
GA- ARM042	40.90	21.75	-	-
GA- ARM046	16.65	20.44	-	142
GA- ARM048	5.03	2.94	607	58
GA- ARM 049	25.23	19.02	136	153
GA- ARM050	13.04	27.28	-	295
GA- ARM053	14.38	-	-	-
GA- ARM 054	22.72	26.05	-	-
GA- ARM 056	33.46	20.40	-	-
GA- ARM 058	15.70	29.03	-	-
GA- ARM 060	19.35	21.19	-	-
GA- ARM 064	35.49	25.46	-	-

**ASTM Ash, Volatile matter and Quick ash not accredited

**Chlorine /Florine not accredited, and values are indicative

Accredited Benzoic acid pellets, traceable to NIST

**Available in 1g and 0.5g weights
100 pills per bottle.**

CONTACT DETAILS

Mail: ravi@coalconcepts.co.za

Phone: +27 35 751 2446 Mobile: +27 83 6500 151

Unit 10, 81 Ceramic Curve , Richards Bay, KZN , South Africa