



Demographic Information

Call Name	Hazel
Registered Name	
Breed	Poodle
Sex	Female
Owner	Jill Warner
DOB	February 17, 2020
Registration Number	
Tattoo	
Microchip	
Laboratory #	345996 (AN-20-002076)
Report Date	May 21, 2020

These tests were developed and performed by Paw Print Genetics®, Lincoln, NE.

Explanation of Results

Normal	A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.
Carrier	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.
Carrier / At-Risk	A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.
At-Risk / Affected	An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.
No Result	'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result.

Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. An acceptable level of tests with no results has been determined by Paw Print Genetics. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

Please review our [testing terms and disclaimers](#) regarding your results.

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Breed Profile

Disease Name	Geno.	Interpretation
--------------	-------	----------------

Congenital Methemoglobinemia	WT/WT	Normal (clear)
--	-------	----------------

Degenerative Myelopathy	WT/WT	Normal (Clear)
---	-------	----------------

Degenerative Myelopathy (Bernese Mountain Dog Variant)	0	
Degenerative Myelopathy (Common Variant)	0	

Ehlers-Danlos Syndrome (Poodle Type, Variants 1 and 2)	WT/WT	Normal (Clear)
--	-------	----------------

Ehlers-Danlos Syndrome (Poodle Type), Variant 1	0	
Ehlers-Danlos Syndrome (Poodle Type), Variant 2	0	

GM2 Gangliosidosis (Poodle Type)	WT/WT	Normal (clear)
--	-------	----------------

Hereditary Cataracts	WT/WT	Normal (clear)
--------------------------------------	-------	----------------

Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD)	WT/WT	Normal (clear)
---	-------	----------------

Multidrug Resistance 1	WT/WT	Normal (clear)
--	-------	----------------

Neonatal Encephalopathy with Seizures	WT/WT	Normal (clear)
---	-------	----------------

Osteochondrodysplasia	WT/WT	Normal (clear)
---------------------------------------	-------	----------------

Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)	WT/WT	Normal (clear)
---	-------	----------------

Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT	Normal (clear)
---	-------	----------------

Von Willebrand Disease I	WT/WT	Normal (clear)
--	-------	----------------

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Coat Colors & Traits

Trait Name	Geno.	Interpretation
------------	-------	----------------

A Locus (Agouti).	a ^t /a ^t	Tricolor, black and tan												
A^s Locus (Saddle Tan).	N/A ^s	Saddle tan/creeping tan (non saddle tan carrier)												
B Locus (Brown) - b^a, b^c, b^d, b^s	B/b	Black coat, nose and foot pads (carries brown)												
<table border="1"> <tr> <td>B Locus (Brown) - b^a</td> <td>0</td> <td></td> </tr> <tr> <td>B Locus (Brown) - b^c</td> <td>0</td> <td></td> </tr> <tr> <td>B Locus (Brown) - b^d</td> <td>0</td> <td></td> </tr> <tr> <td>B Locus (Brown) - b^s</td> <td>1</td> <td></td> </tr> </table>			B Locus (Brown) - b ^a	0		B Locus (Brown) - b ^c	0		B Locus (Brown) - b ^d	0		B Locus (Brown) - b ^s	1	
B Locus (Brown) - b ^a	0													
B Locus (Brown) - b ^c	0													
B Locus (Brown) - b ^d	0													
B Locus (Brown) - b ^s	1													
Brachycephaly.	BR/BR	Likely medium to long muzzle												
Chondrodysplasia (CDPA).	cd/cd	Likely typical leg length												
Cu Locus (Curly Hair).	Cu ^C /Cu ^C	Curly coat												
D Locus (Dilute) - d¹, d²	D/D	Non dilute												
<table border="1"> <tr> <td>D Locus (Dilute) - d¹</td> <td>0</td> <td></td> </tr> <tr> <td>D Locus (Dilute) - d²</td> <td>0</td> <td></td> </tr> </table>			D Locus (Dilute) - d ¹	0		D Locus (Dilute) - d ²	0							
D Locus (Dilute) - d ¹	0													
D Locus (Dilute) - d ²	0													
E Locus (Yellow/Red).	e/e	Yellow/red												
E^g Locus (Grizzle, Afghan Hound Type).	N/N	No grizzle												
E^h Locus (Sable, Cocker Spaniel Type).	N/N	No sable												
E^m Locus (Melanistic Mask).	N/N	No melanistic mask												
H Locus (Harlequin, Great Dane Type).	h/h	No harlequin												
Hr Locus (FOX13 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type).	hr/hr	Coated												
I Locus (Intensity).	I/i	Normal intensity (carrier)												
IC Locus (Improper Coat/Furnishings).	F/F	Furnishings												
K Locus (Dominant Black).	K ^B /K ^B	No agouti expression allowed												
L Locus (Long Hair/Fluffy) - Lh¹, Lh²	Lh/Lh	Longhaired												
<table border="1"> <tr> <td>L Locus (Long Hair/Fluffy) - Lh¹</td> <td>2</td> <td></td> </tr> <tr> <td>L Locus (Long Hair/Fluffy) - Lh²</td> <td>0</td> <td></td> </tr> </table>			L Locus (Long Hair/Fluffy) - Lh ¹	2		L Locus (Long Hair/Fluffy) - Lh ²	0							
L Locus (Long Hair/Fluffy) - Lh ¹	2													
L Locus (Long Hair/Fluffy) - Lh ²	0													
M Locus (Merle).	m/m	Non merle												
Polydactyly (Common Variant).	pd/pd	Normal (typical) toes (likely no hind dewclaws)												
S Locus (White Spotting, Parti, or Piebald).	S/S	No white spotting, flash, parti, or piebald												

SD Locus (Shedding)	SD/SD	High shedding
Sex Determination	X/X	Female
T Locus (Natural Bobtail)	t/t	Normal tail

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Diseases

Disease Name	Geno.	Interpretation
Acral Mutilation Syndrome	WT/WT	Normal (clear)
Acute Respiratory Distress Syndrome	WT/WT	Normal (clear)
Adult Paroxysmal Dyskinesia	WT/WT	Normal (clear)
Alaskan Husky Encephalopathy	WT/WT	Normal (clear)
Alaskan Malamute Polyneuropathy	WT/WT	Normal (clear)
Amelogenesis Imperfecta (Italian Greyhound Type)	WT/WT	Normal (clear)
Benign Familial Juvenile Epilepsy	WT/WT	Normal (clear)
Canine Multiple System Degeneration (Chinese Crested Type)	WT/WT	Normal (clear)
Canine Multiple System Degeneration (Kerry Blue Terrier Type)	WT/WT	Normal (clear)
Canine Scott Syndrome	WT/WT	Normal (clear)
Catalase Deficiency	WT/WT	Normal (clear)
Centronuclear Myopathy	WT/WT	Normal (clear)
Cerebellar Ataxia (Finnish Hound Type)	WT/WT	Normal (clear)
Cerebellar Cortical Degeneration	WT/WT	Normal (clear)
Cerebellar Degeneration	WT/WT	Normal (clear)
Chondrodysplasia (Karelian Bear Dog and Norwegian Elkhound Type)	WT/WT	Normal (clear)
Cleft Palate and Syndactyly (Nova Scotia Duck Tolling Retriever Type)	WT/WT	Normal (clear)
Coagulation Factor VII Deficiency	WT/WT	Normal (clear)
Collie Eye Anomaly	WT/WT	Normal (clear)

Complement 3 Deficiency	WT/WT	Normal (clear)						
Cone Degeneration	WT/WT	Normal (clear)						
Cone Degeneration (German Shepherd Dog Type)	WT/WT	Normal (clear)						
Cone Degeneration (German Shorthaired Pointer Type)	WT/WT	Normal (clear)						
Cone Degeneration (Labrador Retriever Type)	WT/WT	Normal (clear)						
Congenital Hypothyroidism with Goiter (Terrier Type)	WT/WT	Normal (clear)						
Congenital Methemoglobinemia	WT/WT	Normal (clear)						
Congenital Myasthenic Syndrome (Jack Russell Terrier Type)	WT/WT	Normal (clear)						
Congenital Myasthenic Syndrome (Labrador Retriever Type)	WT/WT	Normal (clear)						
Congenital Myasthenic Syndrome (Old Danish Pointer Type)	WT/WT	Normal (clear)						
Congenital Stationary Night Blindness	WT/WT	Normal (clear)						
Cranio-mandibular Osteopathy	WT/WT	Normal (clear)						
Cyclic Neutropenia	WT/WT	Normal (clear)						
Cystinuria (Australian Cattle Dog Type)	WT/WT	Normal (clear)						
Cystinuria (Labrador Retriever Type)	WT/WT	Normal (clear)						
Cystinuria (Miniature Pinscher Type)	WT/WT	Normal (clear)						
Cystinuria (Newfoundland Type)	WT/WT	Normal (clear)						
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 3)	WT/WT	Normal (clear)						
Cystinuria Type 3 (Bulldog Type Risk Factor, Variants 1 and 2)	WT/WT	Normal (Clear)						
<table border="1"> <tr> <td>Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)</td> <td>0</td> <td></td> </tr> <tr> <td>Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)</td> <td>0</td> <td></td> </tr> </table>			Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0		Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0	
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0							
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0							
Dandy-Walker-Like Malformation	WT/WT	Normal (clear)						
Degenerative Myelopathy	WT/WT	Normal (Clear)						
<table border="1"> <tr> <td>Degenerative Myelopathy (Bernese Mountain Dog Variant)</td> <td>0</td> <td></td> </tr> <tr> <td>Degenerative Myelopathy (Common Variant)</td> <td>0</td> <td></td> </tr> </table>			Degenerative Myelopathy (Bernese Mountain Dog Variant)	0		Degenerative Myelopathy (Common Variant)	0	
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0							
Degenerative Myelopathy (Common Variant)	0							
Degenerative Myelopathy Early-Onset Risk Modifier (Pembroke Welsh Corgi Type)	WT/WT	Normal (clear)						
Dental Hypomineralization	WT/WT	Normal (clear)						

Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis	WT/WT	Normal (clear)						
Dilated Cardiomyopathy_(Doberman Pinscher Type Risk Factor, Variant 1).	WT/WT	Normal (clear)						
Dilated Cardiomyopathy_(Doberman Pinscher Type Risk Factor, Variant 2).	WT/WT	Normal (clear)						
Dilated Cardiomyopathy_(Schnauzer Type).	WT/WT	Normal (clear)						
Dry Eye Curly Coat Syndrome	WT/WT	Normal (clear)						
Dystrophic Epidermolysis Bullosa_(Golden Retriever Type).	WT/WT	Normal (clear)						
Early Retinal Degeneration	WT/WT	Normal (clear)						
Ectodermal Dysplasia_(Chesapeake Bay Retriever Type).	WT/WT	Normal (clear)						
Ectodermal Dysplasia, X-Linked_(Dachshund Type).	WT/WT	X-Linked Female Normal						
Ectodermal Dysplasia, X-Linked_(Shepherd Type).	WT/WT	X-Linked Female Normal						
Ehlers-Danlos Syndrome (Poodle Type, Variants 1 and 2).	WT/WT	Normal (Clear)						
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Ehlers-Danlos Syndrome (Poodle Type), Variant 1</td> <td style="width: 20%; text-align: center;">0</td> <td style="width: 30%;"></td> </tr> <tr> <td>Ehlers-Danlos Syndrome (Poodle Type), Variant 2</td> <td style="text-align: center;">0</td> <td></td> </tr> </table>			Ehlers-Danlos Syndrome (Poodle Type), Variant 1	0		Ehlers-Danlos Syndrome (Poodle Type), Variant 2	0	
Ehlers-Danlos Syndrome (Poodle Type), Variant 1	0							
Ehlers-Danlos Syndrome (Poodle Type), Variant 2	0							
Elliptocytosis	WT/WT	Normal (clear)						
Epidermolytic Hyperkeratosis	WT/WT	Normal (clear)						
Episodic Falling Syndrome	WT/WT	Normal (clear)						
Exercise-Induced Collapse	WT/WT	Normal (clear)						
Factor XI Deficiency.	WT/WT	Normal (clear)						
Familial Nephropathy_(Cocker Spaniel Type).	WT/WT	Normal (clear)						
Familial Nephropathy_(English Springer Spaniel Type).	WT/WT	Normal (clear)						
Fucosidosis	WT/WT	Normal (clear)						
Gallbladder Mucoceles	WT/WT	Normal (clear)						
Glanzmann's Thrombasthenia_(Great Pyrenees Type).	WT/WT	Normal (clear)						
Glanzmann's Thrombasthenia_(Otterhound Type).	WT/WT	Normal (clear)						
Glaucoma_(Border Collie Type).	WT/WT	Normal (clear)						
Globoid Cell Leukodystrophy_(Irish Setter Type).	WT/WT	Normal (clear)						
Globoid Cell Leukodystrophy_(Terrier Type).	WT/WT	Normal (clear)						
Glycogen Storage Disease Ia	WT/WT	Normal (clear)						

Glycogen Storage Disease IIIa	WT/WT	Normal (clear)
Glycogen Storage Disease VII (Wachtelhund Type)	WT/WT	Normal (clear)
Glycogen Storage Disease VII, PFK Deficiency	WT/WT	Normal (clear)
GM1 Gangliosidosis (Alaskan Husky Type)	WT/WT	Normal (clear)
GM1 Gangliosidosis (Portuguese Water Dog Type)	WT/WT	Normal (clear)
GM1 Gangliosidosis (Shiba Inu Type)	WT/WT	Normal (clear)
GM2 Gangliosidosis (Japanese Chin Type)	WT/WT	Normal (clear)
GM2 Gangliosidosis (Poodle Type)	WT/WT	Normal (clear)
Greyhound Polyneuropathy	WT/WT	Normal (clear)
Hemophilia A (Boxer Type)	WT/WT	X-Linked Female Normal
Hemophilia A (German Shepherd Dog, Type 1)	WT/WT	X-Linked Female Normal
Hemophilia A (German Shepherd Dog, Type 2)	WT/WT	X-Linked Female Normal
Hemophilia B (Cairn Terrier Type)	WT/WT	X-Linked Female Normal
Hemophilia B (Lhasa Apso Type)	WT/WT	X-Linked Female Normal
Hemophilia B (Rhodesian Ridgeback Type)	WT/WT	X-Linked Female Normal
Hereditary Cataracts (Australian Shepherd Type)	WT/WT	Normal (clear)
Hereditary Cataracts	WT/WT	Normal (clear)
Hereditary Footpad Hyperkeratosis (Irish Terrier and Kromfohländer Type)	WT/WT	Normal (clear)
Hereditary Nasal Parakeratosis (Greyhound Type)	WT/WT	Normal (clear)
Hereditary Nasal Parakeratosis (Labrador Retriever Type)	WT/WT	Normal (clear)
Hereditary Nephritis (Samoyed Type)	WT/WT	X-Linked Female Normal
Hyperuricosuria	WT/WT	Normal (clear)
Hypomyelination (Weimaraner Type)	WT/WT	Normal (clear)
Ichthyosis (American Bulldog Type)	WT/WT	Normal (clear)
Ichthyosis (Golden Retriever Type 1)	WT/WT	Normal (clear)
Ichthyosis (Great Dane Type)	WT/WT	Normal (clear)
Inherited Myopathy of Great Danes	WT/WT	Normal (clear)
Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD)	WT/WT	Normal (clear)
Intestinal Cobalamin Malabsorption (Beagle Type)	WT/WT	Normal (clear)

Intestinal Cobalamin Malabsorption (Border Collie Type).	WT/WT	Normal (clear)
Juvenile Laryngeal Paralysis and Polyneuropathy (Black Russian Terrier Type).	WT/WT	Normal (clear)
Juvenile Myoclonic Epilepsy (Rhodesian Ridgeback Type).	WT/WT	Normal (clear)
L-2-Hydroxyglutaric Aciduria (Staffordshire Bull Terrier Type).	WT/WT	Normal (clear)
Lagotto Storage Disorder	WT/WT	Normal (clear)
Late Onset Ataxia	WT/WT	Normal (clear)
Lethal Acrodermatitis	WT/WT	Normal (clear)
Leukocyte Adhesion Deficiency, Type I	WT/WT	Normal (clear)
Leukocyte Adhesion Deficiency, Type III	WT/WT	Normal (clear)
Ligneous Membranitis	WT/WT	Normal (clear)
Lundehund Syndrome	WT/WT	Normal (clear)
Macular Corneal Dystrophy (Labrador Retriever Type).	WT/WT	Normal (clear)
May-Hegglin Anomaly.	WT/WT	Normal (clear)
Mucopolysaccharidosis I (Plott Hound Type).	WT/WT	Normal (clear)
Mucopolysaccharidosis IIIA (Dachshund Type).	WT/WT	Normal (clear)
Mucopolysaccharidosis IIIA (New Zealand Huntaway Type).	WT/WT	Normal (clear)
Mucopolysaccharidosis VII (Shepherd Type).	WT/WT	Normal (clear)
Multidrug Resistance 1	WT/WT	Normal (clear)
Multifocal Retinopathy 1	WT/WT	Normal (clear)
Multifocal Retinopathy 2	WT/WT	Normal (clear)
Multifocal Retinopathy 3	WT/WT	Normal (clear)
Muscular Dystrophy (Golden Retriever Type).	WT/WT	X-Linked Female Normal
Musladin-Lueke Syndrome	WT/WT	Normal (clear)
Myostatin Deficiency (Whippet Type).	WT/WT	Normal (clear)
Myotonia Congenita (Australian Cattle Dog Type).	WT/WT	Normal (clear)
Myotonia Congenita (Schnauzer Type).	WT/WT	Normal (clear)
Myotubular Myopathy 1 (Labrador Retriever Type).	WT/WT	X-Linked Female Normal
Myotubular Myopathy 1 (Rottweiler Type).	WT/WT	X-Linked Female Normal

Narcolepsy_(Dachshund_Type).	WT/WT	Normal (clear)
Narcolepsy_(Doberman_Pinscher_Type).	WT/WT	Normal (clear)
Narcolepsy_(Labrador_Retriever_Type).	WT/WT	Normal (clear)
Neonatal_Cerebellar_Cortical_Degeneration	WT/WT	Normal (clear)
Neonatal_Encephalopathy_with_Seizures	WT/WT	Normal (clear)
Neuroaxonal_Dystrophy_(Rottweiler_Type).	WT/WT	Normal (clear)
Neuroaxonal_Dystrophy_(Spanish_Water_Dog_Type).	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_(Tibetan_Terrier_Type).	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_1_(Cane_Corso_Type).	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_1	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_10	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_12	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_2	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_4A	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_5_(Golden_Retriever_Type).	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_5_(Herding_Dog_Type).	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_6	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_7	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_8_(Australian_Shepherd_Type).	WT/WT	Normal (clear)
Neuronal_Ceroid_Lipofuscinosis_8_(Setter_Type).	WT/WT	Normal (clear)
Oculocutaneous_Albinism_(Doberman_Pinscher_Type).	WT/WT	Normal (clear)
Oculocutaneous_Albinism_(Small_Breed_Type).	WT/WT	Normal (clear)
Osteochondrodysplasia	WT/WT	Normal (clear)
Osteogenesis_Imperfecta_(Beagle_Type).	WT/WT	Normal (clear)
Osteogenesis_Imperfecta_(Dachshund_Type).	No Result	No Result
Osteogenesis_Imperfecta_(Golden_Retriever_Type).	WT/WT	Normal (clear)
P2RY12_Receptor_Platelet_Disorder	WT/WT	Normal (clear)
Pembroke_Welsh_Corgi_Duchenne_Muscular_Dystrophy.	WT/WT	X-Linked Female Normal
Persistent_Müllerian_Duct_Syndrome	WT/WT	Normal (clear)

Polyneuropathy_(Leonberger_Type_1).	WT/WT	Normal (clear)
Polyneuropathy_(Leonberger_Type_2).	WT/WT	Normal (clear)
Polyneuropathy with Ocular Abnormalities and Neuronal Vacuolation	WT/WT	Normal (clear)
Pompe Disease	WT/WT	Normal (clear)
Prekallikrein Deficiency.	WT/WT	Normal (clear)
Primary Ciliary Dyskinesia (Old English Sheepdog Type).	WT/WT	Normal (clear)
Primary Hyperoxaluria	WT/WT	Normal (clear)
Primary Lens Luxation	WT/WT	Normal (clear)
Primary Open Angle Glaucoma (Basset Fauve de Bretagne Type).	WT/WT	Normal (clear)
Primary Open Angle Glaucoma (Basset Hound Type).	WT/WT	Normal (clear)
Primary Open Angle Glaucoma	WT/WT	Normal (clear)
Primary Open Angle Glaucoma (Norwegian Elkhound Type).	WT/WT	Normal (clear)
Primary Open Angle Glaucoma and Primary Lens Luxation (Shar Pei Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy_(Basenji_Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy_(Bullmastiff/Mastiff_Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy_(Giant Schnauzer_Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy_(Irish Setter_Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy_(Shetland Sheepdog Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy_(Sloughi_Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy (Dachshund Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 1 (American Staffordshire Terrier Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 2 (American Staffordshire Terrier Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 3 (Glen of Imaal Terrier Type).	WT/WT	Normal (clear)
Progressive Retinal Atrophy, Cone-Rod Dystrophy 4	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Generalized (Schapendoes Type).	WT/WT	Normal (clear)

Progressive Retinal Atrophy, Golden Retriever 1	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, Golden Retriever 2	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, PRA1 (Papillon Type)	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, PRA3 (Tibetan Terrier and Spaniel Type)	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, Rod-Cone Dysplasia 3	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT	Normal (clear)						
Progressive Retinal Atrophy, X-Linked 1 (Husky Type)	WT/WT	X-Linked Female Normal						
Protein Losing Nephropathy	WT/WT, WT/WT	Normal (Clear) - No Increased Risk						
<table border="0" style="width: 100%;"> <tr> <td style="width: 50%;">Protein Losing Nephropathy (Variant 1)</td> <td style="width: 20%; text-align: center;">0</td> <td style="width: 30%;"></td> </tr> <tr> <td>Protein Losing Nephropathy (Variant 2)</td> <td style="text-align: center;">0</td> <td></td> </tr> </table>			Protein Losing Nephropathy (Variant 1)	0		Protein Losing Nephropathy (Variant 2)	0	
Protein Losing Nephropathy (Variant 1)	0							
Protein Losing Nephropathy (Variant 2)	0							
Pyruvate Dehydrogenase Deficiency	WT/WT	Normal (clear)						
Pyruvate Kinase Deficiency (Basenji Type)	WT/WT	Normal (clear)						
Pyruvate Kinase Deficiency (Beagle Type)	WT/WT	Normal (clear)						
Pyruvate Kinase Deficiency (Labrador Retriever Type)	WT/WT	Normal (clear)						
Pyruvate Kinase Deficiency (Pug Type)	WT/WT	Normal (clear)						
Pyruvate Kinase Deficiency (Terrier Type)	WT/WT	Normal (clear)						
Recurrent Inflammatory Pulmonary Disease	WT/WT	Normal (clear)						
Renal Cystadenocarcinoma and Nodular Dermatofibrosis	WT/WT	Normal (clear)						
Retinal Dysplasia/Oculoskeletal Dysplasia 1	WT/WT	Normal (clear)						
Retinal Dysplasia/Oculoskeletal Dysplasia 2	WT/WT	Normal (clear)						
Sensory Neuropathy (Border Collie Type)	WT/WT	Normal (Clear)						
Severe Combined Immunodeficiency Disease (Terrier Type)	WT/WT	Normal (clear)						
Severe Combined Immunodeficiency Disease (Wetterhoun Type)	WT/WT	Normal (clear)						
Severe Combined Immunodeficiency Disease, X-Linked (Basset Hound Type)	WT/WT	X-Linked Female Normal						
Severe Combined Immunodeficiency Disease, X-Linked (Corgi Type)	WT/WT	X-Linked Female Normal						

Shar-Pei Autoinflammatory Disease	WT/WT	Normal (clear)
Skeletal Dysplasia 2	WT/WT	Normal (clear)
Spinal Dysraphism	WT/WT	Normal (clear)
Spinocerebellar Ataxia (Terrier Type)	WT/WT	Normal (clear)
Spondylocostal Dysostosis	WT/WT	Normal (clear)
Stargardt Disease	WT/WT	Normal (clear)
Startle Disease	WT/WT	Normal (clear)
Thrombopathia (American Eskimo Dog Type)	WT/WT	Normal (clear)
Thrombopathia (Basset Hound Type)	WT/WT	Normal (clear)
Thrombopathia (Newfoundland Type)	WT/WT	Normal (clear)
Trapped Neutrophil Syndrome	WT/WT	Normal (clear)
Urolithiasis (Native American Indian Dog Type)	WT/WT	Normal (clear)
Van Den Ende-Gupta Syndrome	WT/WT	Normal (clear)
Von Willebrand Disease I	WT/WT	Normal (clear)
Von Willebrand Disease II	WT/WT	Normal (clear)
Von Willebrand Disease III (Kooikerhondje Type)	No Result	No Result
Von Willebrand Disease III (Scottish Terrier Type)	WT/WT	Normal (clear)
Von Willebrand Disease III (Shetland Sheepdog Type)	WT/WT	Normal (clear)

WT: wild type (normal) M: mutant Y: Y chromosome (male)



Helen F Smith, PhD

Associate Laboratory Director



Robert D. Westra, MS, DVM

Associate Medical Director

Canine HealthCheck® is a product of Paw Print Genetics®. This test was developed and its performance determined by Paw Print Genetics. This laboratory has established and verified the test's accuracy and precision with >99% sensitivity and specificity. The results included in this report relate only to the items tested using the sample provided. The presence of mosaicism may not be detected by this test. Non-paternity may lead to unexpected results. This is not a diagnostic test. This is not a breed identification test. Because all tests are DNA-based, rare genomic variations may interfere with the performance of some individual tests producing false results. If you think any results are in error, please contact the laboratory for further evaluation.