

## Concrete Opportunities - August 2025

“Right-click and choose ‘Open link in new tab’”

[Click Here For Project Information](#)

| Proposal | County     | Item  | Qty   | Unit | Work Description                                             |
|----------|------------|-------|-------|------|--------------------------------------------------------------|
| 608491   | District 3 | 431   | 1230  | SY   | HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE              |
| 608491   | District 3 | 440   | 92900 | LB   | CALCIUM CHLORIDE FOR ROADWAY DUST CONTROL                    |
| 612109   | District 2 | 504   | 2860  | FT   | GRANITE CURB TYPE VA4 - STRAIGHT                             |
| 612109   | District 2 | 504.1 | 50    | FT   | GRANITE CURB TYPE VA4 - CURVED                               |
| 612109   | District 2 | 504.2 | 7     | EA   | GRANITE CURB TYPE VA4 - SPLAYED END                          |
| 608491   | District 3 | 506   | 6250  | FT   | GRANITE CURB TYPE VB - STRAIGHT                              |
| 612109   | District 2 | 509   | 130   | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - STRAIGHT |
| 608491   | District 3 | 509   | 970   | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - STRAIGHT |
| 608491   | District 3 | 509.1 | 640   | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - CURVED   |

| Proposal | County     | Item  | Qty  | Unit | Work Description                                           |
|----------|------------|-------|------|------|------------------------------------------------------------|
| 612109   | District 2 | 509.1 | 10   | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - CURVED |
| 612109   | District 2 | 511.1 | 610  | FT   | GRANITE EDGING TYPE SB - STRAIGHT                          |
| 608491   | District 3 | 511.1 | 8240 | FT   | GRANITE EDGING TYPE SB - STRAIGHT                          |
| 612109   | District 2 | 512.1 | 50   | FT   | GRANITE EDGING TYPE SB (RADIUS 10 FEET OR LESS)            |
| 608491   | District 3 | 512.1 | 230  | FT   | GRANITE EDGING TYPE SB (RADIUS 10 FEET OR LESS)            |
| 612109   | District 2 | 514   | 5    | EA   | GRANITE CURB INLET - STRAIGHT                              |
| 608491   | District 3 | 514   | 113  | EA   | GRANITE CURB INLET - STRAIGHT                              |
| 608491   | District 3 | 515   | 2    | EA   | GRANITE CURB INLET - CURVED                                |
| 608491   | District 3 | 516   | 2    | EA   | GRANITE CURB CORNER TYPE A                                 |
| 612109   | District 2 | 580   | 185  | FT   | CURB REMOVED AND RESET                                     |
| 613791   | District 3 | 580   | 120  | FT   | CURB REMOVED AND RESET                                     |
| 608491   | District 3 | 580   | 4590 | FT   | CURB REMOVED AND RESET                                     |
| 612109   | District 2 | 581   | 1    | EA   | CURB INLET REMOVED AND RESET                               |

| Proposal | County     | Item   | Qty  | Unit | Work Description                                 |
|----------|------------|--------|------|------|--------------------------------------------------|
| 608491   | District 3 | 582    | 23   | EA   | CURB CORNER REMOVED AND RESET                    |
| 608491   | District 3 | 583    | 210  | FT   | EDGING REMOVED AND RESET                         |
| 612109   | District 2 | 583    | 4055 | FT   | EDGING REMOVED AND RESET                         |
| 608491   | District 3 | 594    | 4810 | FT   | CURB REMOVED AND DISCARDED                       |
| 612109   | District 2 | 594    | 55   | FT   | CURB REMOVED AND DISCARDED                       |
| 608491   | District 3 | 595    | 45   | EA   | CURB INLET REMOVED AND DISCARDED                 |
| 612109   | District 2 | 595    | 7    | EA   | CURB INLET REMOVED AND DISCARDED                 |
| 608491   | District 3 | 596    | 14   | EA   | CURB CORNER REMOVED AND DISCARDED                |
| 612109   | District 2 | 596    | 1    | EA   | CURB CORNER REMOVED AND DISCARDED                |
| 612109   | District 2 | 597    | 660  | FT   | EDGING REMOVED AND DISCARDED                     |
| 608491   | District 3 | 597    | 1570 | FT   | EDGING REMOVED AND DISCARDED                     |
| 608491   | District 3 | 685    | 140  | CY   | STONE MASONRY WALL IN CEMENT MORTAR              |
| 608491   | District 3 | 690.01 | 900  | FT   | HISTORIC STONE MASONRY WALLS REMOVED AND REBUILT |

| Proposal | County     | Item   | Qty  | Unit | Work Description                                             |
|----------|------------|--------|------|------|--------------------------------------------------------------|
| 608491   | District 3 | 690.11 | 460  | FT   | STONE MASONRY WALL REMOVED AND DISPOSED                      |
| 608491   | District 3 | 690.12 | 160  | SF   | FLAGSTONE LANDSCAPE WALL REMOVED AND REBUILT                 |
| 608491   | District 3 | 690.13 | 20   | FT   | FLAGSTONE LANDSCAPE WALL REMOVED AND STACKED                 |
| 608491   | District 3 | 691.01 | 30   | FT   | HISTORIC MORTARED STONE RETAINING WALLS<br>REMOVED AND RESET |
| 608491   | District 3 | 691.2  | 180  | FT   | HISTORIC STONE BALANCE WALLS REMOVED AND<br>RESET            |
| 608491   | District 3 | 701    | 2640 | SY   | CEMENT CONCRETE SIDEWALK                                     |
| 612109   | District 2 | 701    | 3640 | SY   | CEMENT CONCRETE SIDEWALK                                     |
| 608491   | District 3 | 903    | 10   | CY   | 3000 PSI- 1.5 INCH- 470 CEMENT CONCRETE                      |
| 608491   | District 3 | 904.3  | 110  | CY   | 5000 PSI- 3/4 INCH- 685 HP CEMENT CONCRETE                   |
| 613782   | District 4 | 905    | 40   | CY   | 4000 PSI- 3/8 INCH- 660 CEMENT CONCRETE                      |
| 613791   | District 3 | 905    | 40   | CY   | 4000 PSI- 3/8 INCH- 660 CEMENT CONCRETE                      |
| 613782   | District 4 | 909.2  | 420  | SF   | CEMENTITIOUS MORTAR FOR PATCHING                             |

| Proposal | County     | Item  | Qty | Unit | Work Description                                              |
|----------|------------|-------|-----|------|---------------------------------------------------------------|
| 613791   | District 3 | 909.2 | 40  | SF   | CEMENTITIOUS MORTAR FOR PATCHING                              |
| 613779   | District 4 | 909.3 | 200 | CY   | RAPID SETTING LOW PERMEABILITY CONCRETE                       |
| 613791   | District 3 | 909.3 | 68  | CY   | RAPID SETTING LOW PERMEABILITY CONCRETE                       |
| 613779   | District 4 | 909.5 | 175 | CY   | RAPID HARDENING CEMENTITIOUS PRODUCTS FOR<br>CONCRETE REPAIRS |
| 613791   | District 3 | 909.5 | 150 | CY   | RAPID SETTING CONCRETE                                        |
| 613782   | District 4 | 912   | 10  | EA   | DRILLING AND GROUTING DOWELS                                  |