

## Concrete Opportunities - September 9th, 16th, 23rd, 30th 2025

“Right-click and choose ‘Open link in new tab’”

[Click Here For Project Information](#)

| Proposal | County     | Item  | Qty   | Unit | Work Description                                |
|----------|------------|-------|-------|------|-------------------------------------------------|
| 610776   | District 6 | 431   | 20    | SY   | HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE |
| 608095   | District 4 | 431   | 1800  | SY   | HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE |
| 610777   | District 1 | 431   | 6     | SY   | HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE |
| 609211   | District 4 | 440   | 8400  | LB   | CALCIUM CHLORIDE FOR ROADWAY DUST CONTROL       |
| 608095   | District 4 | 440   | 64000 | LB   | CALCIUM CHLORIDE FOR ROADWAY DUST CONTROL       |
| 608095   | District 4 | 503   | 250   | FT   | GRANITE CURB TYPE VA3 - STRAIGHT                |
| 610777   | District 1 | 503   | 60    | FT   | GRANITE CURB TYPE VA3 - STRAIGHT                |
| 610777   | District 1 | 503.1 | 45    | FT   | GRANITE CURB TYPE VA3 - CURVED                  |
| 608095   | District 4 | 503.1 | 75    | FT   | GRANITE CURB TYPE VA3 - CURVED                  |
| 608095   | District 4 | 504.2 | 20    | EA   | GRANITE CURB TYPE VA4 - SPLAYED END             |

| Proposal | County     | Item   | Qty   | Unit | Work Description                                             |
|----------|------------|--------|-------|------|--------------------------------------------------------------|
| 608095   | District 4 | 506    | 25250 | FT   | GRANITE CURB TYPE VB - STRAIGHT                              |
| 609211   | District 4 | 506    | 2800  | FT   | GRANITE CURB TYPE VB - STRAIGHT                              |
| 610776   | District 6 | 506    | 305   | FT   | GRANITE CURB TYPE VB - STRAIGHT                              |
| 609211   | District 4 | 509    | 110   | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - STRAIGHT |
| 608095   | District 4 | 509    | 1250  | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - STRAIGHT |
| 608095   | District 4 | 509.1  | 1500  | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - CURVED   |
| 609211   | District 4 | 509.1  | 55    | FT   | GRANITE TRANSITION CURB FOR PEDESTRIAN CURB RAMPS - CURVED   |
| 609211   | District 4 | 510    | 40    | FT   | GRANITE EDGING TYPE SA                                       |
| 608095   | District 4 | 514    | 140   | EA   | GRANITE CURB INLET - STRAIGHT                                |
| 608095   | District 4 | 515    | 14    | EA   | GRANITE CURB INLET - CURVED                                  |
| 609211   | District 4 | 516    | 2     | EA   | GRANITE CURB CORNER TYPE A                                   |
| 608095   | District 4 | 517.01 | 5     | EA   | GRANITE CURB CORNER - TYPE C                                 |

| Proposal | County     | Item  | Qty   | Unit | Work Description                                        |
|----------|------------|-------|-------|------|---------------------------------------------------------|
| 608095   | District 4 | 520   | 50    | FT   | CONCRETE CURB TYPE VA                                   |
| 608095   | District 4 | 580   | 7200  | FT   | CURB REMOVED AND RESET                                  |
| 610776   | District 6 | 580   | 305   | FT   | CURB REMOVED AND RESET                                  |
| 608095   | District 4 | 581   | 20    | EA   | CURB INLET REMOVED AND RESET                            |
| 610776   | District 6 | 594   | 305   | FT   | CURB REMOVED AND DISCARDED                              |
| 609211   | District 4 | 594   | 400   | FT   | CURB REMOVED AND DISCARDED                              |
| 608095   | District 4 | 594   | 6000  | FT   | CURB REMOVED AND DISCARDED                              |
| 608095   | District 4 | 595   | 14    | EA   | CURB INLET REMOVED AND DISCARDED                        |
| 608095   | District 4 | 596   | 14    | EA   | CURB CORNER REMOVED AND DISCARDED                       |
| 608095   | District 4 | 597   | 18100 | FT   | EDGING REMOVED AND DISCARDED                            |
| 608095   | District 4 | 685   | 190   | CY   | STONE MASONRY WALL IN CEMENT MORTAR                     |
| 608095   | District 4 | 690   | 15    | CY   | STONE MASONRY WALL REMOVED AND REBUILT IN CEMENT MORTAR |
| 608095   | District 4 | 690.2 | 480   | CY   | STONE MASONRY WALL WITH PARAPET REMOVAL                 |

| Proposal | County     | Item   | Qty  | Unit | Work Description                                            |
|----------|------------|--------|------|------|-------------------------------------------------------------|
| 608095   | District 4 | 691.01 | 150  | FT   | BALANCE STONE WALL REMOVED AND REBUILT DRY                  |
| 608095   | District 4 | 691.1  | 2700 | FT   | BALANCE STONE WALL REMOVED AND STACKED                      |
| 608095   | District 4 | 691.2  | 14   | EA   | LANDSCAPE BOULDER REMOVED AND STACKED                       |
| 608095   | District 4 | 701    | 8100 | SY   | CEMENT CONCRETE SIDEWALK                                    |
| 610776   | District 6 | 701    | 470  | SY   | CEMENT CONCRETE SIDEWALK                                    |
| 609211   | District 4 | 704.2  | 475  | TON  | STONE DUST FOR SHOULDERS                                    |
| 608095   | District 4 | 705.1  | 5    | SY   | FLAGSTONE WALK REMOVED AND RESET                            |
| 608095   | District 4 | 901    | 3    | CY   | 4000 PSI- 1.5 INCH- 565 CEMENT CONCRETE                     |
| 609211   | District 4 | 901    | 20   | CY   | 4000 PSI- 1.5 INCH- 565 CEMENT CONCRETE                     |
| 609211   | District 4 | 901.3  | 32   | CY   | 4000 PSI- 1.5 INCH- 565 CEMENT CONCRETE FOR POST FOUNDATION |
| 610776   | District 6 | 903    | 5    | CY   | 3000 PSI- 1.5 INCH- 470 CEMENT CONCRETE                     |
| 608095   | District 4 | 903    | 350  | CY   | 3000 PSI- 1.5 INCH- 470 CEMENT CONCRETE                     |
| 610777   | District 1 | 903    | 60   | CY   | 3000 PSI- 1.5 INCH- 470 CEMENT CONCRETE                     |

| Proposal | County     | Item   | Qty  | Unit | Work Description                           |
|----------|------------|--------|------|------|--------------------------------------------|
| 608095   | District 4 | 904    | 105  | CY   | 4000 PSI- 3/4 INCH- 610 CEMENT CONCRETE    |
| 608095   | District 4 | 904.3  | 860  | CY   | 5000 PSI- 3/4 INCH- 685 HP CEMENT CONCRETE |
| 612636   | District 6 | 904.41 | 1040 | SF   | CAST IN PLACE CONCRETE 033000              |
| 613542   | District 2 | 909.2  | 40   | SF   | CEMENTITIOUS MORTAR FOR PATCHING           |
| 610776   | District 6 | 909.3  | 20   | FT   | CRACK REPAIR                               |
| 608095   | District 4 | 912    | 2780 | EA   | DRILLING AND GROUTING DOWELS               |
| 613542   | District 2 | 912    | 25   | EA   | DRILLING AND GROUTING DOWELS               |