

# **SECTION 1: Identification**

#### 1.1 Product identifier

Product name Cajun Patriots Gun Solvent

#### 1.2 Other means of identification

UPC # - 860004579922

#### 1.3 Recommended use of the chemical and restrictions on use

Firearm cleaning. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

# 1.4 Supplier's details

Name Cajun Patriots, LLC
Address 214 Golden Grain Rd.
Duson, LA 70529-4204

**USA** 

Telephone (337) 372-2100

1.5 Emergency phone number(s)

(337) 372-2100 (9am to 5pm Mon-Fri Central Time)

# **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Aspiration hazard, Cat. 1
- Specific target organ toxicity (single exposure), Cat. 3
- Flammable liquids, Cat. 4

# 2.2 GHS label elements, including precautionary statements

# **Pictogram**





Signal word Da
----------------

Hazard statement(s)

H227 Combustible liquid

H304 May be fatal if swallowed and enters airways

H336 May cause drowsiness or dizziness

Precautionary statement(s)

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/eye protection/face protection.

P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT

induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P233+P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable Federal, State

and local laws and regulations.

#### 2.3 Other hazards which do not result in classification

No data available.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable.

### 3.2 Mixtures

Components

Component*	Concentration*
Distillates (petroleum), hydrotreated heavy paraffinic (CAS no.: 64742-54-7)	54.7 - 67.9 %
Distillates (petroleum), hydrotreated light (CAS no.: 64742-47-8)	18.9 - 26.8 %
Lubricating oils (petroleum), C15 -30, hydrotreated neutral oil-based (CAS no.: 72623-86-0)	≤3.7 %
Proprietary ingredient	1.3 - 2.7 %
Methacrylate copolymer	≤2.2 % (weight)
Distillates (petroleum), hydrotreated light paraffinic (CAS no.: 64742-55-8)	≤2.2 % (weight)

<sup>\*</sup>The specific chemical identities and/or actual concentrations for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

#### **SECTION 4: First-aid measures**

# 4.1 Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled If breathed in, move person into fresh air. If breathing is irregular or stopped,

give artificial respiration. If symptoms persist, get medical attention.



In case of skin contact Wash with plenty of water as a precaution. Call a poison center or doctor if

irritation develops or persists.

In case of eye contact Rinse cautiously with water. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical attention/advice.

If swallowed Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

Never give anything by mouth to an unconscious person.

Personal protective equipment for first-aid responders

Refer to Section 8 for specific personal protective equipment

recommendations.

### 4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

If inhaled May cause drowsiness or dizziness.

In case of skin contact Prolonged and repeated exposure may cause skin irritation. Signs/symptoms

may include localized redness, dryness and itching.

In case of eye contact May cause eye irritation. Signs/symptoms may include redness, swelling,

pain, tearing, and blurred or hazy vision.

If swallowed May be fatal if swallowed and enters airways. May cause gastrointestinal

irritation, nausea, vomiting and diarrhoea.

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

# 5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Specific hazards arising from the chemical

Combustible liquid. May form flammable/explosive vapor-air mixture. Hazardous combustion products: Carbon oxides and other hazardous fumes and gases.

# 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For personal protection see section 8. Ensure adequate ventilation. Avoid breathing gas, mist, vapors, spray. Prevent contact with eyes and skin. Evacuate personnel to safe areas. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

# 6.2 Environmental precautions

Avoid any discharge in the sewer system and in natural environment. Contain spilled material to avoid a possible contamination of the environment.

# 6.3 Methods and materials for containment and cleaning up



Eliminate all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Wash hands with soap and water after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep out of reach of children. For personal protection see section 8. For precautions see section 2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Distillates (petroleum), hydrotreated heavy paraffinic

PEL-TWA: 5 mg/m3 (OSHA)

Distillates (petroleum), hydrotreated light

PEL-TWA: 200 mg/m³ (ACGIH)

Lubricating oils (petroleum), C15 -30, hydrotreated neutral oil-based

PEL-TWA: 5 mg/m³ (OSHA)

Distillates (petroleum), hydrotreated light paraffinic

PEL-TWA: 5 mg/m3 (OSHA)

#### 8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

# 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### **Pictograms**







### Eye/face protection

Safety glasses/goggles are recommended.

### Skin protection

Wear protective gloves, such as nitrile gloves.



# **Body protection**

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

#### Thermal hazards

No data available.

# **Environmental exposure controls**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Red liquid.

Odor Mild petroleum odor.

Odor threshold No data available.
pH No data available.

Melting point/freezing point

No data available.

 $\begin{array}{ll} \mbox{Initial boiling point and boiling range} & \mbox{No data available.} \\ \mbox{Flash point} & \geq 62 \ ^{\circ}\mbox{C} \ (\geq 144 \ ^{\circ}\mbox{F}) \\ \mbox{Evaporation rate} & \mbox{No data available.} \\ \mbox{Flammability (solid, gas)} & \mbox{Not applicable.} \end{array}$ 

Upper/lower flammability limits
Upper/lower explosive limits
No data available.
Vapor pressure
No data available.
Vapor density
No data available.
Relative density
No data available.
Specific gravity
No data available.
No data available.

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

No data available.

No data available.

No data available.

Decomposition temperature

Viscosity

No data available.

No data available.

Explosive properties

Oxidizing properties

No data available
No texplosive.
No oxidizing.

### Other safety information

No data available.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal storage conditions.



### 10.3 Possibility of hazardous reactions

No data available.

#### 10.4 Conditions to avoid

Avoid excessive heat, open flames or other sources of ignition.

### 10.5 Incompatible materials

Strong oxidizers.

# 10.6 Hazardous decomposition products

Carbon oxides and other hazardous fumes and gases.

# **SECTION 11: Toxicological information**

### Information on toxicological effects

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation.

Symptoms and effects from inhalation, skin and eye contact and ingestion are listed in Section 4.

# **Acute toxicity**

Based on available data, classification data are not met.

#### Skin corrosion/irritation

Prolonged and repeated exposure may cause skin irritation. Signs/symptoms may include localized redness, dryness and itching.

#### Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Respiratory or skin sensitization

No data available.

# Germ cell mutagenicity

No data available.

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available.

# STOT-single exposure

May cause drowsiness or dizziness.

# STOT-repeated exposure

No data available.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

### **Additional information**



No data available.

# **SECTION 12: Ecological information**

### **Toxicity**

No data available on product

### Persistence and degradability

No data available on product

# **Bioaccumulative potential**

No data available on product

### Mobility in soil

No data available.

#### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

#### Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

# Disposal of contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods for non-bulk packaging of less than 119 gallons or 450 liters.

For bulk shipments:

NA Number: NA 1993

Class: 3

Packing Group: III

Proper Shipping Name: COMBUSTIBLE LIQUID, N.O.S.

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



# SARA 311/312 Hazards

Acute Health Hazard, Fire Hazard.

# **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **HMIS Rating**

Cajun Patriots Gun Solv	ent
HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

# **NFPA Rating**



# **SECTION 16: Other information**

#### 16.1 Further information/disclaimer

Date of issue: October 27, 2020.

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. All materials may present unknown hazards and should be used with caution. In no event shall we be held liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if we have been advised of the possibility of such damages.