



**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Accredited Fields of Testing**



**Analytical Chemical Labs, Inc.**

8222 Vickers Street  
San Diego, CA 92111-2118  
Phone: 6192761558

**Certificate No. 2505  
Expiration Date 5/31/2022**

**Field of Testing: 101 - Microbiology of Drinking Water**

101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure

**Field of Testing: 102 - Inorganic Chemistry of Drinking Water**

102.015	001	Hydrogen Ion (pH)	EPA 150.1
102.020	001	Turbidity	EPA 180.1
102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	004	Silica	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.026	006	Hardness (Calculation)	EPA 200.7
102.030	001	Bromide	EPA 300.0
102.030	002	Chlorate	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	004	Chlorite	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	008	Phosphate, Ortho (as P)	EPA 300.0
102.030	009	Sulfate (as SO4)	EPA 300.0
102.050	001	Cyanide, Total	EPA 335.4
102.100	001	Alkalinity	SM 2320 B-1997
102.120	001	Hardness (Calculation)	SM 2340 B-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.170	001	Chloride	SM 4500-Chloride B-1997
102.171	001	Chloride	SM 4500-Chloride D-1997
102.175	001	Chlorine, Free	SM 4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM 4500-Cl G-2000
102.192	001	Cyanide, Amenable	SM 4500-CN G-1999
102.200	001	Fluoride	SM 4500-F C-1997
102.202	001	Fluoride	SM 4500-F E-2011
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000

As of 6/5/2020, this list supersedes all previous lists for this certificate number.  
Customers: Please verify the current accreditation standing with the State.

102.220	001	Nitrite (as N)	SM 4500-NO2 B-2000
102.230	001	Nitrate (as N)	SM 4500-NO3- D-2000
102.240	001	Phosphate,Ortho (as P)	SM 4500-P E-1999
102.251	001	Sulfate (as SO4)	SM 4500-SO4 E-1997
102.300	001	Nitrate (as N)	Hach 10206

**Field of Testing:** 103 - Toxic Chemical Elements of Drinking Water

103.125	001	Aluminum	EPA 200.5
103.125	002	Antimony	EPA 200.5
103.125	003	Arsenic	EPA 200.5
103.125	004	Barium	EPA 200.5
103.125	005	Beryllium	EPA 200.5
103.125	006	Cadmium	EPA 200.5
103.125	007	Chromium	EPA 200.5
103.125	008	Copper	EPA 200.5
103.125	009	Iron	EPA 200.5
103.125	010	Lead	EPA 200.5
103.125	011	Manganese	EPA 200.5
103.125	012	Nickel	EPA 200.5
103.125	013	Selenium	EPA 200.5
103.125	014	Silver	EPA 200.5
103.125	015	Zinc	EPA 200.5
103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	005	Cadmium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8

As of 6/5/2020 , this list supersedes all previous lists for this certificate number.  
 Customers: Please verify the current accreditation standing with the State.

103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8
103.140	018	Vanadium	EPA 200.8
103.160	001	Mercury	EPA 245.1
103.310	001	Chromium (VI)	EPA 218.6

**Field of Testing: 108 - Inorganic Constituents in Non-Potable Water**

108.001	001	Specific Conductance	EPA 120.1 (1982 Rev.1.0)
108.009	001	Turbidity	EPA 180.1 (1993 Rev. 2.0)
108.013	001	Calcium	EPA 200.7 (1994 Rev. 4.4)
108.013	002	Magnesium	EPA 200.7 (1994 Rev. 4.4)
108.013	004	Potassium	EPA 200.7 (1994 Rev. 4.4)
108.013	005	Silica, Dissolved	EPA 200.7 (1994 Rev. 4.4)
108.013	006	Sodium	EPA 200.7 (1994 Rev. 4.4)
108.015	001	Calcium	EPA 200.8 (1994 Rev. 5.4)
108.015	002	Magnesium	EPA 200.8 (1994 Rev. 5.4)
108.015	003	Potassium	EPA 200.8 (1994 Rev. 5.4)
108.015	004	Silica, Dissolved	EPA 200.8 (1994 Rev. 5.4)
108.015	005	Sodium	EPA 200.8 (1994 Rev. 5.4)
108.017	001	Bromide	EPA 300.0 (1993 Rev. 2.1)
108.017	002	Chloride	EPA 300.0 (1993 Rev. 2.1)
108.017	003	Fluoride	EPA 300.0 (1993 Rev. 2.1)
108.017	004	Nitrate (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	006	Nitrite (as N)	EPA 300.0 (1993 Rev. 2.1)
108.017	007	Phosphate, Ortho (as P)	EPA 300.0 (1993 Rev. 2.1)
108.017	008	Sulfate (as SO4)	EPA 300.0 (1993 Rev. 2.1)
108.031	001	Nitrate (as N)	EPA 352.1 (1971 Rev. 1.0)
108.033	001	Nitrate-Nitrite (as N)	EPA 353.2 (1993 Rev. 2.0)
108.053	001	Oil & Grease Total	EPA 1664 A
108.053	002	Oil & Grease Total	EPA 1664 B
108.057	001	Color	SM 2120 F-2011
108.061	001	Acidity	SM 2310 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.071	001	Residue, Total	SM 2540 B-2011
108.073	001	Residue, Filterable TDS	SM 2540 C-2011
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011

108.079	001	Residue, Settleable	SM 2540 F-2011
108.080	001	Temperature	SM 2550 B-2010
108.114	001	Chlorine, Total Residual	SM 4500-CI G-2011
108.114	002	Chlorine, Free	SM 4500-CI G-2011
108.117	001	Chloride	SM 4500-Chloride C-2011
108.125	001	Cyanide, Total	SM 4500-CN E-2011
108.131	001	Fluoride	SM 4500-F C-2011
108.135	001	Fluoride	SM 4500-F E-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.143	001	Ammonia (as N)	SM 4500-NH3 E-2011
108.173	001	Oxygen, Dissolved	SM 4500-O G-2011
108.195	001	Sulfate (as SO4)	SM 4500-SO4 E-2011
108.201	001	Sulfide (as S)	SM 4500-S D-2011
108.325	001	Chemical Oxygen Demand	Hach 8000
108.327	001	Nitrite (as N)	Hach 8507

**Field of Testing:** 109 - Metals and Trace Elements in Non-Potable Water

109.623	001	Aluminum	EPA 200.7 (1994 Rev. 4.4)
109.623	002	Antimony	EPA 200.7 (1994 Rev. 4.4)
109.623	003	Arsenic	EPA 200.7 (1994 Rev. 4.4)
109.623	004	Barium	EPA 200.7 (1994 Rev. 4.4)
109.623	005	Beryllium	EPA 200.7 (1994 Rev. 4.4)
109.623	006	Boron	EPA 200.7 (1994 Rev. 4.4)
109.623	007	Cadmium	EPA 200.7 (1994 Rev. 4.4)
109.623	008	Chromium	EPA 200.7 (1994 Rev. 4.4)
109.623	009	Cobalt	EPA 200.7 (1994 Rev. 4.4)
109.623	010	Copper	EPA 200.7 (1994 Rev. 4.4)
109.623	011	Iron	EPA 200.7 (1994 Rev. 4.4)
109.623	012	Lead	EPA 200.7 (1994 Rev. 4.4)
109.623	013	Manganese	EPA 200.7 (1994 Rev. 4.4)
109.623	014	Molybdenum	EPA 200.7 (1994 Rev. 4.4)
109.623	015	Nickel	EPA 200.7 (1994 Rev. 4.4)
109.623	016	Selenium	EPA 200.7 (1994 Rev. 4.4)
109.623	017	Silver	EPA 200.7 (1994 Rev. 4.4)
109.623	018	Thallium	EPA 200.7 (1994 Rev. 4.4)
109.623	019	Tin	EPA 200.7 (1994 Rev. 4.4)
109.623	020	Titanium	EPA 200.7 (1994 Rev. 4.4)
109.623	021	Vanadium	EPA 200.7 (1994 Rev. 4.4)
109.623	022	Zinc	EPA 200.7 (1994 Rev. 4.4)
109.625	001	Aluminum	EPA 200.8 (1994 Rev. 5.4)
109.625	002	Antimony	EPA 200.8 (1994 Rev. 5.4)
109.625	003	Arsenic	EPA 200.8 (1994 Rev. 5.4)
109.625	004	Barium	EPA 200.8 (1994 Rev. 5.4)

109.625	005	Beryllium	EPA 200.8 (1994 Rev. 5.4)
109.625	006	Boron	EPA 200.8 (1994 Rev. 5.4)
109.625	007	Cadmium	EPA 200.8 (1994 Rev. 5.4)
109.625	008	Chromium	EPA 200.8 (1994 Rev. 5.4)
109.625	009	Cobalt	EPA 200.8 (1994 Rev. 5.4)
109.625	010	Copper	EPA 200.8 (1994 Rev. 5.4)
109.625	012	Iron	EPA 200.8 (1994 Rev. 5.4)
109.625	013	Lead	EPA 200.8 (1994 Rev. 5.4)
109.625	014	Manganese	EPA 200.8 (1994 Rev. 5.4)
109.625	015	Molybdenum	EPA 200.8 (1994 Rev. 5.4)
109.625	016	Nickel	EPA 200.8 (1994 Rev. 5.4)
109.625	017	Selenium	EPA 200.8 (1994 Rev. 5.4)
109.625	018	Silver	EPA 200.8 (1994 Rev. 5.4)
109.625	019	Thallium	EPA 200.8 (1994 Rev. 5.4)
109.625	020	Tin	EPA 200.8 (1994 Rev. 5.4)
109.625	021	Titanium	EPA 200.8 (1994 Rev. 5.4)
109.625	022	Vanadium	EPA 200.8 (1994 Rev. 5.4)
109.625	023	Zinc	EPA 200.8 (1994 Rev. 5.4)
109.629	001	Chromium (VI)	EPA 218.6 (1994 Rev. 3.3)
109.635	001	Mercury	EPA 245.1 (1994 Rev. 3.0)
109.685	002	Chromium (VI)	SM 3500-Cr B-2011

**Field of Testing:** 114 - Inorganic Chemistry of Hazardous Waste

114.010	001	Antimony	EPA 6010 B
114.010	002	Arsenic	EPA 6010 B
114.010	003	Barium	EPA 6010 B
114.010	004	Beryllium	EPA 6010 B
114.010	005	Cadmium	EPA 6010 B
114.010	006	Chromium	EPA 6010 B
114.010	007	Cobalt	EPA 6010 B
114.010	008	Copper	EPA 6010 B
114.010	009	Lead	EPA 6010 B
114.010	010	Molybdenum	EPA 6010 B
114.010	011	Nickel	EPA 6010 B
114.010	012	Selenium	EPA 6010 B
114.010	013	Silver	EPA 6010 B
114.010	014	Thallium	EPA 6010 B
114.010	015	Vanadium	EPA 6010 B
114.010	016	Zinc	EPA 6010 B
114.020	001	Antimony	EPA 6020
114.020	002	Arsenic	EPA 6020
114.020	003	Barium	EPA 6020
114.020	004	Beryllium	EPA 6020

114.020	005	Cadmium	EPA 6020
114.020	006	Chromium	EPA 6020
114.020	007	Cobalt	EPA 6020
114.020	008	Copper	EPA 6020
114.020	009	Lead	EPA 6020
114.020	010	Molybdenum	EPA 6020
114.020	011	Nickel	EPA 6020
114.020	012	Selenium	EPA 6020
114.020	013	Silver	EPA 6020
114.020	014	Thallium	EPA 6020
114.020	015	Vanadium	EPA 6020
114.020	016	Zinc	EPA 6020
114.025	001	Mercury	EPA 6020 A
114.103	001	Chromium (VI)	EPA 7196 A
114.106	001	Chromium (VI)	EPA 7199
114.140	001	Mercury	EPA 7470 A
114.141	001	Mercury	EPA 7471 A
114.222	001	Cyanide, Total	EPA 9014
114.230	001	Sulfides, Total	EPA 9034
114.241	001	Corrosivity - pH Determination	EPA 9045 C
114.250	001	Fluoride	EPA 9056
114.260	001	Cyanide, Total	EPA 9213

**Field of Testing: 115 - Extraction Test of Hazardous Waste**

115.021	001	TCLP Inorganics	EPA 1311 (TCLP)
115.030	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
115.040	001	Synthetic Precipitation Leaching Procedure (SPLP)	EPA 1312 (SPLP)

**Field of Testing: 117 - Semi-volatile Organic Chemistry of Hazardous Waste**

117.220	000	PCBs	EPA 8082
---------	-----	------	----------

**Field of Testing: 120 - Physical Properties of Hazardous Waste**

120.010	001	Ignitability	EPA 1010
120.022	001	Ignitability	EPA 1030
120.070	001	Corrosivity - pH Determination	EPA 9040 B
120.080	001	Corrosivity - pH Determination	EPA 9045 C