Engineering Gut-Friendly Foods: Challenges in Probiotic and Synbiotic Product Development

Varshini V.
B.Tech Food Technology, Rajalakshmi Engineering College, Thandalam, Chennai-602105, Tamilnadu, India

Abstract

Probiotics, prebiotics, and synbiotics have gained considerable attention in functional food development due to their potential roles in supporting gut health and influencing the gut microbiota. However, incorporating these ingredients into food products presents several technological challenges that can affect product quality, stability, and functionality. Probiotic viability may be compromised by thermal processing, acidic conditions, oxygen exposure, moisture fluctuations, and unsuitable storage conditions. Similarly, prebiotic selection and incorporation can influence texture, flavour, and overall sensory acceptability, while synbiotic formulations require appropriate compatibility between microorganisms and selectively utilised substrates. This article reviews the major factors affecting probiotic survival and synbiotic product development, with particular emphasis on strain selection, food matrix interactions, processing technologies, microencapsulation, packaging, and shelf-life validation. It also explores emerging opportunities in plant-based functional foods and sustainable ingredient development. Addressing these challenges through appropriate formulation strategies, controlled processing, and systematic quality assessment is essential for developing safe, stable, and consumer-acceptable probiotic and synbiotic foods with scientifically supported health benefits.

Keywords: Probiotics, prebiotics, synbiotics, functional foods, microbial viability, microencapsulation, shelf-life stability, food technology.

Introduction

Probiotics

Probiotics are specific live microorganisms that provide demonstrated health benefits when consumed in adequate amounts. Commonly studied groups include species within the genera Lactobacillus and Bifidobacterium. Their potential benefits vary by strain and may include supporting normal gastrointestinal function or reducing the risk of certain specific conditions.

Probiotics are incorporated into selected fermented dairy products, dietary supplements, and non-dairy food formulations. For food technologists, selecting an appropriate strain requires evaluating its safety, technological suitability, stability in the intended food matrix, and evidence supporting its proposed benefit.

Prebiotics

Prebiotics are substrates selectively utilised by host microorganisms that confer a health benefit. Examples include inulin, fructooligosaccharides (FOS), and galactooligosaccharides (GOS), although not every dietary fibre qualifies as a prebiotic. These ingredients can be incorporated into fibre-enriched foods, beverages, and selected dairy or plant-based formulations. Besides their intended physiological functions, they may influence viscosity, water retention, mouthfeel, sweetness, and overall product structure.

Synbiotics

Synbiotics combine live microorganisms and substrates that are selectively utilised by host microorganisms. Two recognised approaches are:

- Complementary synbiotics: A probiotic and a prebiotic are combined, with each intended to provide its respective benefit.
- Synergistic synbiotics: The substrate is selected to be utilised by the co-administered microorganism, with the combination intended to provide a health benefit.

A product containing both a probiotic and a prebiotic is not automatically a scientifically validated synbiotic. The formulation must be justified by evidence, including the intended health benefit and the suitability of the combination.

Major Challenges in Probiotic Product Development

The successful development of probiotic foods requires maintaining the viability and functional properties of selected microorganisms from manufacturing to consumption. Several intrinsic, environmental, and processing-related factors can influence their survival.

1. Temperature and thermal processing

Temperature is one of the most important factors affecting probiotic viability. Many probiotic bacteria are sensitive to elevated temperatures, and exposure to heat can damage their cell membranes, proteins, enzymes, and nucleic acids. Factors that pose challenges:

- High temperatures during pasteurisation, sterilisation, baking, or other heat treatments.
- Prolonged exposure to moderately elevated temperatures.
- Temperature fluctuations during transportation and distribution.
- Inadequate refrigeration of products that require a cold chain.

2. Acidity and pH

Acidity can significantly influence the survival of probiotic microorganisms. Acidic food environments may cause cellular stress, disrupt membrane functions, and interfere with metabolic activity. Factors that pose challenges:

- Low pH in yoghurt, fermented beverages, and fruit-based formulations.

- Continued acid production during storage by active cultures.
- Organic acids naturally present in certain ingredients.
- Exposure to gastric acid after consumption.

3. Oxygen exposure and redox conditions

Oxygen sensitivity is another important consideration, particularly for strains that are highly susceptible to oxidative stress. Oxygen exposure may promote the formation of reactive oxygen species that damage cellular components. Factors that pose challenges:

- Oxygen incorporated during mixing and homogenisation.
- Air present in product headspaces.
- Oxygen-permeable packaging materials.
- Repeated opening of packages during use.

4. Moisture content and water activity

Moisture conditions are especially important in powdered probiotic products, dried cultures, and encapsulated ingredients. Excess moisture can accelerate deterioration during storage, while drying itself may cause substantial cellular injury. Water activity describes the availability of water for chemical reactions and microbial activity; it is not identical to moisture content. Factors that pose challenges:

- Osmotic stress during dehydration.
- Cell membrane damage during drying and rehydration.
- Moisture absorption through unsuitable packaging.
- Temperature and humidity fluctuations during distribution**.**

5. Strain selection and physiological variability

Not all probiotic microorganisms have the same technological characteristics. Strains may differ in heat tolerance, acid resistance, oxygen sensitivity, growth requirements, and their ability to survive in particular food matrices. Factors that pose challenges:

- Selecting strains based solely on species names rather than strain-level evidence.
- Differences in performance between laboratory media and real food products.
- Variability in culture quality and initial viable counts.
- Inadequate evidence for the intended health benefit.
- Poor compatibility between multiple strains in a mixed culture.

6. Gastrointestinal survival and delivery

After consumption, probiotics encounter gastric acidity, digestive enzymes, bile salts, and other physiological stresses. Their survival can depend on the strain, the quantity consumed, the food matrix, and the individual's gastrointestinal environment. Factors that pose challenges:

- Exposure to low gastric pH.
- Bile salts and digestive enzymes.
- Differences between laboratory simulation and actual human responses.

Challenges in Synbiotic Formulation

1. Selection of Suitable Prebiotic Substrates

Selecting an appropriate prebiotic is challenging because different substrates vary in solubility, fermentability, sweetness, and their utilisation by specific microorganisms. An unsuitable substrate may fail to support the intended microbial activity. Additionally, high concentrations of prebiotic ingredients may alter the texture, flavour, and sensory acceptability of the final product.

2. Microbial and Substrate Compatibility

Successful synbiotic formulation requires appropriate compatibility between the selected probiotic strain and prebiotic substrate. Differences in substrate utilisation, competition between microorganisms, and changes in acidity during storage may affect microbial viability and product stability. The intended synergistic benefits must also be supported by scientific evidence.

3. Sensory Acceptability and Consumer Acceptance

The incorporation of probiotics and prebiotics may affect the taste, aroma, texture, and appearance of food products. Prebiotic fibres can increase viscosity or change mouthfeel, while microbial metabolic activity may cause excessive acidity or undesirable flavour changes during storage. These changes can reduce consumer acceptance and limit the commercial success of synbiotic products.



Control Measures and Mitigation Strategies

Successful probiotic and synbiotic product development requires coordinated control of formulation, processing, packaging, and storage conditions. The selection

of control measures should be based on the characteristics of the selected microorganism, the composition of the food matrix, the intended product format, and the required shelf life.

Challenge	Recommended control measures
Temperature sensitivity	Select suitable strains, minimise unnecessary thermal exposure, and maintain validated storage temperatures.
Acid stress	Evaluate strain-specific acid tolerance, optimise formulation pH, and monitor acidity changes during storage.
Oxygen exposure	Use suitable oxygen-barrier packaging, manage headspace oxygen, and minimise unnecessary exposure during processing.
Moisture and water activity	Control drying and storage conditions and use appropriate moisture-barrier packaging.
Food matrix interactions	Conduct compatibility trials and assess the effects of proteins, carbohydrates, preservatives, salts, and other ingredients.
Strain variability	Select well-characterised strains with documented safety, technological suitability, and evidence supporting the intended benefit.
Gastrointestinal stress	Evaluate relevant acid and bile tolerance and investigate suitable protective delivery systems.
Prebiotic selection	Assess substrate characteristics, dosage, microbial utilisation, sensory effects, and formulation compatibility.
Synbiotic compatibility	Compare individual and combined formulations and establish evidence for the intended complementary or synergistic benefit.
Drying-related damage	Optimise drying parameters and evaluate appropriate protective agents for the selected microorganism.
Shelf-life instability	Conduct planned stability studies using viable counts, pH, sensory evaluation, and other relevant quality and safety tests.

Innovations and Future Opportunities

1. Plant-based probiotic and synbiotic foods

Plant-based beverages and fermented alternatives offer opportunities to develop products for consumers who avoid dairy. However, plant-based matrices differ considerably in protein composition, buffering capacity, carbohydrate availability, and mineral content.

These differences can affect microbial growth, acidification, texture, flavour, and storage stability. Careful selection of the plant base, microbial strain, and formulation is therefore essential.

2. Sustainable prebiotic ingredients

Food-processing by-products and underutilised agricultural materials are being investigated as potential sources of dietary fibre and other functional ingredients. Examples include cereal-processing residues and selected fruit and vegetable by-products.

Such materials may provide opportunities for sustainable ingredient development, but their suitability as prebiotics must be demonstrated rather than assumed. Composition, safety, contaminant levels, consistency, and selective utilisation by microorganisms all require evaluation.

3. Evidence-based product development

An important future priority is connecting formulation research with reliable evidence of health benefits. High microbial counts, the presence of a prebiotic ingredient, or successful laboratory experiments do not automatically establish clinical effectiveness.

Product developers should distinguish between technological outcomes, such as survival during storage, and physiological outcomes, such as a demonstrated benefit in human studies. This distinction is essential for responsible product labelling and communication.

Conclusion

The development of probiotic and synbiotic foods requires the integration of food microbiology, formulation science, processing technology, packaging, and quality assurance. Although these products offer opportunities for functional food innovation, maintaining microbial viability and delivering a scientifically supported benefit throughout the product's shelf life remain significant challenges. Factors such as temperature, pH, oxygen exposure, moisture, food matrix composition, strain characteristics, and gastrointestinal conditions can influence probiotic survival. Synbiotic formulations introduce further considerations involving substrate selection, microbial compatibility, sensory acceptability, and the validation of intended benefits. Technologies such as freeze-drying, microencapsulation, and advanced packaging can help address specific challenges, but their effectiveness depends on the formulation and intended application. Careful strain selection, controlled processing,

appropriate storage, and systematic shelf-life testing are therefore essential.

Future research should focus on affordable, stable, and acceptable probiotic and synbiotic products, including plant-based alternatives and sustainably sourced functional ingredients. Ultimately, successful product development requires more than incorporating beneficial microorganisms and prebiotic substrates: it requires demonstrating that the finished food is safe, stable, acceptable to consumers, and capable of delivering its intended benefit.

References

Hill, C., et al. (2014). The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. Nature Reviews Gastroenterology & Hepatology, 11, 506–514. https://doi.org/10.1038/nrgastro.2014.66

Gibson, G. R., et al. (2017). The International Scientific Association for Probiotics and Prebiotics consensus statement on the definition and scope of prebiotics. Nature Reviews Gastroenterology & Hepatology, 14, 491–502. https://doi.org/10.1038/nrgastro.2017.75

Swanson, K. S., et al. (2020). The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of synbiotics. Nature Reviews Gastroenterology & Hepatology, 17, 687–701. https://doi.org/10.1038/s41575-020-0344-2

* * * * * * * * *