

The Human Gut Microbiota: Its Role in Health and Disease

Monika Choudhary¹, Dr. Kamla Mahajani², Gaurav Dhaked³

¹Masters Scholar, Department of Food Science and Nutrition, CCAS, MPUAT, Udaipur, Rajasthan-313001

²Assistant Professor, Department of Food Science and Nutrition, CCAS, MPUAT, Udaipur, Rajasthan-313001

³Junior Research Fellow, Department of Food Science and Nutrition, CCAS, MPUAT, Udaipur, Rajasthan-313001

Corresponding author: monikajyani2002@gmail.com

Abstract

The human gastrointestinal tract is home to a vast and diverse community of microorganisms collectively known as the gut microbiota. These microorganisms, primarily bacteria, along with fungi, viruses, and archaea, establish a mutually beneficial relationship with the host and play a fundamental role in maintaining overall health. The gut microbiota contributes to the digestion of complex dietary components, production of essential vitamins, regulation of metabolism, development of the immune system, and protection against pathogenic microorganisms. It also helps maintain the integrity of the intestinal barrier and supports normal physiological functions. The composition of the gut microbiota is influenced by several factors, including diet, age, genetics, lifestyle, environmental exposure, antibiotic use, and stress. Disturbances in the normal microbial balance, known as dysbiosis, have been associated with the development of various chronic diseases such as obesity, type 2 diabetes, inflammatory bowel disease, colorectal cancer, cardiovascular diseases, allergies, and certain neurological disorders. Recent scientific evidence suggests that maintaining a healthy gut microbiota through a balanced diet, regular physical activity, and the use of probiotics and prebiotics may improve health outcomes and reduce disease risk. This review highlights the composition, functions, and clinical significance of the human gut microbiota and discusses its crucial role in promoting health and preventing disease.

Keywords: Gut microbiota, Human health, Dysbiosis, Probiotics, Prebiotics, Immunity, Chronic diseases.

1. Introduction

The human gastrointestinal (GI) tract harbours a complex and dynamic community of microorganisms collectively known as the gut microbiota. This microbial ecosystem consists mainly of bacteria, along with viruses, fungi, archaea, and other microorganisms, which coexist in a symbiotic relationship with the human host. It is estimated that the human gut contains nearly 10^{14} microbial cells, representing more than one thousand bacterial species, making it one of the most densely populated microbial environments in the human body. Advances in molecular biology and next-generation sequencing technologies have significantly improved our understanding of the gut microbiota and its essential role in maintaining human health.

The colonization of the gut microbiota begins at birth and continues to develop throughout infancy and early childhood. The composition of the gut microbiota changes

with age, mode of delivery, breastfeeding, dietary habits, environmental exposure, genetics, medication use, and lifestyle. By approximately three years of age, the gut microbiota reaches a relatively stable adult-like composition, although it continues to adapt throughout life in response to internal and external factors. A healthy gut microbiota is characterized by high microbial diversity and a balanced interaction between beneficial microorganisms and the host.

The gut microbiota performs numerous physiological functions that are indispensable for normal human health. It aids in the digestion of indigestible dietary fibres, produces short-chain fatty acids (SCFAs), synthesizes essential vitamins such as vitamin K and certain B vitamins, enhances mineral absorption, and contributes to energy metabolism. Furthermore, the gut microbiota plays a critical role in maintaining the integrity of the intestinal barrier, preventing colonization by pathogenic microorganisms, regulating inflammatory responses, and supporting the development and function of the immune system. Through continuous communication with the gut, immune system, and brain, the gut microbiota also influences metabolism, endocrine functions, and the gut-brain axis.

Among the dominant bacterial phyla present in the healthy human gut are Firmicutes, Bacteroidetes, Actinobacteria, Proteobacteria, Verrucomicrobia, and Fusobacteria. Beneficial bacteria such as *Lactobacillus* and *Bifidobacterium* contribute significantly to intestinal health by producing antimicrobial compounds, maintaining gut pH, improving digestion, and strengthening host immunity. The diversity and balance of these microbial communities are considered important indicators of overall health.

However, disruption of the normal microbial balance, a condition known as dysbiosis, may adversely affect host physiology. Dysbiosis can result from excessive antibiotic use, unhealthy dietary patterns, chronic stress, ageing, infections, sedentary lifestyle, and environmental factors. Alterations in the composition and function of the gut microbiota have been associated with the development of several chronic diseases, including obesity, type 2 diabetes mellitus, inflammatory bowel disease (IBD), colorectal cancer, cardiovascular diseases, allergies, autoimmune disorders, and certain neurological conditions such as depression, autism spectrum disorders, and Parkinson's disease. Increasing evidence suggests that the gut microbiota not only contributes to disease development but also influences disease progression and therapeutic outcomes.

In recent years, the gut microbiota has emerged as an important target for disease prevention and treatment. Dietary modifications, probiotics, prebiotics, synbiotics, and faecal microbiota transplantation are being explored as potential strategies for restoring microbial balance and improving human health. Understanding the composition, diversity, and functional role of the gut microbiota is therefore essential for developing personalized nutritional interventions and microbiome-based therapeutic approaches. This review article aims to provide a comprehensive overview of the human gut microbiota, its composition, physiological functions, factors affecting microbial balance, its association with major diseases, and the therapeutic approaches available to maintain a healthy gut microbiome.

2. The Healthy Human Gut Microbiota

Gut microbiota refers to a heterogeneous group of microorganisms including bacteria, viruses, fungi, archaea, and protozoa that dwell within the gastrointestinal (GI) tract in a symbiotic interaction with the human host. The function of the gut microbiota in the human body encompasses maintenance of homeostasis, metabolism, immune function, digestion, and nutrient absorption. Most of the microorganisms found in the human gut reside in the large intestine (colon) due to favorable conditions for growth and metabolic activities. The establishment and development of the gut microbiota begin from birth through infancy and early childhood stages in life. The composition of gut microbiota depends on the mode of delivery, feeding, diet, medication, age, and environmental conditions. After about 2-3 years, the development of the gut microbiota results in a stable adult microbiota.

In general, healthy gut microbiota is known to be highly diverse and well-balanced with respect to microbial composition. Some of the major bacteria phyla are Firmicutes, Bacteroidetes, Actinobacteria, Proteobacteria, Verrucomicrobia, and Fusobacteria. Firmicutes and Bacteroidetes are the two predominant phyla in the human gut microbiota. Gut microbiota has some beneficial microorganisms such as *Lactobacillus* and *Bifidobacterium* that produce short chain fatty acids (SCFA).

Microbes are differently distributed in the GI tract. There are few microorganisms in the stomach because it has an extremely acidic environment, but the number of microbes increases as we move to the small intestine and reaches the maximum in the colon. It creates unique environments for different microbial functions.

Thus, maintaining healthy gut flora is crucial for the proper functioning of the intestines and the body as a whole. Healthy diet that consists of fiber, fruit, vegetables, whole grains, and fermented foods helps to create healthy flora, but high consumption of antibiotics, fast food, stress, and poor lifestyle may affect it negatively.




Figure 1: Distribution and functional characteristics of gut microbiota

2.1 Gut Microbiota and Immune System


The human gastrointestinal tract is continuously exposed to microorganisms, food antigens, and environmental substances. The gut microbiota plays a crucial role in maintaining intestinal immune homeostasis by interacting with epithelial cells and immune cells. A healthy microbial community strengthens the intestinal barrier, limits the growth of pathogenic microorganisms, and regulates both innate and adaptive immune responses.

The intestinal barrier consists of epithelial cells, mucus, tight junction proteins, and immune components such as secretory Immunoglobulin A (IgA), macrophages, dendritic cells, T lymphocytes, and Peyer's patches. Beneficial bacteria support the integrity of this barrier by stimulating mucus production, enhancing tight junction function, and promoting the secretion of antimicrobial peptides. These mechanisms reduce the entry of harmful microorganisms and toxins into the bloodstream.

Gut microbes also produce short-chain fatty acids (SCFAs), mainly acetate, propionate, and butyrate, through the fermentation of dietary fibre. Among these, butyrate serves as the primary energy source for colon cells and possesses strong anti-inflammatory properties. SCFAs regulate cytokine production, enhance regulatory T-cell (Treg) activity, and suppress excessive inflammatory responses, thereby maintaining immune balance.

Disruption of the gut microbial community (dysbiosis) weakens intestinal barrier function and increases intestinal permeability. This condition allows harmful microbial products such as lipopolysaccharides (LPS) to enter systemic circulation, triggering chronic inflammation. Persistent dysbiosis has been associated with inflammatory bowel disease (IBD), allergies, obesity, type 2 diabetes, colorectal cancer, and several autoimmune disorders.

Recent studies have shown that probiotics and prebiotic-rich diets can positively influence gut microbial composition, improve mucosal immunity, and reduce inflammation. Therefore, maintaining a balanced gut microbiota through a healthy diet and lifestyle is essential for proper immune function and overall human health



2.2 Gut Microbiota Benefits to the Host

The human gut microbiota provides numerous physiological benefits that are essential for maintaining health throughout life. Beneficial microorganisms assist in digestion, nutrient metabolism, vitamin synthesis, immune regulation, and protection against pathogenic microbes. These microbes form a mutually beneficial relationship with the host, where the human body provides a suitable environment while the microbiota contributes to normal physiological functions.


One of the primary functions of gut microbiota is the fermentation of non-digestible dietary fibres. This process produces short-chain fatty acids (SCFAs), including acetate, propionate, and butyrate, which serve as an important energy source for colon cells. Butyrate also strengthens the intestinal barrier, reduces inflammation, and supports the repair of intestinal tissues. SCFAs help regulate intestinal pH, thereby creating an environment that limits the growth of harmful bacteria.

Gut microorganisms also synthesize several essential vitamins, particularly vitamin K and certain B-complex vitamins such as folate, biotin, riboflavin, and vitamin B12. These vitamins contribute to blood clotting, energy metabolism, nervous system function, and overall cellular health. In addition, gut bacteria improve the absorption of minerals such as calcium, magnesium, and iron, thereby supporting bone health and metabolic functions.

Another important benefit of gut microbiota is its role in protecting the host from infections. Beneficial bacteria compete with pathogenic microorganisms for nutrients and attachment sites within the intestine. They also produce antimicrobial compounds that inhibit the growth of harmful bacteria and maintain microbial balance. This protective mechanism, known as colonization resistance, helps reduce the risk of gastrointestinal infections.

Emerging evidence suggests that gut microbiota also influences metabolic health by regulating glucose metabolism, lipid metabolism, bile acid transformation, and energy balance. A balanced microbial community has been associated with a lower risk of obesity, type 2 diabetes, cardiovascular diseases, and metabolic syndrome. Furthermore, gut microbes participate in the metabolism of plant bioactive compounds, increasing the bioavailability of polyphenols and other beneficial phytochemicals.

Recent research has highlighted the role of the gut microbiota in the gut-brain axis. Microbial metabolites can communicate with the nervous system through neural, endocrine, and immune pathways, influencing mood, stress response, cognitive function, and mental well-being. Therefore, maintaining a healthy gut microbiota through a balanced diet rich in dietary fibre, fermented foods, probiotics, and prebiotics is considered an important strategy for promoting overall health and preventing chronic diseases.



2.3 Dietary Influence on Gut Microbiota

Diet is one of the most important factors influencing the composition and function of the gut microbiota. The foods consumed daily determine the diversity and metabolic activity of intestinal microorganisms. A balanced diet rich in dietary fibre, fruits, vegetables, whole grains and fermented foods promotes the growth of beneficial bacteria such as Bifidobacterium and Lactobacillus. These bacteria produce short-chain fatty acids (SCFAs), including acetate, propionate and butyrate, which help maintain intestinal barrier integrity, regulate immune responses and reduce inflammation.

Conversely, diets high in saturated fat, refined sugars and processed foods decrease microbial diversity and encourage the growth of potentially harmful bacteria. This imbalance, known as dysbiosis, is associated with obesity, inflammatory bowel disease, type 2 diabetes and cardiovascular disorders. Long-term unhealthy dietary habits may also impair gut barrier function, increasing intestinal permeability and systemic inflammation.

Prebiotics such as inulin and fructooligosaccharides selectively stimulate the growth of beneficial microorganisms, while probiotics introduce live beneficial bacteria into the gastrointestinal tract. Regular consumption of fermented foods, yoghurt and fibre-rich foods helps restore microbial balance and supports digestive and immune health. Polyphenol-rich foods, including berries, green tea and cocoa, further enhance gut microbial diversity by promoting beneficial bacterial populations and suppressing harmful species. Recent studies suggest that dietary modifications can rapidly alter gut microbial composition, with measurable changes occurring within a few days. Therefore, maintaining a healthy and balanced diet is an effective strategy for preserving gut microbiota homeostasis and reducing the risk of chronic diseases.




Figure 4: dietary factors that affect gut microbiome

3. Gut Microbiota and Human Diseases

The human gut microbiota plays a crucial role in maintaining health by regulating metabolism, immunity and intestinal homeostasis. However, an imbalance in the gut microbial community, known as dysbiosis, has been associated with the development of several chronic and non-communicable diseases. Alterations in microbial diversity, reduced beneficial bacteria and increased pathogenic microorganisms contribute to inflammation, impaired metabolism and immune dysfunction. Recent studies suggest that maintaining a healthy gut microbiota may help prevent or reduce the severity of many diseases.

3.1 Obesity

Obesity is strongly associated with alterations in gut microbiota composition. Individuals with obesity often show reduced microbial diversity and an altered ratio of Firmicutes

to Bacteroidetes, leading to increased energy extraction from food. Gut dysbiosis also promotes chronic low-grade inflammation and insulin resistance through the production of inflammatory mediators. Diets rich in fibre, prebiotics and probiotics help restore microbial balance and may support healthy body weight. Therefore, modulation of the gut microbiota has emerged as a promising strategy for obesity prevention and management.

3.2 Diabetes

Gut microbiota plays an important role in glucose metabolism and insulin sensitivity. Dysbiosis can impair intestinal barrier function, allowing bacterial endotoxins to enter the bloodstream and trigger chronic inflammation, which contributes to insulin resistance and type 2 diabetes. Reduced production of short-chain fatty acids (SCFAs) further affects glucose homeostasis. Dietary fibre, probiotics and healthy lifestyle modifications can improve gut microbial composition and support better glycaemic control.

3.3 Inflammatory Bowel Disease (IBD)

Inflammatory bowel disease, including Crohn's disease and Ulcerative colitis, is closely linked with disturbances in gut microbiota. Patients with IBD usually have reduced beneficial bacteria and increased harmful microorganisms, leading to excessive immune activation and chronic intestinal inflammation. Damage to the intestinal barrier allows pathogens and toxins to aggravate inflammation. Therapeutic approaches such as probiotics, prebiotics and microbiota-targeted interventions are increasingly being explored to improve disease outcomes.

3.4 Colorectal Cancer

Gut microbiota influences the development of colorectal cancer by affecting inflammation, immune responses and the production of carcinogenic metabolites. Certain pathogenic bacteria, including *Fusobacterium nucleatum*, have been associated with tumour progression, whereas beneficial bacteria producing SCFAs exhibit protective effects. Diets rich in dietary fibre, fruits and vegetables promote beneficial microbial populations and may reduce the risk of colorectal cancer.

3.5 Cardiovascular-Diseases

Gut microbiota contributes to cardiovascular health through its effects on lipid metabolism, inflammation and blood vessel function. Certain intestinal bacteria convert dietary nutrients such as choline and L-carnitine into trimethylamine N-oxide (TMAO), a metabolite associated with increased risk of atherosclerosis and cardiovascular disease. Healthy dietary habits, increased fibre intake and consumption of probiotics may reduce harmful metabolite production and improve cardiovascular health.

3.6 Neurological Disorders (Gut–Brain Axis)

The gut–brain axis is a bidirectional communication network connecting the gut microbiota with the central

nervous system. Gut microorganisms produce neurotransmitters and metabolites that influence brain function, mood and behaviour. Dysbiosis has been associated with neurological and psychiatric disorders such as depression, anxiety, autism spectrum disorder and Parkinson's disease. Maintaining a healthy gut microbiota through balanced nutrition and probiotics may positively influence brain health and neurological function.

Table 1. Relationship between gut microbiota dysbiosis and major human diseases

S. No.	Disease	Gut Microbiota Changes	Major Health Effects
1.	Obesity	Increased Firmicutes, decreased Bacteroidetes	Increased energy harvest, chronic inflammation, weight gain
2.	Type 2 Diabetes	Reduced SCFA-producing bacteria, dysbiosis	Insulin resistance, impaired glucose metabolism
3.	Inflammatory Bowel Disease (IBD)	Decreased beneficial bacteria, increased pathogenic bacteria	Chronic intestinal inflammation, gut barrier dysfunction
4.	Colorectal Cancer	Increased <i>Fusobacterium nucleatum</i> and other pathogenic bacteria	Tumour progression, chronic inflammation
5.	Cardiovascular Diseases	Increased TMAO-producing bacteria	Atherosclerosis, cardiovascular risk
6.	Neurological Disorders	Altered gut-brain microbiota	Depression, anxiety, autism, Parkinson's disease

3. Strategies to Improve Gut Microbiota

Maintaining a healthy gut microbiota is essential for optimal digestion, immune function and overall well-being. Several dietary and lifestyle interventions can positively influence the composition and diversity of gut microorganisms. The following strategies have been widely recommended to improve gut health.

4.1 Probiotics

Probiotics are live microorganisms that provide health benefits when consumed in adequate amounts.

Common probiotic bacteria include *Lactobacillus* and *Bifidobacterium*, which help restore microbial balance, improve digestion, strengthen the intestinal barrier and enhance immune function. Regular consumption of probiotic-rich foods such as yoghurt, kefir and fermented vegetables has been associated with improved gastrointestinal health and reduced risk of infections.

4.2 Prebiotics

Prebiotics are non-digestible food components that selectively stimulate the growth and activity of beneficial gut bacteria. They are naturally present in foods such as garlic, onion, banana, oats, chicory root and whole grains. Fermentation of prebiotics by gut microbes produces short-chain fatty acids (SCFAs), which support intestinal health, reduce inflammation and improve mineral absorption.

4.3 Synbiotics

Synbiotics are combinations of probiotics and prebiotics that work together to improve gut microbial balance. The prebiotic component serves as a food source for the probiotic microorganisms, enhancing their survival and activity in the gastrointestinal tract. Synbiotics have shown beneficial effects in improving digestive health, strengthening immunity and reducing symptoms of gastrointestinal disorders.

4.4 Healthy Diet and Lifestyle

A balanced diet rich in fruits, vegetables, legumes, whole grains and fermented foods is essential for maintaining a diverse and healthy gut microbiota. Regular physical activity, adequate sleep, stress management and avoiding unnecessary antibiotic use also contribute to gut microbial homeostasis. Limiting processed foods, excessive sugar and saturated fats helps prevent gut dysbiosis and reduces the risk of chronic diseases.

5. Future Perspectives

Research on the human gut microbiota has expanded considerably in recent years and continues to reveal its important role in health and disease. Advances in molecular biology, metagenomics and microbiome analysis are expected to improve our understanding of the interactions between gut microorganisms and the human host. In the future, microbiota-based diagnostics may help identify disease risk at an early stage, while personalized nutrition and targeted microbial therapies could become valuable approaches for disease prevention and treatment. Although promising results have been reported, further well-designed clinical studies are needed to establish standardized guidelines for the safe and effective use of microbiota-based interventions in routine healthcare.

6. Conclusion

The human gut microbiota is a complex and dynamic microbial community that plays a central role in maintaining gastrointestinal health, immune regulation, nutrient

metabolism and overall physiological function. Disturbances in the gut microbial balance (gut dysbiosis) have been associated with several chronic diseases, including obesity, diabetes, inflammatory bowel disease, cardiovascular disorders, colorectal cancer and neurological conditions. Evidence suggests that a balanced diet rich in dietary fibre, along with probiotics, prebiotics, synbiotics and healthy lifestyle practices, can help maintain microbial diversity and support overall health. Continued research in this field will enhance our understanding of the gut microbiome and contribute to the development of more effective preventive and therapeutic strategies for improving human health.

References

- Fan, Y., & Pedersen, O. (2021). Gut microbiota in human metabolic health and disease. *Nature Reviews Microbiology*, 19(1), 55–71. <https://doi.org/10.1038/s41579-020-0433-9>
- Flint, H. J., Scott, K. P., Duncan, S. H., Louis, P., & Forano, E. (2012). Microbial degradation of complex carbohydrates in the gut. *Gut Microbes*, 3(4), 289–306. <https://doi.org/10.4161/gmic.19897>
- Gill, S. R., Pop, M., DeBoy, R. T., et al. (2006). Metagenomic analysis of the human distal gut microbiome. *Science*, 312(5778), 1355–1359. <https://doi.org/10.1126/science.1124234>
- Kho, Z. Y., & Lal, S. K. (2018). The human gut microbiome – A potential controller of wellness and disease. *Frontiers in Microbiology*, 9, 1835. <https://doi.org/10.3389/fmicb.2018.01835>
- Lynch, S. V., & Pedersen, O. (2016). The human intestinal microbiome in health and disease. *New England Journal of Medicine*, 375(24), 2369–2379. <https://doi.org/10.1056/NEJMr1600266>
- Qin, J., Li, R., Raes, J., et al. (2010). A human gut microbial gene catalogue established by metagenomic sequencing. *Nature*, 464, 59–65. <https://doi.org/10.1038/nature08821>
- Rinninella, E., Raoul, P., Cintoni, M., et al. (2019). What is the healthy gut microbiota composition? A changing ecosystem across age, environment, diet, and diseases. *Microorganisms*, 7(1), 14. <https://doi.org/10.3390/microorganisms7010014>
- Sekirov, I., Russell, S. L., Antunes, L. C. M., & Finlay, B. B. (2010). Gut microbiota in health and disease. *Physiological Reviews*, 90(3), 859–904. <https://doi.org/10.1152/physrev.00045.2009>
- Shreiner, A. B., Kao, J. Y., & Young, V. B. (2015). The gut microbiome in health and disease. *Current Opinion in Gastroenterology*, 31(1), 69–75. <https://doi.org/10.1097/MOG.0000000000000139>
- Sommer, F., & Bäckhed, F. (2013). The gut microbiota—Masters of host development and physiology. *Nature Reviews Microbiology*, 11(4), 227–238. <https://doi.org/10.1038/nrmicro2974>
- Thursby, E., & Juge, N. (2017). Introduction to the human gut microbiota. *Biochemical Journal*, 474(11), 1823–1836. <https://doi.org/10.1042/BCJ20160510>
- Turnbaugh, P. J., Ley, R. E., Hamady, M., Fraser-Liggett, C. M., Knight, R., & Gordon, J. I. (2007). The human microbiome project. *Nature*, 449, 804–810. <https://doi.org/10.1038/nature06244>
- Valdes, A. M., Walter, J., Segal, E., & Spector, T. D. (2018). Role of the gut microbiota in nutrition and health. *BMJ*, 361, k2179. <https://doi.org/10.1136/bmj.k2179>
15. Wang, B., Yao, M., Lv, L., Ling, Z., & Li, L. (2017). The human microbiota in health and disease. *Engineering*, 3(1), 71–82. <https://doi.org/10.1016/J.ENG.2017.01.008>
- Clemente, J. C., Ursell, L. K., Parfrey, L. W., & Knight, R. (2012). The impact of the gut microbiota on human health: An integrative view. *Cell*, 148(6), 1258–1270. <https://doi.org/10.1016/j.cell.2012.01.035>
