

Sowing the Seeds of Success: Harnessing Protected Environments for Thriving Vegetable Seed Cultivation

Kavya Nironi

ICAR- Indian Grassland and Fodder Research Institute, SRRS, Dharwad

*Corresponding Author: kavyanironi30@gmail.com

Introduction

Vegetables plays an important sector contributing food nutrition in India, includes huge number of families viz., Solanaceae, Malvaceae, Cruciferaceae, Cucurbitaceae etc., Vegetables are edible plant parts, rich in vitamins, minerals, dietary fibers etc., and also consumed as human diet. 400g (mini) per day requirement is recommended as per FAO. Vegetables share of 60.75% among horticultural crops.

Table 1 Area, production and productivity of vegetables seed production (2017-18)

	Area (ha)	Production (000 MT)	Productivity (MT / ha)
India	10259	184394	17.00
Karnataka	486.12	8207.18	16.88

Vegetable seed production under protected structures

India is the second largest producer of vegetables in the world and produced **187.47** million tonnes fresh vegetables from **10.43** million hectares and productivity **17.01** M T/ha (NHB-2018-19). The low productivity of vegetables could be attributed to the limited availability of quality seeds. The higher cost of the hybrid seed is prohibiting in the popularization of hybrids among the small farmers.

Challenges in open field condition

- Healthy seedling rising Management of isolation Parental line seed production
- Promotion of hybrid seed production Short growing period
- Poor seed yield
- Poor seed quality and Reduced storability

Protected Cultivation

Protected cultivation is the modification of the natural environment to achieve optimum plant growth, modification can be made to both the aerial and root environment to increase crops yield, extend the growing season and permit growth during periods of the year not commonly used to grow field crops.

Table 2 Horticultural Statistics at a Glance, 2018

Vegetables	Area (ha)	Production (MT)	Productivity (MT / ha)
Beans	228	2277	9.90
Bitter gourd	97	1137	11.28
Bottle gourd	157	2683	16.38
Brinjal	730	12801	18.53
Cabbage	399	9037	22.04
Capsicum	24	326	7.10
Carrot	97	1648	16.03
Cauliflower	453	8668	18.80
Cucumber	82	1260	14.64
Chilies (green)	309	3592	11.86
Okra	509	6095	11.64
Onion	1285	23262	16.97
Pointed gourd	20	310	14.00
Peas	540	5422	9.98
Vegetables	Area (ha)	Production (MT)	Productivity (MT / ha)
Radish	209	3061	14.20
Pumpkin	78	1714	21.97
Sweet potato	131	1500	12.14
Tapioca	173	4950	20.89
Tomato	789	19759	24.34
Others	1580	22320	13.03
Total	10259	184394	17.00

Historical Background

Discovery and development of the polyethylene polymer - 1930's, Introduction - 1950's, Full establishment of protected agriculture after World war II First use of polyethylene - 1948, The green house technology first started during the middle of 19th century in Europe.

Scenario of Protected Cultivation

- Use of green house for vegetable crop production in different countries
- Use of plastic low tunnels
- Use of floating mulch or row cover
- Use of plastic mulches

Why Protected Cultivation?

Crops could be grown under inclement climatic conditions when it is not possible to grow in open field. In green houses having complete environmental control certain crops could be grown year round to meet the market demands. Off-season production of nursery and crops, Early nursery and early cropping, Higher productivity, Superior quality of the produce, Efficient utilization of precious inputs like water and nutrients, Effective control against diseases, insect pests, Reduced expenditure on weed control, Hardening and acclimatization of tissue cultured plants, Hybrid vegetable seed production, Protection against heavy rains, hails, birds etc.

Advances In Protected Cultivation

- UV Blocking films to reduce pest infestation
- Netting with various colours intended to deter pests. Use of biological control and pollinizers inside structures
- Greenhouses with reusable/recycled water systems
- High efficiency lighting, LED lighting, temperature control
- Mechanization to reduce need for labour
- Use of biological control and pollinizers inside structures

Principle of protective cultivation

The sunlight comes in the green house and is absorbed by the crop, floor and other objects which in turn emit long wave thermal radiation. The solar energy remains trapped in the green house. This condition of natural rise in green house air temperature is utilized in the cold regions to grow crops successfully.

Current trends in greenhouse research in India

Active Centers

IARI (New Delhi), GBPU&T, (Pantnagar), YSPUH&F, (Solan), IIHR, UAS (Bangalore), IIVR (Varanasi), TNAU., (Coimbatore), OUA&T, (Bhubneshwar), NAU, (Navsari), HAU, (Hisar), MPKV, (Rahuri), APHURS (Hyderabad), IGKV, (Raipur) etc.

Aspects Covered

- Varietal evaluation,
- Off season nursery Production,
- Standardization of planting time,
- Training systems,
- Cropping system studies,
- Dehydration of seeds etc.

Table 3 Greenhouse Area in Different Countries

Country	Area (ha)	Country	Area (ha)
Algeria	5,000	Israel	2,200
Australia	600	Italy	18,500
Belgium	2,400	Japan	42,000
Bulgaria	865	Jordan	450
Canada	1,867	Morocco	3,000
Chile	1,600	Netherlands	9,600
China	2,20,000	Poland	1,500
Columbia	2,600	Portugal	2,500
Egypt	1,000	Romania	3,500
England	3,500	Spain	40,000
France	5,800	South Korea	1,00,000
Greece	4,240	Turkey	9,800
Hungary	5,500	UAE	155
India	800	USA	4,250

Green House

Greenhouse is a framed structure covered with glass or plastics film (transparent and translucent) in which plants are grown under the partially or fully controlled environment. The greenhouse technology has been considerable importance in better space utilization, growing crops in extreme climatic conditions and high rainfall areas. The solar radiations pass through it and trap the thermal energy inside the greenhouse, which is emitted by the objects that are kept inside, this phenomenon is known as "greenhouse effect".

Greenhouse Cultivation - Global Scenario

A French botanist named Charles Lucien Bonaparte (1803 to 1857) is said to have designed the first modern greenhouse in Leiden, Holland, which housed medicinal plants. There are more than 80 countries now in the world where cultivation of crops is undertaken on a commercial scale under cover. Asia, China and Japan are the largest users of greenhouses.

Classification of Green Houses

Based on cladding material

- Fiber glass greenhouse
- Single or double polyethylene film greenhouse Ordinary glass house
- Poly-carbonate house
- Ultraviolet-stable poly urethane film (PUF) poly house

Based on structure

- Wood green house
- Bamboo green house
- Steel green house

Based on cost

- Low-cost green house: no control system
- Medium cost green house: cooling and heating arrangements
- High-cost green house: auto control mechanism of heating, cooling and humidification system, drip irrigation system, *etc.*

Based on climate control

- High-tech or climate controlled green house
- Naturally ventilated or low-cost green house

Climatic Controlled greenhouse

Controlled greenhouse developed by Certhon in accordance with "The New Cultivation" and the "Pad & Fan system". For the international greenhouse horticulture sector, Certhon has developed a unique greenhouse: the Supreme Air greenhouse. An ingenious interplay of greenhouse, ventilation, cooling, and control makes it possible to create an ideal climate year-round. The ideal temperature and relative humidity are combined with low energy use and lower disease pressure.

Climatic controlled greenhouse

Semi Controlled greenhouse: Semi Controlled greenhouses were developed to save energy. Greenhouse air is cooled and dehumidified by air treatment units and returned to the greenhouse through cooling ducts. Active cooling is combined with window ventilation if temperatures are too high to be controlled by the air treatment units with limited cooling capacity. Cooling ducts are normally placed beneath the growing gutters, because placement overhead or within crops either causes loss of light or interferes with cultivation procedures.

Plastic Low tunnels: Low tunnels are basically mini greenhouses. They warm the soil and provide a temperate micro-climate for growing vegetables. Even

though there may be snow on the ground, the temperature under the low tunnel is often just right for growing cool season vegetables such as kale, beets, and spinach.

Status

Climate-controlled devices are very few in the country. Solar greenhouses comprising of glass and polyethylene houses are becoming increasingly popular both in temperate and tropical regions. In early sixties, Field Research Laboratory (FRL) attempted solar greenhouse. vegetable production research and made an outstanding contribution to the extent that almost every rural family in Leh valley possesses a poly house these days. Indian Petro Chemical Corporation Ltd (IPCL) boosted the greenhouse research and application for raising vegetables by providing Ultra Violet (UV) stabilized cladding film and Aluminium poly house structures.

Protected Cultivation Constraints

- Basic cost and operational cost very high Irregular power supply
- Local availability and designing for different locations Cladding material quality/availability
- Lack of technical knowledge
- Lack of indigenous technology (Zone/region)
- Lack of suitable varieties / hybrids for greenhouse cultivation Exotic seeds very costly
- Poor performance of indigenous varieties
- Difficult to manage pests and diseases once its occurred

Future strategies

Development of need based poly house designs for different areas ensuring easy availability of U.V. stabilized plastic sheet and nets. Development of suitable varieties specifically for poly house cultivation Work on eco-friendly nutrient and pest management to be taken up Development of complete package of production practices Government incentives for popularization of the technology

Conclusion

Adverse climatic conditions, horticultural crop potentials, agro-inputs availability, small land holdings and increasing demand of high-quality vegetables necessitate adoption of the protected cultivation of vegetable crops. Low cost protected structures, viz., plastic low tunnels, walk-in tunnels, low-cost greenhouses are suitable for off-season vegetable cultivation and nursery raising in major

vegetable growing areas and peri-urban areas of the country. Insect proof net houses are also highly suitable for raising virus free healthy seedlings and growing pesticide free vegetables during rainy and post rainy season. Poly trenches are best suited to vegetable cultivation in the cold desert of the country. Increased productivity and off-season ability under protected conditions favor its early adoption in peri-urban areas of northern plains and hilly areas of India.

References

- Ankur Agarwal, 2018, Growing environment and micronutrients application influence fruit and seed yield of capsicum. *Nutri. food Sci. Int. J.*, **5**(1).
- Biyyala Srinivasulu, Pradeep Kumar Singh, Mudasir Magray, Ummaiya Masoodi and Koteswar Rao, G., 2017, Vegetable seed production under protected conditions. *J. Pharmacognosy and Phytochem.*, **6**(6): 2449-2452.
- Bontha Vidyadhar, Tomar, B. S., Balraj Singh and Girish Kaddi, 2014, Effect of growing conditions on growth, seed yield and quality attributes in cherry tomato (*Solanum*

lycopersicum var *cerasiferme*). *Ind. J. Agri. Sci.*, **85**(1): 114-7.

- Girish Kaddi, Tomar, B. S., Balraj Singh and Sanjay Kumar., 2014, Effect Of growing conditions on seed yield and quality of cucumber (*Cucumis sativus*) Hybrid. *Ind. J. Agri. Sci.*, **84**(5): 624-7.
- Mainavati Deshi And Biradar Patil, N. K., 2016, Effect of Growing Condition and Spacing on seed quality parameters in hybrid seed production of brinjal (*Solanum melongena* L.) under shade house and open field condition. *Int. J. Agri. Sci.*, **12**(2): 223-226.
- Malek, M. A., Mohammed, D., Sikdar, M. And Rahman, M. S., 2012, Effects of variety and growing condition on yield and quality of carrot seed. *J. Environ. Sci. & Natural Resources*, **5**(2): 301 - 306.
- Mukul Kumar, Sirohi, H. S., Balrajsingh, Tomar, B. S. And Mohit Kumar, 2018, Effect on quality of cucumber (Pant Shankar Khira-1) hybrid seed production under protected conditions. *Int. J. Curr. Microbial. App. Sci.*, **7**(1): 26-30.

* * * * *