



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12168

Golden Fuel

Batch #: HLR2025GF

Strain: Gas Crack x Dr Gonzo

Parent Batch #:

Production Method: Other Hydrocarbon

Harvest Date: 02/20/2025

Received: 04/07/2025

Sample ID: 2504SMAZ0481.1442

Amount Received: 8.2 g

Sample Type: Live Resin

Sample Collected: 04/07/2025 11:10:00

Manufacture Date: 03/19/2025

Published: 04/10/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

80.712%

Total THC

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

0.142%

Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

0.311%

CBN

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

2.333%

CBG

84.563%


Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.

Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/06/2025
SOP: 418.AZ
Batch Number: 3002
Test ID: 59958

Sample Analysis

Date: 04/08/2025
SOP: 417.AZ - HPLC
Sample Weight: 0.042 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.307	0.930	1	0.461	4.610	
CBD	0.307	0.930	1	0.142	1.421	
CBDA	0.307	0.930	1	ND	ND	
CBDV	0.307	0.930	1	ND	ND	
CBG	0.307	0.930	1	2.333	23.331	
CBGA	0.307	0.930	1	ND	ND	
CBN	0.307	0.930	1	0.311	3.112	
d8-THC	0.307	0.930	1	ND	ND	
d9-THC	0.307	0.930	1	80.712	807.122	
THCA	0.307	0.930	1	ND	ND	
THCV	0.307	0.930	1	0.603	6.028	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	80.712	807.122	
Total CBD	0.142	1.421	
Total Cannabinoids	84.563	845.625	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

Terpene Total

GC-FID

Tested (4.8536%)


Sample Prep

Batch Date: 04/08/2025
SOP: 419
Batch Number: 3014

Sample Analysis

Date: 04/09/2025
SOP: 419 - GC-FID
Sample Weight: 0.401 g
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0030	1	0.1593	Q3	gamma-Terpinene	0.0010 / 0.0030	1	0.0067	Q3
alpha-Cedrene	0.0010 / 0.0030	1	ND	Q3	Geraniol	0.0010 / 0.0030	1	ND	Q3
alpha-Humulene	0.0010 / 0.0030	1	0.5118	Q3	Geranyl acetate	0.0010 / 0.0030	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0030	1	0.0031	Q3	Guaiol	0.0010 / 0.0030	1	0.0874	Q3
alpha-Pinene	0.0010 / 0.0030	1	0.2234	Q3	Hexahydrothymol	0.0010 / 0.0030	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0030	1	0.0109	Q3	Isoborneol	0.0010 / 0.0030	1	ND	Q3
beta-Myrcene	0.0010 / 0.0030	1	0.7704	Q3	Isopulegol	0.0010 / 0.0030	1	ND	Q3
beta-Pinene	0.0010 / 0.0030	1	0.0055	Q3	Limonene	0.0010 / 0.0030	1	0.9407	Q3
Borneol	0.0010 / 0.0030	1	0.0251	Q3	Linalool	0.0010 / 0.0030	1	0.2934	Q3
Camphene	0.0010 / 0.0030	1	0.0377	Q3	Nerol	0.0010 / 0.0030	1	ND	Q3
Camphor	0.0010 / 0.0030	1	ND	Q3	Pulegone (+)	0.0010 / 0.0030	1	ND	Q3
3-Carene	0.0010 / 0.0030	1	ND	Q3	Sabinene Hydrate	0.0010 / 0.0030	1	ND	Q3
Caryophyllene oxide	0.0010 / 0.0030	1	ND	Q3	Terpineol	0.0010 / 0.0030	1	0.0697	Q3
Cedrol	0.0010 / 0.0030	1	0.0806	Q3	Terpinolene	0.0010 / 0.0030	1	0.0888	Q3
cis-Nerolidol	0.0010 / 0.0030	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0030	1	1.3878	Q3
cis-Ocimene	0.0010 / 0.0030	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0030	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0030	1	0.0929	Q3	trans-Ocimene	0.0010 / 0.0030	1	0.0465	Q3
Eucalyptol	0.0010 / 0.0030	1	0.0030	Q3	Valencene	0.0010 / 0.0030	1	ND	Q3
Fenchone	0.0010 / 0.0030	1	0.0090	Q3					



Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

Microbial Analysis

Pass

Sample Prep

Batch Date: 04/08/2025
SOP: 412.AZ
Batch Number: 3013
Test ID: 60013

Sample Analysis

Date: 04/09/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.001 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 04/08/2025
SOP: 406.AZ
Batch Number: 3012
Test ID: 60015

Sample Analysis

Date: 04/09/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 04/08/2025
SOP: 406.AZ
Batch Number: 3012
Test ID: 60017

Sample Analysis

Date: 04/09/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.004 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 04/07/2025
SOP: 405.AZ
Batch Number: 3003
Test ID: 59959

Sample Analysis

Date: 04/08/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.054 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	61 / 185	1	1000	ND		Heptane	309 / 926	1	5000	ND	
Acetonitrile	26 / 76	1	410	ND		Hexanes	44 / 134	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	309 / 926	1	5000	ND	
Butanes	154 / 463	1	5000	ND		Methanol	185 / 556	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	309 / 926	1	5000	ND	
Dichloromethane	37 / 111	1	600	ND		2-Propanol (IPA)	309 / 926	1	5000	ND	
Ethanol	309 / 926	1	5000	ND		Toluene	56 / 165	1	890	ND	
Ethyl acetate	309 / 926	1	5000	ND		Xylenes	269 / 804	1	2170	ND	
Ethyl ether	309 / 926	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 04/09/2025
SOP: 428.AZ
Batch Number: 3022
Test ID: 59960

Sample Analysis

Date: 04/09/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.218 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.055	0.184	10	0.4	ND	
Cadmium	0.055	0.184	10	0.4	ND	
Lead	0.055	0.459	10	1	ND	
Mercury	0.055	0.092	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 04/08/2025
SOP: 432.AZ
Batch Number: 3010
Test ID: 59963

Sample Analysis

Date: 04/09/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.539 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.71	9.28	1	20	ND	L1
Aflatoxin B1	3.71	9.28	1		ND	I1
Aflatoxin B2	3.71	9.28	1		ND	I1, L1
Aflatoxin G1	3.71	9.28	1		ND	
Aflatoxin G2	3.71	4.64	1		ND	
Ochratoxin A	9.28	9.28	1	20	ND	I1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 04/08/2025
SOP: 432.AZ
Batch Number: 3010
Test ID: 59962

Sample Analysis

Date: 04/09/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.539 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.077 / 0.232	1	0.5	ND		Hexythiazox	0.155 / 0.464	1	1	ND	
Acephate	0.062 / 0.186	1	0.4	ND		Imazalil	0.031 / 0.093	1	0.2	ND	
Acetamiprid	0.031 / 0.093	1	0.2	ND		Imidacloprid	0.062 / 0.186	1	0.4	ND	
Aldicarb	0.062 / 0.186	1	0.4	ND		Kresoxim-methyl	0.062 / 0.186	1	0.4	ND	
Azoxystrobin	0.031 / 0.093	1	0.2	ND		Malathion	0.031 / 0.093	1	0.2	ND	
Bifenazate	0.031 / 0.093	1	0.2	ND		Metaxyl	0.031 / 0.093	1	0.2	ND	
Bifenthrin	0.031 / 0.093	1	0.2	ND		Methiocarb	0.031 / 0.093	1	0.2	ND	
Boscalid	0.062 / 0.186	1	0.4	ND		Methomyl	0.062 / 0.186	1	0.4	ND	
Carbaryl	0.031 / 0.093	1	0.2	ND		Myclobutanil	0.031 / 0.093	1	0.2	ND	
Carbofuran	0.031 / 0.093	1	0.2	ND		Naled	0.077 / 0.232	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.093	1	0.2	ND		Oxamyl	0.155 / 0.464	1	1	ND	
Chlorfenapyr	0.155 / 0.464	1	1	ND		Paclobutrazol	0.062 / 0.186	1	0.4	ND	
Chlorpyrifos	0.031 / 0.093	1	0.2	ND		Permethrins	0.031 / 0.093	1	0.2	ND	
Clofentezine	0.031 / 0.093	1	0.2	ND		Phosmet	0.031 / 0.093	1	0.2	ND	
Cyfluthrin	0.155 / 0.464	1	1	ND		Piperonyl Butoxide	0.309 / 0.928	1	2	ND	
Cypermethrin	0.155 / 0.464	1	1	ND		Prallethrin	0.031 / 0.093	1	0.2	ND	
Daminozide	0.155 / 0.464	1	1	ND		Propiconazole	0.062 / 0.186	1	0.4	ND	
Diazinon	0.031 / 0.093	1	0.2	ND		Propoxur	0.031 / 0.093	1	0.2	ND	
Dichlorvos	0.016 / 0.046	1	0.1	ND		Pyrethrins	0.130 / 0.389	1	1	ND	
Dimethoate	0.031 / 0.093	1	0.2	ND		Pyridaben	0.031 / 0.093	1	0.2	ND	
Ethoprophos	0.031 / 0.093	1	0.2	ND		Spinosad	0.031 / 0.093	1	0.2	ND	I1
Etofenprox	0.062 / 0.186	1	0.4	ND		Spiromesifen	0.031 / 0.093	1	0.2	ND	
Etoxazole	0.031 / 0.093	1	0.2	ND		Spirotetramat	0.031 / 0.093	1	0.2	ND	
Fenoxycarb	0.031 / 0.093	1	0.2	ND		Spiroxamine	0.062 / 0.186	1	0.4	ND	
Fenpyroximate	0.062 / 0.186	1	0.4	ND		Tebuconazole	0.062 / 0.186	1	0.4	ND	
Fipronil	0.062 / 0.186	1	0.4	ND		Thiacloprid	0.031 / 0.093	1	0.2	ND	
Flonicamid	0.155 / 0.464	1	1	ND		Thiamethoxam	0.031 / 0.093	1	0.2	ND	
Fludioxonil	0.062 / 0.186	1	0.4	ND		Trifloxystrobin	0.031 / 0.093	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12168

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: SIXTH STREET ENTERPRISES INC

Manufactured By: SIXTH STREET ENTERPRISES INC

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin
1225 W. Deer Valley Rd
Phoenix, AZ 85027
License #: 0000156ESTDP70697204
Sample ID: 2504SMAZ0481.1442
Batch #: HLR2025GF



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12168

Notes:



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>