



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12169

### Legendary Kush Medley

Batch #: HLR2025LKM

Strain: Jacks Cleaner x Fire OG

Parent Batch #:

Production Method: Other Hydrocarbon

Harvest Date: 02/20/2025

Received: 04/07/2025

Sample ID: 2504SMAZ0481.1443


Amount Received: 9.6 g

Sample Type: Live Resin

Sample Collected: 04/07/2025 11:10:00

Manufacture Date: 03/19/2025

Published: 04/10/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3)

**Tested**

Microbial Contaminants

**Pass**

Residual Solvents

**Pass**

**77.549%**

Total THC

Pesticides, Fungicides,  
and Growth Regulators

**Pass**

Mycotoxins

**Pass**

Heavy Metals

**Pass**

**0.154%**

Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3)

**Tested**

Moisture Analysis (Q3)

**Not Tested**

Water Activity (Q3)

**Not Tested**

**0.192%**

CBN

Filth & Foreign (Q3)

**Not Tested**

Homogeneity (Q3)

**Not Tested**

Additional Microbial  
Contaminants (Q3)

**Not Tested**

**0.395%**

CBG

**81.065%**

Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.

Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 418.AZ  
Batch Number: 3015  
Test ID: 59965

**Sample Analysis**

Date: 04/09/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.0413 g  
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.312	0.946	1	ND	ND	
CBD	0.312	0.946	1	<LOQ	<LOQ	
CBDA	0.312	0.946	1	0.175	1.751	
CBDV	0.312	0.946	1	ND	ND	
CBG	0.312	0.946	1	0.395	3.948	
CBGA	0.312	0.946	1	0.907	9.068	
CBN	0.312	0.946	1	0.192	1.920	
d8-THC	0.312	0.946	1	ND	ND	
d9-THC	0.312	0.946	1	66.285	662.847	
THCA	0.312	0.946	1	12.844	128.438	
THCV	0.312	0.946	1	0.268	2.676	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	77.549	775.487	
Total CBD	0.154	1.536	
Total Cannabinoids	81.065	810.648	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

**Terpene Total**

GC-FID

**Tested (7.6098%)**


**Sample Prep**

Batch Date: 04/08/2025  
SOP: 419  
Batch Number: 3014

**Sample Analysis**

Date: 04/09/2025  
SOP: 419 - GC-FID  
Sample Weight: 0.413 g  
Volume: 10 mL

Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier	Analyte	LOD / LOQ (%)	Dil.	Results (%)	Qualifier
alpha-Bisabolol	0.0010 / 0.0029	1	0.0995	Q3	gamma-Terpinene	0.0010 / 0.0029	1	0.0992	Q3
alpha-Cedrene	0.0010 / 0.0029	1	ND	Q3	Geraniol	0.0010 / 0.0029	1	0.0107	Q3
alpha-Humulene	0.0010 / 0.0029	1	0.2148	Q3	Geranyl acetate	0.0010 / 0.0029	1	ND	Q3
alpha-Phellandrene	0.0010 / 0.0029	1	0.1349	Q3	Guaiol	0.0010 / 0.0029	1	0.1253	Q3
alpha-Pinene	0.0010 / 0.0029	1	0.3065	Q3	Hexahydrothymol	0.0010 / 0.0029	1	ND	Q3
alpha-Terpinene	0.0010 / 0.0029	1	0.1357	Q3	Isoborneol	0.0010 / 0.0029	1	ND	Q3
beta-Myrcene	0.0010 / 0.0029	1	0.5251	Q3	Isopulegol	0.0010 / 0.0029	1	ND	Q3
beta-Pinene	0.0010 / 0.0029	1	0.1654	Q3	Limonene	0.0010 / 0.0029	1	0.6280	Q3
Borneol	0.0010 / 0.0029	1	0.0206	Q3	Linalool	0.0010 / 0.0029	1	0.1640	Q3
Camphene	0.0010 / 0.0029	1	0.0216	Q3	Nerol	0.0010 / 0.0029	1	ND	Q3
Camphor	0.0010 / 0.0029	1	ND	Q3	Pulegone (+)	0.0010 / 0.0029	1	ND	Q3
3-Carene	0.0010 / 0.0029	1	0.1127	Q3	Sabinene Hydrate	0.0010 / 0.0029	1	0.0074	Q3
Caryophyllene oxide	0.0010 / 0.0029	1	0.0209	Q3	Terpineol	0.0010 / 0.0029	1	0.1396	Q3
Cedrol	0.0010 / 0.0029	1	0.1557	Q3	Terpinolene	0.0010 / 0.0029	1	3.1487	Q3
cis-Nerolidol	0.0010 / 0.0029	1	ND	Q3	trans-Caryophyllene	0.0010 / 0.0029	1	0.8154	Q3
cis-Ocimene	0.0010 / 0.0029	1	ND	Q3	trans-Nerolidol	0.0010 / 0.0029	1	ND	Q3
Fenchyl alcohol	0.0010 / 0.0029	1	0.0612	Q3	trans-Ocimene	0.0010 / 0.0029	1	0.4437	Q3
Eucalyptol	0.0010 / 0.0029	1	0.0200	Q3	Valencene	0.0010 / 0.0029	1	0.0259	Q3
Fenchone	0.0010 / 0.0029	1	0.0074	Q3					



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

**Microbial Analysis**

Pass

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 412.AZ  
Batch Number: 3013  
Test ID: 59989

**Sample Analysis**

Date: 04/09/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.093 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 406.AZ  
Batch Number: 3012  
Test ID: 60008

**Sample Analysis**

Date: 04/09/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.013 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 406.AZ  
Batch Number: 3012  
Test ID: 60012

**Sample Analysis**

Date: 04/09/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.013 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 405.AZ  
Batch Number: 3009  
Test ID: 59966

**Sample Analysis**

Date: 04/09/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.0505 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 198	1	1000	<LOQ		Heptane	331 / 990	1	5000	ND	
Acetonitrile	28 / 81	1	410	ND		Hexanes	48 / 144	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	331 / 990	1	5000	ND	
Butanes	164 / 495	1	5000	<LOQ		Methanol	198 / 594	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	331 / 990	1	5000	ND	
Dichloromethane	40 / 119	1	600	ND		2-Propanol (IPA)	331 / 990	1	5000	ND	
Ethanol	331 / 990	1	5000	ND		Toluene	59 / 176	1	890	ND	
Ethyl acetate	331 / 990	1	5000	ND		Xylenes	287 / 859	1	2170	ND	
Ethyl ether	331 / 990	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 04/09/2025  
SOP: 428.AZ  
Batch Number: 3022  
Test ID: 59967

**Sample Analysis**

Date: 04/09/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.212 g  
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.057	0.189	10	0.4	ND	
Cadmium	0.057	0.189	10	0.4	ND	
Lead	0.057	0.472	10	1	ND	
Mercury	0.057	0.094	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 432.AZ  
Batch Number: 3010  
Test ID: 59970

**Sample Analysis**

Date: 04/09/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.534 g  
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.75	9.36	1	20	ND	L1
Aflatoxin B1	3.75	9.36	1		ND	I1
Aflatoxin B2	3.75	9.36	1		ND	I1, L1
Aflatoxin G1	3.75	9.36	1		ND	
Aflatoxin G2	3.75	4.68	1		ND	
Ochratoxin A	9.36	9.36	1	20	ND	I1 V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

**Pesticides, Fungicides, and  
Growth Regulators**  
LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 04/08/2025  
SOP: 432.AZ  
Batch Number: 3010  
Test ID: 59969

**Sample Analysis**

Date: 04/09/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.534 g  
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.078 / 0.234	1	0.5	ND		Hexythiazox	0.156 / 0.468	1	1	ND	
Acephate	0.063 / 0.187	1	0.4	ND		Imazalil	0.031 / 0.094	1	0.2	ND	
Acetamiprid	0.031 / 0.094	1	0.2	ND		Imidacloprid	0.063 / 0.187	1	0.4	ND	
Aldicarb	0.063 / 0.187	1	0.4	ND		Kresoxim-methyl	0.063 / 0.187	1	0.4	ND	
Azoxystrobin	0.031 / 0.094	1	0.2	ND		Malathion	0.031 / 0.094	1	0.2	ND	
Bifenazate	0.031 / 0.094	1	0.2	ND		Metaxyl	0.031 / 0.094	1	0.2	ND	
Bifenthrin	0.031 / 0.094	1	0.2	ND		Methiocarb	0.031 / 0.094	1	0.2	ND	
Boscalid	0.063 / 0.187	1	0.4	ND		Methomyl	0.063 / 0.187	1	0.4	ND	
Carbaryl	0.031 / 0.094	1	0.2	ND		Myclobutanil	0.031 / 0.094	1	0.2	ND	
Carbofuran	0.031 / 0.094	1	0.2	ND		Naled	0.078 / 0.234	1	0.5	ND	
Chlorantraniliprole	0.031 / 0.094	1	0.2	ND		Oxamyl	0.156 / 0.468	1	1	ND	
Chlorfenapyr	0.156 / 0.468	1	1	ND		Paclobutrazol	0.063 / 0.187	1	0.4	ND	
Chlorpyrifos	0.031 / 0.094	1	0.2	ND		Permethrins	0.031 / 0.094	1	0.2	ND	
Clofentezine	0.031 / 0.094	1	0.2	ND		Phosmet	0.031 / 0.094	1	0.2	ND	
Cyfluthrin	0.156 / 0.468	1	1	ND		Piperonyl Butoxide	0.312 / 0.936	1	2	ND	
Cypermethrin	0.156 / 0.468	1	1	ND		Prallethrin	0.031 / 0.094	1	0.2	ND	
Daminozide	0.156 / 0.468	1	1	ND		Propiconazole	0.063 / 0.187	1	0.4	ND	
Diazinon	0.031 / 0.094	1	0.2	ND		Propoxur	0.031 / 0.094	1	0.2	ND	
Dichlorvos	0.016 / 0.047	1	0.1	ND		Pyrethrins	0.131 / 0.392	1	1	ND	
Dimethoate	0.031 / 0.094	1	0.2	ND		Pyridaben	0.031 / 0.094	1	0.2	ND	
Ethoprophos	0.031 / 0.094	1	0.2	ND		Spinosad	0.031 / 0.094	1	0.2	ND	I1
Etofenprox	0.063 / 0.187	1	0.4	ND		Spiromesifen	0.031 / 0.094	1	0.2	ND	
Etoxazole	0.031 / 0.094	1	0.2	ND		Spirotetramat	0.031 / 0.094	1	0.2	ND	
Fenoxycarb	0.031 / 0.094	1	0.2	ND		Spiroxamine	0.063 / 0.187	1	0.4	ND	
Fenpyroximate	0.063 / 0.187	1	0.4	ND		Tebuconazole	0.063 / 0.187	1	0.4	ND	
Fipronil	0.063 / 0.187	1	0.4	ND		Thiacloprid	0.031 / 0.094	1	0.2	ND	
Fonicamid	0.156 / 0.468	1	1	ND		Thiamethoxam	0.031 / 0.094	1	0.2	ND	
Fludioxonil	0.063 / 0.187	1	0.4	ND		Trifloxystrobin	0.031 / 0.094	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

*Ahmed Munshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 12169

### Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:** SIXTH STREET ENTERPRISES INC

**Manufactured By:** SIXTH STREET ENTERPRISES INC

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Hello Live Resin  
1225 W. Deer Valley Rd  
Phoenix, AZ 85027  
License #: 0000156ESTDP70697204  
Sample ID: 2504SMAZ0481.1443  
Batch #: HLR2025LKM



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 12169

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.  
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>