



Surgical Masks & N95 Respirators

High Quality Personal Protective Equipment



MADE IN USA





DemeTECH is a world renowned leader in wound closure medical devices with over 20 years experience in over 130 global healthcare markets. DemeTECH's newest product line focuses on PPE, using only the highest grade American sourced materials. All of DemeTECH's PPE offerings are manufactured using state of the art machinery and FDA compliant manufacturing processes.



Technical Information

Understanding PPE



How ASTM sets the standard

ASTM defines more than 12,500 international standards for safety and quality cross a wide variety of industries and services. Healthcare organizations globally adopt ASTM recommendations to implement best practices.

For masks, ASTM sets three levels of barrier protection:

Level 1: Low barrier protection: generally used for short procedures and exams that don't involve aerosols, spray or fluids.

Level 2: Moderate barrier protection: for low to moderate levels of aerosols, spray and/or fluids.

Level 3: Maximum barrier protection: for heavy levels of aerosols, spray and/or fluids.

To determine if a mask is Level 1, 2 or 3, ASTM evaluates several characteristics, including bacterial filtration efficiency, sub-micron particulate filtration, differential pressure and flame spread. The greatest difference between the three levels is in the mask's resistance to penetration by synthetic blood.



How are masks typically selected today?

According to a recent survey of hundreds of OR nurses, non-OR nurses, infection control professionals, and other physicians, the most influential factor in selecting a mask is simply what is available in the facility.

According to the same study, 75 percent of participants wear the wrong personal protective equipment for the procedure or setting, which can lead to not only health risks for staff and patients, but also statutory citations and fines. Following ASTM standards would help solve the problem, but knowledge of them is low:

- 48 percent of the operating room staff are unaware of the ASTM standards and the different levels of protection.
- 57 percent of face mask units sold in 2016 did not have or claim an ASTM rating.

While 84 percent of the surveyed facilities have a mask selection protocol, more than half of the physicians said they use their medical judgment when selecting a mask, even if it is not within the protocol.

Choosing the right mask: A guide to ASTM barrier protection standards

1 Procedure Masks

- Two earloops secure mask to face.
- Not suitable for OR.
- Mainly used for patient examinations.

2 Surgical Masks

- Primarily used by OR staff.
- Intended for a high risk of fluid exposure.

3 Surgical N95 Respirator

- Protection against residual surgical smoke or on patients with known or suspected aerosol transmittable diseases.
- Used for situations where interacting with patients that may have airborne infectious disease.

Providing Your Staff With Superb Comfort, without sacrificing reliable protection




Comfort

- Superb breathability while filtering harmful bacteria, our masks allow for easy air flow in both directions, so the wearer stays cool and comfortable.



Innovation

- Unique Device coding system to ensure staff knows which mask to use.



Protection

- Filtration efficiency and differential pressure standards set forth in "ASTM F2100 Standard Specification for the performance of Materials Masks Used in Medical Facial Masks".

DemeMASK™


Surgical Mask MSK-003 FDA Clearance: K201479

Level 3 Surgical Mask

ASTM Level 3 masks feature a highly protective three-layer construction, giving you protection, breathability, and comfort in the operating room.



THREE LAYER FILTER PROTECTION





Understanding ASTM levels of protection is Key

Surgical Masks ASTM Level 3

- Surgical masks for use in environments with high risk of fluid exposure with Bacteria.
- Filtration Efficiency (BFE) and Particle.
- Filtration Efficiency (PFE) at 98% with 0.1 micron, you are assured a high level of protection against potential sources of infection.

Technical Characteristics	Level 1	Level 2	Level 3
Resistance to penetration by synthetic blood, minimum pressure in mm Hg for pass result	80 mm Hg	120 mm Hg	160 mm Hg
Differential pressure, mm H ₂ O/cm ² (Breathability)	<4.0	<5.0	<5.0
Bacterial filtration efficiency	≥95%	≥98%	≥98%
Sub-micron particulates filtration efficient at 0.1 micron	≥95%	≥98%	≥98%
Flame spread	Class I	Class I	Class I

ASTMF2100-11 Levels

Code: DT-MSK-001

Level 1: Low barrier protection

General use for short procedures and exams that don't involve aerosols, spray or fluids.

Code: DT-MSK-002

Level 2: Moderate barrier protection

For low to moderate levels of aerosols, spray and/or fluids.

Code: DT-MSK-003

Level 3: Maximum barrier protection

For heavy levels of aerosols, spray and/or fluids.



DemeMASK™


Surgical Mask MSK-003T FDA Clearance: K201479

Level 3 Surgical Mask Head Tie

ASTM Level 3 masks feature a highly protective three-layer construction, tie-downs on the two upper and lower bands, providing you with protection, breathability, and comfort.



THREE LAYER FILTER PROTECTION



Non-Woven Protective Layer

Blue outer layer ensures proper wear, and provides high protection against fluids, high breathability, and excellent protection against airborne bacteria.

Filter Layer

Provides at least 98% filtration against airborne particles and bacteria.

Inner Comfort Layer

Enables user to comfortably wear mask for extended periods of time.

DemeMASK™ N95 Respirator Cup Style

NIOSH #TC-84A-9258



How is it different?

The Highest Level of Protection

- Filters at least 98% Particulates
- High Fluid Resistance

FIVE LAYER FILTER PROTECTION

Adjustable Nose Clip

Made of moldable aluminum and rubber grip for greater comfort, without squeezing or leaving marks on the skin.

Padded Inner Foam

Provides comfort for long hours of wear.

Heat Seal

The edges of the mask are heat sealed for superior tear resistance.

Dual Strap Design


Double point welded headbands provide a secure seal around the wearer's face.

Advanced Electrostatic Media

Designed to provide at least 98% filtration efficiency against certain non-oil based particles.

Resistant Outer Layer

The high-density polypropylene outer layer provides strong resistance against airborne liquids.



N95 Cup Respirator Style

Offered in a small and large size, the N95 Cup is designed to comfortably fit most facial shapes. This respirator is designed for use against particles such as those from grinding, sanding, sweeping, sawing, bagging, or other dusty operations.

This respirator can also help reduce inhalation exposures to certain airborne biological particles, but cannot eliminate the risk of contracting infection, illness, or disease. The fitted mask adapts to the natural shape of the face, minimizing pressure points. The molded nose bridge reduces the adjustments needed to achieve a proper fit and provides a secure seal.



Specification

Standard

Technical Characteristics

Technical Characteristics	Specification	Standard
Resistance to penetration by synthetic blood, minimum pressure in mm Hg	160 mm Hg	ASTM F2101
Bacterial Filtration Efficiency (BFE)	≥98%	42 CFR 84.174
Particle Filtration Efficiency	≥98%	42 CFR 84.172
Exhalation Resistance	<35 mm H ₂ O	42 CFR 84.172
Inhalation Resistance	<25 mm H ₂ O	ASTM F1862
Flammability	Class 1	16 CFR 1610

Industries & Applications

- Healthcare.
- Cutting or Sanding Wood.
- General Manufacturing.
- Agriculture and Farming.

Use for

This respirator can also help reduce inhalation exposures to certain airborne biological particles (examples: mold, Bacillus anthracis, Mycobacterium tuberculosis), but cannot eliminate the risk of contracting infection, illness, or disease.

Product Number	Type	Nose Clip	Strap Style	Strap Material	Box Qty
DT-N95-CH	N95	YES	Welded	Latex Free Elastic	20 Units
DT-N95-CHS	N95	YES	Welded	Latex Free Elastic	20 Units

DemeMASK™ Surgical N95 Cup Respirator

NIOSH #TC-84A-9297

The Highest Level of Protection

The DemeMASK Surgical N95 Respirator is designed to help provide respiratory protection for the physician. This respirator has a filter efficiency level of at least 98% against particulate aerosols free of oil. It is fluid resistant. It is disposable and may be worn in surgery. It can fit a wide range of face sizes. This product contains no components made from natural rubber latex.



Technical Characteristics

	Specification		Standard
Resistance to penetration by synthetic blood, minimum pressure in mm Hg	160 mm Hg	—————	ASTM F2101
Bacterial Filtration Efficiency (BFE)	≥98%	—————	42 CFR 84.174
Particle Filtration Efficiency	≥98%	—————	42 CFR 84.172
Exhalation Resistance	<35 mm H ₂ O	—————	42 CFR 84.172
Inhalation Resistance	<25 mm H ₂ O	—————	ASTM F1862
Flammability	Class 1	—————	16 CFR 1610



Surgical N95 Cup Respirator Small

NIOSH #TC-84A-9297

This product meets CDC guidelines for M.tuberculosis exposure control. As a respirator, it is intended to help reduce a physician's exposure to certain airborne particles, including those generated by electrocautery, laser surgery, and other powered medical instruments. As a surgical mask, it is designed to be fluid resistant to splash and spatter of blood and other infectious materials.

Surgical N95 Cup Respirators

Features & Benefits

- Exclusive design that minimizes the pressure points and fits comfortably on most faces.
- Highly protective filter media protects against at least 98% of certain non-oil based particles.
- Strong, rigid outer shell prevents masks from collapsing on the wearers face.
- Dual welded head straps secure the respirator comfortably on the user's face.
- Latex free woven head straps secure the mask on the wearers face.




Product Number	Type	Nose Clip	Strap Style	Strap Material	Box Qty
DT-S95001-C	N95	YES	Welded	Latex Free Elastic	20 Units
DT-S95001-CS	N95	YES	Welded	Latex Free Elastic	20 Units

Industries & Applications

- Mask specially certified for the protection of medical personnel in surgery rooms.

Use for

This respirator has been approved as a NIOSH N95 filtering facepiece respirator, for use in healthcare settings, as a Surgical N95 Respirator conforming to recognized standards for biocompatibility, flammability, and fluid resistance.



Simplified Size Guide

Mask Size	Width	Height
Regular Size	5.5 inch	4.9 inch
Small Size	5.3 inch	4.3 inch

DemeMASK™

N95 Respirator Fold Style

NIOSH #TC-84A-9251



Filters at least 98% of airborne particles and bacteria with innovative 5 layer technology

FIVE LAYER FILTER PROTECTION

Adjustable Nose Cip

Made of moldable aluminum and rubber grip for greater comfort, without squeezing or leaving marks on the skin.

Padded Inner Foam

The soft polypropylene inner layer provides comfort for long periods of use.

Heat Seal

The edges of the mask are heat sealed for superior tear resistance.

Dual Strap Design

Double point welded headbands provide a secure seal around the wearers face.




Advanced Electrostatic media

Designed to provide at least 98% filtration efficiency against certain non-oil based particles.

Resistant Outer Layer

The high-density polypropylene outer layer provides strong resistance against liquids in the air.



Simplified Size Guide

Mask Size	Width	Height	Strap
Regular Size	6.3 inch	5.5 inch	13 inch
Small Size	6.3 inch	5.5 inch	8.6 inch

N95 Respirator Fold Style

The DemeMASK N95 Fold Respirator is designed to help provide respiratory protection for the wearer. This respirator has a filter efficiency level of at least 98% against particulate aerosols free of oil. It is fluid resistant. It can fit a wide range of face sizes. This product contains no components made from natural rubber latex.



	Specification		Standard
Technical Characteristics			
Resistance to penetration by synthetic blood, minimum pressure in mm Hg	160 mm Hg	—————	ASTM F2101
Bacterial Filtration Efficiency (BFE)	≥98%	—————	42 CFR 84.174
Particle Filtration Efficiency	≥98%	—————	42 CFR 84.172
Exhalation Resistance	<35 mm H ₂ O	—————	42 CFR 84.172
Inhalation Resistance	<25 mm H ₂ O	—————	ASTM F1862
Flammability	Class 1	—————	16 CFR 1610

Industries & Applications

- Healthcare.
- Cutting or Sanding Wood.
- General Manufacturing.
- Agriculture and Farming.

Use for

This respirator can also help reduce inhalation exposures to certain airborne biological particles (examples: mold, Bacillus anthracis, Mycobacterium tuberculosis), but cannot eliminate the risk of contracting infection, illness, or disease.

Product Number	Type	Nose Clip	Strap Style	Strap Material	Box Qty
DT-N95-FH	N95	YES	Welded	Latex Free Elastic	20 Units
DT-N95-FHS	N95	YES	Welded	Latex Free Elastic	20 Units

N95 Respirator Fold Style



N95 Black Respirator Fold Style with Black Headbands

Product Number	DT-N95-FH-BLK
Type	Respirator
Nose Clip	Yes
Strap Style	Headbands Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



N95 Black Respirator Fold Style with Black Headbands Small Size

Product Number	DT-N95-FHS-BLK
Type	Respirator
Nose Clip	Yes
Strap Style	Headbands Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



N95 Pink Respirator Fold Style with White Headbands

Product Number	DT-N95-FH-PNK
Type	Respirator
Nose Clip	Yes
Strap Style	Headbands Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

N95 Respirator Fold Style



N95 Pink Respirator Fold Style with White Headbands Small Size

Product Number	DT-N95-FHS-PNK
Type	Respirator
Nose Clip	Yes
Strap Style	Headbands Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



N95 Blue Respirator Fold Style with Blue Headbands

Product Number	DT-N95-FH-BL
Type	Respirator
Nose Clip	Yes
Strap Style	Headbands Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



N95 Blue Respirator Fold Style with Blue Headbands Small Size

Product Number	DT-N95-FHS-BL
Type	Respirator
Nose Clip	Yes
Strap Style	Headbands Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

DemeMASK™ Surgical N95 Fold Respirator

NIOSH #TC-84A-9297



The Highest Level of Protection

The DemeTECH N95 Respirator Fold Style is manufactured using the highest quality materials. The mask is comprised of 5 layers, with 2 filtration layers that filter >98% of all airborne particles. As a surgical mask, it is designed to be fluid resistant to splash and spatter of blood and other infectious materials.

Specification

Standard

Technical Characteristics

Resistance to penetration by synthetic blood, minimum pressure in mm Hg	160 mm Hg	—	ASTM F2101
Bacterial Filtration Efficiency (BFE)	≥98%	—	42 CFR 84.174
Particle Filtration Efficiency	≥98%	—	42 CFR 84.172
Exhalation Resistance	<35 mm H ₂ O	—	42 CFR 84.172
Inhalation Resistance	<25 mm H ₂ O	—	ASTM F1862
Flammability	Class 1	—	16 CFR 1610



Surgical N95 Fold Respirator Small

NIOSH #TC-84A-9297

Soft and comfortable, the N95 Surgical respirator fold small type is made from the highest quality materials that provide the highest level of protection against airborne bacteria and liquids.

5-layer Filtration: This N95 surgical respirator provides excellent filtration efficiency of at least 98% against certain non-oil based particles.

Surgical N95 Fold Respirator

Features & Benefits

- Soft inner polypropylene layer provides comfort for long periods of wear.
- Double filtration layer provides strong protections against 98% of airborne particles and bacteria (tested in 3rd party laboratory).
- High density outer polypropylene layer provides strong resistance against airborne liquids.
- Double welded head straps provide strong fit and seal against the wearers face.
- Unique folded design provides low storage space while not in wear.




Product Number	Type	Nose Clip	Strap Style	Strap Material	Box Qty
DT-S95002-F	N95	YES	Welded	Latex Free Elastic	20 Units
DT-S95002-FS	N95	YES	Welded	Latex Free Elastic	20 Units

Industries & Applications

- Mask specially certified for the protection of medical personnel in surgery rooms.

Use for

This respirator has been approved as a NIOSH N95 filtering facepiece respirator, for use in healthcare settings, as a Surgical N95 Respirator conforming to recognized standards for biocompatibility, flammability, and fluid resistance.



Simplified Size Guide

Mask Size	Width	Height	Strap
Regular Size	6.3 inch	5.5 inch	13 inch
Small Size	6.3 inch	5.5 inch	8.6 inch

DemeMASK™

Particulate Respirator D95 Fold

ASTM LEVEL 3

The DemeTECH Particulate Respirator D95 Fold Style is manufactured using the highest quality materials. The respirator is comprised of 5 layers, with 2 filtration layers that filter airborne particles.



Technical Characteristics (42 CFR 84):

Particle Filtration Efficiency (PFE) _____ >95%


Exhalation Resistance _____ >35 mm H2O

Inhalation Resistance _____ >25 mm H2O

FIVE LAYER FILTER PROTECTION

Nose Clip

Made of moldable aluminum and rubber grip for greater comfort, without squeezing or leaving marks on the skin.



2 Adjustment Bands


Dual Welded Earloops provide comfort for prolonged periods of wear.

Heat Seal

The edges of the respirator are heat sealed for superior tear resistance.

Resistant Outer Layer

The high-density polypropylene outer layer provides strong resistance against airborne liquids.



Simplified Size Guide

Mask Size	Width	Height
Regular Size	6.3 inch	5.5 inch

Particulate Respirator D95 Fold ○

ASTM Level 3



D95 White Particulate Respirator Fold Style with white earloops

Product Number	DT-D95-WHITE-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 White Particulate Respirator Fold Style with black earloops

Product Number	DT-D95-WHITE-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Grey Particulate Respirator Fold Style with black earloops

Product Number	DT-D95-GREY-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

Particulate Respirator D95 Fold

ASTM Level 3



D95 Black Particulate Respirator Fold Style with black earloops

Product Number	DT-D95-BLACK-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Black Particulate Respirator Fold Style with white earloops

Product Number	DT-D95-BLACK-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Blue Particulate Respirator Fold Style with black earloops

Product Number	DT-D95-BLUE-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

Particulate Respirator D95 Fold

ASTM Level 3



D95 Blue Particulate Respirator Fold Style with white earloops

Product Number	DT-D95-BLUE-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Pink Particulate Respirator Fold Style with black earloops

Product Number	DT-D95-PINK-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Pink Particulate Respirator Fold Style with white earloops

Product Number	DT-D95-PINK-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

DemeMASK™ Disposable Face Mask

ASTM LEVEL 3

The DemeMASK disposable mask is a fantastic protective barrier against external pathogens. It is recommended for use in common environments such as work, shopping centers or supermarkets. If the contaminants are more dangerous to health, a respirator should be used.

- **Breathable:** Innovative filter technology allows for high breathability.
- **Protective:** The mask retains a 98% filtration rate.
- **Fashionable:** The colored masks match any outfit according to your preference.



THREE LAYER FILTER PROTECTION

Nose Clip

Made of moldable aluminum and rubber grip for greater comfort.

2 Adjustment Bands



Dual Welded Earloops provide comfort for prolonged periods of wear.

Heat Seal

The edges of the respirator are heat sealed for superior tear resistance.

Resistant Outer Layer

The high-density polypropylene outer layer provides strong resistance against airborne liquids.



Simplified Size Guide

Mask Size	Width	Height
Regular Size	6.8 inch	3.7 inch

Disposable Face Mask

ASTM Level 3



Disposable Yellow Mask with white earloops

Product Number	DT-MSK-YL
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



Disposable Green Mask with white earloops

Product Number	DT-MSK-GR
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



Disposable Purple Mask with white earloops

Product Number	DT-MSK-PR
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units

Disposable Face Mask

ASTM Level 3



Disposable Pink Mask with white earloops

Product Number	DT-MSK-PN
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



Disposable Black Mask with black earloops

Product Number	DT-MSK-003B
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	25 Units



Disposable Red Mask with white earloops

Product Number	DT-MSK-RED
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



DemeMASK™

Small and Childrens Face Masks

ASTM LEVEL 3



DemeMASK™ Particulate Respirator DX95 Extra Small

ASTM LEVEL 3

DemeTECH has launched its DX95 XS particulate respirator with ear muffs. This respirator was created in response to market demand for children. DemeTECH D95 particulate respirator foldable style meets inhalation and exhalation particulate filtration efficiency specifications as outlined in 42 CFR 84.

- Protector: the mask retains a 98% filtration rate.
- Fashionable: The colored masks match any outfit according to your preferences.
- Recommended for use in common environments such as schools, parks, shopping centers or supermarkets.



FIVE LAYER FILTER PROTECTION



Nose Clip

Made of moldable aluminum and rubber grip for greater comfort, without squeezing or leaving marks on the skin.

2 Adjustment Bands


Dual Welded Earloops provide comfort for prolonged periods of wear.

Heat Seal

The edges of the respirator are heat sealed for superior tear resistance.

Resistant Outer Layer

The high-density polypropylene outer layer provides strong resistance against airborne liquids.



Simplified Size Guide

Mask Size	Width	Height
Extra Small Size	6.3 inch	5.5 inch

Particulate Respirator DX95 Extra Small

ASTM Level 3



D95 Grey Particulate Respirator Fold Style with black earloops

Product Number	DT-DX95-XS-GREY-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 White Particulate Respirator Fold Style with white earloops

Product Number	DT-DX95-XS-WHITE-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Blue Particulate Respirator Fold Style with white earloops

Product Number	DT-DX95-XS-BLUE-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

Particulate Respirator DX95 Extra Small

ASTM Level 3



D95 Black Particulate Respirator Fold Style with black earloops

Product Number	DT-DX95-XS-BLACK-BLACK
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units



D95 Pink Particulate Respirator Fold Style with white earloops

Product Number	DT-DX95-XS-PINK-WHITE
Type	Particulate Respirator
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	20 Units

DemeMASK™

Surgical Mask Small

FDA Clearance: K201479

ASTM LEVEL 3




Surgical mask small for use in environments with high risk of fluid exposure. With Bacterial Filtration Efficiency (BFE) and Particle Filtration Efficiency (PFE) at 98% with 0.1 micron, you are assured a high level of protection against potential sources of infection.

- Breathable: Innovative filter technology allows for high breathability.
- Protective: The mask retains a 98% filtration rate.
- Fashionable: The colored masks match any outfit according to your preference.

Level 1 Level 2 Level 3

Technical Characteristics

	Level 1	Level 2	Level 3
Resistance to penetration by synthetic blood, minimum pressure in mm Hg for pass result	80 mm Hg	120 mm Hg	160 mm Hg
Differential pressure, mm H ₂ O/cm ² (Breathability)	<4.0	<5.0	<5.0
Bacterial filtration efficiency	≥95%	≥98%	≥98%
Sub-micron particulates filtration efficient at 0.1 micron	≥95%	≥98%	≥98%
Flame spread	Class1	Class1	Class1



Simplified Size Guide

Mask Size	Width	Height
Small Size	5.7 inch	3.7 inch

DemeMASK™

Disposable Mask Small

ASTM LEVEL 3

The DemeMASK disposable mask is a fantastic protective barrier against external pathogens. It is recommended for use in common environments such as school, parks, shopping centers or supermarkets. If the contaminants are more dangerous to health, a respirator should be used.

- **Breathable:** Innovative filter technology allows for high breathability.
- **Protective:** The mask retains a 98% filtration rate.
- **Fashionable:** The colored masks match any outfit according to your preference.




THREE LAYER FILTER PROTECTION

Nose Clip

Made of moldable aluminum and rubber grip for greater comfort.

2 Adjustment Bands

Dual Welded Earloops provide comfort for prolonged periods of wear.




Heat Seal

The edges of the respirator are heat sealed for superior tear resistance.

Resistant Outer Layer

The high-density polypropylene outer layer provides strong resistance against airborne liquids.



Simplified Size Guide

Mask Size	Width	Height
Small Size	5.7 inch	3.7 inch

Disposable Face Mask

ASTM Level 3



Disposable Yellow Mask with white earloops small

Product Number	DT-MSK-YLS
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



Disposable Green Mask with white earloops small

Product Number	DT-MSK-GRS
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



Disposable Purple Mask with white earloops small

Product Number	DT-MSK-PRS
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units

Disposable Face Mask

ASTM Level 3



Disposable Pink Mask with white earloops small

Product Number	DT-MSK-PNS
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units



Disposable Black Mask with black earloops small

Product Number	DT-MSK-003B-SMALL
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	25 Units



Disposable Red Mask with white earloops small

Product Number	DT-MSK-RED-S
Type	Disposable
Nose Clip	Yes
Strap Style	Earloops Welded
Strap Material	Latex Free Elastic
Box Qty	50 Units

Technical Information Mask

Cat. no.	Description	Qty. bx	Qty. cs	UPC
DT-MSK-003	Surgical Mask ASTM Level 3	50	2500	860004228554
DT-MSK-003S	Kids Surgical Mask ASTM Level 3 Size: Small	50	2500	860006873172
DT-MSK-003T	Surgical Mask Horizontal Head Tie ASTM Level 3	50	1000	860004228592
DT-N95-CH	N95 Respirator Cup Style With Headbands	20	480	860004228578
DT-S95001-C	Surgical N95 Cup Respirator With Headbands	20	480	860005586561
DT-S95001-CS	Surgical N95 Cup Respirator With Headbands (Small)	20	480	860006873189
DT-N95-FH	N95 Respirator Fold Style With Headbands	20	720	860004228561
DT-N95-FH-BLK	N95 Black Respirator Fold Style With Black Headbands	20	720	850034885421
DT-N95-FH-BL	N95 Blue Respirator Fold Style With Blue Headbands	20	720	850034885407
DT-N95-FH-PNK	N95 Pink Respirator Fold Style With White Headbands	20	720	850034885438
DT-N95-FHS	N95 Respirator Fold Style With Headbands (Small)	20	720	860005586516
DT-N95-FHS-BLK	N95 Black Respirator Fold Style With Black Headbands (Small)	20	720	850034885452
DT-N95-FHS-BL	N95 Blue Respirator Fold Style With Blue Headbands (Small)	20	720	850034885445
DT-N95-FHS-PNK	N95 Pink Respirator Fold Style With White Headbands (Small)	20	720	850034885469
DT-S95002-F	Surgical N95 Fold Respirator With Headbands	20	720	860005586578
DT-S95002-FS	Surgical N95 Fold Respirator With Headbands (Small)	20	720	860005586585
DT-MSK-003B	Black Disposable Face Mask	25	1250	860005586530
DT-MSK-GR	Green Disposable Face Mask	50	2500	860005586592
DT-MSK-PR	Purple Disposable Face Mask	50	2500	860006873103
DT-MSK-YL	Yellow Disposable Face Mask	50	2500	860006873110
DT-MSK-PN	Pink Disposable Face Mask	50	2500	860006873127
DT-MSK-003B-SMALL	Black Disposable Face Mask (Small)	25	1250	860005586530
DT-MSK-GRS	Green Disposable Face Mask (Small)	50	2500	860006873134
DT-MSK-PRS	Purple Disposable Face Mask (Small)	50	2500	860006873141



Technical Information Mask

Cat. no.	Description	Qty. bx	Qty. cs	UPC
DT-MSK-YLS	Yellow Disposable Face Mask (Small)	50	2500	860006873158
DT-MSK-PNS	Pink Disposable Face Mask (Small)	50	2500	860006873165
D T-D95-BLUE-BLACK	D95 Particulate Respirator Fold Style Blue Mask with Black Earloops	20	720	850034885025
DT-D95-BLUE-WHITE	D95 Particulate Respirator Fold Style Blue Mask with White Earloops	20	720	850034885001
DT-D95-WHITE-BLACK	D95 Particulate Respirator Fold Style White Mask with Black Earloops	20	720	850034885018
DT-D95-WHITE-WHITE	D95 Particulate Respirator Fold Style White Mask with White Earloops	20	720	850034885032
DT-D95-BLACK-BLACK	D95 Particulate Respirator Fold Style Black Mask with Black Earloops	20	720	850034885070
DT-D95-BLACK-WHITE	D95 Particulate Respirator Fold Style Black Mask with White Earloops	20	720	850034885100
DT-D95-PINK-WHITE	D95 Particulate Respirator Fold Style Pink Mask with White Earloops	20	720	850034885087
DT-D95-PINK-BLACK	D95 Particulate Respirator Fold Style Pink Mask with Black Earloops	20	720	850034885094
DT-D95-GREY-BLACK	D95 Particulate Respirator Fold Style Grey Mask with Black Earloops	20	720	850034885209
DT-DX95-XS-BLUE-WHITE	D95 Particulate Respirator Fold Style Blue Mask with White Earloops Size: Extra Small	20	720	850034885117
DT-DX95-XS-WHITE-WHITE	D95 Particulate Respirator Fold Style White Mask with White Earloops Size: Extra Small	20	720	850034885148
DT-DX95-XS-BLACK-BLACK	D95 Particulate Respirator Fold Style Black Mask with Black Earloops Size: Extra Small	20	720	850034885155
DT-DX95-XS-PINK-WHITE	D95 Particulate Respirator Fold Style Pink Mask with White Earloops Size: Extra Small	20	720	850034885162
DT-DX95-XS-GREY-BLACK	D95 Particulate Respirator Fold Style Grey Mask with Black Earloops Size: Extra Small	20	720	850034885216





DemeTECH Surgical Masks are
manufactured in the USA

