

C.I. TAKIRON Corporation

belbien

BELBIEN SAMPLE BOOK

2018-20

C.I. TAKIRON Corporation

BELBIEN | SAMPLEBOOK  
2018-20

Manufacturer

**C.I. TAKIRON Corporation**

Head Office North Gate Building, 3-1-3,Umeda,Kita-Ku,  
Osaka, 530-0001, Japan

[www.belbien.net/english](http://www.belbien.net/english)

World Network

U.S.A.

**Interior Design Solutions , Inc.**

9223 Harford Road Baltimore , MD 21234  
TEL : +1-866-95-34662 FAX : +1-866-96-34662  
E-mail : [info@idsfinishes.com](mailto:info@idsfinishes.com)

[www.belbienusa.com](http://www.belbienusa.com)



Personal information provided by customers is handled appropriately in accordance with the related Japanese laws and the company's own policies. For details on the company's own policies, please refer to "Policy on Protection of Personal Information" in [www.belbien.net](http://www.belbien.net).

belbien



belbien

The special product —  
Only C.I. TAKIRON can produce it.

The two of industrial experts of PVC sheet  
manufacturing  
- TAKIRON and C.I. KASEI reproduce our decorative  
sheet material "belbien" to prepare luxury, comfortable  
and sustainable spaces with the advanced technology.


belbien FEATURES

belbien/a decorative material with pre-applied adhesive for easy installation on site

belbien provides fire-safety-certified, self-adhesive decorative films with excellent design quality, durability, and water resistance. With a rich variety of 538 patterns, belbien products have been used since 1980 in a variety of applications around the world, ranging from interior and exterior design of buildings to fittings, furniture, sign boards, vehicles, and vessels.

All belbien products are prepared for "Panel Installation Method".

Excellent Product Design and Appearance



Durable for Outdoor Application

Water Resistance for Wet Area Usage



Weatherability and Stain Resistant PVC Wall Covering  
**belbien EX**  
Please refer to "P4-P7".

01



**Fireproofing Certification for All belbiens**


\*Certified on metal substrate (except aluminium)

02



**All belbien Items are approved by Environmental Regulation "F-4 Stars" (Requirement in Japan Market)**

03



**Anti Fungus Function is applied for All belbiens**

04



**Easy Maintenance with the special surface treatment**

All belbien are able to clean with a light neutral detergent.


05



**Excellent Workability for Three Dimensional Shaped Form**

\*Please refer to belbien technical Book P-13 "Flexibility and Conformability".

06



**All Items / Colors are in Stock**

How to read samples



- ① Code
- ② Name
- ③ Horizontal Repeat
- ④ Vertical Repeat
- ⑤ Transfer Pattern
- ⑥ Function Icon
- ⑦ Same Pattern
- ⑧ Same Pattern
- ⑧ Wood Grain
  - B : Burl Grain
  - C : Cathedral Grain
  - S : Straight Grain
  - SC : Straight / Cathedral Grain

About Icon

- Fireproofing Certification
- Color Fastness about 1-0 years
- Scratch Resistance
- Bigger images available  
Bigger images are available in "belbien Information Book".
- Approved by F-4 Stars Regulation
- Color Fastness 3-5 years
- Whiteboard (Erasable)
- same design** Color / Design matches to EX series
- Anti Fungus Function
- Water Resistance
- Twinkling effect under lights
- same design** Color / Design matches to White Board series
- Stain Resistance
- Chemical Resistance
- SF Special Finish
- Please refer to "belbien Technical Book".

Can be used for interior installation which requires cares against sunlight. The expected durable life is 3 up to 5 years but depends on a site condition. Contact to your nearest belbien supplier in case of interior installation with having cares against sunlight exposure.


Belbien Project Information / Japanese style inn  
**Aburaya Ryokan (1996)**



Photo : Nacasa & Partners Inc.

## Weatherability and Stain Resistant PVC Wall Covering More Than 30 Years in Market - belbien EX


As the flagship of our functional product line, belbien EX contributes to a number of indoor/outdoor projects. The durability/weatherability of belbien EX prevents to have discoloration, stains and other contaminants. The surface treatment of belbien EX contributes to easy maintenance, and keep the appearance over a long duration - beyond our expectation in some projects. Most of outdoor/exterior facilities - exterior walls, ceilings/roofs, louvers, signages and other places exposed to outdoor, also indoor facilities but required chemical/stain resistance - front door, elevator and other similar facilities, belbien EX offers the function to meet with those requirements. Multiple designs and textures - wood grain, steel/metal, stone, sand fabric and abstract design. For requirements extend time use with excellent design, we offer belbien EX as our best solution.



Areas Where belbien Is Applied:  
 Eaves soffits, window frames, and pillars  
 Product No:  
 EW-1500 (discontinued)

belbien EX

belbien EX  
 reliable solution for "function and appearance"



### Weatherability Test Result

No significant change after 5,000 hours  
 (ex. Standard grade - up to 1,500 hours)



### Stain Resistant Test

Easier to remove stains compare to standard grade (inhouse test method).



belbien EX sheets are weather-resistant and stain-resistant

# belbien EX

**Common Feature**

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation
- Scratch Resistance

**Individual Feature**

- Color Fastness about 10 years
- Stain Resistance
- Chemical Resistance
- Water Resistance
- Bigger images available

<p><b>EW-1300</b> Line Walnut Plus Repeat: W600 H970 1/2step</p>	<p><b>EW-1707</b> Beat Oak Repeat: W395 H980 1/2step</p>	<p><b>EW-1708</b> Rhythm Oak Repeat: W395 H980 1/2step</p>	<p><b>EW-1209</b> NEW Pale Walnut Repeat: W590 H950 1/2step</p>
<p><b>EW-1215</b> NEW Snow Larch Repeat: W530 H955 1/2step</p>	<p><b>EW-1216</b> NEW Greige Larch Repeat: W530 H955 1/2step</p>	<p><b>EW-1210</b> NEW Dull Chic Elm Repeat: W485 H950 1/2step</p>	
<p><b>EW-1301</b> NEW Naked Italian Walnut Repeat: W210 H760 1/2step</p>	<p><b>EW-1213</b> NEW Italian Walnut Repeat: W400 H395 1/2step</p>	<p><b>EW-1302</b> NEW Naked American Walnut Repeat: W210 H760 1/2step</p>	
<p><b>EW-1208</b> NEW Sen Repeat: W275 H925 1/2step</p>	<p><b>EW-1207</b> NEW Viera Oak Repeat: W585 H925 1/2step</p>	<p><b>EW-1303</b> NEW Medium Walnut Repeat: W210 H760 1/2step</p>	
<p><b>EW-1202</b> Fair Wood Repeat: W350 H970 1/2step</p>	<p><b>EW-1212</b> NEW Sedona Cherry Repeat: W575 H925 1/2step</p>	<p><b>EW-1201</b> Regal Oak Repeat: W415 H970 1/2step</p>	
<p><b>EW-1304</b> NEW Évreux Walnut Repeat: W210 H760 1/2step</p>	<p><b>EW-1214</b> NEW Évreux Walnut Repeat: W400 H395 1/2step</p>	<p><b>EW-1211</b> NEW Bitter Elm Repeat: W485 H950 1/2step</p>	<p><b>EW-1805</b> Black Dao Repeat: W520 H1310 1/2step</p>

<p><b>ES-5229</b> Bianco Palazzo Repeat: W485 H795 1/2step</p>	<p><b>ES-5712</b> Silky Frost Repeat: W250 H405 1/2step</p>	<p><b>ES-5200</b> Irish Clay Repeat: W170 H220 1/2step</p>	<p><b>ES-5202</b> Mist Clay Repeat: W170 H220 1/2step</p>
<p><b>ES-5600</b> Perlino Skill Repeat: H650</p>	<p><b>ES-5221</b> NEW Arenite Vellum Repeat: H670</p>	<p><b>ES-5222</b> NEW Granite Vellum Repeat: H670</p>	<p><b>ES-5223</b> NEW Marlite Vellum Repeat: H670</p>
<p><b>ES-5103</b> Silver Stony Repeat: W345 H660 1/2step</p>	<p><b>ES-5225</b> NEW Cinnabar Vellum Repeat: W440 H675 1/2step</p>	<p><b>ES-5226</b> NEW Covelline Vellum Repeat: W440 H675 1/2step</p>	<p><b>ES-5224</b> NEW Chromite Vellum Repeat: H670</p>
<p><b>EA-6100</b> Haily White Plus Repeat: W460 H335 box</p>	<p><b>EF-1001</b> NEW Earthy Linen Repeat: W490 H330 box</p>	<p><b>EF-1002</b> NEW Twilight Linen Repeat: W490 H330 box</p>	
<p><b>EM-4216</b> NEW Hairline Stainless</p>	<p><b>EM-4217</b> NEW Bronze Chiaro</p>	<p><b>EM-4218</b> NEW Antique Vibration</p>	<p><b>EM-4219</b> NEW Noir Vibration</p>

### About same pattern products

same design

This icon after the item name Some patterns are interior grade Common pattern products are available.

belbien EX Code	belbien Code	P-C-R	belbien EX Code	belbien Code	P-C-R
EA-6100	DA-35	25-B-5	EW-1213	W-622	12-B-6
EF-1001	F-721	31-D-5	EW-1214	W-625	14-C-5
EF-1002	F-475	31-A-6	EW-1215	W-621	9-D-4
EM-4215	DA-52	28-B-4	EW-1300	W-216	9-A-5
EW-1207	SW-54	15-D-3	EW-1301	W-617	12-A-6
EW-1208	SW-141	15-B-3	EW-1302	W-618	13-A-6
EW-1209	W-634	12-C-5	EW-1303	W-648	13-A-5
EW-1210	SW-130	10-B-1	EW-1304	W-620	14-B-5
EW-1211	SW-137	19-A-2			

**EM-4215** NEW  
Rusty Brown  
Repeat: W460 H335 box

# WHITE BOARD SHEET

**Common Feature**

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

**Individual Feature**

- Whiteboard (Erasable)
- Bigger images available



**Adding value to the atmosphere.**  
Applying on a wall, furniture, or partition can make a whiteboard!

**Whiteboard Sheet with "Wood Grain"**  
Only generated by belbien technology

国土交通大臣の認定を取得した防火壁装材料仕上げです。  
認定番号NM-4209

**見本**  
**不燃材料**  
(基材との組み合わせによる)

日本壁装協会  
壁装施工団体協議会  
施工管理者



**Fire rated**  
Legally prescribed fire rated materials. (metal substrate only)

**Various Application**  
Applicable on two-dimensional curved surfaces, which enables many types of projects.

**Color Selection**  
Available in colors and wood grain, fitting in variety of scenes.

**BWH-101** NEW  
White Purple Wood  
Repeat: W505 H900 1/2step  
same design SW-134 P9 SC

**BWH-102** NEW  
Naked American Walnut  
Repeat: W215 H745 1/2step  
same design W-618 P13 S

**BWH-001**  
Warm White  
Munsell : 4GY 9.5/0.5

**BWH-004** NEW  
Shell White  
Munsell : 10B 8.8/0.1

**BWH-002**  
Pale Pink  
Munsell : 0.5YR 8.5/1.5

**BWH-003**  
Pale Green  
Munsell : 8GY 8.5/1

**About same pattern products**

same design	White board	belbien
	Code	Code P-C-R
	BWH-101	SW-134 09-A-1
	BWH-102	W-618 13-A-6

This icon after the item name Some patterns are interior grade Common pattern products are available.

# SUPER REAL WOOD







Common Feature









- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature

- Color Fastness 3-5 years
- Water Resistance
- Bigger images available











WOOD













 <p><b>SW-134</b> White Purplewood <small>[same design   BWH-101   P8]</small> Repeat: W480 H970 1/2step</p>	 <p><b>SW-135</b> Brosse Macassar Repeat: W430 H970 1/2step</p>	 <p><b>SW-121</b> White Bubinga Repeat: W560 H970 1/2step</p>	 <p><b>SW-145</b> Shiratsuchi Gaki Repeat: W590 H970 1/2step</p>
 <p><b>SW-133</b> Snow Elm Repeat: W485 H1000 1/2step</p>	 <p><b>SW-127</b> Grayish Elm Repeat: W460 H970 1/2step</p>		

 <p><b>SW-64</b> Irene Oak Repeat: W575 H1085 1/2step</p>	 <p><b>SW-130</b> Dull Chic Elm <small>[same design   EW-1210   P5]</small> Repeat: W485 H1000 1/2step</p>	 <p><b>SW-153</b> <small>NEW</small> Jindai-Hinoki Rain Repeat: W630 H945 1/2step</p>	 <p><b>SW-144</b> Kaki Repeat: W590 H970 1/2step</p>
 <p><b>SW-131</b> Shabby Chic Elm Repeat: W485 H1000 1/2step</p>	 <p><b>SW-129</b> Grunge Chic Elm Repeat: W485 H1000 1/2step</p>	 <p><b>SW-154</b> <small>NEW</small> Jindai-Sen Moon Repeat: W270 H970 1/2step</p>	 <p><b>SW-92</b> Gray Teak Repeat: W580 H970 1/2step</p>

WOOD

# WOOD

 <p><b>W-304</b> Vanilla Ash Repeat: W300 H810 box</p>	 <p><b>WB-401</b> Canard Oak Repeat: W430 H970 1/2step</p>	 <p><b>W-305</b> White Paulownia Repeat: W340 H960 1/2step</p>	 <p><b>W-621</b> ⓘ <small>[same design   EW-1215   P5]</small> Snow Larch Repeat: W530 H940 1/2step</p>
 <p><b>W-216</b> Line Walnut <small>[same design   EW-1300   P5]</small> Repeat: W600 H970 1/2step</p>	 <p><b>W-757</b> Iris Maple Repeat: W610 H1325 1/2step</p>	 <p><b>WB-403</b> Siberian Oak Repeat: W525 H970 1/2step</p>	 <p><b>W-628</b> Salt Oak Repeat: H950</p>
 <p><b>W-653</b> Milky Dao Repeat: W450 H1300 1/2step</p>	 <p><b>W-650</b> Rowdy Oak Greige Repeat: W700 H1300 1/2step</p>	 <p><b>W-663</b> <small>NEW</small> Calando Maple Repeat: W940 H1310 1/2step</p>	 <p><b>W-626</b> ⓘ Fog Larch Repeat: W530 H940 1/2step</p>

 <p><b>W-652</b> Rowdy Oak Beige Repeat: W700 H1300 1/2step</p>	 <p><b>W-716</b> Light Gray Ash Repeat: W300 H810 box</p>	 <p><b>W-666</b> <small>NEW</small> Lento Maple Repeat: W970 H1310 1/2step</p>	 <p><b>W-658</b> <small>NEW</small> Greige Medium Elm Repeat: W970 H1290 1/2step</p>
 <p><b>W-635</b> Clay Walnut Repeat: W600 H970 1/2step</p>	 <p><b>W-630</b> Pepper Oak Repeat: H950</p>	 <p><b>W-627</b> ⓘ Cloud Larch Repeat: W530 H940 1/2step</p>	 <p><b>W-640</b> Grey Striped Wood Repeat: W575 H970 1/2step</p>
 <p><b>W-646</b> <small>NEW</small> Dull Chic Drape Repeat: W630 H945 1/2step</p>	 <p><b>W-659</b> <small>NEW</small> Greige Dark Elm Repeat: W970 H1290 1/2step</p>	 <p><b>W-647</b> <small>NEW</small> Grunge Chic Drape Repeat: W630 H945 1/2step</p>	 <p><b>W-644</b> Zingana Mocha Repeat: W480 H970 1/2step</p>

Common Feature




- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature













- Color Fastness 3-5years
- Water Resistance
- Bigger images available










# SUPER REAL WOOD

			
<b>SW-111</b> White Ash Repeat: W270 H970 1/2step	<b>SW-125</b> Ivory Oak Repeat: W375 H810 box	<b>SW-126</b> Ivory Oak Repeat: W575 H1085 1/2step	<b>SW-142</b> Margot Walnut Repeat: W585 H955 1/2step

		
<b>SW-151</b> Greige Oak Repeat: H960	<b>SW-72</b> Beige Sycamore Repeat: W620 H970 1/2step	<b>SW-128</b> Naked Elm Repeat: W485 H1000 1/2step

# WOOD

			
<b>WA-256</b> Fresh Anigre Repeat: W525 H1325 1/2step	<b>W-200</b> White Oak Repeat: W525 H970 1/2step	<b>W-723</b> Aizu Kiri Repeat: W340 H960 1/2step	<b>W-714</b> Light Ash Repeat: W300 H810 box
			
<b>W-639</b> Pale Maple Repeat: W500 H965 1/2step	<b>W-719</b> Missouri Gray Repeat: W430 H970 1/2step	<b>W-732</b> <small>NEW</small> Natural Light Oak Repeat: H960	<b>WB-400</b> Lapin Oak Repeat: W430 H970 1/2step
			
<b>W-390</b> Slender Oak Repeat: W470 H985 1/2step	<b>W-637</b> Clay Cherry Repeat: W575 H950 1/2step	<b>W-731</b> <small>NEW</small> Light Greige Oak Repeat: H960	<b>W-629</b> Naked Oak Repeat: H950

			
<b>W-651</b> Rowdy Oak Light Repeat: W700 H1300 1/2step	<b>W-367</b> Sen Repeat: W410 H980 1/2step	<b>W-643</b> Zingana Light Repeat: W480 H970 1/2step	<b>W-715</b> Natural Ash Repeat: W300 H810 box
			
<b>W-717</b> Cinnamon Ash Repeat: W300 H810 box	<b>W-664</b> <small>NEW</small> Marcato Maple Repeat: W940 H1310 1/2step	<b>W-634</b> Pale Walnut Repeat: W600 H970 1/2step	<b>W-657</b> <small>NEW</small> Plain Elm Repeat: W970 H1290 1/2step
			
<b>W-617</b> Naked Italian Walnut Repeat: W210 H760 1/2step	<b>W-622</b> Italian Walnut Repeat: W400 H385 1/2step	<b>W-307</b> <small>NEW</small> Naked Italian Walnut Repeat: W580 H960 1/2step	<b>W-660</b> <small>NEW</small> Rowdy Walnut Italian Repeat: H1330



# SUPER REAL WOOD

Common Feature












- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation










Individual Feature

- Color Fastness 3-5 years
- Water Resistance
- Bigger images available













WOOD










WOOD

 <b>SW-44</b> Central Anigre Repeat: W290 H970 1/2step S	 <b>SW-80</b> Siena Cherry Repeat: W400 H810 1/2step S	 <b>SW-93</b> Siena Cherry Repeat: W400 H805 1/2step S	 <b>SW-118</b> Naked Cherry Repeat: W400 H810 1/2step S	 <b>SW-43</b> Angel Wood Repeat: W370 H970 1/2step SC	 <b>SW-18</b> Omi Sakura Repeat: W400 H810 1/2step S	 <b>SW-27</b> Omi Sakura Repeat: W415 H970 box C	 <b>SW-45</b> Rosé Walnut Repeat: W210 H775 1/2step S	 <b>SW-98</b> Rosé Walnut Repeat: H400 S	 <b>SW-56</b> Rosé Walnut Repeat: W410 H970 1/2step C	 <b>SW-100</b> Elite Walnut Repeat: W600 H970 1/2step SC
---	---	--	--	--	--	---	--	---	---	---

 <b>SW-147</b> Naked Italian Walnut Repeat: W585 H960 1/2step SC	 <b>SW-148</b> Naked American Walnut Repeat: W585 H960 1/2step SC	 <b>SW-119</b> Naked Walnut Repeat: W210 H775 1/2step S	 <b>SW-120</b> Naked Walnut Repeat: W600 H970 1/2step SC	 <b>SW-19</b> Valois Walnut Repeat: W210 H775 1/2step S	 <b>SW-99</b> Valois Walnut Repeat: H400 S	 <b>SW-24</b> Valois Walnut Repeat: W410 H970 1/2step C	 <b>SW-102</b> Dandy Walnut Repeat: W600 H970 1/2step SC	 <b>SW-156</b> <small>NEW</small> Donau Oak Soir Repeat: H970 SC
---	--	--	---	--	---	--	---	---

# WOOD

 <b>W-720</b> Missouri Light Repeat: W430 H970 1/2step S	 <b>W-721</b> Missouri Oak Repeat: W430 H970 1/2step S	 <b>W-654</b> Cinnamon Dao Repeat: W450 H1300 1/2step S	 <b>WA-380</b> Nuts Oak Repeat: W480 H980 1/2step S	 <b>W-648</b> <small>NEW</small> Medium Walnut <small>same design EW-1303 PS</small> Repeat: W210 H760 1/2step S	 <b>W-624</b> Medium Walnut <small>same design EW-1303 PS</small> Repeat: W400 H385 1/2step S	 <b>W-655</b> <small>NEW</small> Rastic Oak Natural Repeat: H1290 C	 <b>W-656</b> <small>NEW</small> Rastic Oak Greige Repeat: H1290 C	 <b>W-618</b> Naked American Walnut <small>same design EW-1302 PS BWH-102 PB</small> Repeat: W210 H760 1/2step S	 <b>W-623</b> American Walnut Repeat: W400 H385 1/2step S	 <b>W-308</b> <small>NEW</small> Naked American Walnut Repeat: W580 H960 1/2step SC	 <b>W-661</b> <small>NEW</small> Rowdy Walnut American Repeat: H1330 SC
---	---	---	--	---	--	---	---	---	--	---	--

 <b>W-631</b> Cinnamon Oak Repeat: H950 S	 <b>W-244</b> Remain Ash Repeat: W400 H970 box S	 <b>WB-404</b> Gale Oak Repeat: W525 H970 1/2step S	 <b>W-641</b> Smoke Striped Wood Repeat: W575 H970 1/2step S	 <b>W-619</b> Valois Walnut Repeat: W210 H760 1/2step S	 <b>W-620</b> Evreux Walnut <small>same design EW-1304 PS</small> Repeat: W210 H760 1/2step S	 <b>W-625</b> Evreux Walnut <small>same design EW-1214 PS</small> Repeat: W400 H385 1/2step S	 <b>W-662</b> <small>NEW</small> Rowdy Walnut Smoke Repeat: H1330 SC	 <b>WA-381</b> Sienna Oak Repeat: W480 H980 1/2step S
--	---	--	---	--	--	--	---	--

# SUPER REAL WOOD

Common Feature













- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation






Individual Feature

- Color Fastness 3-5 years
- Water Resistance
- Bigger images available













WOOD













WOOD

 <p><b>SW-76</b> White Elm Repeat: W460 H970 1/2step</p>	 <p><b>SW-152</b> Hinoki Repeat: W635 H945 1/2step</p>	 <p><b>SW-82</b> White Teak Repeat: W240 H810 1/2step</p>	 <p><b>SW-70</b> Petit Elm Repeat: W460 H970 1/2step</p>
 <p><b>SW-113</b> Naked Ash Repeat: W270 H970 1/2step</p>	 <p><b>SW-150</b> Naked Oak Repeat: H960</p>	 <p><b>SW-124</b> Naked Oak Repeat: W575 H1085 1/2step</p>	 <p><b>SW-60</b> Mave Ash Repeat: W270 H970 1/2step</p>
 <p><b>SW-96</b> Natalie Sycamore Repeat: W450 H970 1/2step</p>	 <p><b>SW-141</b> Sen Repeat: W270 H970 1/2step</p>	 <p><b>SW-155</b> <small>NEW</small> Donau Oak Repeat: H970</p>	 <p><b>SW-54</b> Viera Oak Repeat: W575 H1085 1/2step</p>

 <p><b>SW-61</b> Oisein Ash Repeat: W270 H970 1/2step</p>	 <p><b>SW-33</b> Bird's Eye Natural Repeat: W295 H970 box</p>	 <p><b>SW-140</b> Real Oak Repeat: W415 H970 1/2step</p>	 <p><b>SW-55</b> Aruba Oak Repeat: W575 H1085 1/2step</p>
 <p><b>SW-28</b> Keyaki Repeat: W290 H1300 box</p>			

# WOOD

 <p><b>W-252</b> Swan Ash Repeat: W565 H1300 1/2step</p>	 <p><b>W-250</b> Comet Elm Repeat: W455 H970 1/2step</p>	 <p><b>W-371</b> Bisyu Hinoki Repeat: W465 H995 box</p>	 <p><b>W-251</b> Luna Elm Repeat: W455 H970 1/2step</p>
 <p><b>W-213</b> Cremona Sycamore Repeat: W590 H970 1/2step</p>	 <p><b>W-638</b> Plain Maple Repeat: W500 H965 1/2step</p>	 <p><b>W-253</b> Turkey Ash Repeat: W565 H1300 1/2step</p>	 <p><b>W-636</b> Plain Cherry Repeat: W575 H950 1/2step</p>
 <p><b>W-345</b> Oscar Oak Repeat: W585 H970 1/2step</p>	 <p><b>W-316</b> Franc Poplar Repeat: W290 H970 1/2step</p>	 <p><b>W-372</b> Kiso Hinoki Repeat: W465 H995 box</p>	 <p><b>W-786</b> Leo Maple Repeat: W525 H1340 1/2step</p>

 <p><b>WA-257</b> Pleasant Anigre Repeat: W525 H1325 1/2step</p>	 <p><b>W-780</b> Bird's Eye Maple Repeat: W160 H995 1/2step</p>	 <p><b>W-385</b> Yachi Tamo Repeat: W340 H990 1/2step</p>	 <p><b>W-373</b> Verde Anigre Repeat: W460 H995 1/2step</p>
 <p><b>W-320</b> Léger Maple Repeat: W365 H970 1/2step</p>	 <p><b>W-665</b> <small>NEW</small> Largo Maple Repeat: W970 H1310 1/2step</p>	 <p><b>W-206</b> Kind Wood Repeat: W350 H970 1/2step</p>	 <p><b>W-728</b> Ariel Sycamore Repeat: W620 H960 1/2step</p>
 <p><b>W-203</b> Carnus Beech Repeat: W680 H1085 1/2step</p>	 <p><b>W-787</b> Lia Maple Repeat: W525 H1340 1/2step</p>	 <p><b>W-207</b> Bird's Eye Rosé Repeat: W295 H970 box</p>	 <p><b>WA-386</b> Malaga Cherry Repeat: W335 H980 1/2step</p>

Common Feature

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation









Individual Feature










- Color Fastness 3-5 years
- Water Resistance
- Bigger images available

# SUPER REAL WOOD













WOOD









WOOD

 <b>SW-115</b> Naked Teak Repeat: W240 H810 1/2step S	 <b>SW-58</b> Milano Teak Repeat: W585 H970 1/2step C	 <b>SW-15</b> Victoria Teak Repeat: W240 H810 1/2step S	 <b>SW-90</b> Modern Teak Repeat: W580 H970 1/2step S
 <b>SW-81</b> Mid Cherry Repeat: W400 H810 1/2step S	 <b>SW-79</b> Almagnac Teak Repeat: W240 H810 1/2step S	 <b>SW-59</b> Torino Teak Repeat: W585 H970 1/2step C	 <b>SW-63</b> Miyama Karin Repeat: W265 H810 1/2step S

 <b>SW-46</b> Marée Walnut Repeat: W210 H775 1/2step S	 <b>SW-57</b> Marée Walnut Repeat: W410 H970 1/2step C	 <b>SW-91</b> Moderate Teak Repeat: W580 H970 1/2step S	 <b>SW-10</b> Jeune Sapele Repeat: W390 H810 box S
 <b>SW-47</b> Palace Cherry Repeat: W400 H810 1/2step S	 <b>SW-101</b> Grand Walnut Repeat: W600 H970 1/2step SC	 <b>SW-17</b> Menam Karin Repeat: W265 H810 1/2step S	 <b>SW-25</b> Menam Karin Repeat: W415 H970 box C
			 <b>SW-16</b> Wave Mahogany Repeat: W685 H810 1/2step S

# WOOD

 <b>W-360</b> Sakura Repeat: W415 H995 1/2step C	 <b>W-346</b> Bernerd Oak Repeat: W585 H970 1/2step SC	 <b>W-255</b> Coupé Anigre Repeat: W545 H1000 1/2step S	 <b>WA-233</b> Primo Noce Repeat: W725 H970 1/2step SC
 <b>W-764</b> Massive Cherry Repeat: W370 H1005 1/2step S	 <b>W-722</b> Yoshino Sakura Repeat: W400 H810 1/2step S	 <b>W-356</b> Yamato Keyaki Repeat: W605 H1325 1/2step C	 <b>W-210</b> Zebra Nova Repeat: W480 H970 1/2step S
 <b>WA-232</b> Reggina Noce Repeat: W725 H970 1/2step SC	 <b>W-388</b> Toronto Cherry Repeat: W585 H990 1/2step C	 <b>WA-387</b> Guel Cherry Repeat: W335 H980 1/2step S	 <b>W-321</b> Lourd Maple Repeat: W365 H970 1/2step S

 <b>W-205</b> Mandarin Cherry Repeat: W565 H970 1/2step SC	 <b>W-282</b> Nadia Teak Repeat: W560 H1340 1/2step SC	 <b>W-765</b> Country Cherry Repeat: W370 H1005 1/2step S	 <b>W-378</b> Jaguar Burl Repeat: W370 H330 box B
 <b>WA-227</b> Berg Cherry Repeat: W565 H970 1/2step SC	 <b>W-364</b> Sumie Karin Repeat: W170 H995 1/2step S	 <b>W-376</b> Deep Mahogany Repeat: W385 H995 1/2step S	 <b>W-211</b> Zebra Rosso Repeat: W480 H970 1/2step S

Common Feature













- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature













- Color Fastness 3-5 years
- Water Resistance
- Bigger images available

# SUPER REAL WOOD








WOOD













1	 <b>SW-149</b> Ibushi Gaki Repeat: W590 H970 1/2step SC	 <b>SW-97</b> Loren Sycamore Repeat: W450 H970 1/2step S	 <b>SW-84</b> Frigo Teak Repeat: W240 H810 1/2step S	 <b>SW-48</b> Wenge Repeat: W405 H970 1/2step S
2	 <b>SW-137</b> Bitter Elm Repeat: W485 H1000 1/2step S	 <b>SW-143</b> Henri Walnut Repeat: W585 H955 1/2step SC	 <b>SW-108</b> Great Ebony Repeat: W630 H970 1/2step S	 <b>SW-116</b> Dark Mahogany Repeat: W570 H970 1/2step S
3	 <b>SW-86</b> Bubinga Rosso Repeat: W560 H970 1/2step S	 <b>SW-88</b> Purplewood Repeat: W480 H970 1/2step SC	 <b>SW-104</b> Spin Mahogany Repeat: W570 H970 1/2step S	 <b>SW-62</b> Beaune Sapele Repeat: W390 H810 box S

WOOD

1	 <b>SW-136</b> Husky Macassart Repeat: W430 H970 1/2step C	 <b>SW-146</b> Shibusumi Gaki Repeat: W590 H970 1/2step SC	 <b>SW-110</b> Black Elm Repeat: W460 H970 1/2step SC	 <b>SW-122</b> Black Bubinga Repeat: W560 H970 1/2step S
2	 <b>SW-112</b> Charcoal Ash Repeat: W270 H970 1/2step S	 <b>SW-26</b> Glory Rose Repeat: W405 H970 box C	 <b>SW-77</b> Dark Elm Repeat: W460 H970 1/2step SC	 <b>SW-49</b> Dark Wenge Repeat: W405 H970 1/2step S
3	 <b>SW-73</b> Dark Sycamore Repeat: W620 H970 1/2step SC	 <b>SW-138</b> Gramme Ebony Repeat: W630 H970 1/2step S	 <b>SW-89</b> Dark Purplewood Repeat: W480 H970 1/2step SC	 <b>SW-65</b> Nadja Oak Repeat: W575 H1085 1/2step SC

# WOOD

4	 <b>W-633</b> Marron Drape Repeat: W630 H945 1/2step S	 <b>W-632</b> Sepia Drape Repeat: W630 H945 1/2step S	 <b>W-245</b> Deep Ash Repeat: W400 H970 box S	 <b>W-358</b> Queen's Walnut Repeat: W410 H980 1/2step C
5	 <b>WA-382</b> Dark UMBER Oak Repeat: W480 H980 1/2step S	 <b>W-393</b> Memphis Cherry Repeat: W330 H1325 1/2step S	 <b>W-306</b> Modest Ash Repeat: W505 H945 1/2step S	
6				

4	 <b>W-217</b> Line Dark Walnut Repeat: W600 H970 1/2step S	 <b>WB-405</b> Bison Oak Repeat: W525 H970 1/2step S	 <b>W-391</b> Modest Oak Repeat: W470 H985 1/2step C	 <b>W-394</b> Tennessee Cherry Repeat: W330 H1325 1/2step S
5	 <b>W-724</b> Sumizome Kiri Repeat: W340 H960 1/2step S	 <b>W-224</b> Zebra Marino Repeat: W480 H970 1/2step S	 <b>W-223</b> Zebra Vino Repeat: W480 H970 1/2step S	 <b>W-726</b> Charcoal Bamboo Repeat: W630 H970 1/2step S
6	 <b>WA-259</b> Old Mahogany Repeat: W600 H1325 1/2step S	 <b>W-218</b> Ebony Classico Repeat: W500 H970 1/2step S	 <b>W-202</b> Bitter Oak Repeat: W525 H970 1/2step S	 <b>W-303</b> Black Oak Repeat: W535 H810 box S

# CHARACTERISTIC WOOD

Common Feature

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature

- Color Fastness 3-5years
- Water Resistance
- Bigger images available

This collection is designed with characteristic wood collection . These remarkable designs provide unique atmosphere for your pro ject.



<p><b>W-652</b> Rowdy Oak Beige Repeat: W700 H1300 1/2step SC</p>	<p><b>W-664</b> <small>NEW</small> Marcato Maple Repeat: W940 H1310 1/2step C</p>	<p><b>CM-51</b> Flow Cream Repeat: W310 H645 1/2step</p>	<p><b>CM-132</b> <small>NEW</small> Luce Drape Light Repeat: W650 H910 1/2step</p>
<p><b>SW-28</b> Keyaki Repeat: W290 H1300 box C</p>	<p><b>W-654</b> Cinnamon Dao Repeat: W450 H1300 1/2step S</p>	<p><b>CM-136</b> <small>NEW</small> Silver Fox Oak Repeat: H910 SC</p>	<p><b>CM-137</b> <small>NEW</small> Sable Oak Repeat: H910 SC</p>
<p><b>W-656</b> <small>NEW</small> Rastic Oak Greige Repeat: H1290 C</p>	<p><b>W-662</b> <small>NEW</small> Rowdy Walnut Smoke Repeat: H1330 SC</p>	<p><b>CM-82</b> White Tineo Repeat: W610 H915 1/2step</p>	<p><b>CM-83</b> Dark Tineo Repeat: W610 H915 1/2step</p>
<p><b>SW-144</b> Kaki Repeat: W590 H970 1/2step SC</p>	<p><b>W-633</b> Marron Drape Repeat: W630 H945 1/2step S</p>	<p><b>W-805</b> <small>NEW</small> Silver-Inlaid Walnut Repeat: W585 H960 1/2step SC</p>	<p><b>W-806</b> <small>NEW</small> Gold-Inlaid Walnut Repeat: W585 H960 1/2step SC</p>
<p><b>SW-108</b> Great Ebony Repeat: W630 H970 1/2step S</p>	<p><b>W-800</b> <small>NEW</small> Grunge Strata Repeat: H930</p>	<p><b>CM-52</b> Flow Black Repeat: W310 H645 1/2step</p>	
<p><b>W-642</b> Red Striped Wood Repeat: W575 H970 1/2step S</p>			

Shown in ( ) is a color selection with same pattern/design.

Items with having 📷 are prepared with large size wood pattern and/or artificially-modified design pattern. To have accurate the design image, refer page 23 to 30 on "belbien Information Book".

# TRADITIONAL WA MODERN


Image  
DA-83,84  
DA-70 | DA-66

Common Feature

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation


Individual Feature

- Color Fastness 3-5 years
- Water Resistance
- Bigger images available




DA-83 SHIJIMA

DA-84 YU-GEN




DA-66 IZANAMI




DA-67 IZANAGI



DA-77 Tsukushi



DA-70 Shiranui




DA-68 AMATERU




CM-120 Kagerou




DA-69 TSUKIYOMI



DA-47 SIRAHIME




DA-48 KUROHIME



DA-44 SAHOHIME



DA-45 TSUTSUHIME



DA-46 TATSUTAHIME

— The material creates distinctive atmosphere in your space.—

"Multiple Layer Printing" - this technology creates "stereoscopic perspective" even on an extremely thin surface. This technology is provided by "integrated manufacturer only". "Stereoscopic Perspective" generates enhanced spaces so called in Japanese culture - SHITSURAE - to set up a space with fastidious preparations - this is unable to be created by one layer printing technology.

# ABSOLUTE TEX

**Common Feature**

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

**Individual Feature**

- Color Fastness 3-5 years
- Water Resistance
- Bigger images available

abstract

abstract

1								
2	<b>CM-131</b> <small>NEW</small> Cervantes	<b>CM-121</b> <small>!</small> Sage	<b>CM-125</b> Officier	<b>DA-74</b> Noir Crack	<b>DA-79</b> <small>NEW</small> Frosty Gilver	<b>DA-50</b> Frosty Snow	<b>DA-78</b> <small>NEW</small> Frosty Beige	<b>S-575</b> <small>NEW</small> Ceramica Etin
3								
4	<b>DA-89</b> <small>NEW</small> Ukon-e Chanvre	<b>DA-71</b> Nocturne Chanvre	<b>W-800</b> <small>NEW</small> Grunge Strata	<b>F-476</b> <small>NEW</small> Haven Brow	<b>DA-65</b> Carta Solid	<b>DA-92</b> <small>NEW</small> Straw Silk	<b>S-573</b> <small>NEW</small> Carta Mica	
5								
6	<b>DA-62</b> Haily Graphite	<b>DA-35</b> Haily White	<b>DA-49</b> Haily Snow	<b>DA-38</b> Haily Clean	<b>DA-86</b> <small>NEW</small> Averse Cascade	<b>DA-64</b> Nocturne Cascade	<b>DA-91</b> <small>NEW</small> Shabby Trulli Dark	<b>DA-90</b> <small>NEW</small> Shabby Trulli Light

# ABSOLUTE METAL

Common Feature

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature

- Color Fastness 3-5 years
- Water Resistance
- Twinkling effect under lights
- Bigger images available

METAL

METAL

1									1
2	<b>CM-134</b> NEW Silk Cuivre Repeat: H640	<b>CM-135</b> NEW Martello Cuivre Repeat: W520 H320 1/2step	<b>CM-127</b> NEW Wet Cuivre	<b>CM-124</b> ① Grunge Cuivre Repeat: W450 H640 1/2step	<b>BR-545</b> NEW Metal Tide Dark Repeat: W585 H790 1/2step	<b>BR-544</b> NEW Metal Tide Bronze Repeat: H985	<b>CM-140</b> NEW Nebula Stainless Repeat: W500 H760 1/2step	<b>BR-542</b> NEW Nebula Bronze Dark	2
3									3
4	<b>CM-129</b> NEW Silk Brass Repeat: H640	<b>CM-130</b> NEW Martello Brass Repeat: W520 H320 1/2step	<b>BR-541</b> Antique Brass	<b>BR-540</b> Bronze Sand	<b>F-409</b> Snow Nest	<b>BR-381</b> Fiber Silver	<b>BR-382</b> Fiber Dark	<b>F-408</b> Fabric Metal	4
5									5
6	<b>CM-133</b> NEW Carta Cuivre Repeat: W670 H640 1/2step	<b>CM-65</b> Sand Etain Repeat: W450 H630 1/2step	<b>CM-123</b> Grunge Etain Repeat: W525 H315 1/2step		<b>DA-54</b> Rusty Gray Repeat: W345 H670 1/2step	<b>DA-52</b> Rusty Brown Repeat: W345 H670 1/2step	<b>DA-53</b> Rusty Charcoal Repeat: W345 H670 1/2step	<b>DA-75</b> Grunge Fer Repeat: W510 H330 1/2step	6
6									6
	<b>CM-53</b> Shirotae Repeat: H765	<b>CM-55</b> Ubatama Repeat: H765	<b>CM-57</b> Ima Tanyu Repeat: H645	<b>CM-58</b> Ima Korin Repeat: H645	<b>FM-46</b> NEW Cheval Champagne Repeat: W75 H130 box	<b>FM-45</b> NEW Cheval D'or Repeat: W75 H130 box		<b>CM-126</b> Burnt Fer Repeat: W550 H760 1/2step	



# METAL

Common Feature

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature

- Color Fastness 3-5years
- Water Resistance

1	 <b>FM-31</b> Shower Silver	 <b>CM-64</b> Hairline Stainless	 <b>FM-32</b> Shower Stain	 <b>FM-34</b> Shower Gold
2	 <b>BR-391</b> Excess Silver	 <b>BR-392</b> Excess Gray	 <b>BR-393</b> Excess Black	
3	 <b>FM-38</b> Precious Silver	 <b>FM-42</b> Precious Stainless	 <b>BR-604</b> Stainless Vibration	 <b>FM-39</b> Precious Gold
4	 <b>FM-40</b> Silver Spin		 <b>BR-398</b> Silver Neiget	 <b>FM-41</b> Gold Spin
5	 <b>MA-700</b> Light Duralmin	 <b>CO-281</b> Stormy Silver	 <b>CO-285</b> Silver Ash	 <b>BR-291</b> Gold Blade
6	 <b>C-659</b> Porcelain Cool Repeat: W410 H500 1/2step	 <b>C-605</b> Silvy Shell Repeat: W435 H335 1/2step	 <b>FM-11</b> Bright Silver	 <b>FM-23</b> Clémantine Gold

1	 <b>FM-33</b> Shower Brass			
2	 <b>CM-61</b> Yellow Bronze	 <b>CM-60</b> Red Bronze	 <b>CM-63</b> Blue Bronze	 <b>CM-62</b> Dark Bronze
3	 <b>BR-601</b> Yellow Vibration	 <b>BR-600</b> Red Vibration	 <b>BR-603</b> Blue Vibration	 <b>BR-602</b> Dark Vibration
4	 <b>BR-242</b> Scar Bronze	 <b>CY-104</b> Luminance Maroon	 <b>CY-109</b> Luminance Black	 <b>CY-111</b> Luminance Noir
5	 <b>BR-292</b> Bronze Blade			
6	 <b>CY-100</b> Luminance White	 <b>CY-110</b> Luminance Beige	 <b>BR-296</b> Peridot Blade	

METAL

METAL

# FABRIC / LEATHER

Common Feature

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

Individual Feature

- Color Fastness 3-5 years
- Water Resistance
- Twinkling effect under lights
- Bigger images available




















<p><b>F-718</b> Snow Satin</p> <p>☹️ ✨</p>	<p><b>F-717</b> ⓘ Dark Satin</p> <p>☹️</p>	<p><b>F-470</b> Luna Satin Repeat: W480 H650 box</p> <p>☹️</p>	<p><b>F-469</b> Venus Satin Repeat: W480 H650 box</p> <p>☹️</p>
<p><b>F-477</b> <b>NEW</b> Bengal Satin Repeat: W480 H330 box</p> <p>☹️</p>	<p><b>F-478</b> <b>NEW</b> Azurite Satin Repeat: W480 H330 box</p> <p>☹️</p>		
<p><b>DA-61</b> Snow Lattice Repeat: W345 H390 box</p>	<p><b>DA-57</b> Luna Linea Repeat: W345 H390 box</p>	<p><b>DA-81</b> <b>NEW</b> Graysh Lattice Repeat: W345 H390 box</p>	<p><b>DA-80</b> <b>NEW</b> Greige Lattice Repeat: W345 H390 box</p>
<p><b>DA-58</b> ⓘ Baron Lattice Repeat: W345 H390 box</p>	<p><b>F-715</b> ⓘ Kasuri Brun Repeat: H830</p> <p>☹️ ☹️</p>	<p><b>F-716</b> ⓘ Kasuri Charcoal Repeat: H830</p> <p>☹️ ☹️</p>	<p><b>F-714</b> ⓘ Kasuri Noir Repeat: H830</p> <p>☹️ ☹️</p>
<p><b>F-719</b> White Linen Repeat: W500 H330 box</p> <p>☹️</p>	<p><b>F-473</b> <b>NEW</b> Oyster Linen Repeat: W500 H330 box</p> <p>☹️</p>	<p><b>F-720</b> Ivory Linen Repeat: W500 H330 box</p> <p>☹️</p>	<p><b>F-721</b> Earthy Linen <small>same design EF-1001 P6</small> Repeat: W500 H330 box</p> <p>☹️</p>
<p><b>F-475</b> <b>NEW</b> ⓘ Twilight Linen <small>same design EF-1002 P6</small> Repeat: W500 H330 box</p> <p>☹️ ☹️</p>	<p><b>F-723</b> ⓘ Black Linen Repeat: W500 H330 box</p> <p>☹️ ☹️</p>	<p><b>F-468</b> Tsumugi Noir</p> <p>☹️</p>	<p><b>F-472</b> Tsumugi Russet</p> <p>☹️</p>

<p><b>K-200</b> White Morocco Repeat: W215 H200 box</p> <p>☹️ ☹️</p>	<p><b>K-202</b> Cream Calf Repeat: W215 H200 box</p> <p>☹️</p>	<p><b>K-257</b> Beige Calf Repeat: W675 H665 box</p> <p>☹️</p>	<p><b>K-216</b> Marron Calf Repeat: W225 H335 1/2step</p> <p>☹️</p>
<p><b>K-252</b> Dark Brown Calf Repeat: W675 H665 box</p> <p>☹️</p>	<p><b>K-214</b> Bordeaux Calf Repeat: W380 H605 1/2step</p> <p>☹️ ☹️ 📷</p>	<p><b>K-203</b> Bitter Morocco Repeat: W215 H200 box</p> <p>☹️ ☹️</p>	<p><b>K-201</b> Black Morocco Repeat: W215 H200 box</p> <p>☹️ ☹️</p>
<p><b>K-206</b> Black Calf</p> <p>☹️ ☹️</p>	<p><b>F-2745</b> Cheval Blanc Repeat: W75 H130 1/2step</p> <p>☹️ ☹️ 📷</p>	<p><b>F-746</b> Cheval Noir Repeat: W75 H130 1/2step</p> <p>☹️ ☹️ 📷</p>	


Common Feature  
 Fireproofing Certification  
 Anti Fungus Function  
 Approved by F-4 Stars Regulation

Individual Feature  
 Color Fastness 3-5 years  
 Water Resistance  
 Bigger images available

# STONE / SAND

1	 <b>A-853</b> Kirara Coquille Repeat: W440 H985 1/2step	 <b>S-550</b> Bianco Carrara Repeat: W455 H655 1/2step	 <b>A-152</b> Perlino Marble Repeat: H660	 <b>SA-534</b> Marumo Palazzo Repeat: W485 H795 1/2step
2	 <b>S-519</b> Milky Sand Repeat: W300 H670 1/2step	 <b>S-500</b> Ivory Sand Repeat: W590 H670 box	 <b>S-526</b> Frosty Sand Repeat: W300 H670 1/2step	
3	 <b>S-752</b> Cream Sand Repeat: W580 H500 box	 <b>S-560</b> Light Gray Sand Repeat: W580 H500 box		
4	 <b>DA-40</b> White Dripping Repeat: W340 H675 1/2step	 <b>S-571</b> Cool Guache Repeat: W445 H325 1/2step	 <b>A-833</b> Crema Argi Repeat: W435 H670 1/2step	 <b>A-851</b> Chioistro Arancio Repeat: W490 H960 1/2step
5	 <b>A-844</b> Trèfle Blanc Repeat: W430 H670 1/2step	 <b>A-830</b> D'Azur Repeat: W430 H670 1/2step	 <b>A-846</b> Bruma Rosso Repeat: W430 H670 1/2step	 <b>A-832</b> Marubera Repeat: W430 H670 1/2step
6		 <b>A-723</b> Marina Repeat: W440 H670 box	 <b>A-824</b> Arashi Cloth Repeat: W340 H670 1/2step	

# BASIC COLOR



## EMBOSS-SERIES HAVE BEEN ADDED TO THE BASIC COLORS.

**01. STANDARD**  
Basic emboss

**02. RIDGE**  
These patterns feature combination of matte textures and delicate embossed stripes.

**03. SILK**  
Based on precise texture embossing, these patterns feature the expression of brilliance and elegance like those of silk.

**04. GESSO**  
With subtle inconsistencies created by traces that look like trowel marks on a plastered wall, these patterns feature the warmth created by an artisan.

**05. RAFFUL**  
With 3D embossing, these patterns feature expression changing by the angle, viewpoint and lighting.

# BASIC COLOR

**Common Feature**

- Fireproofing Certification
- Anti Fungus Function
- Approved by F-4 Stars Regulation

**Individual Feature**

- Color Fastness 3-5 years
- Water Resistance
- Twinkling effect under lights
- Special Finish

1	 <b>MT-10</b> SF Silky White Munsell : 7.5Y 9.5/0.2	 <b>NC-170</b> Precious White Ridge Munsell : 7GY 9.4/0.1	 <b>NC-171</b> Trust White Ridge Munsell : 10Y 9.0/0.4	 <b>NC-178</b> Trust White Silk Munsell : 10Y 9.0/0.4	 <b>NC-179</b> Black Silk Munsell : N 1.9/	 <b>BC-144</b> Warm White Gesso Munsell : 7.5Y 9.5/0.2	 <b>BC-145</b> Mild White Gesso Munsell : 1Y 9.2/0.6	
2	 <b>MT-11</b> SF Silky Vanilla Munsell : 10Y 9.0/0.7	 <b>NC-174</b> Precious White Rafful Munsell : 7GY 9.4/0.1	 <b>NC-173</b> Black Ridge Munsell : N 1.9/	 <b>BC-146</b> Soft White Silk Munsell : 8.5YR 8.9/0.9	 <b>BC-147</b> Tender White Gesso Munsell : 5Y 9.1/1.1	 <b>BC-177</b> Trust White Gesso Munsell : 10Y 9.0/0.4	 <b>BC-2141</b> Mild White Munsell : 8.5YR 8.9/0.9	
3	 <b>MT-12</b> SF Silky Snow Munsell : 10B 8.8/0.1	 <b>NC-176</b> Trust White Rafful Munsell : 10Y 9.0/0.4	 <b>BC-142</b> Warm White Ridge Munsell : 7.5Y 9.5/0.2	 <b>NC-051</b> Shell White Munsell : 10B 8.8/0.1	 <b>BC-042</b> Shell Gray Munsell : 6.5Y 8.8/1.0	 <b>BC-132</b> Milk White Munsell : 2.5Y 8.7/1.0	 <b>BC-041</b> Lead White Munsell : 5Y 8.8/1.0	
4	 <b>MT-13</b> SF Silky Ivory Munsell : 6.5Y 8.8/1.0	 <b>NC-175</b> Black Ruffle Munsell : N 1.9/	 <b>NC-2150</b> Precious White Munsell : 7GY 9.4/0.1	 <b>BC-040</b> Warm White Munsell : 7.5Y 9.5/0.2	 <b>NC-053</b> Silver Gray Munsell : 8.5B 7.7/0.1	 <b>BC-043</b> Ivory Gray Munsell : 6Y 8.2/1.0	 <b>BC-034</b> Pale Oyster Munsell : 5Y 8.0/1.0	 <b>BC-023</b> Pale Ecru Munsell : 7.5YR 8.0/1.0
5	 <b>CO-195</b> Blanche Sablon	 <b>NC-050</b> Cool White Munsell : 5PB 9.3/0.2	 <b>NC-052</b> Pearl Gray Munsell : 10B 8.3/0.3	 <b>NC-055</b> Sensitive Gray Munsell : 7.5B 6.5/0.5	 <b>BC-044</b> Pale Clay Munsell : 5Y 7.3/1.0	 <b>BC-035</b> Oyster Munsell : 2.5YR 6.8/2.0	 <b>BC-124</b> Ficelle Beige Munsell : 10YR 7.1/1.8	
6	 <b>CO-180</b> Luna Grano	 <b>NC-056</b> Mid Gray Munsell : 10B 6.0/0.7	 <b>NC-057</b> Slate Gray Munsell : 7.5B 4.4/0.5	 <b>NC-059</b> Black Munsell : N1.9/	 <b>BC-045</b> Clay Munsell : 6Y 6.8/1.0	 <b>BC-046</b> Mastic Munsell : 1Y 6.0/1.0	 <b>BC-037</b> Umber Munsell : 9YR 5.2/2.0	
7	 <b>CO-181</b> Meteor Grano	 <b>NC-058</b> Charcoal Gray Munsell : 5PB 2.8/0.5	 <b>NC-059</b> Black Munsell : N1.9/	 <b>BC-129</b> Burnt Umber Munsell : 10R 1.7/0.7	 <b>BC-039</b> Sepia Munsell : 4YR 3.0/1.0	 <b>BC-038</b> Chesnut Brown Munsell : 9YR 3.8/1.5		
8	 <b>CO-197</b> Charcoal Sablon							
9	 <b>CO-196</b> Noir Sablon							

BASIC COLOR

BASIC COLOR

Common Feature

Fireproofing Certification

Anti Fungus Function

Approved by F-4 Stars Regulation

Individual Feature

Color Fastness 3-5 years

Water Resistance

# BASIC COLOR

<b>PR-277</b> Canary Yellow Munsell : 7Y 8.8/11.0	<b>PR-290</b> Ultramarine Munsell : 6.5PB 3.4/12.8	<b>PR-278</b> Mari Gold Munsell : 4YR 6.7/13.5	<b>PR-280</b> Very Red Munsell : 6R 3.7/12.3	<b>PR-300</b> Very Red Ruffle Munsell : 6R 3.7/12.3
<b>PR-273</b> Mare Blue Munsell : 5.5PB 4.5/10.0	<b>PR-272</b> Sky Blue Munsell : 5PB 5.8/7.0	<b>PR-263</b> Sunflower Munsell : 2Y 7.7/12.0	<b>PR-291</b> Cerulean Munsell : 1.5PB 4.9/11.5	<b>PR-261</b> Carmine Munsell : 2.5R 3.7/11.0
<b>PR-271</b> Bourgeon Munsell : 5GY 8.5/5.0	<b>PR-283</b> Italian Rose Munsell : 9RP 5.3/11.2	<b>PR-262</b> Persimmon Munsell : 10R 5.8/11.5	<b>PR-288</b> Peppermint Green Munsell : 5.5BG 5.5/6.5	<b>PR-175</b> Agate Munsell : 1R 4.4/13.3
<b>PR-287</b> Tirol Green Munsell : 5GY 4.9/5.0	<b>PR-156</b> Wine Red Munsell : 4R 3.8/7.0	<b>PR-276</b> Elm Green Munsell : 5G 3.5/5.0	<b>PR-265</b> Prussian Blue Munsell : 2.5PB 3.0/5.0	<b>PR-282</b> Bacchus Red Munsell : 1R 3.0/9.6
<b>PR-142</b> Flax Munsell : 10YR 6.8/4.0	<b>PR-160</b> Cinnamon Munsell : 10R 5.0/5.0			

# NUMBER INDEX

Code	P-C-R	Functional Icon	Code	P-C-R	Functional Icon	Code	P-C-R	Functional Icon
<b>A</b>			<b>CO</b>			<b>F</b>		
A-152	33-C-1	NEW	CO-63	30-C-2	NEW	F-408	28-D-3	NEW
A-723	33-C-6	NEW	CO-64	29-B-1	NEW	F-409	28-A-3	NEW
A-731	27-D-2	NEW	CO-65	27-B-4	NEW	F-468	31-C-6	NEW
A-824	33-D-6	NEW	CO-66	25-C-1	NEW	F-469	31-D-1	NEW
A-830	33-B-5	NEW	CO-82	22-C-3	NEW	F-470	31-C-1	NEW
A-832	33-D-5	NEW	CO-83	22-D-3	NEW	F-472	31-D-6	NEW
A-833	33-C-4	NEW	CM-120	24-D-4	NEW	F-473	31-B-5	NEW
A-844	33-A-5	NEW	CM-121	25-B-2	NEW	F-475	31-A-6	NEW
A-846	33-C-5	NEW	CM-122	25-B-1	NEW	F-476	25-D-3	NEW
A-851	33-D-4	NEW	CM-123	27-C-4	NEW	F-477	31-A-2	NEW
A-853	33-A-1	NEW	CM-124	27-D-1	NEW	F-478	31-B-2	NEW
<b>BC</b>			CM-125	25-C-2	NEW	F-714	31-D-4	NEW
BC-023	36-D-6	NEW	CM-126	28-D-5	NEW	F-715	31-B-4	NEW
BC-034	36-C-6	NEW	CM-127	27-C-1	NEW	F-716	31-C-4	NEW
BC-035	36-C-7	NEW	CM-128	27-C-2	NEW	F-717	31-B-1	NEW
BC-037	36-D-8	NEW	CM-129	27-A-3	NEW	F-718	31-A-1	NEW
BC-038	36-D-9	NEW	CM-130	27-B-3	NEW	F-719	31-A-5	NEW
BC-039	36-C-9	NEW	CM-131	25-A-1	NEW	F-720	31-C-5	NEW
BC-040	35-E-4	NEW	CM-132	22-D-1	NEW	F-721	31-D-5	NEW
BC-041	36-D-5	NEW	CM-133	27-A-4	NEW	F-723	31-B-6	NEW
BC-042	36-B-5	NEW	CM-134	27-A-1	NEW	F-2745	32-B-3	NEW
BC-043	36-B-6	NEW	CM-135	27-B-1	NEW			
BC-044	36-B-7	NEW	CM-136	22-C-2	NEW			
BC-045	36-B-8	NEW	CM-137	22-D-2	NEW			
BC-046	36-C-8	NEW	CM-140	28-C-1	NEW			
BC-061	35-E-5	NEW	<b>CY</b>					
BC-2121	36-B-4	NEW	CY-100	30-A-6	NEW			
BC-124	36-D-7	NEW	CY-104	30-B-4	NEW			
BC-129	36-B-9	NEW	CY-109	30-C-4	NEW			
BC-2131	36-C-4	NEW	CY-110	30-B-6	NEW			
BC-132	36-C-5	NEW	CY-111	30-D-4	NEW			
BC-2141	36-D-4	NEW	<b>DA</b>					
BC-142	35-D-2	NEW	DA-35	25-B-5	NEW			
BC-144	36-C-1	NEW	DA-36	25-C-6	NEW			
BC-145	36-D-1	NEW	DA-38	25-D-5	NEW			
BC-146	36-A-3	NEW	DA-39	26-B-1	NEW			
BC-147	36-D-2	NEW	DA-40	33-A-4	NEW			
<b>BR</b>			DA-41	25-D-6	NEW			
BR-242	30-A-4	NEW	DA-44	24-D-5	NEW			
BR-291	29-D-5	NEW	DA-45	24-C-6	NEW			
BR-292	30-A-5	NEW	DA-46	24-D-6	NEW			
BR-296	30-C-6	NEW	DA-47	24-B-5	NEW			
BR-381	28-B-3	NEW	DA-48	24-C-5	NEW			
BR-382	28-C-3	NEW	DA-49	25-C-5	NEW			
BR-391	29-A-2	NEW	DA-50	26-B-2	NEW			
BR-392	29-B-2	NEW	DA-52	28-B-4	NEW			
BR-393	29-C-2	NEW	DA-53	28-C-4	NEW			
BR-398	29-C-4	NEW	DA-54	28-A-4	NEW			
BR-540	27-D-3	NEW	DA-57	31-B-3	NEW			
BR-541	27-C-3	NEW	DA-58	31-A-4	NEW			
BR-542	28-D-1	NEW	DA-61	31-A-3	NEW			
BR-543	28-B-1	NEW	DA-62	25-A-5	NEW			
BR-544	28-B-2	NEW	DA-63	26-B-5	NEW			
BR-545	28-A-1	NEW	DA-64	26-B-6	NEW			
BR-600	30-B-3	NEW	DA-65	26-A-3	NEW			
BR-601	30-A-3	NEW	DA-66	24-A-3	NEW			
BR-602	30-D-3	NEW	DA-67	24-B-3	NEW			
BR-603	30-C-3	NEW	DA-68	24-B-4	NEW			
BR-604	29-C-3	NEW	DA-69	24-A-5	NEW			
<b>C</b>			DA-70	24-D-3	NEW			
C-605	29-B-6	NEW	DA-71	25-B-4	NEW			
C-659	29-A-6	NEW	DA-72	25-B-3	NEW			
<b>CM</b>			DA-73	25-D-1	NEW			
CM-51	22-C-1	NEW	DA-74	25-D-2	NEW			
CM-52	22-D-5	NEW	DA-75	28-D-4	NEW			
CM-53	27-A-6	NEW	DA-76	25-B-6	NEW			
CM-55	27-B-6	NEW	DA-77	24-C-3	NEW			
CM-57	27-C-6	NEW						
CM-58	27-D-6	NEW						
CM-60	30-B-2	NEW						
CM-61	30-A-2	NEW						
CM-62	30-D-2	NEW						

# NUMBER INDEX

Function Icon

Common Feature



Individual Feature



Code	P-C-R	Functional Icon
<b>F</b>		
F-746	32-C-3	NEW F SF
<b>FM</b>		
FM-11	29-C-6	NEW F SF
FM-23	29-D-6	NEW F SF
FM-31	29-A-1	NEW F SF
FM-32	29-C-1	NEW F SF
FM-33	30-A-1	NEW F SF
FM-34	29-D-1	NEW F SF
FM-38	29-A-3	NEW F SF
FM-39	29-D-3	NEW F SF
FM-40	29-A-4	NEW F SF
FM-41	29-D-4	NEW F SF
FM-42	29-B-3	NEW F SF
FM-44	28-B-5	NEW F SF
FM-45	28-B-6	NEW F SF
FM-46	28-A-5	NEW F SF
<b>K</b>		
K-200	32-A-1	NEW F SF
K-201	32-D-2	NEW F SF
K-202	32-B-1	NEW F SF
K-203	32-C-2	NEW F SF
K-204	32-A-3	NEW F SF
K-214	32-B-2	NEW F SF
K-216	32-D-1	NEW F SF
K-252	32-A-2	NEW F SF
K-257	32-C-1	NEW F SF
<b>MA</b>		
MA-700	29-A-5	NEW F SF
<b>MT</b>		
MT-10	35-A-1	NEW F SF
MT-11	35-A-2	NEW F SF
MT-12	35-A-3	NEW F SF
MT-13	35-A-4	NEW F SF
<b>NC</b>		
NC-050	35-D-5	NEW F SF
NC-051	36-A-5	NEW F SF
NC-052	35-E-6	NEW F SF
NC-053	36-A-6	NEW F SF
NC-055	36-A-7	NEW F SF
NC-056	35-E-7	NEW F SF
NC-057	35-E-8	NEW F SF
NC-058	35-E-9	NEW F SF
NC-059	36-A-9	NEW F SF
NC-2150	35-D-4	NEW F SF
NC-2151	36-A-4	NEW F SF
NC-170	35-D-1	NEW F SF
NC-171	35-E-1	NEW F SF
NC-173	35-E-2	NEW F SF
NC-174	35-B-1	NEW F SF
NC-175	35-C-1	NEW F SF
NC-176	35-B-3	NEW F SF
NC-177	36-C-3	NEW F SF
NC-178	36-A-1	NEW F SF
NC-179	36-B-1	NEW F SF
<b>PR</b>		
PR-142	37-A-6	NEW F SF
PR-156	37-B-5	NEW F SF
PR-160	37-B-6	NEW F SF
PR-175	37-E-4	NEW F SF
PR-261	37-E-3	NEW F SF
PR-262	37-C-4	NEW F SF
PR-263	37-C-3	NEW F SF
PR-265	37-D-5	NEW F SF
PR-271	37-A-4	NEW F SF
PR-272	37-B-3	NEW F SF
PR-273	37-A-3	NEW F SF
PR-276	37-C-5	NEW F SF
PR-277	37-C-1	NEW F SF
PR-278	37-C-2	NEW F SF
PR-280	37-D-2	NEW F SF

Code	P-C-R	Functional Icon
PR-282	37-E-5	NEW F SF
PR-283	37-B-4	NEW F SF
PR-287	37-A-5	NEW F SF
PR-288	37-D-4	NEW F SF
PR-290	37-D-1	NEW F SF
PR-291	37-D-3	NEW F SF
PR-300	37-E-1	NEW F SF
<b>S</b>		
S-500	33-B-2	NEW F SF
S-519	33-A-2	NEW F SF
S-526	33-C-2	NEW F SF
S-550	33-B-1	NEW F SF
S-560	33-B-3	NEW F SF
S-571	33-B-4	NEW F SF
S-573	26-D-3	NEW F SF
S-574	26-C-3	NEW F SF
S-575	26-D-1	NEW F SF
S-576	26-C-1	NEW F SF
S-752	33-A-3	NEW F SF
<b>SA</b>		
SA-534	33-D-1	NEW F SF
<b>SW</b>		
SW-10	18-D-1	NEW F SF
SW-15	17-C-1	NEW F SF
SW-16	18-D-3	NEW F SF
SW-17	18-C-2	NEW F SF
SW-18	13-C-2	NEW F SF
SW-19	14-A-2	NEW F SF
SW-24	14-C-2	NEW F SF
SW-25	18-D-2	NEW F SF
SW-26	20-B-2	NEW F SF
SW-27	13-D-2	NEW F SF
SW-28	16-A-2	NEW F SF
	22-A-2	NEW F SF
SW-33	16-B-1	NEW F SF
SW-43	13-B-2	NEW F SF
SW-44	13-A-1	NEW F SF
SW-45	13-A-3	NEW F SF
SW-46	18-A-1	NEW F SF
SW-47	18-A-2	NEW F SF
SW-48	19-D-1	NEW F SF
SW-49	20-D-2	NEW F SF
SW-54	15-D-3	NEW F SF
SW-55	16-D-1	NEW F SF
SW-56	13-C-3	NEW F SF
SW-57	18-B-1	NEW F SF
SW-58	17-B-1	NEW F SF
SW-59	17-C-2	NEW F SF
SW-60	15-D-2	NEW F SF
SW-61	16-A-1	NEW F SF
SW-62	19-D-3	NEW F SF
SW-63	17-D-2	NEW F SF
SW-64	10-A-1	NEW F SF
SW-65	20-D-3	NEW F SF
SW-70	15-D-1	NEW F SF
SW-72	12-B-1	NEW F SF
SW-73	20-A-3	NEW F SF
SW-76	15-A-1	NEW F SF
SW-77	20-C-2	NEW F SF
SW-79	17-B-2	NEW F SF
SW-80	13-B-1	NEW F SF
SW-81	17-A-2	NEW F SF
SW-82	15-C-1	NEW F SF
SW-84	19-C-1	NEW F SF
SW-86	19-A-3	NEW F SF
SW-88	19-B-3	NEW F SF
SW-89	20-C-3	NEW F SF
SW-90	17-D-1	NEW F SF
SW-91	18-C-1	NEW F SF
SW-92	10-D-2	NEW F SF
SW-93	13-C-1	NEW F SF
SW-96	15-A-3	NEW F SF
SW-97	19-B-1	NEW F SF
SW-98	13-B-3	NEW F SF
SW-99	14-B-2	NEW F SF

Code	P-C-R	Functional Icon
SW-100	13-D-3	NEW F SF
SW-101	18-B-2	NEW F SF
SW-102	14-D-2	NEW F SF
SW-104	19-C-3	NEW F SF
SW-108	19-C-2	NEW F SF
	22-A-5	NEW F SF
SW-110	20-C-1	NEW F SF
SW-111	11-A-1	NEW F SF
SW-112	20-A-2	NEW F SF
SW-113	15-A-2	NEW F SF
SW-115	17-A-1	NEW F SF
SW-116	19-D-2	NEW F SF
SW-118	13-A-2	NEW F SF
SW-119	14-C-1	NEW F SF
SW-120	14-D-1	NEW F SF
SW-121	9-C-1	NEW F SF
SW-122	20-D-1	NEW F SF
SW-124	15-C-2	NEW F SF
SW-125	11-B-1	NEW F SF
SW-126	11-C-1	NEW F SF
SW-127	9-B-2	NEW F SF
SW-128	12-C-1	NEW F SF
SW-129	10-B-2	NEW F SF
SW-130	10-B-1	NEW F SF
SW-131	10-A-2	NEW F SF
SW-133	9-A-2	NEW F SF
SW-134	9-A-1	NEW F SF
SW-135	9-B-1	NEW F SF
SW-136	20-A-1	NEW F SF
SW-137	19-A-2	NEW F SF
SW-138	20-B-3	NEW F SF
SW-140	16-C-1	NEW F SF
SW-141	15-B-3	NEW F SF
SW-142	11-D-1	NEW F SF
SW-143	19-B-2	NEW F SF
SW-144	10-D-1	NEW F SF
	22-A-4	NEW F SF
SW-145	9-D-1	NEW F SF
SW-146	20-B-1	NEW F SF
SW-147	14-A-1	NEW F SF
SW-148	14-B-1	NEW F SF
SW-149	19-A-1	NEW F SF
SW-150	15-B-2	NEW F SF
SW-151	12-A-1	NEW F SF
SW-152	15-B-1	NEW F SF
SW-153	10-C-1	NEW F SF
SW-154	10-C-2	NEW F SF
SW-155	15-C-3	NEW F SF
SW-156	14-A-3	NEW F SF
<b>W</b>		
W-200	11-B-4	NEW F SF
W-202	20-C-6	NEW F SF
W-203	16-A-6	NEW F SF
W-205	18-A-4	NEW F SF
W-206	16-C-5	NEW F SF
W-207	16-C-6	NEW F SF
W-210	17-D-5	NEW F SF
W-211	18-D-5	NEW F SF
W-213	15-A-5	NEW F SF
W-216	9-A-5	NEW F SF
W-217	20-A-4	NEW F SF
W-218	20-B-6	NEW F SF
W-223	20-C-5	NEW F SF
W-224	20-B-5	NEW F SF
W-244	14-B-4	NEW F SF
W-245	19-C-4	NEW F SF
W-250	15-B-4	NEW F SF
W-251	15-D-4	NEW F SF
W-252	15-A-4	NEW F SF
W-253	15-C-5	NEW F SF
W-255	17-C-4	NEW F SF
W-282	18-B-4	NEW F SF
W-303	20-D-6	NEW F SF
W-304	9-A-4	NEW F SF
W-305	9-C-4	NEW F SF
W-306	19-C-5	NEW F SF
W-307	12-C-6	NEW F SF

Code	P-C-R	Functional Icon
W-308	13-C-6	NEW F SF
W-316	15-B-6	NEW F SF
W-320	16-A-5	NEW F SF
W-321	17-D-6	NEW F SF
W-345	15-A-6	NEW F SF
W-346	17-B-4	NEW F SF
W-356	17-C-5	NEW F SF
W-358	19-D-4	NEW F SF
W-360	17-A-4	NEW F SF
W-364	18-B-5	NEW F SF
W-367	12-B-4	NEW F SF
W-371	15-C-4	NEW F SF
W-372	15-C-6	NEW F SF
W-373	16-D-4	NEW F SF
W-376	18-C-5	NEW F SF
W-378	18-D-4	NEW F SF
W-385	16-C-4	NEW F SF
W-388	17-B-6	NEW F SF
W-390	11-A-6	NEW F SF
W-391	20-C-4	NEW F SF
W-393	19-B-5	NEW F SF
W-394	20-D-4	NEW F SF
W-617	12-A-6	NEW F SF
W-618	13-A-6	NEW F SF
W-619	14-A-5	NEW F SF
W-620	14-B-5	NEW F SF
W-621	9-D-4	NEW F SF
W-622	12-B-6	NEW F SF
W-623	13-B-6	NEW F SF
W-624	13-B-5	NEW F SF
W-625	14-C-5	NEW F SF
W-626	9-D-6	NEW F SF
W-627	10-C-5	NEW F SF
W-628	9-D-5	NEW F SF
W-629	11-D-6	NEW F SF
W-630	10-B-5	NEW F SF
W-631	14-A-4	NEW F SF
W-632	19-B-4	NEW F SF
W-633	19-A-4	NEW F SF
	22-B-4	NEW F SF
W-634	12-C-5	NEW F SF
W-635	10-A-5	NEW F SF
W-636	15-D-5	NEW F SF
W-637	11-B-6	NEW F SF
W-638	15-B-5	NEW F SF
W-639	11-A-5	NEW F SF
W-640	10-D-5	NEW F SF
W-641	14-D-4	NEW F SF
W-642	22-C-6	NEW F SF
W-643	12-C-4	NEW F SF
W-644	10-D-6	NEW F SF
W-646	10-A-6	NEW F SF
W-647	10-C-6	NEW F SF
W-648	13-A-5	NEW F SF
W-650	9-B-6	NEW F SF
W-651	12-A-4	NEW F SF
W-652	10-A-4	NEW F SF
	22-A-1	NEW F SF
W-653	9-A-6	NEW F SF
W-654	13-C-4	NEW F SF
	22-B-2	NEW F SF
W-655	13-C-5	NEW F SF
W-656	13-D-5	NEW F SF
	22-A-3	NEW F SF
W-657	12-D-5	NEW F SF
W-658	10-D-4	NEW F SF
W-659	10-B-6	NEW F SF
W-660	12-D-6	NEW F SF
W-661	13-D-6	NEW F SF
W-662	14-D-5	NEW F SF
	22-B-3	NEW F SF
W-663	9-C-6	NEW F SF
W-664	12-B-5	NEW F SF
	22-B-1	NEW F SF
W-665	16-B-5	NEW F SF
W-666	10-C-4	NEW F SF
W-714	11-D-4	NEW F SF
W-715	12-D-4	NEW F SF

Code	P-C-R	Functional Icon
W-716	10-B-4	NEW F SF
W-717	12-A-5	NEW F SF
W-719	11-B-5	NEW F SF
W-720	13-A-4	NEW F SF
W-721	13-B-4	NEW F SF
W-722	17-B-5	NEW F SF
W-723	11-C-4	NEW F SF
W-724	20-A-5	NEW F SF
W-726	20-D-5	NEW F SF
W-728	16-D-5	NEW F SF
W-731	11-C-6	NEW F SF
W-732	11-C-5	NEW F SF
W-757	9-B-5	NEW F SF
W-764	17-A-5	NEW F SF
W-765	18-C-4	NEW F SF
W-780	16-B-4	NEW F SF
W-786	15-D-6	NEW F SF
W-787	16-B-6	NEW F SF
W-800	22-C-5	NEW F SF
	25-C-4	NEW F SF
W-805	22-C-4	NEW F SF
W-806	22-D-4	NEW F SF
<b>WA</b>		
WA-227	18-A-5	NEW F SF
WA-232	17-A-6	NEW F SF
WA-233	17-D-4	NEW F SF
WA-256	11-A-4	NEW F SF
WA-257	16-A-4	NEW F SF
WA-259	20-A-6	NEW F SF
WA-380	13-D-4	NEW F SF
WA-381	14-A-6	NEW F SF
WA-382	19-A-5	NEW F SF
WA-386	16-D-6	NEW F SF
WA-387	17-C-6	NEW F SF
<b>WB</b>		
WB-400	11-D-5	NEW F SF
WB-401	9-B-4	NEW F SF
WB-403	9-C-5	NEW F SF
WB-404	14-C-4	NEW F SF
WB-405	20-B-4	NEW F SF

The products listed below differ from other belbien products in specification and price. See "Technical Data" P16-P17 for details.

belbien White Board Sheet		
BWH-001	8-A-2	NEW F SF
BWH-002	8-C-2	NEW F SF
BWH-003	8-D-2	NEW F SF
BWH-004	8-B-2	NEW F SF
BWH-101	8-A-1	NEW F SF
BWH-102	8-C-1	NEW F SF

# belbien WEB SITE [www.belbien.net/english](http://www.belbien.net/english)

belbien.net is website where technical information and the latest information about belbien can be obtained.

Patterns can be searched easily by its code, function and various methods on this website. You can also download texture images. Please kindly ask any questions through this website.

Original sample data (254px × 254px 72dpi) and 1/5 scale large-sized data can be downloaded for some patterns.

Categorized by types of buildings, the latest installation photos are available for your reference.

1



Easy operation

2



All patterns are available

3



Project Collections

4



Access to various types of data