



WYCHWOOD
FOREST PRODUCTS

**JOINERY
PRODUCTS
GUIDE**

EDITION 1

CONTENTS

3

STAIR PRODUCTS – NEWEL POSTS

*Clear Redwood, Live Knotted Redwood, Clear Taeda Pine,
Laminated Oak, Veneered Oak*

8

STAIR PRODUCTS – STRINGS, TREADS, RISERS & PANELS

*Clear Taeda Pine, Live Knotted Redwood, Live Knotted Whitewood,
Edge Glued Oak, Veneered Oak*

13

STAIR PRODUCTS – SPINDLES

Clear Redwood, Primed, Veneered Oak, Solid Oak Blanks

17

STAIR PRODUCTS – HANDRAILS

Clear Redwood, Oak

19

STAIR PRODUCTS – NEWEL CAPS

Clear Redwood, Oak

21

WINDOW & DOOR COMPONENTS

Clear Redwood, Grandis, Sapele, Thermo Radiata

25

DOOR FRAMES & LININGS

Clear Redwood, Live Knotted Redwood, Sapele

CONTENTS

28

DOOR RAILS

Sound Knotted Redwood

29

PLAYGROUND PRODUCTS

Live Knotted Redwood

30

EXTERIOR GATE PRODUCTS

Clear Redwood, Live Knotted Redwood

Wychwood Forest Products is a UK based timber importer and agent specialising in the wholesale trading of bulk sawn and engineered softwoods and hardwoods.

This guide represents the range of products available from Wychwood Forest Products for joinery applications.



WYCHWOOD
FOREST PRODUCTS

REDWOOD

Pinus sylvestris



Clear

Source: Northern & Eastern Europe

Appearance: Clear

Construction: Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: 82mm, 90mm, 94mm, 96mm, 120mm+ Square

Lengths: 6.0m (other lengths available upon request)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC / PEFC



REDWOOD

Pinus sylvestris



Live Knotted

Source: Northern & Eastern Europe

Appearance: Live Knotted

Construction: Laminated or Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: 82mm, 90mm, 94mm, 96mm, 120mm+ Square

Lengths: 1.5m – 6.0m



Durability

CLASS 4



Stability

EXCELLENT



Price

££



Availability

EXCELLENT



Certification

FSC / PEFC

TAEDA PINE

Pinus taeda



Primed

Source: South America

Appearance: Clear

Construction: Laminated & Finger Jointed

Finish: Planed all round

Density: 480 kg/m³

Sizes: 82mm, 90mm, 94mm, 96mm, 120mm+ Square

Lengths: 6.0m (other lengths available upon request)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC



EUROPEAN OAK

Quercus robur



WYCHWOOD
FOREST PRODUCTS

Clear

Source: Europe

Appearance: Virtually Knot free

Construction: Laminated

Finish: Planed all round

Density: 720 kg/m³

Sizes: 82mm, 90mm, 120mm+ Square

Lengths: 1.5m – 4.8m



Durability

CLASS 2



Stability

EXCELLENT



Price

£££££



Availability

LIMITED



Certification

FSC



EUROPEAN OAK

Quercus robur



WYCHWOOD
FOREST PRODUCTS

Clear

Source: Europe

Appearance: Clear

Construction: Block core with outer veneer (8mm or 3mm)

Finish: Planed all round

Density: 720 kg/m³

Sizes: 82mm, 90mm, 120mm+ Square

Lengths: 1.5m – 4.2m (shorter lengths available)



Durability

CLASS 2



Stability

EXCELLENT



Price

££££



Availability

VERY GOOD



Certification

FSC



Image coming soon

TAEDA PINE

Pinus taeda



Clear

Source: South America

Appearance: Clear

Construction: Edge glued & Finger Jointed

Finish: Planed all round

Density: 480 kg/m³

Sizes: Thickness 26mm – 45mm Width 200mm – 1200mm

Lengths: Strings 3.6m – 6.0m Treads 0.9m – 1.5m



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC



REDWOOD

Pinus sylvestris



Live Knotted

Source: Northern & Eastern Europe

Appearance: Live Knotted

Construction: Edge Glued, Solid or Finger Jointed Staves

Finish: Planed all round

Density: 550 kg/m³

Sizes: Thickness 26mm – 45mm Width 200mm – 1200mm

Lengths: Strings 3.6m – 6.0m Treads 0.9m – 1.5m



Durability

CLASS 4



Stability

EXCELLENT



Price

££



Availability

EXCELLENT



Certification

FSC / PEFC



WHITEWOOD

Picea abies



Live Knotted

Source: Northern & Eastern Europe

Appearance: Live Knotted

Construction: Edge Glued, Solid or Finger Jointed Staves

Finish: Planed all round

Density: 480 kg/m³

Sizes: Thickness 26mm – 45mm Width 200mm – 1200mm

Lengths: Strings 3.6m – 6.0m Treads 0.9m – 1.5m



Durability

CLASS 4



Stability

EXCELLENT



Price

££



Availability

EXCELLENT



Certification

FSC / PEFC

EUROPEAN OAK

Quercus robur



WYCHWOOD
FOREST PRODUCTS

Clear

Source: Europe

Appearance: Virtually knot free

Construction: Edge Glued

Finish: Planed all round

Density: 720 kg/m³

Sizes: Thickness 26mm – 45mm Width 200mm – 300mm

Lengths: Strings 3.6m – 4.8m Treads 0.9m – 1.5m



Durability

CLASS 2



Stability

EXCELLENT



Price

££££



Availability

GOOD



Certification

FSC



EUROPEAN OAK

Quercus robur



WYCHWOOD
FOREST PRODUCTS

Clear

Source: Eastern Europe

Appearance: Clear

Construction: Block Core with Outer veneer (3mm – 5mm)

Finish: Planed all round

Density: 720 kg/m³

Sizes: Thickness 26mm – 45mm Width 200mm – 300mm

Lengths: Strings 3.6m – 4.8m Treads 0.9m – 1.5m



Durability

CLASS 2



Stability

EXCELLENT



Price

££££



Availability

GOOD



Certification

FSC



REDWOOD

Pinus sylvestris



Clear

Source: Eastern Europe

Appearance: Knot Free

Construction: Solid or Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: 32mm, 41mm square (other sizes available)

Lengths: 900mm, 1100mm (other sizes available)



Durability

CLASS 4



Stability

GOOD



Price

£££




Availability

EXCELLENT



Certification

FSC / PEFC



REDWOOD

Pinus sylvestris



Primed

Source: Eastern Europe

Appearance: White Primed

Construction: Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: 32mm, 41mm square (other sizes available)

Lengths: 900mm, 1100mm (other sizes available)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC / PEFC



EUROPEAN OAK

Quercus robur



Clear

Source: Eastern Europe

Appearance: Virtually Knot Free

Construction: Block Core with 3mm Outer Veneer (2 sides)

Finish: Planed all round

Density: 720 kg/m³

Sizes: 32mm, 41mm square (other sizes available)

Lengths: 900mm, 1100mm (other sizes available)



Durability

CLASS 2



Stability

EXCELLENT



Price

££££



Availability

GOOD



Certification

FSC



Image coming soon

EUROPEAN OAK

Quercus robur



Prime

Source: Europe

Appearance: Virtually Clear

Construction: Solid

Finish: Sawn

Density: 720kg/m³

Sizes: 40mm, 50mm square (other sizes available)

Lengths: 900mm – 1100mm



Durability

CLASS 2



Stability

GOOD



Price

££££



Availability

GOOD



Certification

FSC



REDWOOD

Pinus sylvestris



Clear

Source: Eastern Europe

Appearance: Clear

Construction: Laminated & Finger Jointed

Finish: Planed all round / Machined to profile

Density: 550 kg/m³

Sizes: Thickness 45mm – 96mm Width 45mm – 96mm

Lengths: 3.6m – 6.0m



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC



EUROPEAN OAK

Quercus robur



WYCHWOOD
FOREST PRODUCTS

Clear

Source: Europe

Appearance: Virtually Knot Free

Construction: Laminated

Finish: Planed all round / Machined to profile

Density: 720 kg/m³

Sizes: Thickness 45mm – 96mm Width 45mm – 96mm

Lengths: 3.6m – 4.8m



Durability

CLASS 2



Stability

EXCELLENT



Price

££££




Availability

GOOD



Certification

FSC



REDWOOD

Pinus sylvestris



Clear

Source: Eastern Europe

Appearance: Clear

Construction: Solid

Finish: Machined to profile

Density: 550 kg/m³

Sizes: To fit newels 82mm, 90mm and 120mm+

Lengths: n/a



Durability

CLASS 4



Stability

GOOD



Price

££



Availability

EXCELLENT



Certification

FSC



EUROPEAN OAK

Quercus robur



Clear

Source: Eastern Europe

Appearance: Virtually Knot Free

Construction: Solid

Finish: Machined to profile

Density: 720 kg/m³

Sizes: To fit newels 82mm, 90mm and 120mm+

Lengths: n/a



Durability

CLASS 2



Stability

GOOD



Price

£££



Availability

EXCELLENT



Certification

FSC



REDWOOD

Pinus sylvestris



Clear

Source: Northern & Eastern Europe

Appearance: Clear

Construction: Laminated & Finger Jointed

Finish: Machined to profile

Density: 550 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: 6.0m (other lengths available)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC



GRANDIS

Eucalyptus grandis



Clear

Source: Europe / South East Asia

Appearance: Knot Free

Construction: Laminated / Laminated & Finger Jointed

Finish: Planed all round

Density: 600 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 3



Stability

EXCELLENT



Price

£££



Availability

VERY GOOD



Certification

FSC



SAPELE

*Entandrophragma
cylindricum*



Clear

Source: Europe

Appearance: Knot Free

Construction: Finger Jointed or Laminated & Finger Jointed

Finish: Planed all round

Density: 640 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 3



Stability

EXCELLENT



Price

££££



Availability

LIMITED



Certification

FSC



THERMO RADIATA

Pinus radiata



WYCHWOOD
FOREST PRODUCTS

Clear

Source: New Zealand

Appearance: Clear

Construction: Laminated & Finger Jointed / Solid

Finish: Planed all round / Sawn

Density: 460 kg/m³

Sizes: Thickness 50mm – 100mm Width 63mm – 200mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 1



Stability

EXCELLENT



Price

££££



Availability

EXCELLENT



Certification

FSC



REDWOOD

Pinus sylvestris



Clear

Source: Northern & Eastern Europe

Appearance: Clear

Construction: Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: 4.2m, 4.5m, 4.8m, 6.0m (other lengths available)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC / PEFC

REDWOOD

Pinus sylvestris



WYCHWOOD
FOREST PRODUCTS

Live Knotted

Source: Northern & Eastern Europe

Appearance: Live Knotted

Construction: Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: Thickness 18mm – 75mm Width 63mm – 1200mm

Lengths: 3.6m – 6.0m



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC / PEFC



SAPELE

*Entandrophragma
cylindricum*



Clear

Source: Europe

Appearance: Knot free

Construction: Finger Jointed or Laminated & Finger Jointed

Finish: Planed all round

Density: 640 kg/m³

Sizes: Thickness 26mm – 200mm Width 63mm – 225mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 3



Stability

EXCELLENT



Price

££££



Availability

LIMITED



Certification

FSC



REDWOOD

Pinus sylvestris



Sound Knotted

Source: Northern & Eastern Europe

Appearance: Non-visual

Construction: Laminated & Finger Jointed

Finish: Planed all round

Density: 550 kg/m³

Sizes: Thickness 18mm – 75mm Width 63mm – 1200mm

Lengths: 3.6m – 6.0m



Durability

CLASS 4



Stability

EXCELLENT



Price

££



Availability

EXCELLENT



Certification

FSC / PEFC



REDWOOD

Pinus sylvestris



Live Knotted

Source: Northern & Eastern Europe

Appearance: Live Knotted

Construction: Laminated or Laminated Finger Jointed

Finish: Planed all round, Square or Round posts

Density: 550 kg/m³

Sizes: Thickness 94mm – 200mm Width 94mm – 225mm

Lengths: Solid 3.6m – 5.1m Finger Jointed 2.4m – 6.0m +



Durability

CLASS 4



Stability

EXCELLENT



Price

££



Availability

EXCELLENT



Certification

PEFC



REDWOOD

Pinus sylvestris



Clear

Source: Northern & Eastern Europe

Appearance: Knot Free

Construction: Laminated & Finger Jointed

Finish: Machined to profile

Density: 550 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: 6.0m (other lengths available)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC



REDWOOD

Pinus sylvestris



Live Knotted

Source: Northern & Eastern Europe

Appearance: Live Knotted

Construction: Laminated or Laminated Finger Jointed

Finish: Planed all round, Square or Round posts

Density: 550 kg/m³

Sizes: Thickness 94mm – 200mm Width 94mm – 225mm

Lengths: Solid 3.6m – 5.1m Finger Jointed 2.4m – 6.0m +



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

PEFC

KEY



DURABILITY

Class 1 – Very durable
Class 2 – Durable
Class 3 – Moderately durable
Class 4 – Slightly durable



STABILITY

Good – Generally stable and straight
Excellent – High level of stability and straightness



PRICE

££ – Low
£££ – Average
££££ – High
£££££ – Very High



AVAILABILITY

Limited – Restricted supply
Good – Consistent supply
Very good – Consistent high volume supply
Excellent – Consistent & sustainable high volume supply



CERTIFICATION

FSC® – Forest Stewardship Council (FSC-C181063)
PEFC – Programme for the Endorsement of Forest Certification
(PEFC/16-37-2403)

CONTACT

Please contact us for further information

01993 670967

info@wychwoodfp.co.uk



WYCHWOOD
FOREST PRODUCTS

QUALITY IN PARTNERSHIP