

WESTERN RED CEDAR

Thuja plicata



STK – Sound Tight Knot

Source: Coastal, British Columbia, Canada

Appearance: Consistent live knots

Condition: Green (KD on request)

Finish: Rough sawn

Density: 390 kg/m³

Size: Thickness 7/8" – 6", Width 4" – 12"

Lengths: 8'-16', average 12'



Durability

CLASS 2



Stability

EXCELLENT



Price

£££



Availability

GOOD



Certification

PEFC



DOUGLAS FIR

Pseudotsuga menziesii



WYCHWOOD
FOREST PRODUCTS

Hi-Line STK – Sound Tight Knot

Source: Interior, British Columbia, Canada

Appearance: Very consistent small, live knots

Condition: Kiln Dried

Finish: Rough sawn

Density: 530 kg/m³

Size: 47mm x 150mm

Lengths: 3.0m & 4.0m, heavy 4.0m



Durability

CLASS 3



Stability

GOOD



Price

££



Availability

EXCELLENT



Certification

PEFC



DOUGLAS FIR

Pseudotsuga menziesii



WYCHWOOD
FOREST PRODUCTS

STK & Better – Sound Tight Knot

Source: Coastal, British Columbia, Canada

Appearance: Sound tight knots with clears included

Condition: Kiln Dried

Finish: Rough sawn

Density: 530 kg/m³

Size: 1" x 6", 1" x 4"

Lengths: 6'-20', average 12'



Durability

CLASS 3



Stability

GOOD



Price

££



Availability

VERY GOOD



Certification

PEFC



DOUGLAS FIR

Pseudotsuga menziesii



WYCHWOOD
FOREST PRODUCTS

STK – Sound Tight Knot

Source: Coastal, British Columbia, Canada

Appearance: Consistent live knots

Condition: Kiln Dried

Finish: Rough sawn

Density: 530 kg/m³

Size: 1" x 6"

Lengths: 6'–20', average 12'



Durability

CLASS 3



Stability

GOOD



Price

££



Availability

VERY GOOD



Certification

PEFC



WESTERN LARCH

Larix occidentalis



WYCHWOOD
FOREST PRODUCTS

STK – Sound Tight Knot

Source: Interior, British Columbia, Canada

Appearance: Very consistent small, live knots

Condition: Kiln Dried

Finish: Rough sawn

Density: 550 kg/m³

Size: Invoice 1" x 6" Net 3/4" x 5.75"

Lengths: 8'-16', heavy 12'



Durability

CLASS 3



Stability

GOOD



Price

£££



Availability

LIMITED



Certification

PEFC

EUROPEAN LARCH

Larix decidua



WYCHWOOD
FOREST PRODUCTS

Sawfalling A/B

Source: Austria

Appearance: Consistent live knots

Condition: Kiln Dried

Finish: Rough sawn

Density: 550 kg/m³

Size: 23mm x 150mm

Lengths: 3.0m & 4.0m, heavy 4.0m



Durability

CLASS 3



Stability

GOOD



Price

££



Availability

LIMITED



Certification

PEFC

KEY



DURABILITY

- Class 1 – Very durable
- Class 2 – Durable
- Class 3 – Moderately durable
- Class 4 – Slightly durable

*Based on Use Class 3 application – above ground contact and subject to frequent wetting



STABILITY

- Poor – Prone to movement
- Good – Some initial movement expected
- Excellent – Minimal movement expected



PRICE

- ££ – Low
- £££ – Average
- ££££ – High
- £££££ – Very High



AVAILABILITY

- Limited – Restricted supply
- Good – Consistent supply
- Very good – Consistent high volume supply
- Excellent – Consistent & sustainable high volume supply



CERTIFICATION

- FSC® – Forest Stewardship Council® (FSC-C181063)
- PEFC – Programme for the Endorsement of Forest Certification
- OLB – Origine et Légalité des Bois