



REDWOOD

Pinus sylvestris



Clear

Source: Northern & Eastern Europe

Appearance: Clear

Construction: Laminated & Finger Jointed

Finish: Machined to profile

Density: 550 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: 6.0m (other lengths available)



Durability

CLASS 4



Stability

EXCELLENT



Price

£££



Availability

EXCELLENT



Certification

FSC



GRANDIS

Eucalyptus grandis



Clear

Source: Europe / South East Asia

Appearance: Knot Free

Construction: Laminated / Laminated & Finger Jointed

Finish: Planed all round

Density: 600 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 3



Stability

EXCELLENT



Price

£££



Availability

VERY GOOD



Certification

FSC



SAPELE

*Entandrophragma
cylindricum*



Clear

Source: Europe

Appearance: Knot Free

Construction: Finger Jointed or Laminated & Finger Jointed

Finish: Planed all round

Density: 640 kg/m³

Sizes: Thickness 48mm – 200mm Width 63mm – 225mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 3



Stability

EXCELLENT



Price

££££



Availability

LIMITED



Certification

FSC



THERMO RADIATA

Pinus radiata



WYCHWOOD
FOREST PRODUCTS

Clear

Source: New Zealand

Appearance: Clear

Construction: Laminated & Finger Jointed / Solid

Finish: Planed all round / Sawn

Density: 460 kg/m³

Sizes: Thickness 50mm – 100mm Width 63mm – 200mm

Lengths: Laminated 0.9 – 3.6m Finger Jointed 4.2m – 6.0m



Durability

CLASS 1



Stability

EXCELLENT



Price

££££



Availability

EXCELLENT



Certification

FSC