

door catalogue

2022

edition1



Polecam
Krzysztof

Wood M1 W1
dark oak

Promotion of the door



BINITO 20



The door is painted with the highest quality acrylic UV varnish, which protects the leaf surface for a long time.

* Note: selected configurations of the BINITO 20 model are available as stock orders, rebated in white matt.

** Promotion of the BINITO collection with the WEGA handle with backplate.



VETRO E - natural halifax oak


EGGER 3 mm
laminates
group 1



CLEAF 4 mm
laminates
group 2



Horizontal cross-section of VETRO E door leaf



STANDARD OPTIONS

- » door leaf surface is coated with laminated, synchronous 3 mm or 4 mm thick board
- » frame made of MDF additionally reinforced with plywood
- » stabilising insert tubular chipboard
- » DECORMAT tempered laminated 8 mm glass pane with fixed width (regardless the width of the door leaf) or laminated black tempered 8 mm glass pane (opaque) with fixed width (regardless the door leaf width)

NON-REBATED DOOR LEAF

- » edge without rebate in black colour
- » sockets for 2 hidden concealed Estetic 80 hinges in black colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

DOOR FRAMES

- » for door leaves from Vetro E collection in synchronous laminates, we recommend door frames finished in black matt colour

NOTE: There is no possibility to shorten door leaf.


VETRO E - fulfill ventilation requirements for width "80" - "100" with ventilation undercut.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » ventilation undercut

NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1



ventilation undercut



VETRO E
gray halifax oak



VETRO E
natural halifax oak



VETRO E
Halifax Tabac Oak



VETRO E
white elm



VETRO E
natural elm



VETRO E
dark elm



SEMI 1 black mat 2

Decor
DRE-Cell



black mat 2

white mat

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » horizontal and middle stiles are made of MDF board, coated and lacquered to a high gloss

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf "90" and "100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF


- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.
It is required to use together with SEMI rebated door leaf model door frames equipped with 3 hinges.

fig. 1



fig. 2



horizontal rail is lacquered with high gloss



SEMI 0



SEMI 1



SEMI 2



SEMI 3



ESTRA 5 - dark olive matt

Decor
DRE-Cell

				
white mat	light gray mat	dark olive matt	dark blue mat	black mat 2

Decor
Finish


alpine white

* in the finish foil available only rebated door leaf

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » flat MDF panels 16 mm

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane available in DRE-CELL colours
- » transparent glass in the DRE-Finish colours
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF IN DRE-CELL AND FINISH COLOURS

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF IN DRE-CELL

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING DOOR LEAF IN DRE-CELL

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



fig. 2



NOTE: It is required to use together with rebated door leaf ESTRA door frames equipped with 3 hinges.



STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



edge
straight

fig. 2



edge
without rebate

NOTE: It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit. .



EMENA 0



EMENA 1



EMENA 2



EMENA 3



EMENA 4



EMENA 5

Decor DRE-Cell

white (textured)	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***
tabac elm	elm anthracite	dark wenge	gray textured	black textured	marrone chestnut textured	evoke oak			

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1




fig. 2



NOTE: It is required to use together with VERANO rebated door leaf model door frames equipped with 3 hinges.



										Decor DRE-Cell
white (textured)	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	
*** decor available only in horizontal wood grain										
										
			evoke oak	marrone chestnut textured	gray textured	black textured	tabac elm	elm anthracite	dark wenge	

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: It is required to use together with ENA rebated door leaf model door frames equipped with 3 hinges. .

fig. 1



fig. 2



Decor DRE-Cell

white (textured)	white mat	white pine	elm siberian	oak sand	bleached oak textured	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	elm anthracite	dark wenge
walnut caramel	vintage oak	gray textured	black textured	marrone chestnut textured	black mat 2	light gray mat	evoked oak	*** decor available only in horizontal wood grain			

Decor 3D

grand oak	elm	walnut american	ebony	polish oak 3D
-----------	-----	-----------------	-------	---------------

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90“ and „100“
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



edge
straight

fig. 2



edge
without rebate

NOTE: It is required to use together with TRIESTA rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit. .



TRIESTA 0



TRIESTA 1



TRIESTA 2



TRIESTA 3



white
(textured)



white pine



elm
siberian



oak
sand



bleached oak
textured



vintage oak



walnut
caramel



golden oak
textured



dark walnut
textured



gray oak
textured***

Decor
DRE-Cell

*** decor available only in horizontal wood grain



evoke oak



marrone
chestnut
textured



gray
textured



black
textured



tabac elm



elm
anthracite



dark wenge

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick (SOLTE 2 - 3)
- » flat panel insert (SOLTE 1 - 2)

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

NOTE: It is required to use together with SOLTE rebated door leaf model door frames equipped with 3 hinges.

fig. 1




edge
straight

fig. 2



edge
without rebate



SOLTE panel - 4
mm thick



SOLTE 1



SOLTE 2



SOLTE 3

Decor DRE-Cell												
									*** decor available only in horizontal wood grain			
Decor 3D												

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » flat inserts (REVA 5-7)

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.

NOTE: It is required to use together with REVA rebated door leaf model door frames equipped with 3 hinges.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



edge
straight

fig. 2



edge
without rebate



REVA 1

REVA 2

REVA 3

REVA 4

REVA 5

REVA 6

REVA 7

1 glass pane, 5 inserts
in the colour of the
door leaf

inserts in the color of
the door leaf

2 glass panes, 4 inserts
in the color of the
door leaf

Decor
DRE-Cell

Decor 3D



NESTOR 10 white pine

Decor
DRE-Cell



Decor 3D



MONDO DOOR HANDLE WITH A BACKPLATE FOR 1 € ex

(available only with rebated and non-rebated door leaf
in NESTOR and ELSA collections in DRE-CELL and 3D decor)
colour satin nickel



door handle MONDO - satin nickel

+



backplate for
simple key lock

or



backplate for
cylinder lock

or



backplate for toilet
lock

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



fig. 2



NOTE: It is required to use together with NESTOR rebated door leaf model door frames equipped with 3 hinges. .





AURI O - white mat

Decor DRE-Cell

white (textured)	white mat	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
elm anthracite	dark wenge	gray textured	black textured	marrone chestnut textured	black mat 2	light gray mat	evoke oak	*** decor available only in horizontal wood grain			

Decor 3D

grand oak	elm	walnut american	ebony	polish oak 3D
-----------	-----	--------------------	-------	------------------

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » flat inserts (AURI 6-8)

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF


- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels.
It is required to use together with AURI rebated door leaf model door frames equipped with 3 hinges.

fig. 1



fig. 2





ELSA A3 and ELSA 0 - sand oak

Decor
DRE-Cell



Decor 3D



MONDO DOOR HANDLE WITH A BACKPLATE FOR 1 € ex

(available only with rebated and non-rebated door leaf
in NESTOR and ELSA collections in DRE-CELL and 3D decor)
colour satin nickel



door handle MONDO - satin nickel

+



backplate for
simple key lock

or



backplate for
cylinder lock

or



backplate for toilet
lock

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » flat panel insert (ELSA A), profiled 19 mm MDF panels (ELSA B)

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels. It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

fig. 1



edge straight

fig. 2



edge without rebate

ELSA collection is divided into A and B:
A - flat panel insert in door leaf colour
B - 19 mm convex panel insert in door leaf colour



cross-section of ELSA A



cross-section of ELSA B



ELSA A



ELSA A1



ELSA A2



ELSA A3



ELSA A4



ELSA B5



ELSA B6



ELSA B7



ELSA O



ELSA B



Fosca 3 - dark walnut textured

Decor DRE-Cell	white (textured)	white mat	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	elm anthracite	dark wenge	gray textured	black textured	marrone chestnut textured	black mat 2	light gray mat	evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D							

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » flat panel insert coated with silver laminate (FOSCA 1-3) or in door leaf colour (FOSCA 4-6)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles


NOTE: There is possibility to make rebated „40" side panels.

NOTE: It is required to use together with FOSCA rebated door leaf model door frames equipped with 3 hinges.

fig. 1



fig. 2



FOSCA 1-3
(4mm HDF insert coated with silver laminate)



FOSCA 4-6
(4mm HDF insert coated in door leaf colour)





Premium O with a side panel - vintage oak

Decor DRE-Cell												
									*** decor available only in horizontal wood grain			
Decor 3D												

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated „40" side panels.

NOTE: It is required to use together with PREMIUM rebated door leaf model door frames equipped with 3 hinges.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

fig. 1



edge
straight

fig. 2



edge
without rebate

In PREMIUM 12 and 13 models, from the top edge there are used two glass panes.



PREMIUM 0-3
(4 mm glass pane)



* PREMIUM 4-7, 12
(4 mm HDF inserts in
door leaf colour)



** PREMIUM 8-11,
13 (4mm HDF inserts
, coated with a silver
laminate)



PREMIUM 0
PREMIUM 4*
PREMIUM 8**



PREMIUM 1
PREMIUM 5*
PREMIUM 9**



PREMIUM 2
PREMIUM 6*
PREMIUM 10**



PREMIUM 3
PREMIUM 7*
PREMIUM 11**



PREMIUM 12
2 glass panes, 6
inserts in the colour of
the door leaf



PREMIUM 13
2 glass panes, 6
inserts coated with a
silver laminate



PIANO 0 - Polish oak 3D

Decor DRE-Cell	white (textured)	white mat	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	elm anthracite	dark wenge	gray textured	black textured	marrone chestnut textured	black mat 2	light gray mat	evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D							

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » 16 mm convex panel (PIANO 1-2, PIANO 5-6)
or 19 mm convex panel (PIANO 9-12)

OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated „40" side panels.

It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

fig. 1



edge
straight

fig. 2



edge
without rebate



panel PIANO 9-12



PIANO 0

PIANO 1

PIANO 2

PIANO 3

PIANO 4

PIANO 5

PIANO 6



PIANO 9

PIANO 10

PIANO 11

PIANO 12



SCALA 0 - ebony

Decor DRE-Cell												
									*** decor available only in horizontal wood grain			
Decor 3D												

ARCTUS DOOR HANDLE WITH A BACKPLATE FOR 1 € ex

(available only rebated and non-rebated door leaf in SCALA collection in DRE-Cell and 3D decor)
colour satin nickel



STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » flat panel insert (SCALA A), 19 mm profiled MDF panels (SCALA B)

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated "40" side panels. It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

SCALA collection is divided into A and B:

A - flat panel insert in door leaf colour

B - convex panel insert in door leaf colour

fig. 1



edge straight

fig. 2



edge without rebate



panel SCALA A, A1-A7



panel SCALA B, B1-B7



SCALA A/B



SCALA A1/B1



SCALA A2/B2



SCALA A3/B3



SCALA A4/B4



SCALA A5/B5



SCALA A6/B6



SCALA A7/B7



SCALA O



VERSO 0 - white pine

Decor
DRE-Cell

white mat	white pine
-----------	------------

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
 - » plastic ventilation sleeves
 - » non-rebated door leaf
 - » door leaf „90" and „100"
 - » ventilation undercut
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



fig. 2



VERSO 0



VERSO 1



VERSO 2



VERSO 3



VERSO 4

* Note: selected configurations of the VERSO model are available as stock orders, rebated in white matt.




VETRO A5 white pine


Decor DRE-Cell	 white (textured)	 white mat	 white pine	 elm siberian	 oak sand	 bleached oak textured	 vintage oak	 walnut caramel	 golden oak textured	 dark walnut textured	 gray oak textured***	 tabac elm
	 elm anthracite	 dark wenge	 gray textured	 black textured	 marrone chestnut textured	 black mat 2	 light gray mat	 evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	 grand oak	 elm	 walnut american	 ebony	 polish oak 3D							

NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour

cross-section of stile in non-rebated door leaf




A - milled edges




VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis..

Horizontal cross-section of door leaf VETRO A1-A4, A12-A15



Horizontal cross-section of door leaf VETRO A5, A10 - A11



STANDARD OPTIONS

- » frame made of MDF additionally reinforced with plywood
- » stabilising insert tubular chipboard
- » 8 mm tempered glass

OPTIONS WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (A)
- » door leaf with revers positioning of glass pane
- » VETRO A1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass

REBATED DOOR LEAF

- » R5 edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

ONLY WHITE MAT

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

fig. 1



edge
R5

fig. 2



edge
without rebate

OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE-CELL DECOR

- » non-rebated door leaf
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

ventilation undercut (A)



SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO A in sliding version is not complementary product to sliding system hidden in the wall PA.

NOTE: There is no possibility to shorten door leaf.

NOTE: It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.

VETRO A - „80“-„100“ - with ventilation undercut fulfill ventilation requirements.



VETRO A1



VETRO A2



VETRO A3



VETRO A4



VETRO A5



VETRO A10



VETRO A11



VETRO A12



VETRO A13



VETRO A14



VETRO A15




VETRO B11 - black structure

Decor DRE-Cell	white (textured)	white mat	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***
	tabac elm	elm anthracite	dark wenge	gray textured	black textured	marrone chestnut textured	black mat 2	light gray mat	evoke oak	*** decor available only in horizontal wood grain	
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D						


NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour

cross-section of stile in non-rebated door leaf




VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections show the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis.

Horizontal cross-section of VETRO B1 - B4, B12 - B15



Horizontal cross-section of VETRO B5, B10-B11



STANDARD OPTIONS


- » frame made of MDF additionally reinforced with plywood
- » stabilising insert tubular chipboard
- » 8 mm tempered glass

OPTIONS WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (B)
- » VETRO B1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass
- » door leaf with revers positioning of glass pane

OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE-CELL DECOR

- » non-rebated door leaf
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)



VETRO B - doesn't fulfill ventilation requirements

REBATED DOOR LEAF

- » R5 edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

ONLY WHITE MAT

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

fig. 1



edge
R5

fig. 2



edge
without rebate

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO B in sliding version with "70" width is not complementary product to sliding system hidden in the wall PA..

NOTE: There is no possibility to shorten door leaf.

NOTE: It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.

VETRO B - doesn't fulfill ventilation requirements.






VETRO D1 - elm anthracite

Decor DRE-Cell	white (textured)	white mat	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	elm anthracite	dark wenge	gray textured	black textured	marrone chestnut textured	black mat 2	light gray mat	evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D							


NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour

VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis..


cross-section of stile in non-rebated door leaf



A - milled edges



Horizontal cross-section of VETRO D1



STANDARD OPTIONS

- » frame made of MDF additionally reinforced with plywood: narrow element with fixed width, wide element with different width
- » stabilising insert tubular chipboard
- » 8 mm tempered glass with fixed width, (regardless of the door leaf width)

OPTIONS WITHOUT ADDITIONAL CHARGE

- » door leaf with revers positioning of glass pane

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » ventilation undercut
- » black tempered laminated glass pane

REBATED DOOR LEAF

- » R5 edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

ONLY WHITE MAT

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

fig. 1



edge
R5

fig. 2



edge
without rebate

OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE- CELL DECOR

- » non-rebated door leaf
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

ventilation undercut



SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: Door leaf VETRO D in sliding version is not complementary product to sliding system hidden in the wall PA..

NOTE: There is no possibility to shorten door leaf.

VETRO D - fulfill ventilation requirements for width "80" - "100" with ventilation undercut.

NOTE: It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.





BERGE 6 - white

Decor
painted

white	ecru	latte	ashen
-------	------	-------	-------

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flugger 4362, NCS S1505-Y50R
 ashen - RAL 7035

STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: It is required to use together with BERGE rebated door leaf model door frames equipped with 3 hinges.

fig. 1



fig. 2



To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base..





EVEN 0 - ashen

Decor
painted

white	ecru	latte	ashen
-------	------	-------	-------

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flugger 4362, NCS S1505-Y50R
 ashen - RAL 7035

STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

SLIDING SYSTEM DOOR LEAF


- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: It is required to use together with rebated door leaf door frames equipped with 3 hinges.

fig. 1



fig. 2



To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base..





NESTOR 3 - ashen

Decor
painted

white	ecru	latte	ashen
-------	------	-------	-------

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flugger 4362, NCS S1505-Y50R
 ashen - RAL 7035

STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » stiles made of wood-based panels
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: It is required to use together with NESTOR rebated door leaf model door frames equipped with 3 hinges.

fig. 1



edge
straight

fig. 2



edge
without rebate



panel
NESTOR

To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base..



NESTOR 1



NESTOR 2



NESTOR 3



NESTOR 4



NESTOR 5



NESTOR 6



NESTOR 10



NESTOR 11




VETRO E - ashen

Decor
painted

white	ecru	latte	ashen
-------	------	-------	-------

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flügler 4362, NCS S1505-Y50R
 ashen - RAL 7035

Horizontal cross-section of VETRO E door leaf



STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » frame made of MDF additionally reinforced with plywood:
narrow element with fixed width, wide element with different width
- » stabilising insert tubular chipboard
- » DECORMAT tempered laminated 8 mm glass pane with fixed width (regardless the width of the door leaf) or laminated black tempered 8 mm glass pane (opaque) with fixed width (regardless the door leaf width)

NON-REBATED DOOR LEAF

- » edge without rebate **fig.1**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

NOTE: There is no possibility to shorten door leaf.

VETRO E - fulfill ventilation requirements for width "80" - "100" with ventilation undercut.

To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base..

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- » ventilation undercut





fig. 1



edge without rebate



VETRO E
white
(black glass pane)



VETRO E
ecru
(black glass pane)



VETRO E
latte
(DECORMAT glass pane)



VETRO E
ashen
(DECORMAT glass pane)



NOVA 10 - antique copper

Decor



antique
copper



oxide
concrete

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane MAT DRE 4 mm thick
- » edgeband in black colour

OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point, silver mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles


DOOR FRAMES

- » for door leaves from NOVA collection it is recommended to use door frames in the same colour as door leaf or in black matt 2 decor

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90", "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » there is possibility to purchase black or stainless steel BULAJ separately

NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)



Possible model options:

M1 - FULL DOOR LEAF, WITHOUT GLAZING

NOVA 20 - MDF bulaj

NOVA 30 - STEEL BULAJ (AVAILABLE ONLY MAT OR TRANSPARENT GLASS PANE)


NOVA 40 - MDF frame in black matt 2 foil

steel BULAJ NOVA 30 - in the steel or black colour. Available only MAT or transparent glass pane..



WOOD M1 design W2 - dark oak

Decor



Model options with possibility to choose graphic patterns W1-W4 :

M1 - full door leaf, without glazing

M2 - MDF bulaj in black matt decor

M3 - steel BULAJ in the steel or black colour. (available only MAT or transparent glass pane)

M4 - MDF frame in black matt decor

STANDARD OPTIONS

- » door leaf surface coated with the primer material, overprinted with the pattern and varnished
- » matt lacquer
- » door leaf frame made of MDF
- » stabilising insert honeycomb
- » glass pane MAT DRE 4 mm thick

NON-REBATED DOOR LEAF

- » edge without rebate in the colour of the door leaf
- » sockets for 2 hidden concealed Estetic 80 hinges in steel colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel colour

DOOR FRAMES

- » for the door leaves from the WOOD collection, we recommend to use lacquered frames made in the DRE-PRINT technology in the colour of door leaf unit


OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100“
- » stabilising insert tubular chipboard
- » ventilation undercut
- » **NOTE** : third Estetic 80 hinge for non-rebated doors (additional payment is added to the price of the door frame)
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



W1

W2

W3

W4



CLARO M1

Decor



HIGH GLOSS LACQUER AS STANDARD

- » door leaf surface is coated with primer material and varnished
- » gloss varnish
- » door leaf frame made of MDF
- » core made of perforated chipboard
- » MAT DRE glass, 4 mm thick

MATT LACQUER AS STANDARD

- » door leaf surface is coated with primer material and varnished
- » matt lacquer
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » glass pane MAT DRE 4 mm thick

NON-REBATED DOOR LEAF

- » edge without rebate in white or black colour fig.1
- » sockets for 2 hidden concealed Estetic 80 hinges in black or white colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black or white colour

DOOR FRAMES

- » for DRE-CLARO collection , we recommend to use white, black lacquered door frames made in DRE-PRINT technology, or door frames in black matt 2


OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane

OPTIONS AVAILABLE WITH EXTRA CHARGE


- » door leaf „100"
- » ventilation undercut
- » stabilising insert tubular chipboard in matt lacquered door leaves
- » **NOTE** : third Estetic 80 hinge for non-rebated doors (additional payment is added to the price of the door frame)
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



white edgeband,
white lock

black edgeband,
black lock



M 1 - CLARO

M 2 - CLARO

M 3 - CLARO

M 4 - CLARO

Possible model options:

- M1 - full door leaf, without glazing
- M2 - MDF bulaj in black matt decor
- M3 - steel bulaj (matt or transparent glass pane)
- M4 - MDF frame in black matt decor

steel BULAJ M3 - in the steel or black colour. Available only MAT or transparent glass pane.



GRAFI M4-G2

STANDARD HIGH GLOSS LACQUERED DOOR LEAF

- » door leaf surface coated with the primer material, overprinted with the pattern and varnished (colour of the door leaf primed surface - white)
- » high gloss lacquer
- » door leaf frame made of MDF
- » stabilising insert tubular chipboard
- » MAT DRE glass pane 4 mm thick (model M2, M4)

STANDARD MATT LACQUERED DOOR LEAF

- » door leaf surface coated with the primer material, overprinted with the pattern and varnished (colour of the door leaf primed surface - white)
- » matt lacquer
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » MAT DRE glass pane 4 mm thick (model M2, M4)

NON-REBATED DOOR LEAF

- » edge without rebate in white or black colour fig.1
- » sockets for 2 hidden concealed Estetic 80 hinges in black or white colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black or white colour

DOOR FRAMES

- » for GRAFI collection, we recommend to use white, black lacquered door frames made in DRE-PRINT technology, or door frames in black matt 2

OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100“
- » ventilation undercut
- » stabilising insert tubular chipboard in matt lacquered door leaves

NOTE : third Estetic 80 hinge for non-rebated doors (extra payment is added to the price of the door frame)

- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



edge without rebate



white edgeband,
white lock




black edgeband,
black lock

Model options with possibility to choose graphic patterns G1-G25 :




M1



M2



M3



M4

M1 - full door leaf, without glazing

M2 - MDF bulaj in black matt decor

M3 - steel BULAJ in the steel or black colour. (available only MAT or transparent glass pane)

M4 - MDF frame in black matt decor

Graphic patterns available on pages 54-55, 162-165.



G1



G2



G3



G4



G5



G6



G7



G8



G9



G10



G11



G12



G13



G14



G15



G16



G17 *



G18 *



G19




G20 *



LUX 10 birch

Decor



STANDARD OPTIONS

- » door leaf surface is coated with primer material in the colour of decor and varnished
- » high gloss lacquer
- » door leaf frame made of MDF
- » core made of perforated chipboard
- » MAT DRE glass pane 4 mm thick (model LUX 20, LUX 40)

NON-REBATED DOOR LEAF

- » edge without rebate in black colour fig.1
- » sockets for 2 hidden concealed Estetic 80 hinges in black colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

DOOR FRAMES

for door leaves from LUX collection we recommend to use door frames lacquered in the same colour as the door leaf unit or in black matt decor 2

OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100”
- » ventilation undercut
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



edge
without rebate



black edgeband,
black lock



steel BULAJ LUX 30- in the steel or black colour. Available only MAT or transparent glass pane.



Nova 10 - natural oak halifax

EGGER 3 mm
laminates
group 1



CLEAF 4 mm
laminates
group 2



STANDARD OPTIONS

- » door leaf surface is coated with laminated, synchronous 3 mm or 4 mm thick board
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane MAT DRE 4 mm thick
- » edgeband in black colour

OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point, silver mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

DOOR FRAMES

- » for door leaves from NOVA collection it is recommended to use door frames in black matt decor in DRE-CELL foil black mat 2

OPTIONS AVAILABLE WITH EXTRA CHARGE



- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » "100" door leaves
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » there is possibility to purchase black or stainless steel BULAJ separately

NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1



fig. 2



steel BULAJ NOVA 30 - in the steel or black colour. Available only MAT or transparent glass pane.



RIVIA 10 - white mat / vintage oak

Decor DRE-Cell											
											
Decor 3D											

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert tubular chipboard
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat uniform glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat uniform glazing bar , **rys. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat uniform glazing bar **fig. 2**
- » socket for hook lock and/or for handles

NOTE: Door leaf is coated with decor white mat. There is possibility to choose middle stripe in the selected decor. Edgeband is in the colour of selected decor. RIVIA 50 - BULAJ is coated with silver laminate.

By default , the configurator selects the colour of the door frame in the same colour as the middle strip of the door leaf unit.

*** In RIVIA 70 and 120 model, colour of the selected decor has vertical wood grain, except of decor gray oak texture. In remaining models decors have horizontal wood grain.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)
RIVIA 20, 30
RIVIA 40, 50
- » white frost VSG 22.1 safe, complex glass pane
RIVIA 20, 30
RIVIA 40, 50
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



















fig. 2





GALERIA ALU 20 - black textured

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												
Laminate CPL *												
												

* laminate available in models 10, 20, 30, 50, 60

*** decor available only in horizontal wood grain



aluminum marquetry elements
with cross-section 8x2 mm
installed on both sides in one
surface of door leaf

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert tubular chipboard
- » edge with radius R 2,5 mm used in 0,15-0,20 mm CPL laminates
- » aluminum marquetry elements with cross-section 8x2mm
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » straight edge or edge with radius R 2,5 mm made in directforming (in CPL laminate) **fig 3**

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

NOTE: Passive door leaf GALERIA ALU 20,21,22,23,24,25,60 are not equipped with aluminum marquetry elements in uniform wood grain..

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)
GALERIA ALU 11, 13, 23
GALERIA ALU 21
GALERIA ALU 24, 25
GALERIA ALU 12, 22
- » white frost VSG 22.1 safe, complex glass pane
GALERIA ALU 11
GALERIA ALU 13, 23
GALERIA ALU 21
GALERIA ALU 24
GALERIA ALU 25
GALERIA ALU 12
GALERIA ALU 22
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



edge straight

Fig. 3 (CPL)



bar glazing flat

fig. 2



edge without rebate

Fig. 4 (CPL)



edge without rebate






























GALERIA ALU 10 GALERIA ALU 20 GALERIA ALU 30 GALERIA ALU 50 GALERIA ALU 60 GALERIA ALU 11 GALERIA ALU 12



GALERIA ALU 13 GALERIA ALU 21 GALERIA ALU 22 GALERIA ALU 23 GALERIA ALU 24 GALERIA ALU 25



ARTE B 60 - caramel walnut

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar , **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to the door leaf) ARTE B 10, 20, 30
ARTE B 40, 50
ARTE B 60
- » white frost VSG 22.1 safe, complex glass pane
ARTE B 10, 20, 30
ARTE B 40, 50
ARTE B 60
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



edge
straight



bar
glazing
flat

fig. 2



edge
without rebate



bar
glazing
flat



ARTE B 10



ARTE B 20



ARTE B 30



ARTE B 40





























ARTE B 50



ARTE B 60



CARLA 10 bleached oak textured

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar, 19 mm MDF profiled panels **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels **fig. 2**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)
CARLA 20
CARLA 30
CARLA 40
- » white frost VSG 22.1 safe, complex glass pane
CARLA 20
CARLA 30
CARLA 40
- » core made of perforated chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2



CARLA 10



CARLA 20
























CARLA 30



CARLA 40



FINEA 40 vintage oak

Decor DRE- -Cell 1												
	white (textured)	walnut										
Decor DRE- -Cell 2												
	white mat	white pine	elm siberian	silver	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured	evoke oak
												
	tabac elm	elm anthracite	wenge dark	gray textured	black textured	toffee oak	marrone chestnut textured	light gray mat				
Decor 3D												
	grand oak	elm	walnut american	ebony	polish oak 3D							

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert tubular chipboard
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) FINEA 20, FINEA B 20 FINEA 30, 50, 60, FINEA B 30, 50, 60
- » white frost VSG 22.1 safe, complex glass pane FINEA 20, FINEA B 20 FINEA 30, FINEA B 30 FINEA 50, 60, FINEA B 50, 60
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1



edge
straight



bar
glazing
flat

fig. 2



edge
without
rebate



bar
glazing
flat



FINEA 10
FINEA B 10*



FINEA 20
FINEA B 20*



FINEA 30
FINEA B 30*



FINEA 40
FINEA B 40*



FINEA 50
FINEA B 50*



FINEA 60
FINEA B 60*

* FINEA B panels available only with horizontal wood grain



panels wood grain in FINEA



panels horizontal wood grain
FINEA B



DECO 20 - toffee oak

Decor DRE- -Cell 1	white (textured)	walnut											
Decor DRE- -Cell 2	white mat	white pine	elm siberian	silver	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	evoke oak	
	tabac elm	elm anthracite	wenge dark	gray textured	black textured	toffee oak ***	marrone chestnut textured	light gray mat					
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D								
CPL lami- -nate	white	milky white	ashen	gray dark	concrete 2	gray oak	welsh oak						
	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut							

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » edge with radius R 2,5 mm used in 0,15-0,20 mm CPL laminates
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick
- » flat 4mm HDF panel in DECO 40

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing frame **Fig. 1** in the leaf decor or black Slim
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » rounded glazing bar, straight edge or edge with radius R 2,5 mm made in directforming (in CPL laminate)

NON- REBATED DOOR LEAF

- » non-rebated edge, flat glazing frame **Fig. 2** in the leaf decor or black Slim
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » edge without rebate, rounded glazing bar (in CPL laminate) **fig. 5**

SLIDING SYSTEM DOOR LEAF

- » non-rebated edge and a choice of: flat glazing bar in the leaf decor or black Slim, **fig. 2** or a rounded glazing bar **fig. 3**
- » socket for hook lock and/or for handles
- » edge without rebate, rounded glazing bar (in CPL laminate) **fig. 5**

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN , DECORMAT GRAPHITE (applies to door leaf) DECO 10, 20, 30
 - » white frost VSG 22.1 safe, complex glass pane DECO 10, 20, 30
 - » core made of perforated chipboard
 - » non-rebated door leaf
 - » door leaf "90" and "100"
 - » ventilation undercut
 - » plastic ventilation grille
 - » aluminum ventilation grille
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

fig. 1



edge straight



21x16 mm
bar glazing flat



25x6 mm
glazing bar glazing Slim

fig. 2



edge without rebate



21x16 mm
bar glazing flat



20x16 mm
glazing bar glazing Slim

fig. 3



edge without rebate



25x16 mm
bar glazing rounded

fig. 4



edge straight



25x19 mm
glazing bar rounded

fig. 5 (CPL)



edge without rebate



25x19 mm
glazing bar rounded



R 2,5 edge
edge R 2,5 mm
in CPL laminate



DECO 10



DECO 20



DECO 30



DECO 40



DECO 10
with black
glazing bar SLIM



DECO 20
with black
glazing bar SLIM














DECO 30
with black
glazing bar SLIM



DECO 40
with black
glazing bar SLIM



MODERN 30 - black textured

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar in the door leaf decor or black Slim, flat HDF panels, thickness 4 mm **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » non-rebated edge, flat glazing bar in the door leaf decor or black Slim, flat HDF panels, thickness 4 mm **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » non-rebated edge and a choice of: flat glazing bar in the door leaf decor or black Slim, flat HDF panels, thickness 4 mm **fig. 2** or a rounded glazing bar, profiled MDF panels, thickness 19 mm **fig. 3**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf) MODERN 20
MODERN 30
MODERN 40
MODERN 50
 - » white frost VSG 22.1 safe, complex glass pane
MODERN 20
MODERN 30
MODERN 40
MODERN 50
 - » core made of perforated chipboard
 - » non-rebated door leaf
 - » door leaf "90" and "100"
 - » ventilation undercut
 - » plastic ventilation grille
 - » aluminum ventilation grille
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2


fig. 1



fig. 3



fig. 2



MODERN 10



MODERN 20



MODERN 30



MODERN 40



MODERN 50



MODERN 10
with black
glazing bar SLIM



MODERN 20
with black
glazing bar SLIM



MODERN 30
with black
glazing bar SLIM






























MODERN 40
with black
glazing bar SLIM



MODERN 50
with black
glazing bar SLIM



KANON 10 - American walnut, black glazing frames

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar in the door leaf decor or black Slim, flat HDF panels, thickness 4 mm **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » non-rebated edge, flat glazing bar in the door leaf decor or black Slim, flat HDF panels, thickness 4 mm **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » non-rebated edge and a choice of: flat glazing bar in the door leaf decor or black Slim, flat HDF panels, thickness 4 mm **fig. 2** or a rounded glazing bar, profiled MDF panels, thickness 19 mm **fig. 3**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf) KANON 20
 - KANON 30
 - KANON 40
 - » white frost VSG 22.1 safe, complex glass pane
 - KANON 20
 - KANON 30
 - KANON 40
 - » stabilising insert tubular chipboard
 - » non-rebated door leaf
 - » door leaf "90" and "100"
 - » ventilation undercut
 - » plastic ventilation grille
 - » aluminum ventilation grille
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

fig. 1



fig. 3



fig. 2



KANON 10



KANON 20



KANON 30



KANON 40



KANON 10
with black
glazing bar SLIM



KANON 20
with black
glazing bar SLIM






























KANON 30
with black
glazing bar SLIM



KANON 40
with black
glazing bar SLIM



PLUS 30 - white matt

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 1
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat 4 mm HDF panels and optional: flat glazing bar, fig. 2 or rounded glazing bar fig. 3
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) PLUS 20
- PLUS 40, 50, 60, 70, 80
- PLUS 30
- » white frost VSG 22.1 safe, complex glass pane PLUS 20
- PLUS 30
- PLUS 40
- PLUS 70, 80
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2



fig. 3



PLUS 10



PLUS 20



PLUS 30



PLUS 40



PLUS 50



PLUS 60





























PLUS 70



PLUS 80



STANDARD 10 - evoke oak

Decor DRE- -Cell 1												
Decor DRE- -Cell 2												
												
Decor 3D												

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » **Orders, in investment standard, will be executed after consultations with Untypical Orders Department. By investment standard, it is defined door frame passage, with opened door leaf at 90 degree, respectively for interior doors: "80" 800 mm, "90" 900 mm.**

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar fig.2 or rounded glazing bar fig. 3
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) STANDARD 20, 20s, 40, 40s, BULAJ MDF
- STANDARD 50, 50s
- STANDARD 30, 30s
- STANDARD 60
- » white frost VSG 22.1 safe, complex glass pane
- STANDARD 20, 20s, 40, 40s
- STANDARD 50, 50s, BULAJ MDF
- STANDARD 30, 30s
- STANDARD 60
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » rebated door leaf "110" (only STANDARD 10)
- » additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door door leaf price x 2
- » there is possibility to purchase metal BULAJ separately in black or steel colour

NOTE: third hinge Estetic 80 for non-rebated doors (additional payment is added to the price of the door frame)

fig. 1



edge straight

fig. 2



21x16 mm
bar
glazing
flat

fig. 3



21x16 mm
bar
glazing
flat



25x16 mm
bar
glazing
rounded



additional upper
single point mortise
lock (available only in
STANDARD 10 door
leaf model with core
made of perforated
chipboard and fixed
door frame)



black steel bulaj *



Metal Bulaj *

* available only MAT or transparent glass pane



FANO 10 - elm

Decor DRE- -Cell 1	 white (textured)	 walnut												
Decor DRE- -Cell 2	 white mat	 white pine	 elm siberian	 silver	 oak sand	 bleached oak textured	 vintage oak	 walnut caramel	 golden oak textured	 dark walnut textured	 gray oak textured	 tabac elm	 elm anthracite	 wenge dark
	 gray textured	 black textured	 toffee oak	 marrone chestnut textured	 evoke oak	 light gray mat								
Decor 3D	 grand oak	 elm	 walnut american	 ebony	 polish oak 3D									

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar or flat glazing bar, profiled 19 mm MDF panel **fig. 3**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) FANO 20, 20s FANO 30, 30s
- » white frost VSG 22.1 safe, complex glass pane FANO 20, 20s FANO 30, 30s
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



edge straight



bar glazing flat

fig. 2



edge without rebate



bar glazing flat



profiled 19 mm panel

fig. 3



edge without rebate



bar glazing rounded



bar glazing flat



profiled 19 mm panel



FANO 10

FANO 20








FANO 20s

FANO 30

FANO 30s



ARTE 40 - sand oak

Decor DRE- -Cell 1														
Decor DRE- -Cell 2														
														
Decor 3D														

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar or flat glazing bar **fig. 3**
- » socket for hook lock and/or for handles

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) ARTE 10-30, 90
ARTE 40, 50
ARTE 80
 - » white frost VSG 22.1 safe, complex glass pane
ARTE 10, 20, 30
ARTE 40, 50
ARTE 80
ARTE 90
 - » stabilising insert tubular chipboard
 - » non-rebated door leaf
 - » door leaf "90" and "100"
 - » ventilation undercut
 - » plastic ventilation grille
 - » aluminum ventilation grille
 - » cover-up strip for double leaf non-rebated door
 - » double leaf door
 - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

fig. 1



edge:
straight

fig. 2



21x16 mm
bar
glazing
flat

fig. 3



edge
without rebate



21x16 mm
bar
glazing
flat




edge
without rebate



25x16 mm
bar
glazing
rounded



21x16 mm
bar
glazing
flat





UNI 10 - ashen

Decor

white	ecru	latte	ashen
-------	------	-------	-------

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flugger 4362, NCS S1505-Y50R
 ashen - RAL 7035

STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

DOOR LEAF WITH INVERTED REBATE

- » active single door leaf
- » straight edge **fig 3**
- » sockets for 2 hidden concealed Tectus 240 3D hinges (door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf BULAJ MDF)
- » white frost VSG 22.1 safe, complex glass pane BULAJ MDF
- » core made of chipboard
- » door leaf "90" and "100"
- » ventilation undercut
- » non-rebated door leaf
- » door leaf with inverted rebate
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door
- » there is possibility to purchase metal BULAJ separately in black or steel colour

NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



edge straight

fig. 3



edge with inverted rebate

fig. 2



edge without rebate



black steel bulaj *



Metal Bulaj *

* available only MAT or transparent glass pane



UNI 10



BULAJ MDF



BULAJ metal



FARGO 10 - ashen

Decor

white	ecru	latte	ashen
-------	------	-------	-------

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flügger 4362, NCS S1505-Y50R
 ashen - RAL 7035

STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"

OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf

NOTE: To ensure highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.

REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

DOOR LEAF WITH INVERTED REBATE

- » active single door leaf
- » straight edge **fig 3**
- » sockets for 2 hidden concealed Tectus 240 3D hinges (door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100"
- » chipboard full
- » ventilation undercut
- » non-rebated door leaf
- » door leaf with inverted rebate
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

leaf price x2

fig. 1



edge straight

fig. 2



edge without rebate

fig. 3



edge with inverted rebate



type of the milling in FARGO collection



FARGO 10



FARGO 20



FARGO 30



FARGO 40



FARGO 50






FARGO 60



BINITO 20 white acrylic UV lacquer

Decor

			
white	ecru	latte	ashen

white acrylic UV varnish - RAL 9003
 ecru - RAL 9001
 latte - Flügger 4362, NCS S1505-Y50R
 ashen - RAL 7035



types of milling in BINITO collection

WEGAG DOOR HANDLE WITH A BACKPLATE FOR 1 € ex

(available only with rebated and non-rebated door leaf in BINITO collection)
 black matt finish of the handle and backplate



STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila" or „window blind"
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

NOTE: To ensure highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.

REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel, black or white colour

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

DOOR LEAF WITH INVERTED REBATE

- » active single door leaf
- » straight edge **fig 3**
- » sockets for 2 hidden concealed Tectus 240 3D hinges (door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE BINITO 11, 23
- » BINITO 21, 100
- » BINITO 24, 110
- » white frost VSG 22.1 safe, complex glass pane BINITO 11
- » BINITO 23
- » BINITO 21, 100
- » BINITO 24
- » BINITO 110
- » door leaf „90" and „100"
- » chipboard full
- » non-rebated door leaf
- » ventilation undercut
- » door leaf with inverted rebate
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

leaf price x2

fig. 1



edge straight

fig. 2



edge without rebate

fig. 3



edge with inverted rebate

* Note: selected configurations of the BINITO 20 model are available as stock orders, rebated in white matt.





BULAJ INVEST metal - honey oak

Laminate CPL 1 group	milky white	white	ashen							
	gray dark	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut
Laminate CPL 2 group										
Finish veneer	alpine white	riviera oak	rustic oak							

STANDARD OPTIONS

- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » transparent glass, thickness 4 mm

OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge or edge with radius R 2,5 mm made in directforming fig 1 (rounded glazing bar in CPL laminate)
- » straight edge fig. 2 (Slim glazing bar in Finish foils)
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » Orders, in investment standard, will be executed after consultations with Untypical Orders Department. By investment standard, it is defined door frame passage, with opened door leaf at 90 degree, respectively for interior doors: "80" 800 mm, "90" 900 mm.


OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE (applies to door leaf) STANDARD INVEST 20, 70, 80, BULAJ MDF
- » STANDARD INVEST 60
- » stabilising insert tubular chipboard
- » "100" door leaves
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » there is possibility to purchase metal BULAJ separately in black or steel colour

fig. 1



fig. 2



* available only MAT or transparent glass pane

STANDARD OPTIONS

- » edge with radius R 2,5 mm used in 0,15-0,20 mm CPL laminates
- » straight edge for laminates 0.15-0.20 mm and 0.7 mm
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick
- » CPL laminate 0,15 - 0,2 mm or 0,7 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

REBATED DOOR LEAF

- » straight edge or edge with R 2.5 mm radius made by directforming for 0.15-0.20 mm laminates **fig. 1**
- » straight edge for laminates 0.7 mm **fig.1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » **Orders, in investment standard, will be executed after consultations with Untypical Orders Department. By investment standard, is defined door frame passage, with opened door leaf at 90 degree, respectively for doors: interior door leaves "80" 800 mm, "90" 900 mm.**

NON- REBATED DOOR LEAF

- » edge without rebate, rounded glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar **fig. 2**
- » socket for hook lock and/or for handles

NOTE: colours equivalent: W0118 - WHITE

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) STANDARD 20, BULAJ MDF
- » white frost VSG 22.1 safe, complex glass pane STANDARD 20
- » BULAJ MDF
- » core made of perforated chipboard
- » door leaf „100"
- » door leaf "110" (available only in STANDARD 10)
- » non-rebated door leaf
- » Additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » ventilation undercut
- » double leaf door
- » there is possibility to purchase metal BULAJ separately in black or steel colour

NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

- » **CPL 0.7 mm laminate is also available in Standard CPL 20, 60, MDF porthole, metal porthole - to place an order, please contact the Customer Service Department.**

fig. 1



edge straight



glazing bar rounded

fig. 2



edge R 2,5



edge without rebate



glazing bar rounded



STANDARD 10

STANDARD 20

STANDARD 60

BULAJ MDF

Metal Bulaj *



steel or black steel BULAJ
(available only MAT or transparent glass pane)



edge R 2,5 mm



STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"

OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves

REBATED DOOR LEAF

- » straight edge coated with edge banding or edge with profile R 2,5 mm made in method of directforming **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


OPTIONS AVAILABLE WITH EXTRA CHARGE

- » core made of: perforated chipboard (1983)
- » perforated chipboard (2110 and 2240)
- » door leaf "90" - "100" (1983) DRE - CELL
- » door leaf "90" - "100" (2110 and 2240) DRE - CELL
- » door leaf "90" - "100" (1983) DRE - CELL
- » door leaf "100" (2110 and 2240) DRE - CPL
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

There is available 0,7 mm CPL laminate- to place an order and for more information please contact Customer Service Department.

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

NOTE: colours equivalent: W0118 - WHITE



additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)



edge R 2,5 mm in CPL laminate



****decor available only in horizontal wood grain**

**decor available only in horizontal wood grain													white (textured)	walnut	Decor DRE-Cell 1
white mat	white pine	elm siberian	silver	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	walnut dark textured	gray oak textured***	tabac elm	elm anthracite	dark wenge	Decor DRE-Cell 2	
marrone chestnut textured	gray textured	black textured	toffee oak ***	evoke oak	light gray mat							milky white	white	ashen	Laminate CPL 1 group
				gray dark	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	Laminate CPL 2 group	

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves

REBATED DOOR LEAF

- » straight edge, flat glazing bar (in CPL laminate - rounded glazing bar) flat 4 mm HDF panels **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON-REBATED DOOR LEAF

- » edge without rebate, flat glazing bar (in CPL - rounded glazing bar), flat 4 mm HDF panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: colours equivalent: W0118 - WHITE

NOTE: In rebated door leaf coated with CPL laminate it is possible to choose door leaf with edge with radius $R=2.5$ mm..

NOTE: Different heights are available in all models of MODERN collection.

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) MODERN 20
- » MODERN 30
- » MODERN 40
- » MODERN 50
- » white frost VSG 22.1 safe, complex glass pane p. 73
- » core made of: perforated chipboard (1983 and 2043)
- » perforated chipboard (2110 and 2240)
- » door leaf „90" and „100" (1983 and 2043)
- » door leaf "90" and "100" (2110 and 2240)
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- » **NOTE:** collection MODERN 10-50 coated with CPL laminate in standard height is available i sliding version.

p. 73

leaf price x2

fig. 1





fig. 2



Decor DRE-Cell 1								Decor DRE-Cell 2						
														
CPL lami- nate														

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchilla” or „window blind”
- » ventilation sleeves

REBATED DOOR LEAF

- » straight edge, flat glazing bar (in CPL laminate - rounded glazing bar) flat 4 mm HDF panels **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

NON- REBATED DOOR LEAF

- » edge without rebate, flat glazing bar (in CPL laminate - rounded glazing bar), flat 4mm HDF panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf) PLUS 20
- » PLUS 40, 50, 60, 70, 80
- » PLUS 30
- » white frost VSG 22.1 safe, complex glass pane p. 77
- » core made of: perforated chipboard (1983 and 2043)
- » perforated chipboard (2110 and 2240)
- » door leaf „90” and „100” (1983 and 2043)
- » door leaf "90" and "100" (2110 and 2240)
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door
- » NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

leaf price x2

NOTE: collection PLUS 10-80 coated with CPL laminate in standard height is available in sliding version.

NOTE: colours equivalent: W0118 - WHITE

NOTE: In rebated door leaf coated with CPL laminate it is possible to choose door leaf with edge with radius R=2.5 mm..

NOTE: Different heights are available in all models of PLUS collection.

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

fig. 1



fig. 2



198 PLUS 30

standard height

211 PLUS 30

224 PLUS 30

white mat	white pine	marrone chestnut textured	gray textured	black textured	toffee oak	Decor DRE-Cell 2						white (textured)	walnut	Decor DRE-Cell 1
light gray mat	evoke oak	elm siberian	silver	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	walnut dark textured	gray oak textured***	tabac elm	elm anthracite	dark wenge	Decor DRE-Cell 2
	white	milky white	ashen	gray dark	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	Laminate CPL

***decor available only in horizontal wood grain



ENA - white mat

DRE sliding system is designed to be used together in one set with single or double leaf door, which are available in our sales offer in sliding version. Sliding system is available in colours which constitute standard finishing colours of door leaf unit: DRE - Cell, 3D foil, CPL laminates, and painted doors with the exception of the following collections: Enter, Enter Akustic, Solid, Solid RC2, Forca B, fire resistant doors, glass doors, and doors with different heights.

In our sale offer there are available two different types of sliding system:

NS - system mounted directly on the wall

NT - sliding system mounted together with adjustable tunnel

There are two options of NT sliding system:

- » mounted together with adjustable tunnel with 63 mm architrave
- » mounted together with adjustable tunnel with 80 mm architrave

Set of sliding system comprises of: sliding guide bar with hardware (LEON SN 150, 180, 200), spacing board, masking strip, and fender beam (fender beam is available for single leaf - for doors with hook lock option in fender beam there is milling for latch).

In the system mounted with adjustable tunnel, NT, set contains 2 additional 16 mm spacing boards with cross-sections adapted to the width of architraves (63 mm or 80 mm). There are differences in cross-sections of NS and NT masking element.

To complete entire set of sliding doors it is necessary to purchase sliding leaf unit in following dimensions:

Single leaf door: „60“, „70“, „80“, „90“, „100“

Double leaf door: „2x60“, „2x70“, „2x80“, „2x90“, „2x100“

Door leaf might be equipped with sockets for lock and/or handle - those accessories must be purchased separately.

In the system mounted with adjustable tunnel NT, it is necessary to purchase adjustable tunnel separately.

SLIDING SYSTEM

WALL MOUNTED SLIDING SYSTEM



ACCESSORIES


- » round handle 1 pcs.
- » oval handle 1 pcs.
- » Hook lock with with two round or oval handles with the key
- » hook lock with toilet option with two round or oval handles
- » hook lock with cylinder with two round handles
- » One set of door handle for single door leaf consist of 2 pcs.



hook lock with a key and a handle round

hook lock with key and handle oval

masking strip with guide bar



Masking strip and guide bar for double sliding system is made by connecting two elements of single system.


Single sliding system

Dimension door [mm]	Masking strip Mz	Guide bar Mw	Pa
644, 744	1620	1588	1500
844	1920	1888	1800
944	2120	2088	2000
1044	2140	2108	2000


double leaf sliding system

Dimension door [mm]	Masking strip Mz	Guide bar Mw	Pa
2 x 644	2 x 1519	2 x 1503	2 x 1500
2 x 744	2 x 1519	2 x 1503	2 x 1500
2 x 844	2 x 1819	2 x 1803	2 x 1800
2 x 944	2 x 2019	2 x 2003	2 x 2000
2 x 1044	2 x 2063	2 x 2047	2 x 2000


NS - vertical cross-section



NT - vertical cross-section for tunnel with 63 mm architrave



NT - vertical cross-section for tunnel with 80 mm architrave



Single sliding system

symbol	"60"	"70"	"80"	"90"	"100"
A	600	700	800	900	1000
C	644	744	844	944	1044
D	664	764	864	964	1064
E	750	850	950	1050	1150
E*	784	884	984	1084	1184
S	644	744	844	944	1044

double leaf sliding system


symbol	"120"	"140"	"160"	"180"	"200"
A	1200	1400	1600	1800	2000
C	1244	1444	1644	1844	2044
D	1264	1464	1664	1864	2064
E	1350	1550	1750	1950	2150
E*	1384	1584	1784	1984	2184
S**	644	744	844	944	1044

E* applies to tunnel with T80 architrave


S** width of single door leaf

Height of sliding door leaf unit - 2043 mm
total height of sliding system - 2154 mm

NS - horizontal cross-section (left system)



NT - horizontal cross-section (left system)



* is not available in double leaf system

NOTE: In double sliding system masking strip is connected on length, by two single elements.



GALLA 1 decormat



Sliding system SPAZIO CD - STANDARD 10 sand oak



Sliding system doors hidden in the wall (pocket system) PA - STANDARD 10 vintage oak

Decor DRE-Cell	white (textured)	white mat	white pine	elm siberian	silver	evoked oak	vintage oak	oak sand	bleached oak textured	walnut	walnut caramel	golden oak textured
	walnut dark textured	gray oak textured***	tabac elm	elm anthracite	dark wenge	gray textured	black textured	toffee oak ***	marrone chestnut textured	antique copper	oxide concrete	black matt 2
	light gray mat	dark olive matt	dark blue mat									
Decor 3D	grand oak	elm	walnut american	ebony	polish oak 3D							
	*** decor available only in horizontal wood grain											
Decor painted	white	ecru	latte	ashen								
	white acrylic UV varnish - RAL 9003 ecru - RAL 9001 latte - Flügger 4362, NCS S1505-Y50R ashen - RAL 7035											



folding doors FOLDE 10 - white matt

Decor DRE-Cell 1														
	white (textured)	walnut												
Decor DRE-Cell 2														
	white mat	white pine	elm siberian	silver	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	elm anthracite	wenge dark
														
gray textured	black textured	toffee oak ***	marrone chestnut textured	evoke oak	light gray mat									
Decor 3D														
	grand oak	elm	walnut american	ebony	polish oak 3D									

*** decor available only in horizontal wood grain



SARA ECO 2 toffee oak

Available colours of aluminum door frames



anode



White
RAL 9003



aluminum

NON-REBATED - OPENING OUTWARDS AND REBATED - OPENING INWARDS

Sara Eco 2 door leaf is an innovative solution for creative interior design with the use of "invisible" doors. This unique construction gives possibility to finish surface of door leaf in the colors of the walls.

CONSTRUCTION OF SARA ECO 2 DOOR LEAF COMPRISES OF:

Aluminum door frame, "invisible" after assembly process, build in the wall or overlayed with sheets of plaster board. After detailing process, only visible part is rebate of the door frame, prepared for future painting, e.q. in the colours of the walls.

non- rebated panel construction door leaf is available in two finishing options:

- » wide surfaces of door leaf are primed and ready for painting or paperhanging (e.q. in the colour of the walls). Edges of the leaf are covered with a paintable edge band. Painting is to be done at one's discretion or optional choose painted decor.
- » The wide surfaces of the door leaf are covered with DRE-Cell or 3D foils, the edges of the door leaf are covered with a edgeband in the color of the foil (except for the colors: antique copper and concrete oxide).

OPTIONS AVAILABLE WITH EXTRA CHARGE WITH PRIMER

- » ventilation undercut
- » tubular chipboard in standard 202
- » tubular chipboard in standard 220
- » tubular chipboard in standard 240

STANDARD OPTION



































- » door leaf frame made of softwood
- » sockets for 2, 3 or 4 ISTAR concealed hinges
- » stabilising insert "honeycomb"
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

OPTIONS AVAILABLE WITH EXTRA CHARGE IN DRE-CELL, 3D AND PAINTED

- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » dropping seal
- » tubular chipboard in standard 202
- » tubular chipboard in standard 220
- » tubular chipboard in standard 240

The price of the door frame also includes 2, 3 or 4 concealed hinges.

Note: in option with stabilising insert as tubular chipboard, in standard 202 it is required to use 3 hinges.

											Decor DRE-Cell 1 group
											
* decor with a door leaf edge in black colour											Decor DRE-Cell 2 group
*** decor available only in horizontal wood grain											
											Decor 3D
											Decor
white acrylic UV varnish - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035										Decor painted	

STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane 4 mm thick: white bark, "window blind", CHINCHILA, MAT DRE, DECORMAT BROWN or DECORMAT GRAPHITE.
- » 2 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » options: straight edge *, flat glazing bar or black Slim glazing bar fig. 1

OPTION WITHOUT ADDITIONAL CHARGE

- » three hinges applies to rebated door leaf
- » black glazing bar Slim

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » white frost VSG 22.1 safe, complex glass pane DOSTAWKA 30
- » SIDE PANEL 40
- » SIDE PANEL 41
- » core made of perforated chipboard
- » door frame for door leaf with side panel

+30%


Side panel it is passive rebated door leaf unit with "40" width and 40 mm thick, with glazing or without glazing option, in uniform wood grain. Side panels can be paired with interior rebated door leaf in the following combination: „60+40“; „70+40“; „80+40“; „90+40“; „100+40“.

Side panel 10 can be applied to rebated interior door leaf. Side panel 30 can be applied to models ARTE 10-30 and STANDARD 30. Side panel 40 can be applied to models ARTE 40, 50, 90; STANDARD 40, KANON 30, DECO collection. Side panel 41 can be applied to models MODERN 30, PLUS 30.

To make the best possible match of side panel to door leaf unit, besides selection of model, it is necessary to choose wright colour, type of the edge and number of hinges.

NOTE: There is no possibility to shorten side panels.

fig. 1



Side panel 10

Side panel 30

Side panel 40

Side panel 41

Decor DRE-Cell 1													Decor 3D					
																		
Decor DRE Cell 2							*** decor available only in horizontal wood grain											
Laminate CPL																		

*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » stiles made of wood-based panels
- » glass pane 4 mm: MAT DRE, decormat brown, decormat graphite or transparent glass
- » 3 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » straight edge **fig. 1**

fig. 1



OPTIONS AVAILABLE WITH EXTRA CHARGE


- » door frame for door leaf with side panel +30%

NOTE: Price of side panel is equal to the price of corresponding door leaf model.

There is possibility to make side panels to all frame construction door leaf,

available in presented collections, in following combinations: „60+40“; „70+40“; „80+40“; „90+40“; „100+40“

NOTE: There is no possibility to shorten side panels.



*** decor available only in horizontal wood grain

STANDARD OPTIONS

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » stabilising insert tubular chipboard
- » external HDF board - flat or with decorative milling .
- » 3 silver screw-in pivot hinges
- » straight edge **fig. 1** or edge R 2,5 mm (in CPL laminate) **ig. 2**

REBATED DOOR LEAF MODEL ENTER:

- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

REBATED DOOR LEAF SOLID

- » multipoint mortise lock
- » hinges reinforced with anti-thrust bolts
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

APPLICATION

Door leaf ENTER and SOLID can be used as internal entrance door in multifamily and in public utility buildings.

CONSTRUCTION

Construction door leaf frame is made of MDF, additionally reinforced with two flat metal bars. Core is made of perforated chipboard. Door leaf unit has increased acoustic insulation (Rw=32dB). External HDF board is ennobled with DRE-Cell veneer - optional - flat finishing or decorative milling. **Door leaf models ENTER/SOLID are available with 0,7 mm CPL laminate - to place an order and for more information please contact Customer Service Department.** NOTE: Model ENTER 0 and SOLID 0 - door leaves in CPL laminate and edge with radius R 2,5 mm as standard option. It is recommended to use together with door leaf collection ENTER/SOLID fixed door frame ENTER/SOLID or metal door frames.

fig. 1



straight edge

fig. 2



R 2,5 edge

* door handle and upper backplate METRO, set of patented cylinder - single key system



ENTER/SOLID 0



ENTER/SOLID 1



ENTER/SOLID 2



ENTER/SOLID 3



ENTER/SOLID 4



ENTER/SOLID 5



ENTER/SOLID 6



ENTER/SOLID 7



ENTER/SOLID 8



ENTER/SOLID 9



ENTER/SOLID 10



ENTER/SOLID 11



OPTIONS AVAILABLE WITH EXTRA CHARGE

- » viewfinder - included separately
- » digital viewfinder DDS1 - included separately
- » digital viewfinder DDS2 - separately
- » stainless steel threshold - 70 mm wide
- » cancellation of second lock (ENTER)
- » dropping seal

light gray mat	white mat	silver	Decor DRE-Cell 2										white (textured)	walnut	Decor DRE-Cell 1
	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	elm anthracite	wenge dark			Decor DRE-Cell 3
*** decor available only in horizontal wood grain															
								gray textured	black textured	toffee oak v.v.	marrone chestnut textured	evolve oak			
								grand oak	elm	walnut american	ebony	polish oak 3D			Decor 3D
white	milky white	ashen	gray dark	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut			Laminate CPL

STANDARD OPTIONS

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » stabilising insert tubular chipboard
- » external HDF board - flat or with decorative milling .
- » 3 silver screw-in pivot hinges
- » straight edge fig.1 or edge R 2,5 mm (in CPL laminate) fig. 2

REBATED DOOR LEAF MODEL ENTER:

- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

REBATED DOOR LEAF SOLID


- » multipoint mortise lock
- » hinges reinforced with anti-thrust bolts
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

Door leaf ENTER and SOLID can be used as internal entrance door in multifamily and in public utility buildings.

It is recommended to use together with door leaf collection ENTER/SOLID fixed door frame ENTER/SOLID or metal door frames.

CONSTRUCTION


Construction door leaf frame is made of MDF, additionally reinforced with two flat metal bars. Core is made of perforated chipboard. Door leaf unit has increased acoustic insulation (Rw=32dB). External HDF board is ennobled with DRE-Cell veneer - optional - flat finishing or decorative milling.





APPLICATION



* in models 19 and 20 veneer is glued in strips with variable wood grain.



NOTE: models ENTER 21-23 and SOLID 21-23 - door leaves in CPL laminates and edge with R 2,5 mm radius as a standard.



edge R 2,5 mm in CPL laminate



** in models 21-23 there are aluminum marquetry elements installed in one surface of door leaf



digital viewfinder DDS1 (separately)

digital viewfinder DDS2 (separately)

light gray mat	white mat	silver	Decor DRE-Cell 2										white (textured)	walnut	Decor DRE-Cell 1
	white pine	elm siberian	oak sand	bleached oak textured	vintage oak	walnut caramel	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	elm anthracite	wenge dark			Decor DRE-Cell 3
*** decor available only in horizontal wood grain															
								gray textured	black textured	toffee oak ***	marrone chestnut textured	evolve oak			
								grand oak	elm	walnut american	ebony	polish oak 3D			Decor 3D
white	milky white	ashen	gray dark	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut			Laminate CPL



SOLID RC2 - gray oak CPL

STANDARD OPTION:

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » multipoint mortise lock
- » anti-thrust bolts
- » 3 triple hinges
- » HDF external board with aluminum sheet

SOLID RC2 door leaves have acoustic insulation class $R_w=32\text{dB}$ and have antiburglary class RC2 according to PN-EN 1627:2012. To comply with technical approval whole set must comprise of door leaf, steel door frame, steel threshold and purchased separately dedicated for this product hardware: door handle, backplate and cylinder patent inserts. Picture of door handle and backplate can be found on page 157.

APPLICATION

Door leaf SOLID RC2 can be used as internal entrance door in multifamily buildings and in public utility buildings. It can be used together with door frames:

- » OSS (fixed steel door frame) informations and prices - pp. 144-145
- » OSR (steel adjustable door frame), informations and prices - pp. 146-147
- » OSH (hybrid steel door frame) informations and prices - pp. 149-150

OPTIONS AVAILABLE WITH EXTRA CHARGE


- » viewfinder - separately
- » "100" door leaves
- » steel threshold
- » ONTARIO door handle
- » ONTARIO backplate
- » patent insert (price for 2 pc)

OPTIONS WITHOUT ADDITIONAL CHARGE

Door leaves are available in the investment dimension "90E"
(door frame passage with opened door leaf at 90 degree
= 900mm)



SOLID RC2



threefold hinge E878

													Laminate CPL
white	milky white	ashen	gray dark	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	
													Available colours metal door frames
		white mat	light gray mat	dark gray matt	brown mat	white semigloss	light gray semi-gloss	DARK GRAY semi-gloss	semigloss brown	beige semigloss	black matt	Black semi-gloss	
		RAL 9003	RAL 7047	RAL 7024	RAL 8017	RAL 9003	RAL 7047	RAL 7024	RAL 8017	RAL 1001	RAL 9005	RAL 9005	

Door frames colours are in two gloss scale (matt/low structure, semi gloss/plain).

FIRE RESISTANT DOOR LEAF ATHOS

REBATED

Interior entrance door



ATHOS TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » fire resistance class: EI30 with a steel door frame
- » fire resistance class: EI30 with a wooden door frame
- » smoke proof class: Sa, S₂₀₀
- » mechanical resistance class: 3
- » sound insulation class: RW=32 dB
- » acoustic insulation class: Rw = 37 dB with a wooden door frame and wooden threshold

APPLICATION

Interior entrance fire-resistance doors, are used in residential housing, public utility buildings and collective residential buildings, as well as commercial and technical premises.

STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » single-point mortise lock adapted for cylinder lock
- » 3 triple hinges

DOOR FRAMES

- » fixed metal door frame pp. 144
- » adjustable metal door frame p.146
- » steel hybrid door frame p.149
- » wooden door frame p. 121

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » selfcloser DORMA
- » selfcloser GEZE
- » door leaf "100" - "110"
- » viewfinder
- » wooden threshold

In order to comply with the conditions of the National Technical Assessment, doors with fire resistance EI 30 should be equipped with a self closer.

The price of the set is from 45 - includes: door leaf, steel fixed door frame and dropping seal.

ATTENTION: The price of the leaf does not include the price of a steel frame or a wooden frame.



ATHOS 10

Laminate
CPL



FORCA TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » class of anti-burglary:
RC3 (according to PN-EN 1627: 2012)
- » fire resistance class: EI₂30
- » smoke proof class: Sa, S₂₀₀
- » mechanical resistance class: 3
- » acoustic insulation class: Rw = 37 dB with a steel frame and a metal threshold

APPLICATION

Interior entrance, fire resistance and anti-burglary doors are used in residential housing, public utility buildings and collective residential buildings as well as commercial and technical premises. Doors are sold only as a complete set with metal door frame, metal threshold, door handle, backplate and two patented cylinder inserts.

STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » steel strings
- » 5-point mortise lock
- » 3 triple hinges

DOOR FRAMES

- » fixed metal door frame pp. 144
- » adjustable metal door frame p.146
- » steel hybrid door frame p.149

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel threshold
- » handle
- » longitudinal backplate
- » patent cylinder x 2 pcs.
- » selfcloser DORMA
- » selfcloser GEZE
- » door leaf "100"
- » viewfinder

In order to comply with the conditions of the National Technical Assessment for doors with EI 30 fire resistance and anti-burglary properties, doors should be equipped with a self closer and DIVA door handle with the backplate. Picture of door handle and backplate - p. 157.

NOTE: To the price of door leaf unit it should be added price of steel door frame, steel threshold, handle, backplate and price of two patent cylinders..



FORCA 10

Laminate
CPL



FORCA B TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » class of anti-burglary:
RC3 (according to PN-EN 1627: 2012)
- » mechanical resistance class: 3
- » acoustic insulation class: $R_w = 37$ dB with a steel frame and a metal threshold

APPLICATION

Interior entrance, fire resistance and anti-burglary doors are used in residential housing, public utility buildings and collective residential buildings as well as commercial and technical premises. Doors are sold only as a complete set with metal door frame, metal threshold, door handle, backplate and two patented cylinder inserts.

STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » steel strings
- » 5-point mortise lock
- » 3 triple hinges

DOOR FRAMES

- » fixed metal door frame pp. 144
- » adjustable metal door frame p.146
- » steel hybrid door frame p.149

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel threshold
- » handle
- » longitudinal backplate
- » patent cylinder x 2 pcs.
- » door leaf "100"
- » viewfinder

NOTE: To the price of door leaf unit it should be added price of steel door frame, steel threshold, handle, backplate and price of two patent cylinders..



FORCA B 10



CPL lami-
nate

STANDARD OPTIONS

- » core made of Halspan chipboard 44 mm in EI30 or 54 mm in EI60 with additional pine wood strips attached circumferentially
- » straight edge, rounded glazing bar **fig.1**
- » transparent fire - resistance glass pane (variable width dependent upon the size of the door leaf)
- » intumescent smoke-proof gasket
- » 3 hinges
- » patented cylinder lock
- » dropping seal

fig. 1



Acoustic sound insulation rate for single leaf door $R_w=32$ dB
Acoustic sound insulation rate for double leaf door $R_w=27$ dB



fire resistance ventilation grille.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » viewfinder
- » selfcloser DORMA
- » selfcloser GEZE
- » fire resistance ventilation grille.
- » surcharge for passive door leaf

APPLICATION

Fire-resistance doors are used as interior entrance doors in residential housing, public utility buildings and collective residential buildings. In order to comply with the conditions of the National Technical Assessment self closer should be applied in doors with fire-resistance EI30 and EI60.

Doors are sold only as a set with a metal fire-resistance door frame.



SELF-CLOSER DORMA



SELF-CLOSER GEZE

NOTE: In door leaf with fire-resistance EI30 there are used three triple hinges, while in door leaf with fire resistance EI60 there are used VX7939 hinges.



OLIMP 10



OLIMP 20



OLIMP 30



OLIMP 40



ENTER ACOUSTIC TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » mechanical resistance class: 3
- » sound insulation class $R_w = 32\text{dB}$

APPLICATION

Door leaf ENTER ACOUSTIC are designed to be used as interior entrance door in multifamily buildings and in public utility buildings

STANDARD OPTION:

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » stabilising insert tubular chipboard
- » flat external HDF board
- » dropping seal
- » 3 silver screw-in pivot hinges
- » straight edge or edge $R\ 2,5\text{ mm}$ (in CPL laminate)
- » bottom deadbolt lock adapted for door lock cylinder
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

DOOR FRAMES:

- » steel hybrid door frame p.149
- » adjustable metal door frame p.146
- » fixed metal door frame pp. 144
- » fixed rebated door frame p. 132
- » adjustable door frame with T80 architrave, T63 pp. 134

OPTIONS AVAILABLE WITH EXTRA CHARGE:

- » viewfinder - included separately
- » door leaves "110"



ENTER 0 ACOUSTIC

Decor DRE-Cell 1	walnut	white (textured)								Decor DRE-Cell 2	silver	white mat	light gray mat
Decor DRE-Cell 3	wenge dark	elm anthracite	elm tabac	gray oak textured**	dark walnut textured	golden oak textured	walnut caramel	vintage oak	bleached oak textured	oak sand	elm siberian	white pine	
	evoke oak	marrone chestnut textured	roffee oak ***	black textured	gray textured								
Decor 3D	polish oak 3D	ebony	walnut american	elm	grand oak								
Laminate CPL	roasted walnut	chestnut	honey oak	walnut	celini walnut	acacia	welsh oak	gray oak	concrete 2	gray dark	ashen	milky white	white

** decor available while stocks last *** decor available only in horizontal wood grain



GALLA 1
transparent



GALLA 1
decormat



GALLA 1
decormat brown



GALLA 1
decormat graphite



GALLA 2
sand blasted glass
transparent strips



GALLA 3
sand blasted glass
transparent strips



GALLA 10
decormat
screen printing



GALLA 10
transparent glass
screen printing



GALLA 11
decormat
screen printing



GALLA 11
transparent glass
screen printing



GALLA 12
decormat
screen printing



GALLA 13
decormat
screen printing

Door leaf is made of tempered, 8mm glass pane.

OPTIONS AVAILABLE WITH EXTRA CHARGE

- » ventilation undercut available in swing door leaf
- » (door leaf „80" and „90" meet ventilation requirements)

DOOR HANDLES



handle MEDA - shiny chrome
inserts in DRE-Cell D and CPL colours



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



QUBIK handle - black with an antibacterial surface



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock*



CUBE SLIM handle - brushed chrome



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



the CUBE SLIM handle - shiny brass



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



handle TOTAL - brushed nickel mat



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle IBIZA - black matt



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle CUBE - shiny chrome



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle CUBE - brushed nickel



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock

* - the handle and the toilet knobs are covered with
an antibacterial coating



door handle CUBE - black matt



back plate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle MONDO - nickel satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



handle TREND - satin nickel



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



LINEA handle - shiny chrome



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



LINEA handle - nickel satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle BELLA SLIM - glossy chrome



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle BELLA SLIM - glossy brass



backplate for
simple key lock



backplate for
cylinder lock



backplate for
toilet lock



door handle ZORBA - shiny chrome/satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock

DOOR HANDLES



handle JOWISZ - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle NOVA - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle PROXIMA - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TOPAZ - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TOPAZ - stainless steel black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle ONYX M - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LUNA - brushed chrome



back plate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LUNA - glossy brass



back plate for simple key



backplate for cylinder lock



backplate for toilet lock

DOOR HANDLES



handle IBIZA - graphite/chrome



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle IBIZA - nickel satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle IBIZA - shiny chrome



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle BETA - nickel satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle EUROPA - nickel satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle TOMA - black



backplate for simple
key



backplate for
cylinder lock



backplate for
toilet lock



door handle QUANTA - nickel - satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock



door handle WARNA - nickel satin



backplate for
simple key



backplate for
cylinder lock



backplate for
toilet lock

DOOR HANDLES



door handle WEGA - black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle ARCTUS - satin nickel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle ALVA LUX - black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle PEM LUX - glossy chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle AS LUX - titanium



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LEA LUX - glossy chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle FOKUS - nickel satin velvet



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle JANE - lacquered nickel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock

DOOR HANDLES



door handle UNO - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle ROMANA - chrome / nickel lacquered



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TIK-QR - anthracite



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle QUBIK - nickel lacquered



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LIBRA - satin nickel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle ZORBA with oblong backplate - glossy chrome /



door handle ZORBA with oblong backplate for simple key - shiny chrome / satin (72 mm spacing)



ZORBA door handle with oblong backplate for cylinder lock - shiny chrome / satin (span 72 mm)



ZORBA door handle with oblong backplate for toilet lock - shiny chrome / satin (span 72 mm)



door handle SHARK black and inox



backplate SHARK black and inox 1



DIVA door handle and back plate for door leaves FORCA 10 and FORCA B 10 silver F1 door handle 3 rosette



ONTARIO door handle and backplate for SOLID RC2 model silver colour F1 door handle rosette



door handle SZARK for the SOLID / ENTER

DOOR HANDLES



technical handle STAR TEC - class IV - stainless steel matt price for a set (handle + backplate for cylinder lock)



backplate for cylinder lock

door leaf thickness up to 55 mm



PEGAZ door handle (span 72 mm)
Nickel mat for cylinder lock



TOM door handle with oblong backplate
for cylinder lock (span 72 mm) matt chrome


exterior backplate

interior backplate



NOTE:
selection of left or right door handle*.
Door handle in set with backplate is
adapted to door leaf with two locks except
SOLID collection.

*left door handle



*right door handle



handle METRO (span 72 mm)
stainless steel for cylinder lock

upper backplate METRO
stainless steel for cylinder lock



exterior TOTAL door handle with
oblong backplate (span 72 mm)
inox plus -

NOTE:
Door handle in set with backplate is
adapted to door leaf SOLID with two locks.



upper backplate TOTAL
short inox plus

PATENTED CYLINDERS



patented cylinder 26/41 - nickel mat patented cylinder 26/41 - brass satin



set of patented cylinder ZN
30/40+30G/40 SN
or ZN 30/40+40G/30 SN nickel satin

system
single key system



set of patented cylinder ZN
30/40+30G/40 SB
or ZN 30/40+40G/30 SB brass satin


SELF-CLOSER




self-closer DORMA
Price



self-closer GEZE
Price



*** decors available only in horizontal wood grain



DECORS



white

UV acrylic lacquer
RAL=9003



ecru

RAL=9001



latte

Flugger = 4362
NCS = S1505-Y50R



ashen

RAL=7035



Decors in LUX collection



pavio oak



viking oak



country oak



cannero walnut



birch



wenge



uranus

Decors in DRE-CLARO, GRAFI collection



white
lacquered



black
lacquered

Decors in WOOD collection



light oak



classic oak



dark oak



gray halifax oak



natural halifax oak



Halifax Tabac Oak



white elm



natural elm




dark elm




milky white

CPL 0,2 mm thick
CPL 0,7 mm thick



gray oak

CPL 0,2 mm thick
CPL 0,7 mm thick



welsh oak

CPL 0,2 mm thick
CPL 0,7 mm thick



walnut

CPL 0,2 mm thick
CPL 0,7 mm thick



celini walnut

CPL 0,2 mm thick
CPL 0,7 mm thick




concrete 2

CPL 0,2 mm thick
CPL 0,7 mm thick



acacia

CPL 0,2 mm thick
CPL 0,7 mm thick



honey oak

CPL 0,2 mm thick
CPL 0,7 mm thick



chestnut

CPL 0,2 mm thick
CPL 0,7 mm thick



roasted walnut

CPL 0,2 mm thick
CPL 0,7 mm thick




white

W0118
CPL 0,15 mm thick
CPL 0,7 mm thick



ashen

CPL 0,2 mm thick
CPL 0,7 mm thick



DARK GRAY

CPL 0,2 mm thick
CPL 0,7 mm thick



alpine white




riviera oak



rustic oak

GLASS PANE PATTERNS




pattern 1 VETRO
transparent



pattern 1 VETRO
decormat



pattern 1 VETRO
decormat brown



pattern 1 VETRO
decormat graphite



pattern VETRO E,
VETRO D1
black opaque
laminated glass



VETRO pattern E
laminated glass
decormat



pattern 2 VETRO



pattern 3 VETRO



pattern 4 VETRO



pattern 5 VETRO



pattern 10 VETRO



pattern 11 VETRO



pattern 12 VETRO



pattern 13 VETRO



pattern 14 VETRO



pattern 15 VETRO