

# PRODUCT CATALOG



## FIRE SUPPRESSION SYSTEM



Fire Suppression System is designed to automatically detect and extinguish fires, enhancing safety and protecting valuable equipment. We offer two types of systems: Loss Of Pressure (LOP) and Linear Heat Detector (LHD), both compliant with the AS5062 standard and utilizing AFFF (Aqueous Film Forming Foam) to effectively minimize fire impact. These systems are widely used in the mining, manufacturing, commercial buildings, medical facilities, and transportation sectors, ensuring optimal protection and minimizing potential damage.

[www.jomonindonesia.com](http://www.jomonindonesia.com)

## CYLINDER TANK



### 28 LITRE CYLINDER, - 3/4" LOP VALVE, KIT, FLEXIBLE (Without Bracket)

Part Number	AAEN0330
Test Pressure	3.0 Mpa Hydrostatically tested at manufactured
Max Safe Pressure	2.0 Mpa
Normal Charge Pressure	1.37 Mpa A directed in this manual
Painting	Powder Coated Signal Red AS-5062
Fittings	Main Neck Ring 1 ¼ BSP Male – Filler Port 1 ¼ BSP Female

INCLUDE					
Photo	Description	Part Number	Photo	Description	Part Number
	VALVE LOP 3/4" - 1 1/4 BSP FEMALE WITHOUT GAUGE	AAEN0295		CYLINDER BRACKET FOR 28 L	AAEB1852
	PRESSURE GAUGE 38mm 1/8 BSPT	ACCJ2430		SAFETY BELT, STAINLESS STEEL, IFES	BBEF1124
	SIPHON HOSE 28 LITRE FLEXIBLE	ACCJ2514		FILLER PLUG FOR SAFETY RELIEF VALVE 3/4" NPT	ACCJ2745
	CHARGE NIPPLE 1/4 BSPT (M) - 7/16 JIC (M) SCHRADER	AAEX5153		VIBRATION ELIMINATOR KIT	ADEA0064

“Need a complete package for unit installation? Contact our sales directly”



### 32 LITRE CYLINDER, - 3/4" LOP VALVE, KIT, FLEXIBLE (Without Bracket)

Part Number	AAEN0666
Test Pressure	3.0 Mpa Hydrostatically tested at manufactured
Max Safe Pressure	2.0 Mpa
Normal Charge Pressure	1.37 Mpa A directed in this manual
Painting	Powder Coated Signal Red AS-5062
Fittings	Main Neck Ring 1 ¼ BSP Male – Filler Port 1 ¼ BSP Female

INCLUDE					
Photo	Description	Part Number	Photo	Description	Part Number
	VALVE LOP 3/4" - 1 1/4 BSP FEMALE WITHOUT GAUGE	AAEN0295		CYLINDER BRACKET FOR 28 L	AAEB1590
	PRESSURE GAUGE 38mm 1/8 BSPT	ACCJ2430		SAFETY BELT, STAINLESS STEEL, IFES	BBEF1124
	SIPHON HOSE 28 LITRE FLEXIBLE	ACCJ2514		FILLER PLUG FOR SAFETY RELIEF VALVE 3/4" NPT	ACCJ2745
	CHARGE NIPPLE 1/4 BSPT (M) - 7/16 JIC (M) SCHRADER	AAEX5153		VIBRATION ELIMINATOR KIT	ADEA0064

## CYLINDER TANK



### 45 LITRE CYLINDER, -3/4" LOP VALVE, KIT, FLEXIBLE (Without Bracket)

Part Number	<b>AAEN0344</b>
Test Pressure	<b>3.0 Mpa Hydrostatically tested at manufactured</b>
Max Safe Pressure	<b>2.0 Mpa</b>
Normal Charge Pressure	<b>1.37 Mpa A directed in this manual</b>
Painting	<b>Powder Coated Signal Red AS-5062</b>
Fittings	<b>Main Neck Ring 1 1/4 BSP Male – Filler Port 1 1/4 BSP Female</b>

#### INCLUDE

Photo	Description	Part Number	Photo	Description	Part Number
	VALVE LOP 3/4" - 1 1/4 BSP FEMALE WITHOUT GAUGE	<b>AAEN0295</b>		CYLINDER BRACKET FOR 28 L	<b>AAEB1590</b>
	PRESSURE GAUGE 38mm 1/8 BSPT	<b>ACCJ2430</b>		SAFETY BELT, STAINLESS STEEL, IFES	<b>BBEF1124</b>
	SIPHON HOSE 28 LITRE FLEXIBLE	<b>ACCJ2514</b>		FILLER PLUG FOR SAFETY RELIEF VALVE 3/4" NPT	<b>ACCJ2745</b>
	CHARGE NIPPLE 1/4 BSPT (M) - 7/16 JIC (M) SCHRADER	<b>AAEX5153</b>		VIBRATION ELIMINATOR KIT	<b>ADEA0064</b>









**"Need a complete package for unit installation? Contact our sales directly"**



### 65 LITRE CYLINDER, -3/4" LOP VALVE, KIT, FLEXIBLE (Without Bracket)

Part Number	<b>ADEA0295</b>
Test Pressure	<b>3.0 Mpa Hydrostatically tested at manufactured</b>
Max Safe Pressure	<b>2.0 Mpa</b>
Normal Charge Pressure	<b>1.37 Mpa A directed in this manual</b>
Painting	<b>Powder Coated Signal Red AS-5062</b>
Fittings	<b>Main Neck Ring 1 1/4 BSP Male – Filler Port 1 1/4 BSP Female</b>

#### INCLUDE

Photo	Description	Part Number	Photo	Description	Part Number
	VALVE LOP 3/4" - 1 1/4 BSP FEMALE WITHOUT GAUGE	<b>AAEN0295</b>		CYLINDER BRACKET FOR 28 L	<b>AAEB1590</b>
	PRESSURE GAUGE 38mm 1/8 BSPT	<b>ACCJ2430</b>		SAFETY BELT, STAINLESS STEEL, IFES	<b>BBEF1124</b>
	SIPHON HOSE 28 LITRE FLEXIBLE	<b>ACCJ2514</b>		FILLER PLUG FOR SAFETY RELIEF VALVE 3/4" NPT	<b>ACCJ2745</b>
	CHARGE NIPPLE 1/4 BSPT (M) - 7/16 JIC (M) SCHRADER	<b>AAEX5153</b>		VIBRATION ELIMINATOR KIT	<b>ADEA0064</b>

**"Need a complete package for unit installation? Contact our sales directly"**

## CYLINDER TANK



### 120 LITRE CYLINDER, - 3/4" LOP VALVE, KIT, FLEXIBLE (Without Bracket)

Part Number	AAEN0365
Test Pressure	3.0 Mpa Hydrostatically tested at manufactured
Max Safe Pressure	2.0 Mpa
Normal Charge Pressure	1.37 Mpa A directed in this manual
Painting	Powder Coated Signal Red AS-5062
Fittings	Main Neck Ring 1 ¼ BSP Male – Filler Port 1 ¼ BSP Female

#### INCLUDE

Photo	Description	Part Number	Photo	Description	Part Number
	VALVE LOP 3/4" - 1 1/4 BSP FEMALE WITHOUT GAUGE	AAEN0295		CYLINDER BRACKET FOR 28 L	AAEB3986
	PRESSURE GAUGE 38mm 1/8 BSPT	ACCJ2430		SAFETY BELT, STAINLESS STEEL, IFES	BBEF1124
	SIPHON HOSE 28 LITRE FLEXIBLE	ACCJ2514		FILLER PLUG FOR SAFETY RELIEF VALVE 3/4" NPT	ACCJ2745
	CHARGE NIPPLE 1/4 BSPT (M) - 7/16 JIC (M) SCHRADER	AAEX5153		VIBRATION ELIMINATOR KIT	ADEA0064

“Need a complete package for unit installation? Contact our sales directly”



IFES INDICATING ALARM PANEL KIT

Part Number	AAEL0869
Test button	
Full System Test	
Fault Code Indication	
Beep Code Indication	
Mute Function	
Programmable	
Fault Storage	
Isolate Function	
Reset Function	

Features



IFES CONTROL INDICATING ALARM PANEL KIT

Part Number	BBEF1163
Test button	
Full System Test	
Fault Code Indication	
Beep Code Indication	
Mute Function	
Programmable	
Fault Storage	
Isolate Function	
Reset Function	
Actuator Swicth	

Features





### MANUAL ACTUATOR VALVE ASSEMBLY MOUNTING HOUSING

Part Number **AAEN0225**

---



### MANUAL ACTUATOR ELECTRIC MCP

Part Number **BBEF1117**

---



### ANNUAL SERVICE KIT FOR MANUAL ACTUATOR LOP

Part Number **AAEN0190**

---

VALVE LOP & SERVICE KIT



VALVE LOP & SERVICE KIT

Part Number	Description
AAEN0190	VALVE MANUAL ACTUATOR LOP SERVICE KIT
AAEN0183	VALVE LOP 3/4" SERVICE KIT
AAEN0288	VALVE LOP 3/4" - 1 1/4" BSP FEMALE
Type	3/4" LOP Fast Flow Valve
	One Moving Part (Pressure Differentiating Valve)
	Stainless Steel Body
	Safety Relief Vent
	Brass Piston
	Rebuild Kit Available



ADAPTOR LOP VALVE TO SHORT NECK RING

Part Number	BBEF1198
-------------	----------



O-RING LOP BODY CAP, LOP VALVE NECK RING

Part Number	AAEX3767
-------------	----------



PRESSURE GAUGE 38mm 1/8 BSPT

Part Number	ACCJ2430
Range	0 - 2500 Kpa



SIPHONE HOSE

Part Number	Description
ACCJ2514	Siphon Hose 28 Litre Flexible
ACCJ2521	Siphon Hose 32 Litre Flexible
ACCJ2451	Siphon Hose 45 Litre Flexible
ACCJ2465	Siphon Hose 65 Litre Flexible
ACCJ2493	Siphon Hose 120 Litre Flexible



### 12V SELENOID NORMALLY CLOSED INSTALLATION KIT

Part Number **BBEF1124**



### MANIFOLD 1/8" 3 PORT- INSTALLATION KIT

Part Number **ACCH0022**



### FIRE ALARM PRESSURE SWITCH 2 BAR INSTALLATION KIT

Part Number **BBEF0022**



### LOW PRESSURE SWITCH 9 BAR INSTALLATION KIT

Part Number **BBEF0260**



### PLUG ADAPTER SENSOR, 1/4 BSP

Part Number **AAEX9858**



### ADAPTER SENSOR, 7/16 JIC, SWIFEL

Part Number **AAEX9851**



### LOP THERMOPLASTIC TUBE INSTALL KIT 4MT

Part Number **ACCJ2563**



### RUBBER GROMMET

Part Number **BBEF0652**



### STAUFF PIPE CLAMPS

Part Number	Description
<b>CAJB0127</b>	<b>TUBE CLAMPS 22 MM BORE</b>
<b>CAJB0141</b>	<b>TUBE CLAMPS 12 MM BORE</b>





### HOSE RED ALFA GOMMA

Part Number	Description
BBEF0708	HHWB AG 1SN FIRE SUPPRESSION -12 DN6 3/4"
BBEF0512	HHWB AG 1SN FIRE SUPPRESSION -04 DN6 1/4"
BBEF0687	HHWB AG 1SN FIRE SUPPRESSION -08 DN6 1/2"



### HOSE GUARD, SPIRAL WRAP 1/2" RED

Part Number	AAEK1884
Material	Plastic
Colour	Red



### F JIC-H -08-08 CR INSERT FITTING (STEEL)

Part Number	BBEF0533
Hose Size	1/2
Shape	Straigh



### M JIC-H -08-08 H19 INSERT FITTING (STEEL)

Part Number	BBEF0533
Hose Size	1/2
Shape	Straigh



### F JIC -12-12 CR 32 INSERT FITTING (STEEL)T

Part Number	BBEF0547
Hose Size	3/4
Shape	Straigh



### F JIC -04-04 CR 16 INSERT FITTING (STEEL)

Part Number	BBEF0484
Hose Size	1/4
Shape	Straigh

## ADAPTOR



### STRAIGHT ADAPTOR 1/4 BSPT (M) - 1/8 BSPT (M)

Part Number BBEF0197



### TEE ADAPTORS 3/4 JIC(M)-3/4 JIC(M)-1/4 BSPT(F)

Part Number AA EK1772



### TEE ADAPTORS 3/4 JIC(M)-3/4 JIC(M)-1/4 BSPT(M)

Part Number AA EK1744



### 90° ADAPTOR 1/4 BSPT M -1/4 BSPT F

Part Number AA EX6742



### 45° ADAPTOR 1/4 BSPT M -1/4 BSPT F

Part Number AA EX6749



### TEE ADAPTORS 3/4 JIC(M)-3/4 JIC(M)-1 1/16 JIC (M)

Part Number AA EK1765



### TEE ADAPTORS 3/4 JIC(M)-3/4 JIC(M)- 3/4 JIC(M)

Part Number AA EK1751



### FILLER PLUG FOR SAFETY RELIEF VALVE 3/4" NPT

Part Number AA EN0631



### FILLER PLUG O'RING - #222

Part Number AA EN0638

NOZZLE



NOZZLE 60° CAP AND LANYARD

Part Number	AEAA0022
Nozzle Type	60°
Optimum	870 mm
Minimum Spray	500 mm
Maximum Spray	1,200 mm



NOZZLE 120° CAP AND LANYARD

Part Number	AEAA0029
Nozzle Type	100°
Optimum	300 mm
Minimum Spray	200 mm
Maximum Spray	600 mm



SS TUBE,OD 1/2 INCH X 0.8 MM,SEAMLESS,2M

Part Number	ACCJ2402
-------------	----------



FLARE NUT 12.7mm TUBE - 3/4 JIC (F)

Part Number	ACCJ2409
-------------	----------



FLARE NUT SLEEVE FOR 12.7mm TUBE

Part Number	ACCJ2416
-------------	----------



### ALARM CABLE 12 CORE 3m DEUTSCH- D SUB CONECTOR KIT

Part Number

AAEU5104



### CONNECTOR KIT,DT,2-WAY,13A,14-18 AWG MF

Part Number

AAEI0107



### CONNECTOR KIT,DT,4-WAY,13A,14-18 AWG MF

Part Number

AAEI0121

## BRACKET



### CYLINDER BRACKET FOR 66 L

Part Number	AAEB1590
Material	Steel
Not Include	Safety Belt Tank



### CYLINDER BRACKET 32 LITRE

Part Number	AAEB1569
Material	Steel
Not Include	Safety Belt Tank




### BRACKET FOR CYLINDER TANK 45/65

Part Number	AAEB1590
Material	Steel
Not Include	Safety Belt Tank



### CYLINDER BRACKET 120 LITRE HEAVY DUTY

Part Number	AAEB3986
Material	Steel
Not Include	Safety Belt Tank



### SAFETY BELT, STAINLESS STEEL, IFES

Part Number	AAEX8479
Material	Steel
Include	Bolt, Rubber, Bolt



### VIBRATION ELIMINATOR KIT

Part Number	ADEA0064
Not Include	Safety Belt Tank
Material	Rubber



Phone : +6221 2294 6465  
Email : [sales@jomonindonesia.com](mailto:sales@jomonindonesia.com)

Address: Central Cakung Business Park Blok G2 No. 1-2,  
Jl. Cakung Cilincing Raya KM. 3, Rorotan, Cilincing,  
Jakarta Utara, Indonesia - 14140



OUR  
WEBSITE



PT Jomon Persada Nusantara



@jomonindonesia