

MOBILE TYPE (TG)



Germany brand

AL-KO

QUALITY FOR LIFE

Notes:

- The tonnage is the weights summation of generator, waer tank with water, fuel tank with fuel, and trailer, The maximum tonnage can reach 6800 kg, Models 3500kg above are air braked. Models between 750kg(not including) and 3500kg are mechanically braked. Models below 750kg (including 750kg) have no brake system.
- The capability of fuel tanks vary when use various engines. The minimum capability meets at least 8 hours use.



30kVA below model



30-130kVA model



130-250kVA model



250-500kVA model



Generating Sets



Trailer



Diesel

50
Hz60
Hz

Mining



Drilling



Construction



Island



Rental

Features

- all the silent type generators from MPMC can be designed as trailer type.
- Suitable for outdoor works
- Towing device is set aside on the wheel chassis to keep balance
- Equipped with warning lamps, side lamps, fog lamps, according to transport safety standards.
- Single axle or double-axle, mechanical or auto brake for option, meeting various requirements.
- Convenient fuel filling system, the fuel fill cap is lockable.
- Cable rack for option

Trailer Structure introduction



Fitting eye end options



Ball Type



O Ring Type

- The main difference between the on-road trailer and off road trailer.
- The off road trailer has no inertia brake system, the on-road trailer has service brake and parking brake.
- The on-road trailer speed $\leq 60\text{km/h}$ and the off road trailer speed $\leq 25\text{km/h}$.



PT Jomon Persada Nusantara | sales@jomonindonesia.com | www.jomonindonesia.com

 [@jomonindonesia](https://www.instagram.com/jomonindonesia)  PT Jomon Persada Nusantara

Scan me 

