

# SAFETY DEVICE



PT. JOMON PERSADA NUSANTARA



- Lotobox System |
- Fire Extinguisher |
- Strobe Light |
- Working Lamp |
- Radio Communication |
- Idle Timer |
- Buggy Whips |
- BackUp Alarm |
- Fatigue Warning |
- Safety Cone |
- WhellCook |

"PT. Jomon Persada Nusantara (JOMON) is a company expertise in Automotive Electrical, Fire Suppression, Auto Lubrications, Filtration Systems, Fuel Dispatching and Mechatronics Integrated Solutions for Bus, Truck, Heavy Mobile Equipment (HME), Industrial and Port Equipment.

With many partners and qualified employees all over the region the philosophy focused on continuous improvement. The business offers customers a service level unparalleled in these industries.

Our primary goal is to support your industry from any electrical and mechanical breakdown to boost your safety and profit.

Put it simply we work alongside our clients to understand their business needs, identify potential problems and then seek to solve them through design and manufacture in auto electrical and mechanical solution,  
"When we look at the mining, Industrial, Public Transportation and Port industry, what we're seeing is different ways to make it better"



**| Main Office :**

Central Cakung Bussiness Park  
Jl. Cakung Cilincing KM.3 G.2 No.1-2  
Jakarta Utara 14140

**| Branch Tangerang :**

Komp Duta Iconic Blok E No 9 Rt.04.  
Rw 002 Kel.Panunggangan Utara,  
Kec Pinang Tangerang 15143

**| Branch Balikpapan :**

Jl. Jendral Sudirman, No 47 Block C-16,  
Landasan Ilir, Balikpapan  
Kota,Balikpapan, Kalimantan Timur

**| Branch Muara Teweh:**

Jl. Jalan Negara KM12, RT 13  
Muara Teweh, Kalimantan Tengah

**| Branch Tarakan Sesayap :**

Jl. Adityawarman No. 5 RT 10 Kel. Karang Balik Kec. Tarakan Barat,  
Kota Tarakan Kalimantan Utara

**| Branch Tanjung Tabalong :**

Proper Green Village Blok B No. 18  
Tanjung –Tabalong, Kalimantan Selatan





**LOTOBOX 4SYSTEM,  
SWITCH PUSH PULL ESP 6/6 (PN .AAEC2276)**

| PART   | PART NO, | QTY | UOM | SPECIFICATION  |
|--|----------|-----|-----|--|
| LOTOBOX 4SYSTEM,SWITCH PUSH PULL ESP 6/6, ASSY   | AAEC2276 | 1   | KIT |  |
| DISTRIBUTION BOX,LOTO 4 SYSTEM                   | AAEC1814 | 1   | KIT | Material Mild Steel Thicknes 2mm,Red Colour,HORIZONTAL                             |
| PARTS KIT,LOCKOUT LEVER,YELLOW                   | AAEG6035 | 1   | KT  | Steel Mounting screw 48 x 48 mm switch 61 x tebal 65 diameter Lubang 4.6 mm,YELLOW |
| PARTS KIT,LOCKOUT LEVER,RED                      | AAEG6028 | 1   | KT  | Steel Mounting screw 48 x 48 mm switch 61 x tebal 65 diameter Lubang 4.6 mm,RED    |
| SWITCH,ISOLATING,H/D,BATTERY,300A,6-36V          | AAEG7064 | 1   | EA  | Amperage 300 Amp   |
| SWITCH,ISOLATING,H/D,BATTERY,125A,6-36V          | AAEG7043 | 1   | EA  | Amperage 125 Amp   |
| SWITCH,PUSH-PULL,EMERGENCY,STAYLOCK,1NC/1NO      | AAEG7120 | 1   | EA  | Dimension : 63.5mm DIA Head<br>Contact : 1NC / 1NO                                 |
| TERMINAL,RCPTL JUMP START,CONN BLOCK,63X78X108MM | AAEO0841 | 1   | EA  | L63 mm x W 78 mm x H 108 mm D, High Impact ABS Plastic,C/W Washer & M12 Nyloc NUT  |




| PART  | PART NO  | QTY | UOM  | SPECIFICATION   |
|---|----------|-----|------|---|
| <b>LOTOBOX 4SYSTEM, SWITCH PUSH PULL ESP 6/6,</b>   |          | 1   | ASSY |   |
| DISTRIBUTION BOX, LOTO 4 SYSTEM                     | AAEC1814 | 1   | ASSY | Material Mild Steel Thicknes 2mm, Red Colour, HORIZONTAL                                  |
| LOCKOUT LEVER, YELLOW                               | AAEG6035 | 1   | KT   | Steel Mounting screw 48 x 48 mm switch 61 x tebal 65 diameter Lubang 4.6 mm, Color YELLOW |
| LOCKOUT LEVER, RED                                  | AAEG6028 | 1   | KT   | Steel Mounting screw 48 x 48 mm switch 61 x tebal 65 diameter Lubang 4.6 mm, Color RED    |
| SWITCH, ISOLATING, H/D, BATTERY, 300A, 6-36V        | AAEG7064 | 1   | EA   | Amperage 300 Amp  |
| SWITCH, ISOLATING, H/D, BATTERY, 125A, 6-36V        | AAEG7043 | 1   | EA   | Amperage 125 Amp  |
| SWITCH, PUSH-PULL                                   | AAEG7106 | 1   | EA   | Dimension : 63.5mm DIA Head<br>Contact : 1NC / 1NO  |
| TERMINAL, RCPTL JUMP START, CONN BLOCK, 63X78X108MM | AAEO0841 | 1   | EA   | L63 mm x W 78 mm x H 108 mm D, High Impact ABS Plastic, C/W Washer & M12 Nyloc NUT        |



**LOTOBOX 4SYSTEM,  
SWITCH PUSH PULL**







**LOTOBOX 4SYSTEM,  
SWITCH PUSH PULL**

| PART  | PART NO  | QTY | UOM  | SPECIFICATION   |
|---|----------|-----|------|---|
| <b>LOTOBOX 4SYSTEM, SWITCH PUSH PULL ESP 6/6,</b>   |          | 1   | ASSY |   |
| DISTRIBUTION BOX, LOTO 4 SYSTEM                     | AAEC2262 | 1   | ASSY | Material STAINLESS STEEL Thicknes 2mm, HORIZONTAL   |
| LOCKOUT LEVER, YELLOW                               | AAEG6035 | 1   | KT   | Steel Mounting screw 48 x 48 mm switch 61 x tebal 65 diameter Lubang 4.6 mm, Color YELLOW |
| LOCKOUT LEVER, RED                                  | AAEG6028 | 1   | KT   | Steel Mounting screw 48 x 48 mm switch 61 x tebal 65 diameter Lubang 4.6 mm, Color RED    |
| SWITCH, ISOLATING, H/D, BATTERY, 300A, 6-36V        | AAEG7064 | 1   | EA   | Amperage 300 Amp  |
| SWITCH, ISOLATING, H/D, BATTERY, 125A, 6-36V        | AAEG7043 | 1   | EA   | Amperage 125 Amp  |
| SWITCH, PUSH-PULL                                   | AAEG7106 | 1   | EA   | Dimension : 63.5mm DIA Head<br>Contact : 1NC / 1NO  |
| TERMINAL, RCPTL JUMP START, CONN BLOCK, 63X78X108MM | AAEO0841 | 1   | EA   | L63 mm x W 78 mm x H 108 mm D, High Impact ABS Plastic, C/W Washer & M12 Nyloc NUT        |













| Part Number | Description                                     | Specification  |
|-------------|---|--|
| AAEC1723    | DISTRIBUTION BOX,LOTO,CKG3                      | Material Mild Steel<br>Thicknes 2mm,Red<br>Colour,Vertical |
| AAEG7120    | SWITCH,PUSH-PULL,EMERGENCY,STAYLOCK,1NC/1NO     | Dimension : 63.5mm DIA<br>HeadContact : 1NC / 1NO          |
| AAEG7141    | SWITCH,ROT,SURFACE,1 POSN,10A,250 V,SINGLE POLE |  |



| Part Number | Description                                     | Specification  |
|-------------|---|--|
| AAEC2066    | DISTRIBUTION,BOX,LOTO,2 SYSTEM                  | Material Mild Steel<br>Thicknes 2mm,Red<br>Colour,HORIZONTAL |
| AAEG7120    | SWITCH,PUSH-PULL,EMERGENCY,STAYLOCK,1NC/1NO     | Dimension : 63.5mm DIA<br>Head Contact : 1NC / 1NO           |
| AAEG7141    | SWITCH,ROT,SURFACE,1 POSN,10A,250 V,SINGLE POLE |  |





| Part Number   | Description   | Type  | Specification  | Brand   |
|---|---|---|--|---|
|    | WORKING LAMP,VEHR,LED,SERIES 3000,MULTI VOLTAGE,FLOOD | LED 3000 ABL,Pattern Wide Flood,Flood,Flood Asymmetric,Long Range | Consumption 36W,Voltage 12-100V Multi,24V only Intensity 1.5A @ 24 V |    |
|    | WORK LAMP,VEHR,LED 5,ABL 500,12-80 V,22W,FOG          | ABL 500 FOG LAMP,Pattern Flood,Long Range                         | Consumption 20W,Voltage 12-100V Multi ,Intensity 0.82A @ 24V         |    |
|    | WORKING LAMP,VEHR,LED,SERIES 5000 12-100V,Wide Flood  | Worklight PB5000 LED, Close Range, Long Range                     | Consumption 70W,Voltage 9-33V Multi,                                 |    |
|  | Hypalume Lamp   | HMF2000CMOB Primary Lamp, Close Range, Spot, Extra Wide           | Consumption 250W,Voltage 10-24V                                      |  |





|   | Description                                | Part Number | Specification  |
|---|--|-------------|--|
|    | LED WARNING LIGHTS WITH BULBS 5050, YELLOW |             | Volt 12-48 V, Amps 2.5 A, Flash Pattern Double/Quad, Flash Rate 80/65, Lens Colour Amber |
|    | STROBE WARNING LIGHT BLUE                  |             | Volt 12-48 V, Amps 2.5 A, Flash Pattern Double/Quad, Flash Rate 80/65, Lens Colour Blue  |
|    | Bracket Strobe                             |             | Material Mild Steel Thicknes 4mm, Bending  |
|   | Bracket Strobe                             |             | Material Mild Steel Thicknes 4mm, Bending  |
|  | Bracket Strobe                             |             | Material Mild Steel Thicknes 4mm, Bending  |



**BRACKET STROBE SCANIA**  
CAAA0190



| Part Number | Description                               | Type          | Specification  |
|-------------|---|---------------|--|
| CAAA0190    | BRACKET STROBE SCANIA                     | P360          | Material Mild Steel Thicknes 2mm,Pipe 0,8 inch,bending,Colour Black                  |
| AACA1002    | LED WARNING LIGHTS WITH BULBS 5050,YELLOW | Strobe Series | Volt 12-48 V,Amps 2.5 A,Flash Pattern Double/Quad,Flash Rate 80/65,Lens Colour Amber |
| AACA0827    | STROBE WARNING LIGHT BLUE                 | Strobe Series | Volt 12-48 V,Amps 2.5 A,Flash Pattern Double/Quad,Flash Rate 80/65,Lens Colour Blue  |
| AAEB1394    | BRACKET STROBE SCANIA                     | P440          | Material Mild Steel Thicknes 2mm,Pipe 0,8 inch,bending,Colour Black                  |



**BRACKET STROBE SCANIA**  
AAEB1394




| Part Number | Description                                       | Specification  |
|-------------|---|--|
| BADA0134    | RADIO, RIG FREQUENCY, COMMUNICATION, VHF45, M3688 | Frequency 136-174 MHz, Dimensions (H x W x L) 44 x 169 x 134 mm<br>Power : 45 WATT                                     |
| AAEB1499    | UNIER BRACKET MAGNET ANTENNA MOBIL/DPSM SINGLE RA | Type DPSPM, Wire Connector 4 meter<br>Magnet Connector PL Female,<br>Cable Connector PL Male<br>Diameter magnet : 11cm |
| BADA0141    | ANTENNA RADIO, VHF 136-147 MHZ, M150              |  |
| AAFC0267    | POWER SUPPLY, SWITCHING DC, 18-40V, 45A, MTT8000  | Switching Power Supply,<br>Input DC 18-40 V, Output DC 13,8 V, Max 45 A  |



| Part Number | Description  | Specification        |                   |
|-------------|--|----------------------|-------------------|
| BADA0197    | RADIO RIG FREQUENCY, COMMUNICATION, VHF 25, GM3688 | Frequency Range      | UHF : 350-380 MHz |
|             |  | Power levels         | 1-25 W            |
|             |  | Dimensions H x W x D | 44 x 169 x 118 mm |
|             |  | Weight               | 1.01 kg           |
|             |  | Channel Capacity     | 64                |
|             |  | Power Supply         | DC 13.8 V         |
|             |  | Channel Spacing :    | 12.5/20/25 KHz    |
|             |  | Frequency Stability  | +/-2.5ppm         |







| Part Number    | Description                   | PICTURE   | Specification  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
|----------------|-------------------------------|---|--|------|-------------------|---------|----------|---------------|---------|-------|----------|----------------|----------|----------|----------|------|--------|--------------|---------|--------|---------|---------|-----------|---------------|----------|
| ADEA0155       | FIRE EXTINGUISHER (APAR) 6 KG |  | <table border="1"> <tr> <td>Type</td> <td>: Chemical Powder</td> </tr> <tr> <td>Bracket</td> <td>: Custom</td> </tr> <tr> <td>Incident Type</td> <td>: A-B-C</td> </tr> <tr> <td>Brand</td> <td>: PANZER</td> </tr> <tr> <td>Trial Pressure</td> <td>: 25 BAR</td> </tr> <tr> <td>Pressure</td> <td>: 15 BAR</td> </tr> <tr> <td>Size</td> <td>: 6 KG</td> </tr> <tr> <td>DIA Cylinder</td> <td>: 49 cm</td> </tr> <tr> <td>Weight</td> <td>: 55 Cm</td> </tr> <tr> <td>Expired</td> <td>: 2 Tahun</td> </tr> <tr> <td>Time Pressure</td> <td>: 10 sec</td> </tr> </table> | Type | : Chemical Powder | Bracket | : Custom | Incident Type | : A-B-C | Brand | : PANZER | Trial Pressure | : 25 BAR | Pressure | : 15 BAR | Size | : 6 KG | DIA Cylinder | : 49 cm | Weight | : 55 Cm | Expired | : 2 Tahun | Time Pressure | : 10 sec |
| Type           | : Chemical Powder             |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Bracket        | : Custom                      |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Incident Type  | : A-B-C                       |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Brand          | : PANZER                      |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Trial Pressure | : 25 BAR                      |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Pressure       | : 15 BAR                      |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Size           | : 6 KG                        |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| DIA Cylinder   | : 49 cm                       |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Weight         | : 55 Cm                       |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Expired        | : 2 Tahun                     |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |
| Time Pressure  | : 10 sec                      |   |  |      |                   |         |          |               |         |       |          |                |          |          |          |      |        |              |         |        |         |         |           |               |          |





| Part Number       | Description                  | PICTURE   | Specification           |
|-------------------|------------------------------|---|-------------------------|
| ADEA0050          | APAR 3KG<br>INCLUDED BRACKET |  | Type : Chemical Powder  |
|                   |                              |   | Incident Type : A-B-C   |
|                   |                              |   | Brand : PANZER          |
|                   |                              |   | Trial Pressure : 25 BAR |
|                   |                              |   | Pressure : 15 BAR       |
|                   |                              |   | Size : 3 KG             |
|                   |                              |   | Color : RED             |
|                   |                              |   | DIA Cylinder : 12,5 cm  |
|                   |                              |   | Weight : 45 Cm          |
| Expired : 2 Tahun |                              |   |                         |

| Part Number           | Description              | PICTURE  | Specification           |
|-----------------------|--------------------------|--|-------------------------|
| ADEA0155              | APAR 2KG<br>INCL BRACKET |  | Type : Chemical Powder  |
|                       |                          |  | Incident Type : A-B-C   |
|                       |                          |  | Brand : PANZER          |
|                       |                          |  | Trial Pressure : 25 BAR |
|                       |                          |  | Pressure : 15 BAR       |
|                       |                          |  | Size : 2 KG             |
|                       |                          |  | DIA Cylinder : 11,1 cm  |
|                       |                          |  | Weight : 40 Cm          |
|                       |                          |  | Expired : 2 Tahun       |
| Time Pressure : 8 sec |                          |  |                         |



| Part Number   | Description                            | Specification |  |
|---------------|--|---------------|--|
| AAEX6392      | CHOCK, TRACK WHEEL,<br>25X16.5X18.5 CM | Type          | : Wheelchock (WheelStopper)            |
|               |  | Material      | : Rubber                               |
|               |  | Length        | : 155 mm                               |
|               |  | width         | :245 mm                                |
|               |  | Height        | : 185 mm                               |
|               |  | Weight        | : 2,5 Kg                               |
|               |  | Reflector     | : Cristall Lattice or Micro Bean Glass |
|               |  | Color         | : Black - Yellow                       |
|               |  | Weight        | : 45 Cm                                |
|               |  | Expired       | : 2 Tahun                              |
| Time Pressure | : 8 sec                                |               |  |



| Part Number | Description                            | Specification        |             |
|-------------|--|----------------------|-------------|
| ADEA0050    | TRAFFIC CONE, RUBBER, BLACK BASE, 70CM | Height               | 70 cm       |
|             |  | Weight               | 2,5 kg/ps   |
|             |  | Base Size            | 380 x380 mm |
|             |  | Reflective Tape Size | 220 mm      |
|             |  | Material             | Plastic PVC |



## | Main Office :

Central Cakung Bussiness Park

Jl. Cakung Cilincing KM.3 G.2 No.1 & 2 Kel.Rorotan

Kec.Cilincing, Jakarta Utara 14140

Phone : +62 21 2294 6465

Email : [sales@jomonindonesia.com](mailto:sales@jomonindonesia.com)

