

"Words have immense power to wound or to heal. The right words catalyze personal transformation and offer invitations to citizenship and community service. The wrong words stigmatize and dis-empower." "William White

Use this Guide to help health care teams recognize, rethink and remediate the stigma and bias of words commonly used in caring for people with the chronic disease of substance use disorder:

- 1. Introduce the content in staff meetings, discuss reactions, and take a few minutes each time to practice the scripts and alternative language amongst colleagues.
- 2. Laminate the tools and hang them in break rooms, in exam rooms, at the front desk, and in new employee packets.
- 3. Identify a team to pilot the scripts and share successes and learnings at staff meetings as a regular agenda item.

Stigma is defined as "a mark of shame or discredit". Stigma exposes people to distorted experiences with the criminal, mental health, and medical fields, robbing people of opportunities for success and increasing the acuity and mortality for those individuals whose lives may be complicated by mental health conditions and substance use disorder.

Structural stigma is discrimination present in the health care system manifested in the implementation of policies and use language; leading to lower quality of care, limited and fragmented access to behavioral health treatment and other services, and overuse of coercive approaches to care.

Health care team members are encouraged to...

- Use and encourage language that promotes self-esteem and self-efficacy such as person-first language like "person with substance use disorder" instead of "addict" or "alcoholic." Many people with substance use disorder use stigmatizing language to describe themselves. Health care teams that use empowering language can diminish the "why try" effect of self-stigma and encourage engagement in peer supports and education to increase social and coping skills.
- Use motivational Interviewing as a core competency in leading conversations related to substance use, and is the
 most effective behavioral approach to engage people in the self-maintenance of chronic medical conditions. This
 guide provides examples the use of motivational interviewing techniques for more information on motivational
 interviewing visit: https://www.integration.samhsa.gov/clinical-practice/motivational
- Use scripting to reduce stigma by recognizing the decision and power balance in the health care interactions. Scripting offers a faster, more direct, and less emotionally charged platform to offer equitable care without stigma when triaging, educating, and providing care. When teams use scripts, they can improve the culture of care and create better conversations related to conversations about substance use, risk reduction, referral pathways, and recovery supports.
- Promote coordination of treatment providers to develop person-centered system of care and facilitate recovery
 through increased access to evidence based treatment, symptom monitoring, adherence to prescribed medications,
 and seeking out supported employment opportunities. Coordination between providers can encourage family
 interventions, increase skills management, and promote entry into integrated treatment for mental health and
 substance use conditions.

This tool is intended to improve the outcomes for people living with substance use disorder by encouraging teams to:

- Change language to be consistent with the nature of substance use disorder as a chronic disease
- Stress that substance use disorders are treatable and that recovery is a reality and possible for everyone, and provide opportunities to help people with substance use disorder achieve recovery
- Emphasize solution-oriented care instead of problem-oriented care
- Encourage personal witnesses to help put a face and voice on recovery
- Become the vocal majority

Sample Scripts for Conversations with People Living with Substance Use Disorder

The following scrips are intended to support health care teams to focus on using person-centered language related to substance use disorders. Practice with other staff members to gain comfort using the language.

Person with Substance Use Disorder	Staff/Provider Response	
"I'm out of town. I can't come in for my pill count."	"No problem - just give me the name of the closest pharmacy and I	
	will fax them a sheet to fill out once they count your pills."	
"I'm out of town, I can't come in for my urine drug	"No problem- just give me the name of the closest hospital and I	
screen."	will call their lab and fax an order."	
"I just used the bathroom and I cannot urinate."	"No problem - I can give you as much water as you need to give us	
	a sample. If you leave the clinic without providing a sample, it	
	would be considered the same as a positive test, so we want to be	
	sure that you can leave a sample."	
"I only have a small portion of my (Medication	"Please bring in what you have for a pill count. You will need to	
Assisted Treatment or MAT) medications. The	find someone else who can bring your other MAT medications to	
others are stored elsewhere."	the nearest pharmacy or bring to this clinic to be counted."	
"I have some of my (MAT) medications with me		
and the others are at the school, with the other		
parent, etc."		
"I lost or flushed some of my pills."	"Please bring in what you have left for medications."	
"My pills have been stolen."	"Ok, I will let your provider know."	
"I don't like being treated like a criminal."	"I am sorry you feel like we're treating you like a criminal; that's	
	not our intention. Our providers are following the Maine law and	
	are required to routinely monitor anyone on controlled	
	substances."	
"I don't have any transportation, I can't get	"That must be difficult for you. Can you find a friend or family	
there."	member who might be able to bring you? If you aren't able to	
	come in (for a urine drug screen, pill countetc.), I'll let your	
	provider know, and we may need to discuss your treatment	
	agreement again."	

1) Front Office/Phone Conversations

2) Office Visit Conversations Specific to Substance Use Ambivalence

Person living with a substance use disorder	Provider Response	
"I can't stop using (substance x) when all my friends	"It can be difficult to stop using substance x when the people	
are doing it."	surrounding us continue to use. How will stopping the use of	
	substance x help reach your goals?"	
"Why are you stuck on my use of (substance x)?	"You've got a good point and that's important. There is a bigger	
You'd use too if you had my life."	picture here, and maybe I haven't been paying enough attention	
	to that. It's not as simple as your use of (substance x). I agree	
	with you, we shouldn't put any blame here."	
"My family is always nagging me about my use of	"It sounds like your family really cares about you and is	
(substance x) – always calling me an addict. It	concerned, although I agree they're expressing it in a way that is	
really bothers me."	disrespectful and upsets you. Maybe we can help them learn	
	how to tell you how much they love you and are worried about	
	you in a positive way."	



3) Office Visit Conversations Specific to Health Risks

Situation	Provider Response	
Communicating that a procedure may	"When I do this procedure, I want to be sure you will have the best possible	
be affected by substance use	outcome. My worry is that there are signs that your procedure may be	
	complicated by (substance x) use. I'd like to explain what these signs are and	
	have you weigh in so we can best plan your procedure."	
High health risks of using a substance	"Based on the screening results, you are at high risk of having a substance	
	use disorder. It is medically in your best interest to stop your use of (substance X). I am concerned that if you do not make a change, the	
	consequences to your health may be serious."	
Moderate health risks of using a	"Based on the screening results, you are at moderate risk of having or	
substance	developing a substance use disorder. It is medically in your best interest to	
	change your use of (substance x)."	
Low health risks of using a substance		
	disorder. However, people with any history of substance use can be at some	
	risk of developing a disorder especially in times of stress or if they have just	
	started to use recently. It is impossible to know in advance whether or not a	
	person who will develop a severe substance use disorder. As your health	
	provider, I encourage you to only use alcohol moderately (e.g. # number of	
	drinks a week) and avoid using other substances"	

4) Sample Questions to Evoke Self-Motivational Statements in an Office Setting

Problem Recognition What things make you think that this is a problem? • What difficulties have you had in relation to your drug use? • In what ways do you think you or other people have been harmed by your (use of x)? In what ways has this been a problem for you? • How has your use of (substance x) stopped you from doing what you want to do? Concern What is there about your (use of x) that you or other people might see as reasons for concern? What worries you about your drug use? What can you imagine happening to you? How much does this concern you? In what ways does this concern you? • What do you think will happen if you don't make a change? **Intention to Change** On a scale of 0-10, where zero is not at all important, and ten is extremely important, how important is it to • you to change _____? Why are you at a ____ and not a [lower number]? What might happen that could move you from a to a [one number higher]? The fact that you're here indicates that at least part of you thinks it's time to do something. What are the reasons you see for making a change? If you were 100 percent successful and things worked out exactly as you would like, what would be different? What things make you think that you should keep (using x)? What makes you think it's time for a change? • I can see that you're feeling stuck at the moment. What will need to change to feel unstuck? Optimism If you decide to make a change, what are the thoughts you believe will help you do it? What encourages you that you can change if you want to? What do you think would work for you, if you needed to change?



Changing the Way We Talk About Substance Use Disorders

Using alternative terms provides the opportunity to reduce the barriers to recovery for a person experiencing substance use disorder. Adjusting language can help to avoid judgmental and negative assumptions of people with substance use disorder – it is a small change with the potential for a big impact.

For example, the medical community has been transitioning a language shift to *use the term substance use disorder instead of drug abuse or addiction* as it acknowledges problematic substance use as a medical condition.

Below is a list of alternative terms to use instead of potentially stigmatizing terms when discussing issues related to substance use with the reasoning to inform the shift in language.

Use Alternative Terminology		Instead of Stigmatizing Terminology
language	Person with a substance use disorder	Addict
	Has an X use disorder	Addicted to X
	Person with an alcohol use disorder	Alcoholic
ered	Person in recovery	Former or Reformed Addict
Person centered language	 Individual not yet in recovery Person who is actively using X 	Untreated Addict
	 People who use substances for non-medical reasons People starting to use X substance 	Recreational, Casual, or Experimental Users (as opposed to those with a use disorder)
	 Substance exposed infant 	Drug addicted infant
	Substance FreeAbstinent	Clean or Sober
lage	 Testing negative for substance use 	Clean Screen
Neutral and objective language	 Actively using Positive for substance use 	Dirty
ectiv	 Testing positive for substance use 	Dirty Screen
nd obje	 Substance use disorder Regular substance use 	Drug Habit
ral a	Use of X substance	Drug of Choice or Abuse
Neut	 Misuse 	Hazardous, Risky, or Harmful substance use
_	Ambivalence	Denial
۲.	 Recovery Management 	Relapse Prevention
Opportunity Focused	 Return to use Recurrence of use 	Relapse
Oppo Foo	 Medication for addiction treatment (MAT) Medication for opioid use disorder 	Opioid Replacement or Methadone Maintenance



References used to develop "Words Matter: Improving the Substance Use Conversation, A Guide for Health Care Teams":

Addiction Technology Transfer Center Network. (2015). Language of Recovery. [Flyer]. n.c.: Addiction Technology Transfer Center Network. Retrieved from

http://attcnetwork.org/regcenters/productDocs/13/Language%20of%20Recovery%20-%20100515%20updated.pdf

Bouticelli, M. P. (January 9, 2017). Changing federal terminology regarding substance use and substance use disorders [Memorandum]. Washington, D.C.: Executive Office of the President Office of National Drug Control Policy. Retrieved from https://www.whitehouse.gov/sites/whitehouse.gov/files/images/Memo%20-

%20Changing%20Federal%20Terminology%20Regrading%20Substance%20Use%20and%20Substance%20Use%20Disord ers.pdf

Center for Substance Abuse Treatment. Enhancing Motivation for Change in Substance Abuse Treatment. Treatment Improvement Protocol (TIP) Series, No. 35. HHS Publication No. (SMA) 13-4212. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1999 – Revised 2013)

Corrigan, P., Larson, J., & Rüsch, N. (2009). Self-stigma and the "why try" effect: impact on life goals and evidence-based practices. World Psychiatry, 8(2), 75-81.

Corrigan, P Druss, B., & Perlick, D. (2014). The Impact of Mental Illness Stigma on Seeking and Participating in Mental Health Care. Psychological Science in the Public Interest, 15(2), 37-70. https://doi.org/10.1177/1529100614531398

Ferner, M. (2015, March 3). Here's one simple way we can change the conversation about drug abuse. Huffington Post. Retrieved from https://www.huffingtonpost.com/2015/03/03/drug-addiction-language n 6773246.html

Heflinger, C.A. & Hinshaw, S.P. (2010). Stigma in Child and Adolescent Mental Health Services Research: Understanding Professional and Institutional Stigmatization of Youth with Mental Health Problems and their Families. Administration and Policy in Mental Health and Mental Health Services Research, 37(61), 61-70. doi: https://doi.org/10.1007/s10488-010-0294-z

Institute of Medicine (US) Committee on Crossing the Quality Chasm: Adaptation to Mental Health and Addictive Disorders. (2006) Improving the Quality of Health Care for Mental and Substance-Use Conditions: Quality Chasm Series. Washington (DC): National Academies Press (US); https://www.ncbi.nlm.nih.gov/books/NBK19830/

Kelly, J. F., Saitz, R., & Wakeman, S. (2016). Language, substance use disorders, and policy: The need to reach consensus on an "addiction-ary". Alcohol Treatment Quarterly, 34 (1), 116-123. Retrieved from https://www.thenationalcouncil.org/wp-content/uploads/2016/10/Substance-Use-Teminology.pdf

Kelly, J. F., Wakemen, S. E, & Saitz, R. (2015). Stop talking 'dirty': Clinicians, language, and quality of care for the leading cause of preventable death in the United States. The American Journal of Medicine, 128(1), 8-9. doi: http://dx.doi.org/10.1016/j.amjmed.2014.07.043

Maine Quality Counts. Monitoring Controlled Substances: Scripts for Having Difficult Conversations. Chronic Pain and Controlled Medication Playbook. https://mainequalitycounts.org/what-we-do/population-health/chronic-pain-andcontrolled-medication-playbook/

National Institute on Drug Abuse. Screening for Drug Use in General Medical Settings Resource Guide. U.S. Department of Health and Human Services National Institutes of Health.

https://www.drugabuse.gov/sites/default/files/resource_guide.pdf

Schomerus, G. & Angermeyer, M. (2008). Stigma and its impact on help-seeking for mental disorders: what do we know? Epidemiol Psichiatr Soc, 17(1), 31–37.

Schulze, B. (2009) Stigma and mental health professionals: A review of the evidence on an intricate relationship, International Review of Psychiatry, 19(2), 137-155, DOI: 10.1080/09540260701278929

Schulze, B. & Angermeyer, M. (2003). Subjective experiences of stigma. A focus group study of schizophrenic patients, their relatives and mental health professionals. Social Science & Medicine, 156 (2), 299-312. doi: https://doi.org/10.1016/S0277-9536(02)00028-X



This guide was developed by the Maine Quality Counts Behavioral Health Committee, an advisory stakeholder group to the Maine Quality Counts Board of Directors.

With extended gratitude to the following committee members and community partners:

Matthew Braun, Chapter Lead, Young People in Recovery

Corrie Brown, LMSW, Substance Use Prevention Manager of Health Androscoggin

Bruce Campbell, LCSW, LADC, CCS, Clinical Director at Wellspring

Lorraine Chamberlain, LCSW, Director of Integration and Emergency Services

Eric Haram, LADC, Consultant for Substance Use Treatment

Alison Jones Webb, MA, MPH, President of Nautilus Public Health

Lisa Letourneau, MD, MPH, Associate Medical Director at Maine Quality Counts

Liz Miller, MPH, Practice Facilitator at Maine Quality Counts

Noah Nesin, MD, Vice President of Medical Affairs; Family Practitioner at Penobscot Community Health Center

Darren Ripley, LADC, CCS, Executive Director, Maine Alliance for Addiction Recovery

Catherine Ryder, LCPC, ACS, Executive Director of Tri-County Mental Health Services

Rhonda Selvin, APRN, President Maine Nurse Practitioner Association; Primary Care Provider at Augusta Family Medicine

Emilie van Eeghen, MBA, Chief Behavioral Health Officer of MaineGeneral Health; Chair of the Quality Counts Behavioral Health Committee

This guide is intended and encouraged to be shared.

See the contact information below to request:

- Technical assistance in the implementation or training related to the content of this guide
 - Permission to reproduce or revise this document



16 Association Drive, Manchester, ME Contact Email: Liz Miller, <u>Imiller@mainequalitycounts.org</u> Telephone: 1-207-620-8526