Occupational Therapy Scope of Practice

Statement of Purpose

The purpose of this document is to

- A. Define the scope of practice in occupational therapy by
 - 1. Delineating the domain of occupational therapy practice and services provided by occupational therapists and occupational therapy assistants,
 - Delineating the dynamic process of occupational therapy evaluation and intervention services used to achieve outcomes that support the participation of clients¹ in everyday life occupations, and
 - Describing the education and certification requirements needed to practice as an occupational therapist and occupational therapy assistant;
- B. Provide a model definition of occupational therapy to promote uniform standards and professional mobility across state occupational therapy statutes and regulations; and
- C. Inform consumers, health care providers, educators, the community, funding agencies, payers, referral sources, and policymakers regarding the scope of occupational therapy.

Introduction

The occupational therapy scope of practice is based on the American Occupational Therapy Association (AOTA) documents *Occupational Therapy Practice Framework: Domain and Process* (4th ed.; AOTA, 2020c) and the *Philosophical Base of Occupational Therapy* (AOTA, 2017), which states that "the use of occupation to promote individual, family, community, and population health is the core of occupational therapy practice, education, research, and advocacy" (p. 1). Occupational therapy is a dynamic and evolving profession that is responsive to consumer and societal needs, to system changes, and to emerging knowledge and research.

Although this document may be a resource to use with state statutes and regulations that govern the practice of occupational therapy, it does not supersede existing laws and other regulatory requirements.

¹"The clients of occupational therapy are typically classified as persons (including those involved in care of a client), groups (collections of individuals having shared characteristics or a common or shared purpose; e.g., family members, workers, students, people with similar interests or occupational challenges), and populations (aggregates of people with common attributes such as contexts, characteristics, or concerns, including health risks)"; Scaffa & Reitz, 2014, as quoted in AOTA, 2020c, p. 2).

POSITION STATEMENT

Occupational therapists and occupational therapy assistants are required to abide by relevant statutes and regulations when providing occupational therapy services. State statutes and other regulatory requirements typically include statements about educational requirements to be eligible for licensure as an occupational therapy practitioner, procedures to practice occupational therapy legally within the defined area of jurisdiction, the definition and scope of occupational therapy practice, and supervision requirements for occupational therapy assistants.

It is the position of AOTA that a referral is not required for the provision of occupational therapy services; however, laws and payment policies generally affect referrals for such services. AOTA's position is also that "an occupational therapist accepts and responds to referrals in compliance with state or federal laws, other regulatory and payer requirements, and AOTA documents" (AOTA, 2015b, Standard II.2, p. 3). State laws and other regulatory requirements should be viewed as minimum criteria to practice occupational therapy. A *Code of Ethics* and related standards of conduct ensure safe and effective delivery of occupational therapy services (AOTA, 2020a). Policies of payers such as public and private insurance companies also must be followed.

Occupational therapy services may be provided by two levels of practitioners: (1) the occupational therapist and (2) the occupational therapy assistant, as well as by occupational therapy students under appropriate supervision (AOTA, 2018). Occupational therapists function as autonomous practitioners, are responsible for all aspects of occupational therapy service delivery, and are accountable for the safety and effectiveness of the occupational therapy service delivery process.

The occupational therapy assistant delivers occupational therapy services only under the supervision of and in partnership with the occupational therapist (AOTA, 2020b). When the term *occupational therapy practitioner* is used in this document, it refers to both occupational therapists and occupational therapy assistants (AOTA, 2015a).

Definition of Occupational Therapy

The Occupational Therapy Practice Framework: Domain and Process (4th ed.; AOTA, 2020c) defines occupational therapy as

therapeutic use of everyday life occupations with persons, groups, or populations (i.e., clients) for the purpose of enhancing or enabling participation. Occupational therapy practitioners use their knowledge of the transactional relationship among the client, their engagement in valuable occupations, and the context to design occupation-based intervention plans. Occupational therapy services are provided for habilitation, rehabilitation, and promotion of health and wellness for clients with disability- and non-disability-related needs. Services promote acquisition and preservation of occupational identity for those who have or are at risk for developing an illness, injury, disease, disorder, condition, impairment, disability, activity limitation, or participation restriction. (p. 80)

Exhibit 1 contains the model definition of occupational therapy for the AOTA (2021) Model Occupational Therapy Practice Act in a format that will be used to assert the scope of practice of occupational therapy for state regulation. States are encouraged to adopt this language in their practice acts because it reflects the contemporary occupational therapy scope of practice.

Scope of Practice: Domain and Process

The scope of practice includes the domain and process of occupational therapy services. These two concepts are intertwined, with the *domain* (Exhibit 2) defining the focus of occupational therapy and the *process* (Exhibit 3) defining the delivery of occupational therapy.

The *domain* of occupational therapy includes the everyday life occupations that people find meaningful and purposeful; aspects of the domain are presented in Exhibit 2. Within this domain, occupational therapy services enable clients to participate in their everyday life occupations in their desired roles, contexts, and life situations.

Clients may be persons, groups, or populations. The domain of occupational therapy consists of the following occupations in which clients engage throughout the life course (AOTA, 2020c, pp. 30–34, Table 2):

- ADLs (activities oriented toward taking care of one's own body and completed on a routine basis; e.g., bathing, feeding, dressing)
- IADLs (activities to support daily life within the home and community that often require complex interactions; e.g., household management, financial management, child care)
- Health management (activities related to developing, managing, and maintaining health and wellness routines, including self-management, with the goal of improving or maintaining health to support participation in other occupations; e.g., medication management, social and emotional health promotion and maintenance)
- Rest and sleep (activities relating to obtaining restorative rest and sleep, including identifying the need for rest and sleep, preparing for sleep, and participating in rest and sleep)
- Education (activities needed for learning and participating in the educational environment)
- Work (activities for engaging in employment or volunteer activities with financial and nonfinancial benefits)
- Play (activities that are intrinsically motivated, internally controlled, and freely chosen)
- Leisure (nonobligatory and intrinsically motivated activities during discretionary time)
- Social participation (activities that involve social interaction with others and support social interdependence).

Within their domain of practice, occupational therapists and occupational therapy assistants consider the repertoire of occupations in which the client engages, the contexts influencing engagement, the performance patterns and skills the client uses, the demands of the occupation, and the client's body functions and structures. Occupational therapy practitioners use their knowledge and skills, including therapeutic use of self, to help clients conduct or resume daily life occupations that support function and health throughout the lifespan. Participation in occupations that are meaningful to the client involves emotional, psychosocial, cognitive, and physical aspects of performance. Participation in meaningful occupations enhances health, well-being, and life satisfaction.

The domain of occupational therapy practice complements the World Health Organization's (2008) conceptualization of *participation* and *health* articulated in the *International Classification of Functioning, Disability and Health (ICF)*. Occupational therapy incorporates the basic constructs of the *ICF,* including context, participation, activities, and body structures and functions, in interventions to enable full participation in occupations and maximize occupational engagement.

The *process* of occupational therapy refers to the delivery of services and includes evaluating, intervening, and targeting of outcomes, as detailed in Exhibit 3. Occupation remains central to the occupational therapy process, which is client centered, involving collaboration with the client throughout each aspect of service delivery. There are many service delivery approaches, including direct (e.g., providing individual services in person, leading a group session, interacting with clients and families through telehealth systems) and indirect (services on the client's behalf; e.g., consultation to teachers, multidisciplinary teams, and community planning agencies), and services can be delivered at the person, group, or population level. This process includes the following key components:

- Evaluation and intervention may address one or more aspects of the domain that influence occupational performance.
- During the evaluation, the occupational therapist develops an occupational profile; analyzes the client's ability to carry out everyday life activities; and determines the client's occupational needs, strengths, barriers to participation, and priorities for intervention.
- Intervention includes planning and implementing occupational therapy services, including education and training, advocacy, group interventions, and virtual interventions. The occupational therapist and occupational therapy assistant in partnership with the client use occupation-based theories, frames of reference, evidence, and clinical reasoning to guide the intervention (AOTA, 2020c).

Exhibit 1. Definition of Occupational Therapy for Use in State Regulations

The practice of occupational therapy means the therapeutic use of everyday life occupations with persons, groups, or populations (clients) to support occupational performance and participation. Occupational therapy practice includes clinical reasoning and professional judgment to evaluate, analyze, and diagnose occupational challenges (e.g., issues with client factors, performance patterns, and performance skills) and provide occupation-based interventions to address them. Occupational therapy services include habilitation, rehabilitation, and the promotion of physical and mental health and wellness for clients with all levels of ability-related needs. These services are provided for clients who have or are at risk for developing an illness, injury, disease, disorder, condition, impairment, disability, activity limitation, or participation restriction. Through the provision of skilled services and engagement in everyday activities, occupational therapy promotes physical and mental health and well-being by supporting occupational performance in people with, or at risk of experiencing, a range of developmental, physical, and mental health disorders.

The practice of occupational therapy includes the following components:

- A. Evaluation of factors affecting activities of daily living (ADLs), instrumental activities of daily living (IADLs), health management, rest and sleep, education, work, play, leisure, and social participation, including
 - 1. Contexts (environmental and personal factors) and occupational and activity demands that affect performance
 - 2. Performance patterns, including habits, routines, roles, and rituals
 - 3. Performance skills, including motor skills (e.g., moving oneself or moving and interacting with objects), process skills (e.g., actions related to selecting, interacting with, and using tangible task objects), and social interaction skills (e.g., using verbal and nonverbal skills to communicate)
 - 4. Client factors, including body functions (e.g., neuromuscular, sensory, visual, mental, psychosocial, cognitive, pain factors), body structures (e.g., cardiovascular, digestive, nervous, integumentary, genitourinary systems; structures related to movement), values, beliefs, and spirituality.
- B. Methods or approaches to identify and select interventions, such as
 - 1. Establishment, remediation, or restoration of a skill or ability that has not yet developed, is impaired, or is in decline
 - 2. Compensation, modification, or adaptation of occupations, activities, and contexts to improve or enhance performance
 - 3. Maintenance of capabilities to prevent decline in performance in everyday life occupations
 - 4. Health promotion and wellness to enable or enhance performance in everyday life activities and quality of life
 - 5. Prevention of occurrence or emergence of barriers to performance and participation, including injury and disability prevention
- C. Interventions and procedures to promote or enhance safety and performance in ADLs, IADLs, health management, rest
 - and sleep, education, work, play, leisure, and social participation, for example,
 - 1. Therapeutic use of occupations and activities
 - 2. Training in self-care, self-management, health management (e.g., medication management, health routines), home management, community and work integration, school activities and work performance
 - 3. Identification, development, remediation, or compensation of physical, neuromusculoskeletal, sensory-perceptual, emotional regulation, visual, mental, and cognitive functions; pain tolerance and management; praxis; developmental skills; and behavioral skills
 - 4. Education and training of persons, including family members, caregivers, groups, populations, and others
 - 5. Care coordination, case management, and transition services
 - 6. Consultative services to persons, groups, populations, programs, organizations, and communities
 - 7. Virtual interventions (e.g., simulated, real-time, and near-time technologies, including telehealth and mobile technology)
 - 8. Modification of contexts (environmental and personal factors in settings such as home, work, school, and community) and adaptation of processes, including the application of ergonomic principles
 - 9. Assessment, design, fabrication, application, fitting, and training in seating and positioning, assistive technology, adaptive devices, and orthotic devices, and training in the use of prosthetic devices
 - 10. Assessment, recommendation, and training in techniques to enhance functional mobility, including fitting and management of wheelchairs and other mobility devices
 - 11. Exercises, including tasks and methods to increase motion, strength, and endurance for occupational participation
 - 12. Remediation of and compensation for visual deficits, including low vision rehabilitation
 - 13. Driver rehabilitation and community mobility
 - 14. Management of feeding, eating, and swallowing to enable eating and feeding performance

(Continued)

Exhibit 1. Definition of Occupational Therapy for Use in State Regulations (cont'd)

- 15. Application of physical agent and mechanical modalities and use of a range of specific therapeutic procedures (e.g., wound care management; techniques to enhance sensory, motor, perceptual, and cognitive processing; manual therapy techniques) to enhance performance skills
- 16. Facilitating the occupational participation of persons, groups, or populations through modification of contexts (environmental and personal) and adaptation of processes
- 17. Efforts directed toward promoting occupational justice and empowering clients to seek and obtain resources to fully participate in their everyday life occupations
- 18. Group interventions (e.g., use of dynamics of group and social interaction to facilitate learning and skill acquisition across the life course).

Source. From American Occupational Therapy Association. (2021). Definition of occupational therapy practice for the AOTA Model Practice Act, p. 1. Available at https:// www.aota.org/Advocacy-Policy/State-Policy/Resource-Factsheets.aspx

Copyright $\textcircled{\sc 0}$ 2021 by the American Occupational Therapy Association. Used with permission.

 The outcomes of occupational therapy intervention are directed toward "achieving health, well-being, and participation in life through engagement in occupations" (AOTA, 2020c, p. 5). Outcomes of the intervention determine future actions with the client and include occupational performance, improvement, enhancement, prevention (of risk factors, disease, and disability), health and wellness, quality of life, participation, role competence, well-being, and occupational justice (AOTA, 2020c). "Occupational adaptation, or the client's effective and efficient response to occupational and contextual demands, is interwoven through all of these outcomes" (AOTA, 2020c, p. 26).

Sites of Intervention and Areas of Focus

Occupational therapy services are provided to clients across the life course. Practitioners work in collaboration with clients to address occupational needs and issues in areas such as mental health; work and industry; participation in education; rehabilitation, disability, and participation; productive aging; and health and wellness.

Along the continuum of service, occupational therapy services are provided to clients in a variety of settings, such as

Institutional (inpatient) settings (e.g., acute care, rehabilitation facilities, psychiatric hospitals, community and specialty-focused hospitals, nursing facilities, prisons),

Exhibit 2. Aspects of the Domain of Occupational Therapy

All aspects of the occupational therapy domain transact to support engagement, participation, and health. This exhibit does not imply a hierarchy.

Occupations	Contexts	Performance Patterns	Performance Skills	Client Factors
Activities of daily living (ADLs) Instrumental activities of daily living (IADLs) Health management Rest and sleep Education Work Play Leisure Social participation	Environmental factors Personal factors	Habits Routines Roles Rituals	Motor skills Process skills Social interaction skills	Values, beliefs, and spirituality Body functions Body structures

Source. From American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). American Journal of Occupational Therapy, 74(Suppl. 2), 7412410010, p. 7. https://doi.org/10.5014/ajot.2020.74S2001 Copyright © 2020 by the American Occupational Therapy Association. Used with permission.

Exhibit 3. Operationalizing the Occupational Therapy Process

Ongoing interaction among evaluation, intervention, and outcomes occurs throughout the occupational therapy process.

Evaluation

Occupational Profile

- Identify the following:
 - ° Why is the client seeking services, and what are the client's current concerns relative to engaging in occupations and in daily life activities?
 - In what occupations does the client feel successful, and what barriers are affecting their success in desired occupations?
 - ° What is the client's occupational history (i.e., life experiences)?
 - ° What are the client's values and interests?
 - ^o What aspects of their contexts (environmental and personal factors) does the client see as supporting engagement in desired occupations, and what aspects are inhibiting engagement?
 - ° How are the client's performance patterns supporting or limiting occupational performance and engagement?
 - ° What are the client's patterns of engagement in occupations, and how have they changed over time?
 - ^o What client factors does the client see as supporting engagement in desired occupations, and what aspects are inhibiting engagement (e.g., pain, active symptoms)?
 - ^o What are the client's priorities and desired targeted outcomes related to occupational performance, prevention, health and wellness, quality of life, participation, role competence, well-being, and occupational justice?

Analysis of Occupational Performance

• The analysis of occupational performance involves one or more of the following:

- ° Synthesizing information from the occupational profile to determine specific occupations and contexts that need to be addressed
- ° Completing an occupational or activity analysis to identify the demands of occupations and activities on the client
- Selecting and using specific assessments to measure the quality of the client's performance or performance deficits while completing occupations or activities relevant to desired occupations, noting the effectiveness of performance skills and performance patterns
- Selecting and using specific assessments to measure client factors that influence performance skills and performance patterns
- Selecting and administering assessments to identify and measure more specifically the client's contexts and their impact on occupational performance.

Synthesis of Evaluation Process

• This synthesis may include the following:

- ° Determining the client's values and priorities for occupational participation
- ° Interpreting the assessment data to identify supports and hindrances to occupational performance
- ° Developing and refining hypotheses about the client's occupational performance strengths and deficits
- ° Considering existing support systems and contexts and their ability to support the intervention process
- ° Determining desired outcomes of the intervention
- ° Creating goals in collaboration with the client that address the desired outcomes
- Selecting outcome measures and determining procedures to measure progress toward the goals of intervention, which
 may include repeating assessments used in the evaluation process.

Intervention

Intervention Plan

· Develop the plan, which involves selecting

- ° Objective and measurable occupation-based goals and related time frames;
- Occupational therapy intervention approach or approaches, such as create or promote, establish or restore, maintain, modify, or prevent; and
- ° Methods for service delivery, including what types of intervention will be provided, who will provide the interventions, and which service delivery approaches will be used.

(Continued)

Exhibit 3. Operationalizing the Occupational Therapy Process (cont'd)

Evaluation

- Consider potential discharge needs and plans.
- Make recommendations or referrals to other professionals as needed.

Intervention Implementation

- Select and carry out the intervention or interventions, which may include the following:
 - $^{\circ}$ Therapeutic use of occupations and activities
 - $^{\circ}$ Interventions to support occupations
 - $^{\circ}$ Education
 - $^{\circ}$ Training
 - ° Advocacy
 - ° Self-advocacy
 - ° Group intervention
 - ° Virtual interventions.
- Monitor the client's response through ongoing evaluation and reevaluation.

Intervention Review

- Reevaluate the plan and how it is implemented relative to achieving outcomes.
- Modify the plan as needed.
- · Determine the need for continuation or discontinuation of services and for referral to other services.

Outcomes

Outcomes

- Select outcome measures early in the occupational therapy process (see the "Evaluation" section of this table) on the basis of theirproperties:
 - ° Valid, reliable, and appropriately sensitive to change in clients' occupational performance
 - $^{\circ}$ Consistent with targeted outcomes
 - ° Congruent with the client's goals
 - ° Able to predict future outcomes.
- · Use outcome measures to measure progress and adjust goals and interventions by
 - ° Comparing progress toward goal achievement with outcomes throughout the intervention process and
 - Assessing outcome use and results to make decisions about the future direction of intervention (e.g., continue, modify, transition, discontinue, provide follow-up, refer for other service).

Source. From American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). American Journal of Occupational Therapy, 74(Suppl. 2), 7412410010, p. 16. https://doi.org/10.5014/ajot.2020.74S2001 Copyright © 2020 by the American Occupational Therapy Association. Used with permission.

- Outpatient settings (e.g., hospitals, clinics, medical and therapy offices),
- Home and community settings (e.g., residences, group homes, assisted living, schools, early intervention centers, day care centers, industry and business, hospice, homeless shelters, transitional living facilities, wellness and fitness centers, community mental health facilities, public and private transportation agencies, park districts, work sites), and
- Research facilities.

Education and Certification Requirements

To practice as an occupational therapist, the individual trained in the United States

 Has graduated from an occupational therapy program accredited by the Accreditation Council for Occupational Therapy Education (ACOTE[®]; 2018) or predecessor organizations;

- Has successfully completed a period of supervised fieldwork experience required by the recognized educational institution where the applicant met the academic requirements of an educational program for occupational therapists that is accredited by ACOTE or predecessor organizations;
- Has passed a nationally recognized entry-level examination for occupational therapists; and
- Fulfills state requirements for licensure, certification, or registration.

To practice as an occupational therapy assistant, the individual trained in the United States

- Has graduated from an occupational therapy assistant program accredited by ACOTE or predecessor organizations;
- Has successfully completed a period of supervised fieldwork experience required by the recognized educational institution where the applicant met the academic requirements of an educational program for occupational therapy assistants that is accredited by ACOTE or predecessor organizations;
- Has passed a nationally recognized entry-level examination for occupational therapy assistants; and
- Fulfills state requirements for licensure, certification, or registration.

AOTA supports licensure of qualified occupational therapists and occupational therapy assistants (AOTA, 2016). State and other legislative or regulatory agencies may impose additional requirements to practice as occupational therapists and occupational therapy assistants in their area of jurisdiction.

References

- Accreditation Council for Occupational Therapy Education. (2018). 2018 Accreditation Council for Occupational Therapy Education (ACOTE[®]) standards and interpretive guide (effective July 31, 2020). *American Journal of Occupational Therapy*, *72*(Suppl. 2), 7212410005. https:// doi.org/10.5014/ajot.2018.72S217
- American Occupational Therapy Association. (2015a). Policy A.23: Categories of occupational therapy personnel and students. In *Policy manual (2019 ed., pp.* 26–27).
- American Occupational Therapy Association. (2015b). Standards of practice for occupational therapy. *American Journal of Occupational Therapy*, 69(Suppl. 3), 6913410057. https://doi.org/10.5014/ajot.2015.696S06
- American Occupational Therapy Association. (2016). Policy E.9: Licensure. In *Policy manual (2019 ed., pp.* 66–67).
- American Occupational Therapy Association. (2017). Philosophical base of occupational therapy. *American Journal of Occupational Therapy*, 71(Suppl. 2), 7112410045. https://doi.org/10.5014/ajot.716S06
- American Occupational Therapy Association. (2018). Fieldwork Level II and occupational therapy students. *American Journal of Occupational Therapy*, 72(Suppl. 2), 7212410020. https://doi.org/10.5014/ ajot.2018.72S205
- American Occupational Therapy Association. (2020a). AOTA 2020 occupational therapy code of ethics. *American Journal of Occupational Therapy*, *74*(Suppl. 3), 7413410005. https://doi.org/10.5014/ ajot.2020.74S3006
- American Occupational Therapy Association. (2020b). Guidelines for supervision, roles, and responsibilities during the delivery of occupational therapy services. *American Journal of Occupational Therapy*, 74(Suppl. 3), 7413410020. https://doi.org/10.5014/ajot.2020.74S3004
- American Occupational Therapy Association. (2020c). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy*, 74(Suppl. 2), 7412410010. https://doi.org/ 10.5014/ajot.2020.74S2001
- American Occupational Therapy Association. (2021). *Definition of occupational therapy practice for the AOTA Model Practice Act* Available at https://www.aota.org/Advocacy-Policy/State-Policy/Resource-Factsheets.aspx
- World Health Organization. (2008). International classification of functioning, disability and health.

Edited by the Commission on Practice, 2010 and 2014 Edited by the Commission on Practice, 2021 Julie Dorsey, OTD, OTR/L, CEAS, FAOTA, *Chairperson*

Adopted by the Representative Assembly Coordinating Council (RACC) for the Representative Assembly, 2021

Note. This document replaces the 2014 document *Scope of Practice*, previously published and copyrighted in 2014 by the American Occupational Therapy, 68(Suppl. 3), S34–S40. https://doi.org/10.5014/ ajot.2014.686S04

Copyright © 2021 by the American Occupational Therapy Association.

Citation: American Occupational Therapy Association. (2021). Occupational therapy scope of practice. *American Journal of Occupational Therapy*, 75(Suppl. 3), 7513410030. https://doi.org/10.5014/ajot.2021.75S3005

The National Board for Certification in Occupational The Sound for Methode Notes and The Sound States and The Sound States and The Sound States and The Sound States and States RANDELLE ROBYN GUNDERSON the designation of OTR® OCCUPATIONAL THERAPIST REGISTERED 0 For having satisfied in full the certification requirements of the credential and thereby is entitled to all rights, privileges and responsibilities pertaining thereto. VALID THROUGH: INITIAL CERTIFICATION DATE: CERTIFICATION NUMBER: 03/31/2025 09/09/2021 460700

Paul Drace

Paul Grace PRESIDENT & CEO. NBCOT Dee Berline-Tauman

Dee Berline - Nauman CHAIRPERSON, NBCOT BOARD OF DIRECTORS

NCCA

This certificate is the property of NBCOT, Inc., One Bank Street, Suite 300, Gaithersburg, MD 20878



OTR® & COTA® Credential Verification

Monday, 3 March 6:56:43 PM

Fullname	City	State/Province	Credential	Cert#	Initial Date	Expiration Date	Status
Randelle Gunderson	Henderson	Nevada	OTR®	460700	09 Sep 2021	31 Mar 2025	Active - In good standing

Showing 1 entries

Primary Source Disclaimer:

The data in this website is provided, controlled, and maintained entirely, by the National Board for Certification in Occupational Therapy, Inc. (NBCOT®) and its employees and is not modifiable by any outside source. The NBCOT® provides current data extracted from our database and constitutes a primary source verification. Each data item has been verified by NBCOT® personnel from the primary source unless otherwise specified. Every attempt is made to ensure the accuracy, reliability, and compliance with applicable accreditation and certification standards for the information displayed. The NBCOT® maintains timely updates to this website. No responsibility is assured or implied for errors or omissions created or caused by technical difficulties. No one shall be entitled to claim detrimental reliance thereon.

NBCOTNAVIGATØR®

CERTIFICATE OF COMPLETION

THE NATIONAL BOARD FOR CERTIFICATION IN OCCUPATIONAL THERAPY, INC. (NBCOT[®]) HEREBY CERTIFIES

Randelle Gunderson, OTR

NBCOT[®] Certification #: 460700

COMPLETED

Practice Assessment: Pain Management

CAU EARNED: 2 DATE COMPLETED: December 01,2023

Paul Grace

Paul Grace, MS, CAE Chief Executive Officer, NBCOT 12/1/2023

NBCOTNAVIGATØR®

CERTIFICATE OF COMPLETION

THE NATIONAL BOARD FOR CERTIFICATION IN OCCUPATIONAL THERAPY, INC. (NBCOT[®]) HEREBY CERTIFIES

Randelle Gunderson, OTR

NBCOT[®] Certification #: 460700

COMPLETED

Community Mental Health

CAU EARNED: 0.5 DATE COMPLETED: November 14,2023

Paul Drace

Paul Grace, MS, CAE Chief Executive Officer, NBCOT 12/21/2023

TOURO UNIVERSITY NEVADA

VIOLENCE INTERVENTION AND PREVENTION: CREATING SAFE COMMUNITIES PROGRAM FOR MEDICAL/ HEALTH PROFESSIONALS

2021

THIS CERTIFIES THAT

Randelle Gunderson

COMPLETED 4 HOURS OF INTERPERSONAL VIOLENCE PREVENTION TRAINING FOR MEDICAL/HEALTH PROFESSIONALS AS A PRIMER ON RECOGNIZING SIGNS OF ABUSIVE BEHAVIOR AND WAYS TO INTERVENE IN INSTANCES OF VIOLENCE IN ORDER TO CREATE SAFE COMMUNITIES AND PERSONAL WELL-BEING



Jula Kert

Carla Perlotto, PhD Licensed Psychologist Touro University Nevada

Wayua Barrett RAPE CRISIS

Wayua Barrett, BA Director of Prevention, Education & Outreach The Rape Crisis Center



OCCUPATIONAL THERAPY

Clinical Fieldwork Supervisor: Randelle Gunderson, OTD, OTR/L

has provided the following fieldwork supervision:

Fieldwork Level:	🗖 Level I	🔽 Level II		
Number of OTR students supervised:	1			
Number of CEUs received: _	12			
Name of Facility:	Tilton's Therapy			
Dates of Supervision: May 22, 2023 - August 11th, 2023				

Signature, Academic Fieldwork Coordinator: Ut But, otD, OTP/L

Print Name: Christina Bustanoby, OTD, OTR/L

Date: August 24th, 2023







This certificate is presented to

Randelle Gunderson

For succesfully completing the CPR Select's course in

CPR/AED Certification

(Adult, Child & Infant)

This card certifies that the individual has successfully completed the National Cognitive Guidelines course as per the CPR Select curriculum, adhering to the 2020 ECC/ILCOR and AHA cognitive guidelines. This certification is valid for two years from the date of issuance.



Date Issued 27 Feb, 2025

Expiry 27 Feb, 2027

Control number 8014291



Verify

Authorized Instructor



Standards of Practice for Occupational Therapy

his document defines minimum standards for the practice of occupational therapy. According to the Occupational Therapy Practice Framework: Domain and Process (4th ed.; OTPF-4),

occupational therapy is defined as the therapeutic use of everyday life occupations with persons, groups, or populations (i.e., the client) for the purpose of enhancing or enabling participation. . . . Occupational therapy services are provided for habilitation, rehabilitation, and promotion of health and wellness for clients with disability- and non–disability-related needs. These services include acquisition and preservation of occupational identity for clients who have or are at risk for developing an illness, injury, disease, disorder, condition, impairment, disability, activity limitation, or participation restriction. (American Occupational Therapy Association [AOTA], 2020c, p. 1)

Occupational therapy practice addresses the physical, cognitive, psychosocial, sensory–perceptual, and other aspects of clients' performance in a variety of contexts to support their engagement in occupations that affect physical and mental health, well-being, and quality of life (AOTA, 2011, p. 1).

The Standards of Practice for Occupational Therapy are requirements for occupational therapists and occupational therapy assistants for the delivery of occupational therapy services. The Reference Manual of the Official Documents of the American Occupational Therapy Association, Inc. (AOTA, 2018b), contains documents that clarify and support occupational therapy practice, as do various issues and supplements of the American Journal of Occupational Therapy. These documents are reviewed and updated on an ongoing basis for their applicability.

Education, Examination, and Licensure Requirements

All occupational therapists and occupational therapy assistants must practice within compliance with federal and

state laws (AOTA, 2020a). To practice as an occupational therapist, the individual trained in the United States

- has graduated from an occupational therapy program accredited by the Accreditation Council for Occupational Therapy Education (ACOTE[®]; 2018) or predecessor organizations;
- has successfully completed a period of supervised fieldwork experience required by the recognized educational institution where the applicant met the academic requirements of an educational program for occupational therapists that is accredited by ACOTE or predecessor organizations;
- has passed a nationally recognized entry-level examination for occupational therapists; and
- fulfills state requirements for licensure, certification, or registration.

To practice as an occupational therapy assistant, the individual trained in the United States

 has graduated from an occupational therapy assistant program accredited by ACOTE or predecessor organizations;

AOTA OFFICIAL DOCUMENT

- has successfully completed a period of supervised fieldwork experience required by the recognized educational institution where the applicant met the academic requirements of an educational program for occupational therapy assistants that is accredited by ACOTE or predecessor organizations;
- has passed a nationally recognized entry-level examination for occupational therapy assistants; and
- fulfills state requirements for licensure, certification, or registration.

AOTA (2019) supports licensure of qualified occupational therapists and occupational therapy assistants. State and other legislative or regulatory agencies may impose additional requirements to practice as occupational therapists and occupational therapy assistants in their area of jurisdiction.

Definitions

The following definitions are used in this document:

- Activities: Actions designed and selected to support the development of performance skills and performance patterns to enhance occupational engagement (AOTA, 2020c, p. 74).
- Assessment: "A specific tool, instrument, or systematic interaction . . . used to understand a client's occupational profile, client factors, performance skills, performance patterns, and contextual and environmental factors, as well as activity demands that influence occupational performance" (Hinojosa et al., 2014, as quoted in AOTA, 2020c, p. 74).
- Client: Person (including one involved in the care of a client), group (collection of individuals having shared characteristics or common or shared purpose, e.g., family members, workers, students, and those with similar interests or occupational challenges), or population (aggregate of people with common attributes such as contexts, characteristics, or concerns, including health risks; Scaffa & Reitz, 2014, as cited in AOTA, 2020c, p. 75).

- Discontinuation of services: Occurs when the client ends services after meeting short- and long-term goals or chooses to no longer receive services (AOTA, 2020c, p. 28).
- Evaluation: "The comprehensive process of obtaining and interpreting the data necessary to understand the person, system, or situation.... Evaluation requires synthesis of all data obtained, analytic interpretation of that data, reflective clinical reasoning, and consideration of occupational performance and contextual factors" (Hinojosa et al., 2014, as quoted in AOTA, 2020c, p. 76).
- Intervention: Process and skilled actions taken by occupational therapy practitioners in collaboration with the client to facilitate engagement in occupation related to health and participation. The intervention process includes the plan, implementation, and review (AOTA, 2020c, p. 78, Table 12).
- Occupation: Everyday personalized activities that people do as individuals, in families, and with communities to occupy time and bring meaning and purpose to life. Occupations can involve the execution of multiple activities for completion and can result in various outcomes. The broad range of occupations is categorized as activities of daily living, instrumental activities of daily living, health management, rest and sleep, education, work, play, leisure, and social participation (AOTA, 2020c, p. 79, Table 2).
- Outcome: Result clients can achieve through occupational therapy intervention (AOTA, 2020c, p. 80, Table 14).
- *Reevaluation:* Reappraisal of the client's performance and goals to determine the type and amount of change that has taken place (AOTA, 2020c, p. 82).
- Screening: "Process of reviewing available data, observing a client, or administering screening instruments to identify a person's (or a population's) potential strengths and limitations and the need for further assessment" (Hinojosa et al., 2014, as quoted in AOTA, 2020c, p. 83).

AOTA OFFICIAL DOCUMENT

Downloaded from http://research.aota.org/ajot/article-pdf/75/Supplement_3/7513410030/73808/7513410030.pdf by Randelle Gunderson on 04 March 2025

• *Transition:* Movement from one life role or experience to another. In occupational therapy, transitions are actions coordinated to prepare for or facilitate a change, such as from one functional level to another, from one life stage to another, from one program to another, or from one environment to another.

Standard I. Professional Standing and Responsibility

- An occupational therapy practitioner (occupational therapist or occupational therapy assistant) delivers occupational therapy services that reflect the philosophical base of occupational therapy and are consistent with the established principles and concepts of theory and practice. The cornerstones of occupational therapy practice are as follows: core values rooted in occupation, knowledge of and expertise in the therapeutic use of occupation, professional behaviors and dispositions, and therapeutic use of self (AOTA, 2020c). These cornerstones identify the distinct knowledge and skills of the occupational therapy practitioner.
- An occupational therapy practitioner is knowledgeable about and delivers occupational therapy services in accordance with AOTA standards, policies, and guidelines and state, federal, and other regulatory and payer requirements relevant to practice and service delivery.
- An occupational therapy practitioner maintains current licensure, registration, or certification as required by law or regulation.
- 4. An occupational therapy practitioner abides by the AOTA 2020 Occupational Therapy Code of Ethics (AOTA, 2020a).
- An occupational therapy practitioner abides by the Standards for Continuing Competence (AOTA, 2015) by establishing, maintaining, and updating professional performance, knowledge, and skills.
- An occupational therapist is responsible for all aspects of occupational therapy service delivery and is accountable for the safety and effectiveness of the occupational therapy service delivery process (AOTA, 2020b).

- An occupational therapy assistant is responsible for providing safe and effective occupational therapy services under the direct and indirect supervision of and in partnership with the occupational therapist and in accordance with laws or regulations and AOTA official documents (AOTA, 2020b).
- 8. An occupational therapy practitioner maintains current knowledge of legislative, political, social, cultural, societal, and reimbursement issues that affect clients and the practice of occupational therapy.
- An occupational therapy practitioner is knowledgeable about evidence-informed practice and applies it ethically and appropriately to provide occupational therapy services consistent with best practice approaches.
- 10. An occupational therapist demonstrates professional and clinical reasoning to evaluate, analyze, and diagnose occupational challenges (e.g., issues with client factors, performance patterns, and performance skills) and provide occupation-based interventions to address them (ACOTE, 2018; AOTA, 2020c).
- An occupational therapy assistant demonstrates professional and clinical reasoning to address occupation-based interventions, client factors, performance patterns, and performance skills (ACOTE, 2018; AOTA, 2020c).
- 12. An occupational therapy practitioner obtains the client's consent before and throughout the occupational therapy process.
- An occupational therapy practitioner is an effective advocate for the client's intervention and accommodation needs.
- 14. An occupational therapy practitioner is an integral member of the interprofessional collaborative team and works to ensure the client-centeredness of the service delivery process.
- 15. An occupational therapy practitioner providing clientcentered services demonstrates cultural humility, recognizes gaps in cultural knowledge and maintains a constant process of learning, understands differentiations between and within cultures, acknowledges implicit and explicit bias, and recognizes power

3

dynamics in the delivery of services (Agner, 2020; AOTA, 2020d).

Standard II. Service Delivery

- An occupational therapy practitioner provides skilled occupational therapy services through a direct service delivery approach when interventions are completed in direct contact with clients and families during in-person meetings, group sessions, and telehealth and mHealth interactions (AOTA, 2020c).
- An occupational therapy practitioner may provide skilled occupational therapy services through an indirect service delivery approach. Such services include consultation to entities such as teachers and school systems, participation on multidisciplinary teams and community planning agencies, and advocacy on behalf of their clients (AOTA, 2020c).
- An occupational therapy practitioner is responsible for ensuring client safety throughout the occupational therapy process and service delivery.
- An occupational therapy practitioner is responsible for the continual evaluation of the effectiveness of occupational therapy processes and service delivery within the practice setting.

Standard III. Screening, Evaluation, and Reevaluation

- 1. An occupational therapist is responsible for all aspects of the screening, evaluation, and reevaluation process.
- An occupational therapist accepts and responds to referrals in compliance with state or federal laws, other regulatory and payer requirements, and AOTA official documents.
- An occupational therapist, in collaboration with the client (person, group, or population), completes both an occupational profile and an analysis of occupational performance to evaluate and identify the client's needs, supports, and barriers to occupational performance.

- 4. An occupational therapist initiates and directs the screening, evaluation, and reevaluation process and analyzes, interprets, and synthesizes the data in accordance with federal and state laws, other regulatory and payer requirements, and AOTA official documents.
- 5. An occupational therapy assistant contributes to the screening, evaluation, and reevaluation process by administering delegated assessments of occupational performance and by reporting assessment results to the occupational therapist in accordance with federal and state laws, other regulatory and payer requirements, and AOTA official documents.
- An occupational therapy practitioner uses evidencebased, standardized, and/or structured assessment tools and protocols and conducts needs assessments during the screening, evaluation, and reevaluation process (AOTA, 2018a).
- 7. An occupational therapist completes, documents, and synthesizes the results of the occupational therapy evaluation. An occupational therapy assistant may contribute to the documentation of evaluation results. An occupational therapy practitioner abides by the time frames, formats, and standards established by practice settings, federal and state laws, other regulatory and payer requirements, external accreditation programs, and AOTA official documents.
- 8. An occupational therapy practitioner communicates screening, evaluation, and reevaluation results within the boundaries of client confidentiality and privacy regulations.
- An occupational therapist recommends additional consultations or refers clients to appropriate resources when the needs of the client can best be served by the expertise of other professionals or services.
- 10. An occupational therapy practitioner educates current and potential referral sources about the scope of occupational therapy services and the process of initiating occupational therapy services.

Standard IV: Intervention Process

- An occupational therapist has overall responsibility for the development, documentation, and implementation of the occupational therapy intervention plan based on the evaluation, client goals, best available evidence, and professional and clinical reasoning. When delegating aspects of the occupational therapy intervention to the occupational therapy assistant, the occupational therapist is responsible for providing appropriate supervision (AOTA, 2020b).
- An occupational therapist ensures that the intervention plan is documented within the time frames, formats, and standards established by the practice settings, agencies, external accreditation programs, state and federal laws, and other regulatory and payer requirements (AOTA, 2018a).
- 3. An occupational therapy practitioner collaborates with the client to develop and implement the intervention plan to facilitate engagement in occupation on the basis of the client's needs and priorities, safety issues, and relative benefits and potential harms of the interventions and service delivery.
- 4. An occupational therapy practitioner coordinates the development and implementation of the occupational therapy plan of care with the intervention provided by other professionals, when appropriate.
- 5. An occupational therapy practitioner uses professional and clinical reasoning, best available evidence, and therapeutic use of self to select and implement the most appropriate types of interventions. Types of interventions implemented may include occupations and activities, interventions to support occupations, education and training, advocacy, group interventions, and virtual interventions (AOTA, 2020c). All interventions are used to facilitate engagement in occupation.
- 6. An occupational therapy assistant, in collaboration with the occupational therapist, selects, implements, and makes modifications to occupational therapy interventions consistent with demonstrated competence levels, client goals, and the requirements of the practice setting, including payment source requirements (AOTA, 2020b).

- 7. An occupational therapist modifies the intervention plan throughout the intervention process and documents changes in the client's needs, goals, and performance.
- 8. An occupational therapy assistant contributes to the modification of the intervention plan by exchanging information with and providing documentation to the occupational therapist about the client's responses to and communications throughout the intervention.
- An occupational therapy practitioner documents the occupational therapy services provided within the time frames, formats, and standards established by the practice settings, agencies, external accreditation programs, federal and state laws, other regulatory and payer requirements, and AOTA official documents (AOTA, 2018a).

Standard V. Outcomes, Transition, and Discontinuation

- An occupational therapist is responsible for determining outcomes of the occupational therapy intervention and selecting appropriate outcome measures to identify the client's ability to engage in their desired occupations.
- 2. An occupational therapist is responsible for implementing and interpreting outcome measures and documenting progress toward occupational performance, engagement, and participation. An occupational therapy assistant is responsible for implementing delegated outcome measures and reporting results to the occupational therapist.
- 3. An occupational therapist is responsible for documenting changes in the client's performance and capacities and for transitioning the client to another type or intensity of service or discontinuing services when the client has achieved identified goals, reached maximum benefit, or does not desire to continue services.
- 4. An occupational therapist prepares and implements a safe and effective transition or discontinuation plan based on the outcomes of the intervention and the client's needs, goals, performance, and appropriate follow-up resources.
- 5. An occupational therapy assistant contributes to the transition or discontinuation plan by providing information and

documentation to the occupational therapist related to the client's progress toward goals, needs, performance, and appropriate follow-up resources.

- 6. An occupational therapy practitioner facilitates the transition or discontinuation process in collaboration with the client, family members, significant others, other professionals (e.g., medical, educational, social services), and community resources, when appropriate.
- The occupational therapy practitioner ethically reports outcomes to payers and referring entities as well as to relevant local, regional, and national databases and registries, when appropriate.

References

- Accreditation Council for Occupational Therapy Education. (2018). 2018 Accreditation Council for Occupational Therapy Education (ACOTE[®]) Standards and Interpretive Guide (effective July 31, 2020). *American Journal of Occupational Therapy, 72*(Suppl. 2), 7212410005. https:// doi.org/10.5014/ajot.2018.72S217
- Agner, J. (2020). Moving from cultural competence to cultural humility in occupational therapy: A paradigm shift. *American Journal of Occupational Therapy, 74,* 7404347010. https://doi.org/10.5014/ajot.2020.038067
- American Occupational Therapy Association. (2011). *Definition of* occupational therapy practice for the AOTA Model Practice Act. https:// www.aota.org/~/media/Corporate/Files/Advocacy/State/Resources/

Authors

Revised by the Commission on Practice, 2020: Shelley Coleman Casto, MS, OTR/L, CPST Charlotte Davis, MS, OTR/L Julie Dorsey, OTD, OTR/L, CEAS, FAOTA, *Chairperson* Elizabeth "Liz" Griffin Lannigan, PhD, OTR/L, FAOTA Lizabeth Metzger, MS, OTR/L Julie Miller, MOT, OTR/L, SWC Amy Owens, OTR Krysta Rives, MBA, COTA/L, CKTP Caitlin Synovec, OTD, OTR/L, BCMH Wayne L. Winistorfer, MPA, OTR, FAOTA Deborah Lieberman, MHSA, OTR/L, FAOTA, *AOTA Headquarters Liaison*

Adopted by the Representative Assembly Coordinating Committee (RACC), February 2021

PracticeAct/Model%20Definition%20of%20OT%20Practice%20% 20Adopted%2041411.pdf

- American Occupational Therapy Association. (2015). Standards for continuing competence. *American Journal of Occupational Therapy*, 69(Suppl. 3), 6913410055. https://doi.org/10.5014/ajot.2015.696S16
- American Occupational Therapy Association. (2018a). Guidelines for documentation of occupational therapy. *American Journal of Occupational Therapy*, 72(Suppl. 2), 7212410010. https://doi.org/ 10.5014/ajot.2018.72S203
- American Occupational Therapy Association. (2018b). *The reference* manual of the official documents of the American Occupational Therapy Association, Inc. (23rd ed.). AOTA Press.
- American Occupational Therapy Association. (2019). Policy E.9: Licensure. In *Policy manual* (2019 ed., pp. 66–67).
- American Occupational Therapy Association. (2020a). AOTA 2020 occupational therapy code of ethics. *American Journal of Occupational Therapy*, 74(Suppl. 3), 7413410005. https://doi.org/10.5014/ ajot.2020.74S3006
- American Occupational Therapy Association. (2020b). Guidelines for supervision, roles, and responsibilities during the delivery of occupational therapy services. *American Journal of Occupational Therapy*, 74(Suppl. 3), 7413410020. https://doi.org/10.5014/ ajot.2020.74S3004
- American Occupational Therapy Association. (2020c). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy*, 74(Suppl. 2), 7412410010. https://doi.org/ 10.5014/ajot.2020.74S2001
- American Occupational Therapy Association. (2020d). Occupational therapy's commitment to diversity, equity, and inclusion. *American Journal of Occupational Therapy, 74*(Suppl. 3), 7413410030. https://doi.org/10.5014/ajot.2020.74S3002

Note. These standards are intended as recommended guidelines to assist occupational therapy practitioners in the provision of occupational therapy services. These standards serve as a minimum standard for occupational therapy practice and are applicable to all individual populations and the programs in which these individuals are served.

This revision replaces the 2015 document *Standards of Practice for Occupational Therapy* (previously published and copyrighted by the American Occupational Therapy, 69(Suppl. 3), 6913410057. https://doi.org/ 10.5014/ajot.2015.696S06

Copyright © 2021 by the American Occupational Therapy Association.

Citation. American Occupational Therapy Association. (2021). Standards of practice for occupational therapy. *American Journal of Occupational Therapy*, 75(Suppl. 3), 7513410030. https://doi.org/10.5014/ajot.2021.75S3004

Occupational Therapy Practice Framework: Domain and Process Fourth Edition

Contents

Preface1
Definitions1
Evolution of This Document2
Vision for This Work4
Introduction4
Occupation and Occupational Science4
OTPF Organization4
Cornerstones of Occupational Therapy
Practice6
Domain6
Occupations7
Contexts9
Performance Patterns12
Performance Skills13
Client Factors15
Process17
Overview of the Occupational Therapy
Process17
Evaluation21
Intervention24
Outcomes26
Conclusion
Tables
References
Table 1. Examples of Clients: Persons, Groups,
and Populations29
Table 2. Occupations
Table 3. Examples of Occupations for Persons,
Groups, and Populations35
Table 4. Context: Environmental Factors36
Table 5. Context: Personal Factors40
Table 6. Performance Patterns41
Table 7. Performance Skills for Persons43
Table 8. Performance Skills for Groups50
Table 9. Client Factors51
Table 10. Occupational Therapy Process for
Persons, Groups, and Populations55
Table 11. Occupation and Activity
Demands57

Preface

The fourth edition of the Occupational Therapy Practice Framework: Domain and Process (hereinafter referred to as the OTPF-4), is an official document of the American Occupational Therapy Association (AOTA). Intended for occupational therapy practitioners and students, other health care professionals, educators, researchers, payers, policymakers, and consumers, the OTPF-4 presents a summary of interrelated constructs that describe occupational therapy practice.

Definitions

Within the *OTPF-4*, *occupational therapy* is defined as the therapeutic use of everyday life occupations with persons, groups, or populations (i.e., the client) for the purpose of enhancing or enabling participation. Occupational therapy practitioners use their knowledge of the transactional relationship among the client, the client's engagement in valuable occupations, and the context to design occupation-based intervention plans. Occupational therapy services are provided for habilitation, rehabilitation, and promotion of health and wellness for clients with disability- and non-disability-related needs. These services include acquisition and preservation of occupational identity for clients who have or are at risk for developing an illness, injury, disease, disorder, condition, impairment, disability, activity limitation, or participation restriction (AOTA, 2011; see the glossary in Appendix A for additional definitions).

When the term *occupational therapy practitioners* is used in this document, it refers to both occupational therapists and occupational therapy assistants (AOTA, 2015b). Occupational therapists are responsible for all aspects of occupational therapy service delivery and are accountable for the safety and effectiveness of the occupational therapy service delivery process.

AOTA OFFICIAL DOCUMENT

1

GUIDELINES

Table 12. Types of Occupational Therapy
Interventions59
Table 13. Approaches to Intervention63
Table 14. Outcomes65
Exhibit 1. Aspects of the Occupational Therapy
Domain7
Exhibit 2. Operationalizing the Occupational
Therapy Process16
Figure 1. Occupational Therapy Domain and
Process5
Authors72
Acknowledgments73
Appendix A. Glossary74
Index

Copyright © 2020 by the American Occupational Therapy Association.

Citation: American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy*, 74(Suppl. 2), 7412410010. https://doi. org/10.5014/ajot.2020.74S2001

ISBN: 978-1-56900-488-3

For permissions inquiries, visit https://www. copyright.com. Occupational therapy assistants deliver occupational therapy services under the supervision of and in partnership with an occupational therapist (AOTA, 2020a).

The clients of occupational therapy are typically classified as *persons* (including those involved in care of a client), *groups* (collections of individuals having shared characteristics or a common or shared purpose; e.g., family members, workers, students, people with similar interests or occupational challenges), and *populations* (aggregates of people with common attributes such as contexts, characteristics, or concerns, including health risks; Scaffa & Reitz, 2014). People may also consider themselves as part of a *community*, such as the Deaf community or the disability community; a *community* is a collection of populations that is changeable and diverse and includes various people, groups, networks, and organizations (Scaffa, 2019; World Federation of Occupational Therapists [WFOT], 2019). It is important to consider the community or communities with which a client identifies throughout the occupational therapy process.

Whether the client is a person, group, or population, information about the client's wants, needs, strengths, contexts, limitations, and occupational risks is gathered, synthesized, and framed from an occupational perspective. Throughout the *OTPF-4*, the term *client* is used broadly to refer to persons, groups, and populations unless otherwise specified. In the *OTPF-4*, "group" as a client is distinct from "group" as an intervention approach. For examples of clients, see Table 1 (all tables are placed together at the end of this document). The glossary in Appendix A provides definitions of other terms used in this document.

Evolution of This Document

The Occupational Therapy Practice Framework was originally developed to articulate occupational therapy's distinct perspective and contribution to promoting the health and participation of persons, groups, and populations through engagement in occupation. The first edition of the OTPF emerged from an examination of documents related to the Occupational Therapy Product Output Reporting System and Uniform Terminology for Reporting Occupational Therapy Services (AOTA, 1979). Originally a document that responded to a federal requirement to develop a uniform reporting system, this text gradually shifted to describing and outlining the domains of concern of occupational therapy.

The second edition of *Uniform Terminology for Occupational Therapy* (AOTA, 1989) was adopted by the AOTA Representative Assembly (RA) and published in 1989. The document focused on delineating and defining only the occupational performance areas and occupational performance components that are addressed in occupational therapy direct services. The third and final edition of *Uniform Terminology for Occupational Therapy* (*UT–III;* AOTA, 1994) was adopted by the RA in 1994 and was "expanded to reflect current practice and to incorporate contextual aspects of performance" (p. 1047). Each revision

reflected changes in practice and provided consistent terminology for use by the profession.

In fall 1998, the AOTA Commission on Practice (COP) embarked on the journey that culminated in the *Occupational Therapy Practice Framework: Domain and Process* (AOTA, 2002a). At that time, AOTA also published *The Guide to Occupational Therapy Practice* (Moyers, 1999), which outlined contemporary practice for the profession. Using this document and the feedback received during the review process for the *UT–III*, the COP proceeded to develop a document that more fully articulated occupational therapy.

The *OTPF* is an ever-evolving document. As an official AOTA document, it is reviewed on a 5-year cycle for usefulness and the potential need for further refinements or changes. During the review period, the COP collects feedback from AOTA members, scholars, authors, practitioners, AOTA volunteer leadership and staff, and other stakeholders. The revision process ensures that the *OTPF* maintains its integrity while responding to internal and external influences that should be reflected in emerging concepts and advances in occupational therapy.

The *OTPF* was first revised and approved by the RA in 2008. Changes to the document included refinement of the writing and the addition of emerging concepts and changes in occupational therapy. The rationale for specific changes can be found in Table 11 of the *OTPF*–2 (AOTA, 2008, pp. 665–667).

In 2012, the process of review and revision of the *OTPF* was initiated again, and several changes were made. The rationale for specific changes can be found on page S2 of the *OTPF*–3 (AOTA, 2014).

In 2018, the process to revise the *OTPF* began again. After member review and feedback, several modifications were made and are reflected in this document:

- The focus on group and population clients is increased, and examples are provided for both.
- Cornerstones of occupational therapy practice are identified and described as foundational to the success of occupational therapy practitioners.
- Occupational science is more explicitly described and defined.

- The terms *occupation* and *activity* are more clearly defined.
- For occupations, the definition of sexual activity as an activity of daily living is revised, health management is added as a general occupation category, and intimate partner is added in the social participation category (see Table 2).
- The contexts and environments aspect of the occupational therapy domain is changed to context on the basis of the World Health Organization (WHO; 2008) taxonomy from the International Classification of Functioning, Disability and Health (ICF) in an effort to adopt standard, well-accepted definitions (see Table 4).
- For the client factors category of body functions, *gender identity* is now included under "experience of self and time," the definition of *psychosocial* is expanded to match the *ICF* description, and *interoception* is added under sensory functions.
- For types of intervention, "preparatory methods and tasks" has been changed to "interventions to support occupations" (see Table 12).
- For outcomes, transitions and discontinuation are discussed as conclusions to occupational therapy services, and patient-reported outcomes are addressed (see Table 14).
- Five new tables are added to expand on and clarify concepts:
 - Table 1. Examples of Clients: Persons, Groups, and Populations
 - Table 3. Examples of Occupations for Persons, Groups, and Populations
 - Table 7. Performance Skills for Persons (includes examples of effective and ineffective performance skills)
 - Table 8. Performance Skills for Groups (includes examples of the impact of ineffective individual performance skills on group collective outcome)
 - Table 10. Occupational Therapy Process for Persons, Groups, and Populations.
- Throughout, the use of *OTPF* rather than *Framework* acknowledges the current requirements for a unique

AOTA OFFICIAL DOCUMENT

identifier to maximize digital discoverability and to promote brevity in social media communications. It also reflects the longstanding use of the acronym in academic teaching and clinical practice.

 Figure 1 has been revised to provide a simplified visual depiction of the domain and process of occupational therapy.

Vision for This Work

Although this edition of the OTPF represents the latest in the profession's efforts to clearly articulate the occupational therapy domain and process, it builds on a set of values that the profession has held since its founding in 1917. The original vision had at its center a profound belief in the value of therapeutic occupations as a way to remediate illness and maintain health (Slagle, 1924). The founders emphasized the importance of establishing a therapeutic relationship with each client and designing a treatment plan based on knowledge about the client's environment, values, goals, and desires (Meyer, 1922). They advocated for scientific practice based on systematic observation and treatment (Dunton, 1934). Paraphrased using today's lexicon, the founders proposed a vision that was occupation based, client centered, contextual, and evidence based-the vision articulated in the OTPF-4.

Introduction

The purpose of a framework is to provide a structure or base on which to build a system or a concept ("Framework," 2020). The *OTPF* describes the central concepts that ground occupational therapy practice and builds a common understanding of the basic tenets and vision of the profession. The *OTPF-4* does not serve as a taxonomy, theory, or model of occupational therapy. By design, the *OTPF-4* must be used to guide occupational therapy practice in conjunction with the knowledge and evidence relevant to occupation and occupational therapy within the identified areas of practice and with the appropriate clients. In addition, the *OTPF-4* is intended to be a valuable tool in the academic preparation of

students, communication with the public and policymakers, and provision of language that can shape and be shaped by research.

Occupation and Occupational Science


Embedded in this document is the occupational therapy profession's core belief in the positive relationship between occupation and health and its view of people as occupational beings. Occupational therapy practice emphasizes the occupational nature of humans and the importance of occupational identity (Unruh, 2004) to healthful, productive, and satisfying living. As Hooper and Wood (2019) stated,

A core philosophical assumption of the profession, therefore, is that by virtue of our biological endowment, people of all ages and abilities require occupation to grow and thrive; in pursuing occupation, humans express the totality of their being, a mind-body-spirit union. Because human existence could not otherwise be, humankind is, in essence, occupational by nature. (p. 46)

Occupational science is important to the practice of occupational therapy and "provides a way of thinking that enables an understanding of occupation, the occupational nature of humans, the relationship between occupation, health and well-being, and the influences that shape occupation" (WFOT, 2012b, p. 2). Many of its concepts are emphasized throughout the *OTPF-4*, including occupational justice and injustice, identity, time use, satisfaction, engagement, and performance.

OTPF Organization

The *OTPF-4* is divided into two major sections: (1) the *domain*, which outlines the profession's purview and the areas in which its members have an established body of knowledge and expertise, and (2) the *process*, which describes the actions practitioners take when providing services that are client centered and focused on engagement in occupations. The profession's understanding of the domain and process of occupational therapy guides practitioners as they seek to support clients' participation in daily living, which results from the dynamic intersection of clients, their desired engagements, and their contexts (including environmental and personal factors;



Christiansen & Baum, 1997; Christiansen et al., 2005; Law et al., 2005).

"Achieving health, well-being, and participation in life through engagement in occupation" is the overarching statement that describes the domain and process of occupational therapy in its fullest sense. This statement acknowledges the profession's belief that active engagement in occupation promotes, facilitates, supports, and maintains health and participation. These interrelated concepts include

 Health—"a state of complete physical, mental, and social well-being, and not merely the absence of disease or infirmity" (WHO, 2006, p. 1).

- Well-being—"a general term encompassing the total universe of human life domains, including physical, mental, and social aspects, that make up what can be called a 'good life'" (WHO, 2006, p. 211).
- Participation—"involvement in a life situation" (WHO, 2008, p. 10). Participation occurs naturally when clients are actively involved in carrying out occupations or daily life activities they find purposeful and meaningful. More specific outcomes of occupational therapy intervention are multidimensional and support the end result of participation.
- Engagement in occupation—performance of occupations as the result of choice, motivation, and meaning within a supportive context (including

AOTA OFFICIAL DOCUMENT

5

environmental and personal factors). Engagement includes objective and subjective aspects of clients' experiences and involves the transactional interaction of the mind, body, and spirit. Occupational therapy intervention focuses on creating or facilitating opportunities to engage in occupations that lead to participation in desired life situations (AOTA, 2008).

Although the domain and process are described separately, in actuality they are linked inextricably in a transactional relationship. The aspects that constitute the domain and those that constitute the process exist in constant interaction with one another during the delivery of occupational therapy services. Figure 1 represents aspects of the domain and process and the overarching goal of the profession as achieving health, well-being, and participation in life through engagement in occupation. Although the figure illustrates these two elements in distinct spaces, in reality the domain and process interact in complex and dynamic ways as described throughout this document. The nature of the interactions is impossible to capture in a static one-dimensional image.

Cornerstones of Occupational Therapy Practice

The transactional relationship between the domain and process is facilitated by the occupational therapy practitioner. Occupational therapy practitioners have distinct knowledge, skills, and qualities that contribute to the success of the occupational therapy process, described in this document as "cornerstones." A *cornerstone* can be defined as something of great importance on which everything else depends ("Cornerstone," n.d.), and the following cornerstones of occupational therapy help distinguish it from other professions:

- Core values and beliefs rooted in occupation (Cohn, 2019; Hinojosa et al., 2017)
- Knowledge of and expertise in the therapeutic use of occupation (Gillen, 2013; Gillen et al., 2019)
- Professional behaviors and dispositions (AOTA 2015a, 2015c)
- Therapeutic use of self (AOTA, 2015c; Taylor, 2020).

These cornerstones are not hierarchical; instead, each concept influences the others.

Occupational therapy cornerstones provide a fundamental foundation for practitioners from which to view clients and their occupations and facilitate the occupational therapy process. Practitioners develop the cornerstones over time through education, mentorship, and experience. In addition, the cornerstones are ever evolving, reflecting developments in occupational therapy practice and occupational science.

Many contributors influence each cornerstone. Like the cornerstones, the contributors are complementary and interact to provide a foundation for practitioners. The contributors include, but are not limited to, the following:

- Client-centered practice
- Clinical and professional reasoning
- Competencies for practice
- Cultural humility
- Ethics
- Evidence-informed practice
- Inter- and intraprofessional collaborations
- Leadership
- Lifelong learning
- Micro and macro systems knowledge
- Occupation-based practice
- Professionalism
- Professional advocacy
- Self-advocacy
- Self-reflection
- Theory-based practice.

Domain

Exhibit 1 identifies the aspects of the occupational therapy domain: occupations, contexts, performance patterns, performance skills, and client factors. All aspects of the domain have a dynamic interrelatedness. All aspects are of equal value and together interact to affect occupational identity, health, well-being, and participation in life.

Occupational therapists are skilled in evaluating all aspects of the domain, the interrelationships among the aspects, and the client within context. Occupational therapy practitioners recognize the importance and

Exhibit 1. Aspects of the Occupational Therapy Domain

All aspects of the occupational therapy domain transact to support engagement, participation, and health. This exhibit does not imply a hierarchy.

Occupations	Contexts	Performance Patterns	Performance Skills	Client Factors
Activities of daily living (ADLs) Instrumental activities of daily living (IADLs) Health management Rest and sleep Education Work Play Leisure Social participation	Environmental factors Personal factors	Habits Routines Roles Rituals	Motor skills Process skills Social interaction skills	Values, beliefs, and spirituality Body functions Body structures

impact of the mind–body–spirit connection on engagement and participation in daily life. Knowledge of the transactional relationship and the significance of meaningful and productive occupations forms the basis for the use of occupations as both the means and the ends of interventions (Trombly, 1995). This knowledge sets occupational therapy apart as a distinct and valuable service (Hildenbrand & Lamb, 2013) for which a focus on the whole is considered stronger than a focus on isolated aspects of human functioning.

The discussion that follows provides a brief explanation of each aspect of the domain. Tables included at the end of the document provide additional descriptions and definitions of terms.

Occupations

Occupations are central to a client's (person's, group's, or population's) health, identity, and sense of competence and have particular meaning and value to that client. "In occupational therapy, *occupations* refer to the everyday activities that people do as individuals, in families, and with communities to occupy time and bring meaning and purpose to life. Occupations include things people need to, want to and are expected to do" (WFOT, 2012a, para. 2).

In the *OTPF-4*, the term *occupation* denotes personalized and meaningful engagement in daily life events by a specific client. Conversely, the term *activity* denotes a form of action that is objective and not related to a specific client's engagement or context (Schell et al., 2019) and, therefore, can be selected and designed to enhance occupational engagement by supporting the development of performance skills and performance patterns. Both occupations and activities are used as interventions by practitioners. For example, a practitioner may use the activity of chopping vegetables during an intervention to address fine motor skills with the ultimate goal of improving motor skills for the occupation of preparing a favorite meal. Participation in occupations is considered both the means and the end in the occupational therapy process.

Occupations occur in contexts and are influenced by the interplay among performance patterns, performance skills, and client factors. Occupations occur over time; have purpose, meaning, and perceived utility to the client; and can be observed by others (e.g., preparing a meal) or be known only to the person involved (e.g., learning through reading a textbook). Occupations can involve the execution of multiple activities for completion and can result in various outcomes.

The *OTPF-4* identifies a broad range of occupations categorized as activities of daily living (ADLs), instrumental activities of daily living (IADLs), health management, rest and sleep, education, work, play, leisure, and social participation (Table 2). Within each of these nine broad categories of occupation are many specific occupations. For example, the broad category of IADLs has specific

AOTA OFFICIAL DOCUMENT

GUIDELINES

occupations that include grocery shopping and money management.

When occupational therapy practitioners work with clients, they identify the types of occupations clients engage in individually or with others. Differences among clients and the occupations they engage in are complex and multidimensional. The client's perspective on how an occupation is categorized varies depending on that client's needs, interests, and contexts. Moreover, values attached to occupations are dependent on cultural and sociopolitical determinants (Wilcock & Townsend, 2019). For example, one person may perceive gardening as leisure, whereas another person, who relies on the food produced from that garden to feed their family or community, may perceive it as work. Additional examples of occupations for persons, groups, and populations can be found in Table 3.

The ways in which clients prioritize engagement in selected occupations may vary at different times. For example, clients in a community psychiatric rehabilitation setting may prioritize registering to vote during an election season and food preparation during holidays. The unique features of occupations are noted and analyzed by occupational therapy practitioners, who consider all components of the engagement and use them effectively as both a therapeutic tool and a way to achieve the targeted outcomes of intervention.

The extent to which a client is engaged in a particular occupation is also important. Occupational therapy practitioners assess the client's ability to engage in occupational performance, defined as the accomplishment of the selected occupation resulting from the dynamic transaction among the client, their contexts, and the occupation. Occupations can contribute to a wellbalanced and fully functional lifestyle or to a lifestyle that is out of balance and characterized by occupational dysfunction. For example, excessive work without sufficient regard for other aspects of life, such as sleep or relationships, places clients at risk for health problems. External factors, including war, natural disasters, or extreme poverty, may hinder a client's ability to create balance or engage in certain occupations (AOTA, 2017b; McElroy et al., 2012).

Because occupational performance does not exist in a vacuum, context must always be considered. For example, for a client who lives in food desert, lack of access to a grocery store may limit their ability to have balance in their performance of IADLs such as cooking and grocery shopping or to follow medical advice from health care professionals on health management and preparation of nutritious meals. For this client, the limitation is not caused by impaired client factors or performance skills but rather is shaped by the context in which the client functions. This context may include policies that resulted in the decline of commercial properties in the area, a socioeconomic status that does not enable the client to live in an area with access to a grocery store, and a social environment in which lack of access to fresh food is weighed as less important than the social supports the community provides.

Occupational therapy practitioners recognize that health is supported and maintained when clients are able to engage in home, school, workplace, and community life. Thus, practitioners are concerned not only with occupations but also with the variety of factors that disrupt or empower those occupations and influence clients' engagement and participation in positive healthpromoting occupations (Wilcock & Townsend, 2019).

Although engagement in occupations is generally considered a positive outcome of the occupational therapy process, it is important to consider that a client's history might include negative, traumatic, or unhealthy occupational participation (Robinson Johnson & Dickie, 2019). For example, a person who has experienced a traumatic sexual encounter might negatively perceive and react to engagement in sexual intimacy. A person with an eating disorder might engage in eating in a maladaptive way, deterring health management and physical health.

In addition, some occupations that are meaningful to a client might also hinder performance in other occupations or negatively affect health. For example, a person who spends a disproportionate amount of time playing video games may develop a repetitive stress injury and may have less balance in their time spent on IADLs and other forms of social participation. A client engaging in the recreational use of prescription pain medications may experience barriers to participation in previously

important occupations such as work or spending time with family.

Occupations have the capacity to support or promote other occupations. For example, children engage in play to develop the performance skills that later facilitate engagement in leisure and work. Adults may engage in social participation and leisure with an intimate partner that may improve satisfaction with sexual activity. The goal of engagement in sleep and health management includes maintaining or improving performance of work, leisure, social participation, and other occupations.

Occupations are often shared and done with others. Those that implicitly involve two or more individuals are termed *co-occupations* (Zemke & Clark, 1996). Cooccupations are the most interactive of all social occupations. Central to the concept of co-occupation is that two or more individuals share a high level of physicality, emotionality, and intentionality (Pickens & Pizur-Barnekow, 2009). In addition, co-occupations can be parallel (different occupations in close proximity to others; e.g., reading while others listen to music when relaxing at home) and shared (same occupation but different activities; e.g., preparing different dishes for a meal; Zemke & Clark, 1996).

Caregiving is a co-occupation that requires active participation by both the caregiver and the recipient of care. For the co-occupations required during parenting, the socially interactive routines of eating, feeding, and comforting may involve the parent, a partner, the child, and significant others (Olson, 2004). The specific occupations inherent in this social interaction are reciprocal, interactive, and nested (Dunlea, 1996; Esdaile & Olson, 2004). Consideration of co-occupations by practitioners supports an integrated view of the client's engagement in the context of relationship to significant others.

Occupational participation can be considered independent whether it occurs individually or with others. It is important to acknowledge that clients can be independent in living regardless of the amount of assistance they receive while completing occupations. Clients may be considered independent even when they direct others (e.g., caregivers) in performing the actions necessary to participate, regardless of the amount or kind of assistance required, if clients are satisfied with their performance. In contrast to definitions of independence that imply direct physical interaction with the environment or objects within the environment, occupational therapy practitioners consider clients to be independent whether they perform the specific occupations by themselves, in an adapted or modified environment, with the use of various devices or alternative strategies, or while overseeing activity completion by others (AOTA, 2002b). For example, a person with spinal cord injury who directs a personal care assistant to assist them with ADLs is demonstrating independence in this essential aspect of their life.

It is also important to acknowledge that not all clients view success as independence. *Interdependence*, or co-occupational performance, can also be an indicator of personal success. How a client views success may be influenced by their client factors, including their culture.

Contexts

Context is a broad construct defined as the environmental and personal factors specific to each client (person, group, population) that influence engagement and participation in occupations. Context affects clients' access to occupations and the quality of and satisfaction with performance (WHO, 2008). Practitioners recognize that for people to truly achieve full participation, meaning, and purpose, they must not only function but also engage comfortably within their own distinct combination of contexts.

In the literature, the terms *environment* and *context* often are used interchangeably, but this may result in confusion when describing aspects of situations in which occupational engagement takes place. Understanding the contexts in which occupations can and do occur provides practitioners with insights into the overarching, underlying, and embedded influences of environmental factors and personal factors on engagement in occupations.

Environmental Factors

Environmental factors are aspects of the physical, social, and attitudinal surroundings in which people live and

AOTA OFFICIAL DOCUMENT

GUIDELINES

conduct their lives (Table 4). Environmental factors influence functioning and disability and have positive aspects (facilitators) or negative aspects (barriers or hindrances; WHO, 2008). Environmental factors include

- Natural environment and human-made changes to the environment: Animate and inanimate elements of the natural or physical environment and components of that environment that have been modified by people, as well as characteristics of human populations within that environment.
 Engagement in human occupation influences the sustainability of the natural environment, and changes to human behavior can have a positive impact on the environment (Dennis et al., 2015).
- Products and technology: Natural or human-made products or systems of products, equipment, and technology that are gathered, created, produced, or manufactured.
- Support and relationships: People or animals that provide practical physical or emotional support, nurturing, protection, assistance, and connections to other persons in the home, workplace, or school or at play or in other aspects of daily occupations.
- Attitudes: Observable evidence of customs, practices, ideologies, values, norms, factual beliefs, and religious beliefs held by people other than the client.
- Services, systems, and policies: Benefits, structured programs, and regulations for operations provided by institutions in various sectors of society designed to meet the needs of persons, groups, and populations.

When people interact with the world around them, environmental factors can either enable or restrict participation in meaningful occupations and can present barriers to or supports and resources for service delivery. Examples of environmental barriers that restrict participation include the following:

 For persons, doorway widths that do not allow for wheelchair passage

- For groups, absence of healthy social opportunities for those abstaining from alcohol use
- For populations, businesses that are not welcoming to people who identify as LGBTQ+. (*Note:* In this document, *LGBTQ*+ is used to represent the large and diverse communities and individuals with nonmajority sexual orientations and gender identities.)

Addressing these barriers, such as by widening a doorway to allow access, results in environmental supports that enable participation. A client who has difficulty performing effectively in one context may be successful when the natural environment has human-made modifications or if the client uses applicable products and technology. In addition, occupational therapy practitioners must be aware of norms related to, for example, eating or deference to medical professionals when working with someone from a culture or socioeconomic status that differs from their own.

Personal Factors

Personal factors are the unique features of a person that are not part of a health condition or health state and that constitute the particular background of the person's life and living (Table 5). Personal factors are internal influences affecting functioning and disability and are not considered positive or negative but rather reflect the essence of the person—"who they are." When clients provide demographic information, they are typically describing personal factors. Personal factors also include customs, beliefs, activity patterns, behavioral standards, and expectations accepted by the society or cultural group of which a person is a member.

Personal factors are generally considered to be enduring, stable attributes of the person, although some personal factors change over time. They include, but are not limited to, the following:

- Chronological age
- Sexual orientation (sexual preference, sexual identity)
- Gender identity
- Race and ethnicity
- Cultural identification and attitudes

i 1

- Social background, social status, and socioeconomic status
- Upbringing and life experiences
- Habits and past and current behavioral patterns
- Psychological assets, temperament, unique character traits, and coping styles
- Education
- Profession and professional identity
- Lifestyle
- Health conditions and fitness status (that may affect the person's occupations but are not the primary concern of the occupational therapy encounter).

For example, siblings share personal factors of race and age, yet for those separated at birth, environmental differences may result in divergent personal factors in terms of cultural identification, upbringing, and life experiences, producing different contexts for their individual occupational engagement. Whether separated or raised together, as siblings move through life, they may develop differences in sexual orientation, life experience, habits, education, profession, and lifestyle.

Groups and populations are often formed or identified on the basis of shared or similar personal factors that make possible occupational therapy assessment and intervention. Of course, individual members of a group or population differ in other personal factors. For example, a group of fifth graders in a community public school are likely to share age and, perhaps, socioeconomic status. Yet race, fitness, habits, and coping styles make each group member unlike the others. Similarly, a population of older adults living in an urban low-income housing community may have few personal factors in common other than age and current socioeconomic status.

Application of Context to Occupational Justice

Interwoven throughout the concept of context is that of *occupational justice*, defined as "a justice that recognizes occupational rights to inclusive participation in everyday occupations for all persons in society, regardless of age, ability, gender, social class, or other differences" (Nilsson & Townsend, 2010, p. 58). Occupational therapy's focus on engagement in

occupations and occupational justice complements WHO's (2008) perspective on health. To broaden the understanding of the effects of disease and disability on health, WHO emphasized that health can be affected by the inability to carry out occupations and activities and participate in life situations caused by contextual barriers and by problems that exist in body structures and body functions. The *OTPF-4* identifies occupational justice as both an aspect of contexts and an outcome of intervention.

Occupational justice involves the concern that occupational therapy practitioners have with respect, fairness, and impartiality and equitable opportunities when considering the contexts of persons, groups, and populations (AOTA, 2015a). As part of the occupational therapy domain, practitioners consider how these aspects can affect the implementation of occupational therapy and the target outcome of participation. Practitioners recognize that for individuals to truly achieve full participation, meaning, and purpose, they must not only function but also engage comfortably within their own distinct combination of contexts (both environmental factors and personal factors).

Examples of contexts that can present occupational justice issues include the following:

- An alternative school placement for children with mental health and behavioral disabilities that provides academic support and counseling but limited opportunities for participation in sports, music programs, and organized social activities
- A residential facility for older adults that offers safety and medical support but provides little opportunity for engagement in the role-related occupations that were once a source of meaning
- A community that lacks accessible and inclusive physical environments and provides limited services and supports, making participation difficult or even dangerous for people who have disabilities (e.g., lack of screening facilities and services resulting in higher rates of breast cancer among community members)
- A community that lacks financial and other necessary resources, resulting in an adverse and

AOTA OFFICIAL DOCUMENT

disproportionate impact of natural disasters and severe weather events on vulnerable populations.

Occupational therapy practitioners recognize areas of occupational injustice and work to support policies, actions, and laws that allow people to engage in occupations that provide purpose and meaning in their lives. By understanding and addressing the specific justice issues in contexts such as an individual's home, a group's shared job site, or a population's community center, practitioners promote occupational therapy outcomes that address empowerment and selfadvocacy.

Performance Patterns

Performance patterns are the acquired habits, routines, roles, and rituals used in the process of engaging consistently in occupations and can support or hinder occupational performance (Table 6). Performance patterns help establish lifestyles (Uyeshiro Simon & Collins, 2017) and occupational balance (e.g., proportion of time spent in productive, restorative, and leisure occupations; Eklund et al., 2017; Wagman et al., 2015) and are shaped, in part, by context (e.g., consistency, work hours, social calendars) and cultural norms (Eklund et al., 2017; Larson & Zemke, 2003).

Time provides an organizational structure or rhythm for performance patterns (Larson & Zemke, 2003); for example, an adult goes to work every morning, a child completes homework every day after school, or an organization hosts a fundraiser every spring. The manner in which people think about and use time is influenced by biological rhythms (e.g., sleep-wake cycles), family of origin (e.g., amount of time a person is socialized to believe should be spent in productive occupations), work and social schedules (e.g., religious services held on the same day each week), and cyclic cultural patterns (e.g., birthday celebration with cake every year, annual cultural festival; Larson & Zemke, 2003). Other temporal factors influencing performance patterns are time management and time use. Time management is the manner in which a person, group, or population organizes, schedules, and prioritizes certain activities (Uyeshiro Simon & Collins, 2017).

Time use is the manner in which a person manages their activity levels; adapts to changes in routines; and organizes their days, weeks, and years (Edgelow & Krupa, 2011).

Habits are specific, automatic adaptive or maladaptive behaviors. Habits may be healthy or unhealthy (e.g., exercising on a daily basis vs. smoking during every lunch break), efficient or inefficient (e.g., completing homework after school vs. in the few minutes before the school bus arrives), and supportive or harmful (e.g., setting an alarm clock before going to bed vs. not doing so; Clark, 2000; Dunn, 2000; Matuska & Barrett, 2019).

Routines are established sequences of occupations or activities that provide a structure for daily life; they can also promote or damage health (Fiese, 2007; Koome et al., 2012; Segal, 2004). Shared routines involve two or more people and take place in a similar manner regardless of the individuals involved (e.g., routines shared by parents to promote the health of their children; routines shared by coworkers to sort the mail; Primeau, 2000). Shared routines can be nested in co-occupations. For example, a young child's occupation of completing oral hygiene with the assistance of an adult is a part of the child's daily routine, and the adult who provides the assistance may also view helping the young child with oral hygiene as a part of the adult's own daily routine.

Roles have historically been defined as sets of behaviors expected by society and shaped by culture and context; they may be further conceptualized and defined by a person, group, or population (Kielhofner, 2008; Taylor, 2017). Roles are an aspect of occupational identity-that is, they help define who a person, group, or population believes themselves to be on the basis of their occupational history and desires for the future. Certain roles are often associated with specific activities and occupations; for example, the role of parent is associated with feeding children (Kielhofner, 2008; Taylor, 2017). When exploring roles, occupational therapy practitioners consider the complexity of identity and the limitations associated with assigning stereotypical occupations to specific roles (e.g., on the basis of gender). Practitioners also consider how clients construct their occupations and establish efficient and supportive habits and routines to achieve health outcomes, fulfill their perceived roles and

12

identity, and determine whether their roles reinforce their values and beliefs.

Rituals are symbolic actions with spiritual, cultural, or social meaning. Rituals contribute to a client's identity and reinforce the client's values and beliefs (Fiese, 2007; Segal, 2004). Some rituals (e.g., those associated with certain holidays) are associated with different seasons or times of the year (e.g., New Year's Eve, Independence Day), whereas others are associated with times of the day or days of the week (e.g., daily prayers, weekly family dinners).

Performance patterns are influenced by all other aspects of the occupational therapy domain and develop over time. Occupational therapy practitioners who consider clients' past and present behavioral and performance patterns are better able to understand the frequency and manner in which performance skills and healthy and unhealthy occupations are, or have been, integrated into clients' lives. Although clients may have the ability to engage in skilled performance, if they do not embed essential skills in a productive set of engagement patterns, their health, well-being, and participation may be negatively affected. For example, a person may have skills associated with proficient health literacy but not embed them into consistent routines (e.g., a dietitian who consistently chooses to eat fast food rather than prepare a healthy meal) or struggle with modifying daily performance patterns to access health systems effectively (e.g., a nurse who struggles to modify work hours to get a routine mammogram).

Performance Skills

Performance skills are observable, goal-directed actions and consist of motor skills, process skills, and social interaction skills (Fisher & Griswold, 2019; Table 7). The occupational therapist evaluates and analyzes performance skills during actual performance to understand a client's ability to perform an activity (i.e., smaller aspect of the larger occupation) in natural contexts (Fisher & Marterella, 2019). This evaluation requires analysis of the quality of the individual actions (performance skills) during actual performance. Regardless of the client population, the performance skills defined in this document are universal and provide the foundation for understanding performance (Fisher & Marterella, 2019).

Performance skills can be analyzed for all occupations with clients of any age and level of ability, regardless of the setting in which occupational therapy services are provided (Fisher & Marterella, 2019). Motor and process skills are seen during performance of an activity that involves the use of tangible objects, and social interaction skills are seen in any situation in which a person is interacting with others:

- Motor skills refer to how effectively a person moves self or interacts with objects, including positioning the body, obtaining and holding objects, moving self and objects, and sustaining performance.
- Process skills refer to how effectively a person organizes objects, time, and space, including sustaining performance, applying knowledge, organizing timing, organizing space and objects, and adapting performance.
- Social interaction skills refer to how effectively a person uses both verbal and nonverbal skills to communicate, including initiating and terminating, producing, physically supporting, shaping content of, maintaining flow of, verbally supporting, and adapting social interaction.

For example, when a client catches a ball, the practitioner can analyze how effectively they bend and reach for and then grasp the ball (motor skills). When a client cooks a meal, the practitioner can analyze how effectively they initiate and sequence the steps to complete the recipe in a logical order to prepare the meal in a timely and well-organized manner (process skills). Or when a client interacts with a friend at work, the practitioner can analyze the manner in which the client smiles, gestures, turns toward the friend, and responds to questions (social interaction skills). In these examples, many other motor skills, process skills, and social interaction skills are also used by the client.

By analyzing the client's performance within an occupation at the level of performance skills, the occupational therapist identifies effective and ineffective use of skills (Fisher & Marterella, 2019). The result of this

AOTA OFFICIAL DOCUMENT

analysis indicates not only whether the person is able to complete an activity safely and independently but also the amount of physical effort and efficiency the client demonstrates in activities.

After the quality of occupational performance skills has been analyzed, the practitioner speculates about the reasons for decreased quality of occupational performance and determines the need to evaluate potential underlying causes (e.g., occupational demands, environmental factors, client factors; Fisher & Griswold, 2019). Performance skills are different from client factors (see the "Client Factors" section that follows), which include values, beliefs, and spirituality and body structures and functions (e.g., memory, strength) that reside within the person. Occupational therapy practitioners analyze performance skills as a client performs an activity, whereas client factors cannot be directly viewed during the performance of occupations. For example, the occupational therapy practitioner cannot directly view the client factors of cognitive ability or memory when a client is engaged in cooking but rather notes ineffective use of performance skills when the person hesitates to start a step or performs steps in an illogical order. The practitioner may then infer that a possible reason for the client's hesitation may be diminished memory and elect to further assess the client factor of cognition.

Similarly, context influences the quality of a client's occupational performance. After analyzing the client's performance skills while completing an activity, the practitioner can hypothesize how the client factors and context might have influenced the client's performance. Thus, client factors and contexts converge and may support or limit a person's quality of occupational performance.

Application of Performance Skills With Persons

When completing the analysis of occupational performance (described in the "Evaluation" section later in this document), the practitioner analyzes the client's challenges in performance and generates a hypothesis about gaps between current performance and effective performance and the need for occupational therapy services. To plan appropriate interventions, the practitioner considers the underlying reasons for the gaps, which may involve performance skills, performance patterns, and client factors. The hypothesis is generated on the basis of what the practitioner analyzes when the client is actually performing occupations.

Regardless of the client population, the universal performance skills defined in this section provide the foundations for understanding performance (Fisher & Marterella, 2019). The following example crosses many client populations. The practitioner observes as a client rushes through the steps of an activity toward completion. On the basis of what the client does, the practitioner may interpret this rushing as resulting from a lack of impulse control. This limitation may be seen in clients living with anxiety, attention deficit hyperactivity disorder, dementia, traumatic brain injury, and other clinical conditions. The behavior of rushing may be captured in motor performance skills of manipulates, coordinates, or calibrates; in process performance skills of paces, initiates, continues, or organizes; or in social interaction performance skills of takes turn, transitions, times response, or times duration. Understanding the client's specific occupational challenges enables the practitioner to determine the suitable intervention to address impulsivity to facilitate greater occupational performance. Clinical interventions then address the skills required for the client's specific occupational demands on the basis of their alignment with the universal performance skills (Fisher & Marterella, 2019). Thus, the application of universal performance skills guides practitioners in developing the intervention plan for specific clients to address the specific concerns occurring in the specific practice setting.

Application of Performance Skills With Groups

Analysis of performance skills is always focused on individuals (Fisher & Marterella, 2019). Thus, when analyzing performance skills with a group client, the occupational therapist always focuses on one individual at a time (Table 8). The therapist may choose to analyze some or all members of the group engaging in relevant group occupations over time as the group members contribute to the collective actions of the group. If all members demonstrate effective performance skills, then the group client may achieve its collective outcomes. If one or more group members demonstrate ineffective performance skills, the collective outcomes may be diminished. Only in cases in which group members demonstrate ongoing limitations in performance skills that hinder the collective outcomes of the group would the practitioner recommend interventions for individual group members. Interventions would then be directed at those members demonstrating diminished performance skills to facilitate their contributions to the collective group outcomes.

Application of Performance Skills With Populations

Using an occupation-based approach to population health, occupational therapy addresses the needs of populations by enhancing occupational performance and participation for communities of people (see "Service Delivery" in the "Process" section). Service delivery to populations focuses on aggregates of people rather than on intervention for persons or groups; thus, it is not relevant to analyze performance skills at the person level in service delivery to populations.

Client Factors

Client factors are specific capacities, characteristics, or beliefs that reside within the person, group, or population and influence performance in occupations (Table 9). Client factors are affected by the presence or absence of illness, disease, deprivation, and disability, as well as by life stages and experiences. These factors can affect performance skills (e.g., a client may have weakness in the right arm [a client factor], affecting their ability to manipulate a button [a motor and process skill] to button a shirt; a child in a classroom may be nearsighted [a client factor], affecting their ability to copy from a chalkboard [a motor and process skill]).

In addition, client factors are affected by occupations, contexts, performance patterns, and performance skills. For example, a client in a controlled and calm environment might be able to problem solve to complete an occupation or activity, but when they are in a louder, more chaotic environment, their ability to process and plan may be adversely affected. It is through this interactive relationship that occupations and interventions to support occupations can be used to address client factors and vice versa.

Values, beliefs, and spirituality influence clients' motivation to engage in occupations and give their life or existence meaning. *Values* are principles, standards, or qualities considered worthwhile by the client who holds them. A *belief* is "something that is accepted, considered to be true, or held as an opinion" ("Belief," 2020). *Spirituality* is "a deep experience of meaning brought about by engaging in occupations that involve the enacting of personal values and beliefs, reflection, and intention within a supportive contextual environment" (Billock, 2005, p. 887). It is important to recognize spirituality "as dynamic and often evolving" (Humbert, 2016, p. 12).

Body functions and body structures refer to the "physiological function of body systems (including psychological functions) and anatomical parts of the body such as organs, limbs, and their components," respectively (WHO, 2008, p. 10). Examples of body functions include sensory, musculoskeletal, mental (affective, cognitive, perceptual), cardiovascular, respiratory, and endocrine functions. Examples of body structures include the heart and blood vessels that support cardiovascular function. Body structures and body functions are interrelated, and occupational therapy practitioners consider them when seeking to promote clients' ability to engage in desired occupations.

Occupational therapy practitioners understand that the presence, absence, or limitation of specific body functions and body structures does not necessarily determine a client's success or difficulty with daily life occupations. Occupational performance and client factors may benefit from supports in the physical, social, or attitudinal contexts that enhance or allow participation. It is through the process of assessing clients as they engage in occupations that practitioners are able to determine the transaction between client factors and performance skills; to create adaptations, modifications, and remediation; and to select occupation-based interventions that best promote enhanced participation.

Exhibit 2. Operationalizing the Occupational Therapy Process

Ongoing interaction among evaluation, intervention, and outcomes occurs throughout the occupational therapy process.

Evaluation

Occupational Profile

- Identify the following:
 - Why is the client seeking services, and what are the client's current concerns relative to engaging in occupations and in daily life activities?
 - · In what occupations does the client feel successful, and what barriers are affecting their success in desired occupations?
 - What is the client's occupational history (i.e., life experiences)?
 - · What are the client's values and interests?
 - What aspects of their contexts (environmental and personal factors) does the client see as supporting engagement in desired occupations, and what aspects are inhibiting engagement?
 - · How are the client's performance patterns supporting or limiting occupational performance and engagement?
 - · What are the client's patterns of engagement in occupations, and how have they changed over time?
 - What client factors does the client see as supporting engagement in desired occupations, and what aspects are inhibiting engagement (e.g., pain, active symptoms)?
 - What are the client's priorities and desired targeted outcomes related to occupational performance, prevention, health and wellness, quality of life, participation, role competence, well-being, and occupational justice?

Analysis of Occupational Performance

• The analysis of occupational performance involves one or more of the following:

- Synthesizing information from the occupational profile to determine specific occupations and contexts that need to be addressed
- · Completing an occupational or activity analysis to identify the demands of occupations and activities on the client
- Selecting and using specific assessments to measure the quality of the client's performance or performance deficits while completing occupations or activities relevant to desired occupations, noting the effectiveness of performance skills and performance patterns
- Selecting and using specific assessments to measure client factors that influence performance skills and performance patterns
- Selecting and administering assessments to identify and measure more specifically the client's contexts and their impact on occupational performance.

Synthesis of Evaluation Process

- This synthesis may include the following:
 - Determining the client's values and priorities for occupational participation
 - Interpreting the assessment data to identify supports and hindrances to occupational performance
 - · Developing and refining hypotheses about the client's occupational performance strengths and deficits
 - · Considering existing support systems and contexts and their ability to support the intervention process
 - Determining desired outcomes of the intervention
 - · Creating goals in collaboration with the client that address the desired outcomes
 - Selecting outcome measures and determining procedures to measure progress toward the goals of intervention, which may
 include repeating assessments used in the evaluation process.

Intervention

Intervention Plan

16

· Develop the plan, which involves selecting

- · Objective and measurable occupation-based goals and related time frames;
- Occupational therapy intervention approach or approaches, such as create or promote, establish or restore, maintain, modify, or prevent; and
- Methods for service delivery, including what types of intervention will be provided, who will provide the interventions, and which service delivery approaches will be used.
- Consider potential discharge needs and plans.
- Make recommendations or referrals to other professionals as needed.

(Continued)

Exhibit 2. Operationalizing the Occupational Therapy Process (cont'd)

Intervention Implementation

• Select and carry out the intervention or interventions, which may include the following:

- · Therapeutic use of occupations and activities
- Interventions to support occupations
- Education
- Training
- Advocacy
- Self-advocacy
- Group intervention
- Virtual interventions.

• Monitor the client's response through ongoing evaluation and reevaluation.

Intervention Review

- Reevaluate the plan and how it is implemented relative to achieving outcomes.
- Modify the plan as needed.
- Determine the need for continuation or discontinuation of services and for referral to other services.

Outcomes

Outcomes

- Select outcome measures early in the occupational therapy process (see the "Evaluation" section of this table) on the basis of their properties:
 - · Valid, reliable, and appropriately sensitive to change in clients' occupational performance
 - Consistent with targeted outcomes
 - Congruent with the client's goals
 - Able to predict future outcomes.
- Use outcome measures to measure progress and adjust goals and interventions by
 - · Comparing progress toward goal achievement with outcomes throughout the intervention process and
 - Assessing outcome use and results to make decisions about the future direction of intervention (e.g., continue, modify, transition, discontinue, provide follow-up, refer for other service).

Client factors can also be understood as pertaining to group and population clients and may be used to help define the group or population. Although client factors may be described differently when applied to a group or population, the underlying principles do not change substantively. Client factors of a group or population are explored by performing needs assessments, and interventions might include program development and strategic planning to help the members engage in occupations.

Process

This section operationalizes the process undertaken by occupational therapy practitioners when providing services to clients. Exhibit 2 summarizes the aspects of the occupational therapy process.

The occupational therapy process is the clientcentered delivery of occupational therapy services. The three-part process includes (1) evaluation and (2) intervention to achieve (3) targeted outcomes and occurs within the purview of the occupational therapy domain (Table 10). The process is facilitated by the distinct perspective of occupational therapy practitioners engaging in professional reasoning, analyzing occupations and activities, and collaborating with clients. The cornerstones of occupational therapy practice underpin the process of service delivery.

Overview of the Occupational Therapy Process

Many professions use a similar process of evaluating, intervening, and targeting outcomes. However, only occupational therapy practitioners focus on the therapeutic use of occupations to promote health, well-

being, and participation in life. Practitioners use professional reasoning to select occupations as primary methods of intervention throughout the process. To help clients achieve desired outcomes, practitioners facilitate interactions among the clients, their contexts, and the occupations in which they engage. This perspective is based on the theories, knowledge, and skills generated and used by the profession and informed by available evidence.

Analyzing occupational performance requires an understanding of the complex and dynamic interaction among the demands of the occupation and the client's contexts, performance patterns, performance skills, and client factors. Occupational therapy practitioners fully consider each aspect of the domain and gauge the influence of each on the others, individually and collectively. By understanding how these aspects influence one another, practitioners can better evaluate how each aspect contributes to clients' participation and performance-related concerns and potentially to interventions that support occupational performance and participation.

The occupational therapy process is fluid and dynamic, allowing practitioners and clients to maintain their focus on the identified outcomes while continually reflecting on and changing the overall plan to accommodate new developments and insights along the way, including information gained from inter- and intraprofessional collaborations. The process may be influenced by the context of service delivery (e.g., setting, payer requirements); however, the primary focus is always on occupation.

Service Delivery Approaches

18

Various service delivery approaches are used when providing skilled occupational therapy services, of which intra- and interprofessional collaborations are a key component. It is imperative to communicate with all relevant providers and stakeholders to ensure a collaborative approach to the occupational therapy process. These providers and stakeholders can be within the profession (e.g., occupational therapist and occupational therapy assistant collaborating to work with a student in a school, a group of practitioners collaborating to develop community-based mental health programming in their region) or outside the profession (e.g., a team of rehabilitation and medical professionals on an inpatient hospital unit; a group of employees, human resources staff, and health and safety professionals in a large organization working with an occupational therapy practitioner on workplace wellness initiatives).

Regardless of the service delivery approach, the individual client may not be the exclusive focus of the occupational therapy process. For example, the needs of an at-risk infant may be the initial impetus for intervention, but the concerns and priorities of the parents, extended family, and funding agencies are also considered. Occupational therapy practitioners understand and focus intervention to include the issues and concerns surrounding the complex dynamics among the client, caregiver, family, and community. Similarly, services addressing independent living skills for adults coping with serious mental illness or chronic health conditions may also address the needs and expectations of state and local service agencies and of potential employers.

Direct Services. Services are provided directly to clients using a collaborative approach in settings such as hospitals, clinics, industry, schools, homes, and communities. Direct services include interventions completed when in direct contact with the client through various mechanisms such as meeting in person, leading a group session, and interacting with clients and families through telehealth systems (AOTA, 2018c).

Examples of person-level direct service delivery include working with an adult on an inpatient rehabilitation unit, working with a child in the classroom while collaborating with the teacher to address identified goals, and working with an adolescent in an outpatient setting. Direct group interventions include working with a cooking group in a skilled nursing facility, working with an outpatient feeding group, and working with a handwriting group in a school. Examples of population-level direct services include implementing a large-scale healthy lifestyle or safe driver initiative in the community and delivering a training program for brain injury treatment facilities regarding safely accessing public transportation. An occupational therapy approach to population health focuses on aggregates or communities of people and the many factors that influence their health and well-being: "Occupational therapy practitioners develop and implement occupation-based health approaches to enhance occupational performance and participation, [quality of life], and occupational justice for populations" (AOTA, 2020b, p. 3).

Indirect Services. When providing services to clients indirectly on their behalf, occupational therapy practitioners provide consultation to entities such as teachers, multidisciplinary teams, and community planning agencies. For example, a practitioner may consult with a group of elementary school teachers and administrators about opportunities for play during recess to promote health and well-being. A practitioner may also provide consultation on inclusive design to a park district or civic organization to address how the built and natural environments can support occupational performance and engagement. In addition, a practitioner may consult with a business regarding the work environment, ergonomic modifications, and compliance with the Americans With Disabilities Act of 1990 (Pub. L. 101-336).

Occupational therapy practitioners can advocate indirectly on behalf of their clients at the person, group, and population levels to ensure their occupational needs are met. For example, an occupational therapy practitioner may advocate for funding to support the costs of training a service animal for an individual client. A practitioner working with a group client may advocate for meeting space in the community for a peer support group of transgender youth. Examples of population-level advocacy include talking with legislators about improving transportation for older adults, developing services for people with disabilities to support their living and working in the community of their choice, establishing meaningful civic engagement opportunities for underserved youth, and assisting in the development of policies that address inequities in access to health care.

Additional Approaches. Occupational therapy practitioners use additional approaches that may also be classified as direct or indirect for persons, groups, and populations. Examples include, but are not limited to, case management (AOTA, 2018b), telehealth (AOTA, 2018c), episodic care (Centers for Medicare & Medicaid Services, 2019), and family-centered care approaches (Hanna & Rodger, 2002).

Practice Within Organizations and Systems

Organization- or systems-level practice is a valid and important part of occupational therapy for several reasons. First, organizations serve as a mechanism through which occupational therapy practitioners provide interventions to support participation of people who are members of or served by the organization (e.g., falls prevention programming in a skilled nursing facility, ergonomic changes to an assembly line to reduce musculoskeletal disorders). Second, organizations support occupational therapy practice and practitioners as stakeholders in carrying out the mission of the organization. Practitioners have the responsibility to ensure that services provided to organizational stakeholders (e.g., third-party payers, employers) are of high quality and delivered in an ethical, efficient, and efficacious manner.

Finally, organizations employ occupational therapy practitioners in roles in which they use their knowledge of occupation and the profession of occupational therapy indirectly. For example, practitioners can serve in positions such as dean, administrator, and corporate leader (e.g., CEO, business owner). In these positions, practitioners support and enhance the organization but do not provide occupational therapy services in the traditional sense. Occupational therapy practitioners can also serve organizations in roles such as client advocate, program coordinator, transition manager, service or care coordinator, health and wellness coach, and community integration specialist.

Occupational and Activity Analysis

Occupational therapy practitioners are skilled in the analysis of occupations and activities and apply this important skill throughout the occupational therapy

process. Occupational analysis is performed with an understanding of "the specific situation of the client and therefore . . . the specific occupations the client wants or needs to do in the actual context in which these occupations are performed" (Schell et al., 2019, p. 322). In contrast, activity analysis is generic and decontextualized in its purpose and serves to develop an understanding of typical activity demands within a given culture. Many professions use activity analysis, whereas occupational analysis requires the understanding of occupation as distinct from activity and brings an occupational therapy perspective to the analysis process (Schell et al., 2019).

Occupational therapy practitioners analyze the demands of an occupation or activity to understand the performance patterns, performance skills, and client factors that are required to perform it (Table 11). Depending on the purpose of the analysis, the meaning ascribed to and the contexts for performance of and engagement in the occupation or activity are considered either from a client-specific subjective perspective (occupational analysis) or a general perspective within a given culture (activity analysis).

Therapeutic Use of Self

20

An integral part of the occupational therapy process is therapeutic use of self, in which occupational therapy practitioners develop and manage their therapeutic relationship with clients by using professional reasoning, empathy, and a client-centered, collaborative approach to service delivery (Taylor & Van Puymbrouck, 2013). Occupational therapy practitioners use professional reasoning to help clients make sense of the information they are receiving in the intervention process, discover meaning, and build hope (Taylor, 2019; Taylor & Van Puymbrouck, 2013). Empathy is the emotional exchange between occupational therapy practitioners and clients that allows more open communication, ensuring that practitioners connect with clients at an emotional level to assist them with their current life situation.

Practitioners develop a collaborative relationship with clients to understand their experiences and desires for

intervention. The collaborative approach used throughout the process honors the contributions of clients along with practitioners. Through the use of interpersonal communication skills, practitioners shift the power of the relationship to allow clients more control in decision making and problem solving, which is essential to effective intervention. Clients have identified the therapeutic relationship as critical to the outcome of occupational therapy intervention (Cole & McLean, 2003).

Clients bring to the occupational therapy process their knowledge about their life experiences and their hopes and dreams for the future. They identify and share their needs and priorities. Occupational therapy practitioners must create an inclusive, supportive environment to enable clients to feel safe in expressing themselves authentically. To build an inclusive environment, practitioners can take actions such as pursuing education on gender-affirming care, acknowledging systemic issues affecting underrepresented groups, and using a lens of cultural humility throughout the occupational therapy process (AOTA, 2020c; Hammell, 2013).

Occupational therapy practitioners bring to the therapeutic relationship their knowledge about how engagement in occupation affects health, well-being, and participation; they use this information, coupled with theoretical perspectives and professional reasoning, to critically evaluate, analyze, describe, and interpret human performance. Practitioners and clients, together with caregivers, family members, community members, and other stakeholders (as appropriate), identify and prioritize the focus of the intervention plan.

Clinical and Professional Reasoning

Throughout the occupational therapy process, practitioners are continually engaged in clinical and professional reasoning about a client's occupational performance. The term *professional reasoning* is used throughout this document as a broad term to encompass reasoning that occurs in all settings (Schell, 2019). Professional reasoning enables practitioners to

- Identify the multiple demands, required skills, and potential meanings of the activities and occupations and
- Gain a deeper understanding of the interrelationships among aspects of the domain that affect performance and that support client-centered interventions and outcomes.

Occupational therapy practitioners use theoretical principles and models, knowledge about the effects of conditions on participation, and available evidence on the effectiveness of interventions to guide their reasoning. Professional reasoning ensures the accurate selection and application of client-centered evaluation methods, interventions, and outcome measures. Practitioners also apply their knowledge and skills to enhance clients' participation in occupations and promote their health and well-being regardless of the effects of disease, disability, and occupational disruption or deprivation.

Evaluation

The evaluation process is focused on finding out what the client wants and needs to do; determining what the client can do and has done; and identifying supports and barriers to health, well-being, and participation. Evaluation occurs during the initial and all subsequent interactions with a client. The type and focus of the evaluation differ depending on the practice setting; however, all evaluations should assess the complex and multifaceted needs of each client.

The evaluation consists of the occupational profile and the analysis of occupational performance, which are synthesized to inform the intervention plan (Hinojosa et al., 2014). Although it is the responsibility of the occupational therapist to initiate the evaluation process, both occupational therapists and occupational therapy assistants may contribute to the evaluation, following which the occupational therapist completes the analysis and synthesis of information for the development of the intervention plan (AOTA, 2020a). The occupational profile includes information about the client's needs, problems, and concerns about performance in occupations. The analysis of occupational performance focuses on collecting and interpreting information specifically to identify supports and barriers related to occupational performance and establish targeted outcomes.

Although the *OTPF–4* describes the components of the evaluation process separately and sequentially, the exact manner in which occupational therapy practitioners collect client information is influenced by client needs, practice settings, and frames of reference or practice models. The evaluation process for groups and populations mirrors that for individual clients.

In some settings, the occupational therapist first completes a screening or consultation to determine the appropriateness of a full occupational therapy evaluation (Hinojosa et al., 2014). This process may include

- Review of client history (e.g., medical, health, social, or academic records),
- Consultation with an interprofessional or referring team, and
- Use of standardized or structured screening instruments.

The screening or consultation process may result in the development of a brief occupational profile and recommendations for full occupational therapy evaluation and intervention (Hinojosa et al., 2014).

Occupational Profile

The occupational profile is a summary of a client's (person's, group's, or population's) occupational history and experiences, patterns of daily living, interests, values, needs, and relevant contexts (AOTA, 2017a). Developing the occupational profile provides the occupational therapy practitioner with an understanding of the client's perspective and background.

Using a client-centered approach, the occupational therapy practitioner gathers information to understand what is currently important and meaningful to the client (i.e., what the client wants and needs to do) and to identify past experiences and interests that may assist in the understanding of current issues and problems. During the process of collecting this information, the client, with the assistance of the practitioner, identifies priorities and desired

targeted outcomes that will lead to the client's engagement in occupations that support participation in daily life. Only clients can identify the occupations that give meaning to their lives and select the goals and priorities that are important to them. By valuing and respecting clients' input, practitioners help foster their involvement and can more effectively guide interventions.

Occupational therapy practitioners collect information for the occupational profile at the beginning of contact with clients to establish client-centered outcomes. Over time, practitioners collect additional information, refine the profile, and ensure that the additional information is reflected in changes subsequently made to targeted outcomes. The process of completing and refining the occupational profile varies by setting and client and may occur continuously throughout the occupational therapy process.

Information gathering for the occupational profile may be completed in one session or over a longer period while working with the client. For clients who are unable to participate in this process, their profile may be compiled through interaction with family members or other significant people in their lives. Information for the occupational profile may also be gathered from available and relevant records.

Obtaining information for the occupational profile through both formal and informal interview techniques and conversation is a way to establish a therapeutic relationship with clients and their support network. Techniques used should be appropriate and reflective of clients' preferred method and style of communication (e.g., use of a communication board, translation services). Practitioners may use AOTA's Occupational Profile Template as a guide to completing the occupational profile (AOTA, 2017a). The information obtained through the occupational profile contributes to an individualized approach in the evaluation, intervention planning, and intervention implementation stages. Information is collected in the following areas:

 Why is the client seeking services, and what are the client's current concerns relative to engaging in occupations and in daily life activities?

- In what occupations does the client feel successful, and what barriers are affecting their success in desired occupations?
- What is the client's occupational history (i.e., life experiences)?
- What are the client's values and interests?
- What aspects of their contexts (environmental and personal factors) does the client see as supporting engagement in desired occupations, and what aspects are inhibiting engagement?
- How are the client's performance patterns supporting or limiting occupational performance and engagement?
- What are the client's patterns of engagement in occupations, and how have they changed over time?
- What client factors does the client see as supporting engagement in desired occupations, and what aspects are inhibiting engagement (e.g., pain, active symptoms)?
- What are the client's priorities and desired targeted outcomes related to occupational performance, prevention, health and wellness, quality of life, participation, role competence, well-being, and occupational justice?

After the practitioner collects profile data, the occupational therapist views the information and develops a working hypothesis regarding possible reasons for the identified problems and concerns. Reasons could include impairments in performance skills, performance patterns, or client factors or barriers within relevant contexts. In addition, the therapist notes the client's strengths and supports in all areas because these can inform the intervention plan and affect targeted outcomes.

Analysis of Occupational Performance

Occupational performance is the accomplishment of the selected occupation resulting from the dynamic transaction among the client, their contexts, and the occupation. In the *analysis of occupational performance,* the practitioner identifies the client's ability to effectively complete desired occupations. The client's assets and limitations or potential problems are more specifically determined through

assessment tools designed to analyze, measure, and inquire about factors that support or hinder occupational performance.

Multiple methods often are used during the evaluation process to assess the client, contexts, occupations, and occupational performance. Methods may include observation and analysis of the client's performance of specific occupations and assessment of specific aspects of the client or their performance. The approach to the analysis of occupational performance is determined by the information gathered through the occupational profile and influenced by models of practice and frames of reference appropriate to the client and setting. The analysis of occupational performance involves one or more of the following:

- Synthesizing information from the occupational profile to determine specific occupations and contexts that need to be addressed
- Completing an occupational or activity analysis to identify the demands of occupations and activities on the client
- Selecting and using specific assessments to measure the quality of the client's performance or performance deficits while completing occupations or activities relevant to desired occupations, noting the effectiveness of performance skills and performance patterns
- Selecting and using specific assessments to measure client factors that influence performance skills and performance patterns
- Selecting and administering assessments to identify and measure more specifically the client's contexts and their impact on occupational performance.

Occupational performance may be measured through standardized, formal, and structured assessment tools, and when necessary informal approaches may also be used (Asher, 2014). Standardized assessments are preferred, when available, to provide objective data about various aspects of the domain influencing engagement and performance. The use of valid and reliable assessments for obtaining trustworthy information can also help support and justify the need for occupational therapy services (Doucet & Gutman, 2013; Hinojosa & Kramer, 2014). In addition, the use of standardized outcome performance measures and outcome tools assists in establishing a baseline of occupational performance to allow for objective measurement of progress after intervention.

Synthesis of the Evaluation Process

The occupational therapist synthesizes the information gathered through the occupational profile and analysis of occupational performance. This process may include the following:

- Determining the client's values and priorities for occupational participation
- Interpreting the assessment data to identify supports and hindrances to occupational performance
- Developing and refining hypotheses about the client's occupational performance strengths and deficits
- Considering existing support systems and contexts and their ability to support the intervention process
- Determining desired outcomes of the intervention
- Creating goals in collaboration with the client that address the desired outcomes
- Selecting outcome measures and determining procedures to measure progress toward the goals of intervention, which may include repeating assessments used in the evaluation process.

Any outcome assessment used by occupational therapy practitioners must be consistent with clients' belief systems and underlying assumptions regarding their desired occupational performance. Occupational therapy practitioners select outcome assessments pertinent to clients' needs and goals, congruent with the practitioner's theoretical model of practice. Assessment selection is also based on the practitioner's knowledge of and available evidence for the psychometric properties of standardized measures or the rationale and protocols for nonstandardized structured measures. In addition, clients' perception of success in engaging in desired occupations is a vital part of outcome assessment (Bandura, 1986). The occupational therapist uses the synthesis and summary of information from the

evaluation and established targeted outcomes to guide the intervention process.

Intervention

The intervention process consists of services provided by occupational therapy practitioners in collaboration with clients to facilitate engagement in occupation related to health, well-being, and achievement of established goals consistent with the various service delivery models. Practitioners use the information about clients gathered during the evaluation and theoretical principles to select and provide occupation-based interventions to assist clients in achieving physical, mental, and social wellbeing; identifying and realizing aspirations; satisfying needs; and changing or coping with contextual factors.

Types of occupational therapy interventions are categorized as occupations and activities, interventions to support occupations, education and training, advocacy, group interventions, and virtual interventions (Table 12). Approaches to intervention include create or promote, establish or restore, maintain, modify, and prevent (Table 13). Across all types of and approaches to interventions, it is imperative that occupational therapy practitioners maintain an understanding of the *Occupational Therapy Code of Ethics* (AOTA, 2015a) and the *Standards of Practice for Occupational Therapy* (AOTA, 2015c).

Intervention is intended to promote health, well-being, and participation. *Health promotion* is "the process of enabling people to increase control over, and to improve, their health" (WHO, 1986). Wilcock (2006) stated,

Following an occupation-based health promotion approach to well-being embraces a belief that the potential range of what people can do, be, and strive to become is the primary concern, and that health is a by-product. A varied and full occupational lifestyle will coincidentally maintain and improve health and well-being if it enables people to be creative and adventurous physically, mentally, and socially. (p. 315)

Interventions vary depending on the client—person, group, or population—and the context of service delivery. The actual term used for clients or groups of clients receiving occupational therapy varies among practice settings and delivery models. For example, when working in a hospital, the person or group might be referred to as a *patient* or *patients*, and in a school, the clients might be *students*. Early intervention requires practitioners to work with the family system as their clients. When practitioners provide consultation to an organization, clients may be called *consumers* or *members*. Terms used for others who may help or be served indirectly include, but are not limited to, *caregiver, teacher, parent, employer,* or *spouse*.

Intervention can also be in the form of collective services to groups and populations. Such intervention can occur as direct service provision or consultation. When consulting with an organization, occupational therapy practitioners may use strategic planning, change agent plans, and other program development approaches. Practitioners addressing the needs of a population direct their interventions toward current or potential diseases or conditions with the goal of enhancing the health, well-being, and participation of all members collectively. With groups and populations, the intervention focus is often on health promotion, prevention, and screening. Interventions may include (but are not limited to) self-management training, educational services, and environmental modification. For instance, occupational therapy practitioners may provide education on falls prevention and the impact of fear of falling to residents in an assisted living center or training to people facing a mental health challenge in use of the internet to identify and coordinate community resources that meet their needs.

Occupational therapy practitioners work with a wide variety of populations experiencing difficulty in accessing and engaging in healthy occupations because of factors such as poverty, homelessness, displacement, and discrimination. For example, practitioners can work with organizations providing services to refugees and asylum seekers to identify opportunities to reestablish occupational roles and enhance well-being and quality of life.

The intervention process is divided into three components: (1) intervention plan, (2) intervention implementation, and (3) intervention review. During the intervention process, the occupational therapy practitioner integrates information from the evaluation with theory,

practice models, frames of reference, and research evidence on interventions, including those that support occupations. This information guides the practitioner's professional reasoning in intervention planning, implementation, and review. Because evaluation is ongoing, revision may occur at any point during the intervention process.

Intervention Plan

The *intervention plan*, which directs the actions of occupational therapy practitioners, describes the occupational therapy approaches and types of interventions selected for use in reaching clients' targeted outcomes. The intervention plan is developed collaboratively with clients or their proxies and is directed by

- Client goals, values, beliefs, and occupational needs and
- Client health and well-being,

as well as by the practitioners' evaluation of

- Client occupational performance needs;
- Collective influence of the contexts, occupational or activity demands, and client factors on the client;
- Client performance skills and performance patterns;
- Context of service delivery in which the intervention is provided; and
- Best available evidence.

The occupational therapist designs the intervention plan on the basis of established treatment goals, addressing the client's current and potential situation related to engagement in occupations or activities. The intervention plan should reflect the priorities of the client, information on occupational performance gathered through the evaluation process, and targeted outcomes of the intervention. Intervention planning includes the following steps:

- 1. Developing the plan, which involves selecting
 - Objective and measurable occupation-based goals and related time frames;

- Occupational therapy intervention approach or approaches; and
- Methods for service delivery, including what types of interventions will be provided, who will provide the interventions, and which service delivery approaches will be used;
- 2. Considering potential discharge needs and plans; and
- Making recommendations or referrals to other professionals as needed.

Steps 2 and 3 are discussed in the Outcomes section.

Intervention Implementation

Intervention implementation is the process of putting the intervention plan into action and occurs after the initial evaluation process and development of the intervention plan. Interventions may focus on a single aspect of the occupational therapy domain, such as a specific occupation, or on several aspects of the domain, such as contexts, performance patterns, and performance skills, as components of one or more occupations. Intervention implementation must always reflect the occupational therapy scope of practice; occupational practitioners should not perform interventions that do not use purposeful and occupation-based approaches (Gillen et al., 2019).

Intervention implementation includes the following steps (see Table 12):

- Select and carry out the intervention or interventions, which may include the following:
 - · Therapeutic use of occupations and activities
 - · Interventions to support occupations
 - Education
 - Training
 - Advocacy
 - Self-advocacy
 - Group intervention
 - Virtual interventions.
- Monitor the client's response through ongoing evaluation and reevaluation.

Given that aspects of the domain are interrelated and influence one another in a continuous, dynamic process, occupational therapy practitioners expect that a client's ability to adapt, change, and develop in one area will affect other areas. Because of this dynamic interrelationship, evaluation, including analysis of occupational performance, and intervention planning continue throughout the implementation process. In addition, intervention implementation includes monitoring of the client's response to specific interventions and progress toward goals.

Intervention Review

Intervention review is the continuous process of reevaluating and reviewing the intervention plan, the effectiveness of its delivery, and progress toward outcomes. As during intervention planning, this process includes collaboration with the client to identify progress toward goals and outcomes. Reevaluation and review may lead to change in the intervention plan. Practitioners should review best practices for using process indicators and, as appropriate, modify the intervention plan and monitor progress using outcome performance measures and outcome tools. Intervention review includes the following steps:

- 1. Reevaluating the plan and how it is implemented relative to achieving outcomes
- 2. Modifying the plan as needed
- Determining the need for continuation or discontinuation of occupational therapy services and for referral to other services.

Outcomes

26

Outcomes emerge from the occupational therapy process and describe the results clients can achieve through occupational therapy intervention (Table 14). The outcomes of occupational therapy are multifaceted and may occur in all aspects of the domain of concern. Outcomes should be measured with the same methods used at evaluation and determined through comparison of the client's status at evaluation with the client's status at discharge or transition. Results of occupational therapy services are established using outcome performance measures and outcome tools.

Outcomes are directly related to the interventions provided and to the targeted occupations, performance patterns, performance skills, client factors, and contexts. Outcomes may be traced to improvement in areas of the domain, such as performance skills and client factors, but should ultimately be reflected in clients' ability to engage in their desired occupations. Outcomes targeted in occupational therapy can be summarized as

- Occupational performance,
- Prevention,
- Health and wellness,
- Quality of life,
- Participation,
- Role competence,
- Well-being, and
- Occupational justice.

Occupational adaptation, or the client's effective and efficient response to occupational and contextual demands (Grajo, 2019), is interwoven through all of these outcomes.

The impact of outcomes and the way they are defined are specific to clients (persons, groups, or populations) and to other stakeholders such as payers and regulators. Outcomes and their documentation vary by practice setting and are influenced by the stakeholders in each setting (AOTA, 2018a).

The focus on outcomes is woven throughout the process of occupational therapy. During evaluation, occupational therapy practitioners and clients (and often others, such as parents and caregivers) collaborate to identify targeted outcomes related to engagement in valued occupations or daily life activities. These outcomes are the basis for development of the intervention plan. During intervention implementation and review, clients and practitioners may modify targeted outcomes to accommodate changing needs, contexts, and performance abilities. Ultimately, the intervention process should result in the achievement of outcomes related to

health, well-being, and participation in life through engagement in occupation.

Outcome Measurement

Objective outcomes are measurable and tangible aspects of improved performance. Outcome measurement is sometimes derived from standardized assessments, with results reflected in numerical data following specific scoring instructions. These data quantify a client's response to intervention in a way that can be used by all relevant stakeholders. Objective outcome measures are selected early in the occupational therapy process on the basis of properties showing that they are

- Valid, reliable, and appropriately sensitive to change in the client's occupational performance,
- Consistent with targeted outcomes,
- Congruent with the client's goals, and
- Able to predict future outcomes.

Practitioners use objective outcome measures to measure progress and adjust goals and interventions by

- Comparing progress toward goal achievement with outcomes throughout the intervention process and
- Measuring and assessing results to make decisions about the future direction of intervention (e.g., continue, modify, transition, discontinue, provide follow-up, refer for other service).

In some settings, the focus is on *patient-reported outcomes* (PROs), which have been defined as "any report of the status of a patient's health condition that comes directly from the patient, without interpretation of the patient's response by a clinician or anyone else" (National Quality Forum, n.d., para. 1). PROs can be used as subjective measures of improved outlook, confidence, hope, playfulness, self-efficacy, sustainability of valued occupations, pain reduction, resilience, and perceived well-being. An example of a PRO is parents' greater perceived efficacy in parenting through a new understanding of their child's behavior (Cohn, 2001; Cohn et al., 2000; Graham et al., 2013). Another example is a report by an outpatient client with a hand injury of a reduction in pain during the IADL of doing laundry. "PRO tools measure what patients are able to do and how they feel by asking questions. These tools enable assessment of patient-reported health status for physical, mental, and social well-being" (National Quality Forum, n.d., para. 1).

Outcomes can also be designed for caregivers—for example, improved quality of life for both care recipient and caregiver. Studies of caregivers of people with dementia who received a home environmental intervention found fewer declines in occupational performance, enhanced mastery and skill, improved sense of self-efficacy and well-being, and less need for help with care recipients (Gitlin & Corcoran, 2005; Gitlin et al., 2001, 2003, 2008; Graff et al., 2007; Piersol et al., 2017).

Outcomes for groups that receive an educational intervention may include improved social interaction, increased self-awareness through peer support, a larger social network, or improved employee health and productivity. For example, education interventions for groups of employees on safety and workplace wellness have been shown to decrease work injuries and increase workplace productivity and satisfaction (Snodgrass & Amini, 2017).

Outcomes for populations may address health promotion, occupational justice and self-advocacy, health literacy, community integration, community living, and access to services. As with other occupational therapy clients, outcomes for populations are focused on occupational performance, engagement, and participation. For example, outcomes at the population level as a result of advocacy interventions include construction of accessible playground facilities, improved accessibility for polling places, and reconstruction of a school after a natural disaster.

Transition and Discontinuation

Transition is movement from one life role or experience to another. Transitions in services, like all life transitions, may require preparation, new knowledge, and time to accommodate to the new situation (Orentlicher et al., 2015). Transition planning may be needed, for example, when a client moves from one setting to another along the care continuum (e.g., acute hospital to skilled nursing

facility) or ages out of one program and into a new one (e.g., early intervention to elementary school).

Collaboration among practitioners is necessary to ensure safety, well-being, and optimal outcomes for clients (Joint Commission, 2012, 2013).

Transition planning may include a referral to a provider within occupational therapy with advanced knowledge and skill (e.g., vestibular rehabilitation, driver evaluation, hand therapy) or outside the profession (e.g., psychologist, optometrist). Transition planning for groups and populations may be needed for a transition from one stage to another (e.g., middle school students in a life skills program who transition to high school) or from one set of needs to another (e.g., older adults in a community falls prevention program who transition to a community exercise program).

Planning for discontinuation of occupational therapy services begins at initial evaluation. Discontinuation of care occurs when the client ends services after meeting short- and long-term goals or chooses to discontinue receiving services (consistent with client-centered care). Safe and effective discharge planning for a person may include education on the use of new equipment, adaptation of an occupation, caregiver training, environmental modification, or determination of the appropriate setting for transition of care. A key goal of discharge planning for individual clients is prevention of readmission (Rogers et al., 2017). Discontinuation of services for groups and populations occurs when goals are met and sustainability plans are implemented for long-term success.

Conclusion

The *OTPF-4* describes the central concepts that ground occupational therapy practice and builds a common understanding of the basic tenets and distinct contribution of the profession. The occupational therapy domain and process are linked inextricably in a transactional relationship. An understanding of this relationship supports and guides the complex decision making required in the daily practice of occupational therapy and enhances practitioners' ability to define the reasons for and justify the provision of services when communicating with clients, family members, team members, employers, payers, and policymakers.

This edition of the *OTPF* provides a broader view than previous editions of occupational therapy as related to groups and populations and current and future occupational needs of clients. It also presents and describes the cornerstones of occupational therapy practice, which are discrete and critical qualities of occupational therapy practitioners that provide them with a foundation for success in the occupational therapy process. The *OTPF–4* highlights the distinct value of occupation and occupational therapy in contributing to health, well-being, and participation in life for persons, groups, and populations. This document can be used to advocate for the importance of occupational therapy in meeting society's current and future needs, ultimately advancing the profession to ensure a sustainable future.

7412410010p28

Table 1. Examples of Clients: Persons, Groups, and Populations

Person	Group	Population	
Health Management			
Middle-school student with diabetes in- terested in developing self-management skills to test blood sugar levels	Group of students with diabetes interested in problem solving the school setting's support for management of their condition	All students in the school provided with access to food choices to meet varying dietary needs and desires	
Feeding			
Family of an infant with a history of pre- maturity and difficulty accepting nutrition orally	Families with infants experiencing feeding challenges advocating for the local hos- pital's rehabilitation services to develop infant feeding classes	Families of infants advocating for re- search and development of alternative nipple and bottle designs to address feeding challenges	
Community Mobility			
Person with stroke who wants to return to driving	Stroke support group talking with elected leaders about developing community mobility resources	Stroke survivors advocating for increased access to community mobility options for all persons living with mobility limitations	
Social Participation			
Young adult with IDD interested in in- creasing social participation	Young adults with IDD in a transition program sponsoring leisure activities in which all may participate in valued social relationships	Young adults with IDD educating their community about their need for inclusion in community-based social and leisure activities	
Home Establishment and Management			
Person living with SMI interested in de- veloping skills for independent living	Support group for people living with SMI developing resources to foster indepen- dent living	People living with SMI in the same region advocating for increased housing options for independent living	
Work Participation			
Older worker with difficulty performing some work tasks	Group of older workers in a factory ad- vocating for modification of equipment to address discomfort when operating the same set of machines	Older workers in a national corporation advocating for company-wide wellness support programs	

Note. IDD = intellectual and developmental disabilities; SMI = serious mental illness.

AOTA OFFICIAL DOCUMENT

Table 2. Occupations

Occupations are "the everyday activities that people do as individuals, in families, and with communities to occupy time and bring meaning and purpose to life. Occupations include things people need to, want to and are expected to do" (World Federation of Occupational Therapists, 2012a, para. 2). Occupations are categorized as activities of daily living, instrumental activities of daily living, health management, rest and sleep, education, work, play, leisure, and social participation.

Occupation	Description	
Activities of Daily Living (ADLs)—Activities oriented toward ta (adapted from Rogers & Holm, 1994).	king care of one's own body and completed on a routine basis	
Bathing, showering	Obtaining and using supplies; soaping, rinsing, and drying body parts; maintaining bathing position; transferring to and from bathing positions	
Toileting and toilet hygiene	Obtaining and using toileting supplies, managing clothing, maintaining toileting position, transferring to and from toileting position, cleaning body, caring for menstrual and continence needs (including catheter, colostomy, and suppository man- agement), maintaining intentional control of bowel movements and urination and, if necessary, using equipment or agents for bladder control (Uniform Data System for Medical Rehabilitation, 1996, pp. III-20, III-24)	
Dressing	Selecting clothing and accessories with consideration of time of day, weather, and desired presentation; obtaining clothing from storage area; dressing and undressing in a sequential fashion; fastening and adjusting clothing and shoes; applying and re- moving personal devices, prosthetic devices, or splints	
Eating and swallowing	Keeping and manipulating food or fluid in the mouth, swal- lowing it (i.e., moving it from the mouth to the stomach)	
Feeding	Setting up, arranging, and bringing food or fluid from the vessel to the mouth (includes self-feeding and feeding others)	
Functional mobility	Moving from one position or place to another (during perfor- mance of everyday activities), such as in-bed mobility, wheel- chair mobility, and transfers (e.g., wheelchair, bed, car, shower, tub, toilet, chair, floor); includes functional ambulation and transportation of objects	
Personal hygiene and grooming	Obtaining and using supplies; removing body hair (e.g., using a razor or tweezers); applying and removing cosmetics; washing, drying, combing, styling, brushing, and trimming hair; caring for nails (hands and feet); caring for skin, ears, eyes, and nose; applying deodorant; cleaning mouth; brushing and flossing teeth; removing, cleaning, and reinserting dental orthotics and prosthetics	
Sexual activity	Engaging in the broad possibilities for sexual expression and experiences with self or others (e.g., hugging, kissing, foreplay, masturbation, oral sex, intercourse)	
Instrumental Activities of Daily Living (IADLs)-Activities to s	upport daily life within the home and community.	
Care of others (including selection and supervision of caregivers)	Providing care for others, arranging or supervising formal care (by paid caregivers) or informal care (by family or friends) for others	
	(Continued)	

AOTA OFFICIAL DOCUMENT

Occupation	Description
Care of pets and animals	Providing care for pets and service animals, arranging or supervising care for pets and service animals
Child rearing	Providing care and supervision to support the developmental and physiological needs of a child
Communication management	Sending, receiving, and interpreting information using systems and equipment such as writing tools, telephones (including smartphones), keyboards, audiovisual recorders, computers or tablets, communication boards, call lights, emergency systems, Braille writers, telecommunication devices for deaf people, augmentative communication systems, and personal digital assistants
Driving and community mobility	Planning and moving around in the community using public or private transportation, such as driving, walking, bicycling, or accessing and riding in buses, taxi cabs, ride shares, or other transportation systems
Financial management	Using fiscal resources, including financial transaction methods (e.g., credit card, digital banking); planning and using finances with long-term and short-term goals
Home establishment and management	Obtaining and maintaining personal and household possessions and environments (e.g., home, yard, garden, houseplants, appliances, vehicles), including maintaining and repairing personal possessions (e.g., clothing, household items) and knowing how to seek help or whom to contact
Meal preparation and cleanup	Planning, preparing, and serving meals and cleaning up food and tools (e.g., utensils, pots, plates) after meals
Religious and spiritual expression	Engaging in religious or spiritual activities, organizations, and practices for self-fulfillment; finding meaning or religious or spiritual value; establishing connection with a divine power, such as is involved in attending a church, temple, mosque, or synagogue; praying or chanting for a religious purpose; en- gaging in spiritual contemplation (World Health Organization, 2008); may also include giving back to others, contributing to society or a cause, and contributing to a greater purpose
Safety and emergency maintenance	Evaluating situations in advance for potential safety risks; recognizing sudden, unexpected hazardous situations and ini- tiating emergency action; reducing potential threats to health and safety, including ensuring safety when entering and exiting the home, identifying emergency contact numbers, and replacing items such as batteries in smoke alarms and light bulbs
Shopping	Preparing shopping lists (grocery and other); selecting, pur- chasing, and transporting items; selecting method of payment and completing payment transactions; managing internet shopping and related use of electronic devices such as com- puters, cell phones, and tablets

(Continued)

AOTA OFFICIAL DOCUMENT

Occupation	Description
Health Management —Activities related to developing, managi self-management, with the goal of improving or maintaining h	
Social and emotional health promotion and maintenance	Identifying personal strengths and assets, managing emotions, expressing needs effectively, seeking occupations and social engagement to support health and wellness, developing self- identity, making choices to improve quality of life in participation
Symptom and condition management	Managing physical and mental health needs, including using coping strategies for illness, trauma history, or societal stigma; managing pain; managing chronic disease; recognizing symptom changes and fluctuations; developing and using strategies for managing and regulating emotions; planning time and establishing behavioral patterns for restorative activities (e.g., meditation); using community and social supports; navigating and accessing the health care system
Communication with the health care system	Expressing and receiving verbal, written, and digital commu- nication with health care and insurance providers, including understanding and advocating for self or others
Medication management	Communicating with the physician about prescriptions, filling prescriptions at the pharmacy, interpreting medication in- structions, taking medications on a routine basis, refilling prescriptions in a timely manner (American Occupational Therapy Association, 2017c; Schwartz & Smith, 2017)
Physical activity	Completing cardiovascular exercise, strength training, and balance training to improve or maintain health and decrease risk of health episodes, such as by incorporating walks into daily routine
Nutrition management	Implementing and adhering to nutrition and hydration recom- mendations from the medical team, preparing meals to support health goals, participating in health-promoting diet routines
Personal care device management	Procuring, using, cleaning, and maintaining personal care de- vices, including hearing aids, contact lenses, glasses, orthotics, prosthetics, adaptive equipment, pessaries, glucometers, and contraceptive and sexual devices
Rest and Sleep —Activities related to obtaining restorative restorcupations.	t and sleep to support healthy, active engagement in other
Rest	Identifying the need to relax and engaging in quiet and effortless actions that interrupt physical and mental activity (Nurit & Michal, 2003, p. 227); reducing involvement in taxing physical, mental, or social activities, resulting in a relaxed state; engaging in relaxation or other endeavors that restore energy and calm and renew interest in engagement
Sleep preparation	Engaging in routines that prepare the self for a comfortable rest, such as grooming and undressing, reading or listening to music, saying goodnight to others, and engaging in meditation or prayers; determining the time of day and length of time
	(Continued

AOTA OFFICIAL DOCUMENT

32

Occupation	Description
	desired for sleeping and the time needed to wake; establishing sleep patterns that support growth and health (patterns are often personally and culturally determined); preparing the physical environment for periods of sleep, such as making the bed or space on which to sleep, ensuring warmth or coolness and protection, setting an alarm clock, securing the home (e.g., by locking doors or closing windows or curtains), setting up sleep- supporting equipment (e.g., CPAP machine), and turning off electronics and lights
Sleep participation	Taking care of personal needs for sleep, such as ceasing ac- tivities to ensure onset of sleep, napping, and dreaming; sus- taining a sleep state without disruption; meeting nighttime toileting and hydration needs, including negotiating the needs of and interacting with others (e.g., children, partner) within the social environment, such as providing nighttime caregiving (e.g., breastfeeding) and monitoring comfort and safety of others who are sleeping
Education-Activities needed for learning and participating in t	he educational environment.
Formal educational participation	Participating in academic (e.g., math, reading, degree course- work), nonacademic (e.g., recess, lunchroom, hallway), extracurricular (e.g., sports, band, cheerleading, dances), technological (e.g., online assignment completion, distance learning), and vocational (including prevocational) educational activities
Informal personal educational needs or interests exploration (beyond formal education)	Identifying topics and methods for obtaining topic-related in- formation or skills
Informal educational participation	Participating in classes, programs, and activities that provide instruction or training outside of a structured curriculum in identified areas of interest
Work —Labor or exertion related to the development, production may be financial or nonfinancial (e.g., social connectedness, conchristiansen & Townsend, 2010; Dorsey et al., 2019).	
Employment interests and pursuits	Identifying and selecting work opportunities consistent with personal assets, limitations, goals, and interests (adapted from Mosey, 1996, p. 342)
Employment seeking and acquisition	Advocating for oneself; completing, submitting, and reviewing application materials; preparing for interviews; participating in interviews and following up afterward; discussing job benefits; finalizing negotiations
Job performance and maintenance	Creating, producing, and distributing products and services; maintaining required work skills and patterns; managing time use; managing relationships with coworkers, managers, and customers; following and providing leadership and supervision; initiating, sustaining, and completing work; complying with work norms and procedures; seeking and responding to feedback on performance

(Continued)

AOTA OFFICIAL DOCUMENT

Occupation	Description	
Retirement preparation and adjustment	Determining aptitudes, developing interests and skills, selecting vocational pursuits, securing required resources, adjusting lifestyle in the absence of the worker role	
Volunteer exploration	Identifying and learning about community causes, organiza- tions, and opportunities for unpaid work consistent with per- sonal skills, interests, location, and time available	
Volunteer participation	Performing unpaid work activities for the benefit of selected people, causes, or organizations	
Play —Activities that are intrinsically motivated, internally contr reality (e.g., fantasy; Skard & Bundy, 2008), exploration, humor, ris 2009). Play is a complex and multidimensional phenomenon that is	k taking, contests, and celebrations (Eberle, 2014; Sutton-Smith,	
Play exploration	Identifying play activities, including exploration play, practice play, pretend play, games with rules, constructive play, and symbolic play (adapted from Bergen, 1988, pp. 64–65)	
Play participation	Participating in play; maintaining a balance of play with other occupations; obtaining, using, and maintaining toys, equipment, and supplies	
Leisure—"Nonobligatory activity that is intrinsically motivated committed to obligatory occupations such as work, self-care, o		
Leisure exploration	Identifying interests, skills, opportunities, and leisure activities	
Leisure participation	Planning and participating in leisure activities; maintaining a balance of leisure activities with other occupations; obtaining, using, and maintaining equipment and supplies	
Social Participation—Activities that involve social interaction v members, and that support social interdependence (Bedell, 201		
Community participation	Engaging in activities that result in successful interaction at the community level (e.g., neighborhood, organization, workplace, school, digital social network, religious or spiritual group)	
Family participation	Engaging in activities that result in "interaction in specific re- quired and/or desired familial roles" (Mosey, 1996, p. 340)	
Friendships	Engaging in activities that support "a relationship between two people based on mutual liking in which partners provide support to each other in times of need" (Hall, 2017, para. 2)	
Intimate partner relationships	Engaging in activities to initiate and maintain a close relation- ship, including giving and receiving affection and interacting in desired roles; intimate partners may or may not engage in sexual activity	
Peer group participation	Engaging in activities with others who have similar interests, age, background, or social status	

Note. CPAP = continuous positive airway pressure.

34

AOTA OFFICIAL DOCUMENT

The American Journal of Occupational Therapy, August 2020, Vol. 74, Suppl. 2 Downloaded from http://ajot.aota.org on 10/14/2020 Terms of use: http://AOTA.org/terms

Table 3. Examples of Occupations for Persons, Groups, and Populations

Persons engage in occupations, and groups engage in shared occupations; populations as a whole do not engage in shared occupations, which happen at the person or group level. Occupational therapy practitioners provide interventions for persons, groups, and populations.

Occupation Category	Client Type	Example
Activities of daily living	Person	Older adult completing bathing with assistance from an adult child
	Group	Students eating lunch during a lunch break
Instrumental activities of daily living	Person	Parent using a phone app to pay a babysitter electronically
	Group	Club members using public transportation to arrive at a musical performance
Health management	Person	Patient scheduling an appointment with a spe- cialist after referral by the primary care doctor
	Group	Parent association sharing preparation of healthy foods to serve at a school-sponsored festival
Rest and sleep	Person	Person turning off lights and adjusting the room temperature to 68° before sleep
	Group	Children engaging in nap time at a day care center
Education	Person	College student taking an African-American his- tory class online
	Group	Students working on a collaborative science project on robotics
Work	Person	Electrician turning off power before working on a power line
	Group	Peers volunteering for a day of action at an animal shelter
Play	Person	Child playing superhero dress up
	Group	Class playing freeze tag during recess
Leisure	Person	Family member knitting a sweater for a new baby
	Group	Friends meeting for a craft circle
Social participation	Person	New mother going to lunch with friends
	Group	Older adults gathering at a community center to wrap holiday presents for charity distribution

Table 4. Context: Environmental Factors

Context is the broad construct that encompasses environmental factors and personal factors. *Environmental factors* are aspects of the physical, social, and attitudinal surroundings in which people live and conduct their lives.

Environmental Factor	Components	Examples
Natural environment and human-made changes to the environment: Animate and inanimate elements of the natural or physical environment and components of that environment that have been modified by people, as well as characteristics of human populations within the environment	Physical geography	 Raised flower beds in a backyard Local stream cleanup by Boy Scouts during a community service day project Highway expansion cutting through an established neighborhood
	Population: Groups of people living in a given environment who share the same pattern of environmental adaptation	 Universal access playground where children with mobility impairment can play Hearing loop installed in a synagogue for congregation members with hearing aids Tree-shaded, solid-surface walking path enjoyed by older adults in a senior living community
	Flora (plants) and fauna (animals)	 Nonshedding service dog Family-owned herd of cattle Community garden
	Climate: Meteorological features and events, such as weather	 Sunny day requiring use of sunglasses Rain shower prompting a crew of road workers to don rain gear Unusually high temperatures turning a community ice skating pond to slush
	Natural events: Regular or irregular geo- graphic and atmospheric changes that cause disruption in the physical environment	 Barometric pressure causing a headache Flood of a local creek damaging neighborhood homes Hurricane devastating a low-lying region
	Human-caused events: Alterations or dis- turbances in the natural environment caused by humans that result in the dis- ruption of day-to-day life	 High air pollution forcing a person with lung disease to stay indoors Accessible dock at a local river park demolished to make way for a new bridge construction project Derailment of a train loaded with highly combustible chemicals leading to the emergency total evacuation of a small town
	Light: Light intensity and quality	 Darkness requiring use of a reading lamp Office with ample natural light Street lamps
	Time-related changes: Natural, regularly occurring, or predictable change; rhythm and duration of activity; time of day, week, month, season, or year; day–night cycles; lunar cycles	 Jet lag Quitting time at the end of a work shift Summer solstice

(Continued)

Table 4. Context: Environmental Factors (cont'd)

Environmental Factor	Components	Examples
	Sound and vibration: Heard or felt phe- nomena that may provide useful or dis- tracting information about the world	 Vibration of a cell phone indicating a text message Bell signaling the start of the school day Outdoor emergency warning system on a college campus
	Air quality: Characteristics of the atmo- sphere (outside buildings) or enclosed areas of air (inside buildings)	 Heavy perfume use by a family member causing an asthmatic reaction Smoking area outside an office building High incidence of respiratory diseases near an industrial district
Products and technology: Natural or human-made products or systems of products, equipment, and technology that are gathered, created, produced, or	Food, drugs, and other products or sub- stances for personal consumption	 Preferred snack Injectable hormones for a transgender man Grade-school cafeteria lunch
manufactured	General products and technology for personal use in daily living (including assistive technology and products)	ToothbrushHousehold refrigeratorShower in a fitness or exercise facility
	Personal indoor and outdoor mobility and transportation equipment used by people in activities requiring movement inside and outside of buildings	• Family car
	Communication: Activities involving sending and receiving information	 Hearing aid Text chain via personal cell phones Use of emergency response system to warn region of impending dangerous storms
	Education: Processes and methods for acquiring knowledge, expertise, or skill	 Textbook Online course Curriculum for workplace sexual harassment program
	Employment: Paid work activities	 Home office for remote work Assembly factory Internet connection for health care workers to access electronic medical records
	Cultural, recreational, and sporting activities	 Gaming console Instruments for a university marching band Soccer stadium
	Practice of religion and spirituality	 Prayer rug Temple Sunday church service television broadcast
	Indoor and outdoor human-made envi- ronments that are planned, designed, and constructed for public and private use	 Home bathroom with grab bars and raised toilet seat Accessible playground at a city park Zero-grade entry to a shopping mall

(Continued)

Table 4. Context: Environmental Factors (cont'd)

Environmental Factor	Components	Examples
	Assets for economic exchange, such as money, goods, property, and other valu- ables that an individual owns or has rights to use	 Pocket change Household budget Condominium association tax bill
	Virtual environments occurring in simu- lated, real-time, and near-time situations, absent of physical contact	 Personal cell phone Synchronous video meeting of co- workers in distant locations Open-source video gaming community
Support and relationships: People or ani- mals that provide practical physical or emotional support, nurturing, protection, assistance, and relationships to other persons in the home, workplace, or school	Immediate and extended family	 Spouses, partners, parents, siblings, foster parents, and adoptive grandparents Biological families and found or con- structed families
or at play or in other aspects of their daily activities	Friends, acquaintances, peers, colleagues, neighbors, and community members	 Trusted best friend Coworkers Helpful next-door neighbor Substance abuse recovery support group sponsor
	People in positions of authority and those in subordinate positions	 Teacher who offers extra tutoring Legal guardian for a parentless minor Female religious reporting to a sister superior New employee being oriented to the job tasks by an assigned mentor
	Personal care providers and personal as- sistants providing support to individuals	Health care professionals and other professionals serving a community
	Domesticated animals	 Therapy dog program in a senior living community Horse kept to draw a buggy for an Amish family's transportation
Attitudes: Observable evidence of cus- toms, practices, ideologies, values, norms, factual beliefs, and religious beliefs held by people other than the client	Individual attitudes of immediate and ex- tended family, friends and acquaintances, peers and colleagues, neighbors and community members, people in positions of authority and subordinate positions, personal care providers and personal as- sistants, strangers, and health care and other professionals	 Shared grief over the untimely death of a sibling Automatic trust from a patient who knows one's father Reliance among members of a faith community
	Societal attitudes, including discriminatory practices	 Failure to acknowledge a young person who wants to vote for the first time Racial discrimination in job hiring processes
	Social norms, practices, and ideologies that marginalize specific populations	No time off work allowed to observe a religion's holy day
Services, systems, and policies: Benefits, structured programs, and regulations for operations, provided by institutions in	Services designed to meet the needs of persons, groups, and populations	• Economic services, including Social Security income and public assistance

(Continued)

AOTA OFFICIAL DOCUMENT

The American Journal of Occupational Therapy, August 2020, Vol. 74, Suppl. 2 Downloaded from http://ajot.aota.org on 10/14/2020 Terms of use: http://AOTA.org/terms

Table 4.	Context:	Environmental	Factors	(cont'd)
----------	----------	---------------	---------	----------

Environmental Factor	Components	Examples
various sectors of society, designed to meet the needs of persons, groups, and populations		 Health services for preventing and treating health problems, providing medical rehabilitation, and promoting healthy lifestyles
	Systems established by governments at the local, regional, national, and interna- tional levels or by other recognized authorities	 Public utilities (e.g., water, electricity, sanitation) Communications (transmission and exchange of information) Transportation systems Political systems related to voting, elections, and governance
	Policies constituted by rules, regulations, conventions, and standards established by governments at the local, regional, na- tional, and international levels or by other recognized authorities	 Architecture, construction, open space use, and housing policies Civil protection and legal services Labor and employment policies related to finding suitable work, looking for different work, or seeking promotion

Table 5. Context: Personal Factors

Context is the broad construct that encompasses environmental factors and personal factors. *Personal factors* are the particular background of a person's life and living and consist of the unique features of the person that are not part of a health condition or health state.

Personal Factor	Person A	Person B
Age (chronological)	• 48 years old	• 14 years old
Sexual orientation	Attracted to men	Attracted to all genders
Gender identity	• Female	• Male
Race and ethnicity	Black French Caribbean	Southeast Asian Hmong
Cultural identification and cultural attitudes	 Urban Black Feminist Caribbean island identification	 Traditional clan structure Elders who are decision makers for community
Social background, social status, and so- cioeconomic status	 Urban, upscale neighborhood Friends in the professional workforce Income that allows for luxury 	 Family owns small home Father with a stable job in light manufacturing Mother who is a child care provider for neighborhood children
Upbringing and life experiences	 No siblings Raised in household with grandmother as caregiver Moved from California to Boston while an adolescent 	 Traditional Born in a refugee camp before parents emigrated Youngest of five siblings Lives in a small city in the Upper Midwest
Habits and past and current behavioral patterns	Coffee before anything elseMeticulous about dress	 Organized and attentive to family Never misses a family meal
Individual psychological assets, including temperament, character traits, and coping styles, for handling responsibilities, stress, crises, and other psychological demands (e.g., extroversion, agreeableness, con- scientiousness, psychic stability, open- ness to experience, optimism, confidence)	 Anxious when not working Extroverted High level of confidence Readily adapts approach to and inter- actions with those who are culturally different 	 Known for being calm Not outgoing but friendly to all Does not speak up or complain at school during conflict
Education	Master's degree in political scienceLaw degree	High school freshmanAdvanced skills in the sciences
Profession and professional identity	Public interest lawyer	Public high school student
Lifestyle	 High-rise apartment Likes urban nightlife and casual dating Works long hours 	 Engaged in clan and community Four older siblings who live nearby
Other health conditions and fitness	 Treated for anorexia nervosa while an adolescent Occasional runner 	 Wears eyeglasses for astigmatism Sedentary at home except for assigned chores

The American Journal of Occupational Therapy, August 2020, Vol. 74, Suppl. 2 Downloaded from http://ajot.aota.org on 10/14/2020 Terms of use: http://AOTA.org/terms

Table 6. Performance Patterns

Performance patterns are the habits, routines, roles, and rituals that may be associated with different lifestyles and used in the process of engaging in occupations or activities. These patterns are influenced by context and time use and can support or hinder occupational performance.

Description	Examples
· ·	
"Specific, automatic behaviors performed repeat- edly, relatively automatically, and with little varia- tion" (Matuska & Barrett, 2019, p. 214). Habits can be healthy or unhealthy, efficient or inefficient, and supportive or harmful (Dunn, 2000).	 Automatically puts car keys in the same place Spontaneously looks both ways before crossing the street Always turns off the stove burner before removing a cooking pot Activates the alarm system before leaving the home Always checks smartphone for emails or text messages on waking Snacks when watching television
Patterns of behavior that are observable, regular, and repetitive and that provide structure for daily life. They can be satisfying, promoting, or dam- aging. Routines require delimited time commit- ment and are embedded in cultural and ecological contexts (Fiese, 2007; Segal, 2004).	 Follows a morning sequence to complete toileting, bathing, hygiene, and dressing Follows the sequence of steps involved in meal preparation Manages morning routine to drop children off at school and arrive at work on time
Aspects of identity shaped by culture and context that may be further conceptualized and defined by the client and the activities and occupations one engages in.	 Sibling in a family with three children Retired military personnel Volunteer at a local park district Mother of an adolescent with developmental disabilities Student with a learning disability studying computer technology Corporate executive returning to part-time work after a stroke
Symbolic actions with spiritual, cultural, or social meaning contributing to the client's identity and reinforcing values and beliefs. Rituals have a strong affective component and consist of a collection of events (Fiese, 2007; Fiese et al., 2002; Segal, 2004).	 Shares a highlight from the day during evening meals with family Kisses a sacred book before opening the pages to read Recites the Pledge of Allegiance before the start of the school day
1	
Patterns of behavior that are observable, regular, and repetitive and that provide structure for daily life. They can be satisfying, promoting, or dam- aging. Time provides an organizational structure or rhythm for routines (Larson & Zemke, 2003). Routines are embedded in cultural and ecological contexts (Segal, 2004).	 <i>Group</i> Workers attending weekly staff meetings Students turning in homework assignments as they enter the classroom Exercise class attendees setting up their mats and towels before class <i>Population</i> Parents of young children following health practices such as yearly checkups and scheduled immunizations
	 "Specific, automatic behaviors performed repeatedly, relatively automatically, and with little variation" (Matuska & Barrett, 2019, p. 214). Habits can be healthy or unhealthy, efficient or inefficient, and supportive or harmful (Dunn, 2000). Patterns of behavior that are observable, regular, and repetitive and that provide structure for daily life. They can be satisfying, promoting, or damaging. Routines require delimited time commitment and are embedded in cultural and ecological contexts (Fiese, 2007; Segal, 2004). Aspects of identity shaped by culture and context that may be further conceptualized and defined by the client and the activities and occupations one engages in. Symbolic actions with spiritual, cultural, or social meaning contributing to the client's identity and reinforcing values and beliefs. Rituals have a strong affective component and consist of a collection of events (Fiese, 2007; Fiese et al., 2002; Segal, 2004). Patterns of behavior that are observable, regular, and repetitive and that provide structure for daily life. They can be satisfying, promoting, or damaging. Time provides an organizational structure or rhythm for routines (Larson & Zemke, 2003). Routines are embedded in cultural and ecological

(Continued)

Table 6. Performance Patterns (cont'd)

Category	Description	Examples
		 Corporations following business practices such as providing services for disadvantaged pop- ulations (e.g., loans to underrepresented groups) School districts following legislative procedures such as those associated with the Individuals With Disabilities Education Improvement Act of 2004 (Pub. L. 108-446) or Medicare
Roles	Sets of behaviors by the group or population expected by society and shaped by culture and context that may be further conceptualized and defined by the group or population.	 <i>Group</i> Nonprofit civic group providing housing for people living with mental illness Humanitarian group distributing food and clothing donations to refugees Student organization in a university educating elementary school children about preventing bullying <i>Population</i> Parents providing care for children until they become adults Grandparents or older community members being consulted before decisions are made
Rituals	Shared social actions with traditional, emotional, purposive, and technological meaning contributing to values and beliefs within the group or population.	 Group Employees of a company attending an annual holiday celebration Members of a community agency hosting a fundraiser every spring Population Citizens of a country suspending work activities in observance of a national holiday

42

Table 7. Performance Skills for Persons

Performance skills are observable, goal-directed actions that result in a client's quality of performing desired occupations. Skills are supported by the context in which the performance occurs, including environmental and client factors (Fisher & Marterella, 2019). Effective use of motor and process performance skills is demonstrated when the client carries out an activity efficiently, safely, with ease, or without assistance. Effective use of social interaction performance skills is demonstrated when the client completes interactions in a manner that matches the demands of the social situation. Ineffective use of performance skills is demonstrated when the client routinely requires assistance or support to perform activities or engage in social interactions.

The examples in this table are limited to descriptions of the client's ability to use each performance skill in an effective or ineffective manner. A client who demonstrates ineffective use of performance skills may be able to successfully complete the entire occupation with the use of occupational or environmental adaptations. Successful occupational performance by the client may be achieved when such adaptions are used.

	Examples	
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b
Motor Skills—"Motor skills are the group of performance skills that represent small, observable actions related to moving oneself or moving and interacting with tangible task objects (e.g., tools, utensils, clothing, food or other supplies, digital devices plant life) in the context of performing a personally and ecologically relevant daily life task" (Fisher & Marterella, 2019, p. 331).		
Positioning the body	Washing dishes a	at the kitchen sink
Stabilizes—Moves through task environ- ment and interacts with task objects without momentary propping or loss of balance	Person moves through the kitchen without propping or loss of balance.	Person momentarily props on the counter to stabilize body while standing at the sink and washing dishes.
<i>Aligns</i> —Interacts with task objects with- out evidence of persistent propping or leaning	Person washes dishes without using the counter for support.	Person persistently leans on the counter, resulting in ineffective performance when washing dishes.
<i>Positions</i> —Positions self an effective distance from task objects and without evidence of awkward arm or body positions	Person places body or wheelchair at an effective distance for washing dishes.	Person positions body or wheelchair too far from the sink, resulting in difficulty reaching for dishes in the sink.
Obtaining and holding objects	Acquiring a game from a cabinet in preparation for a family activity	
<i>Reaches</i> —Effectively extends arm and, when appropriate, bends trunk to ef- fectively grasp or place task objects that are out of reach	Person reaches without effort for the game box.	Person reaches with excessive physical effort for the game box.
<i>Bends</i> —Flexes or rotates trunk as ap- propriate when sitting down or when bending to grasp or place task objects that are out of reach	Person bends without effort when reach- ing for the game box.	Person demonstrates excessive stiffness when bending to reach for the game box.
<i>Grips</i> —Effectively pinches or grasps task objects such that the objects do not slip (e.g., from between fingers, from be- tween teeth, from between hand and supporting surface)	Person grips the game box and game pieces, and they do not slip from the hand.	Person grips the game box ineffectively, and the box slips from the hand so that game pieces spill.
<i>Manipulates</i> —Uses dexterous finger movements, without evidence of fum- bling, when manipulating task objects	Person readily manipulates the game pieces with fingers while setting up and playing the game.	Person fumbles the game pieces so that some pieces fall off the game board.

(Continued)

	Examples	
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b
Performance Skills: Motor Skills (cont'd)	
Moving self and objects	Completing janitorial tasks at a factory site	
<i>Coordinates</i> —Uses two or more body parts together to manipulate and hold task objects without evidence of fumbling or task objects slipping from the grasp	Person uses both hands to shuffle the game cards without fumbling them, and the cards do not slip from the hands.	Person uses both hands to shuffle the cards but fumbles the deck, and the cards slip out of the hands.
<i>Moves</i> —Effectively pushes or pulls task objects along a supporting surface, pulls to open or pushes to close doors and drawers, or pushes on wheels to propel a wheelchair	Person moves the broom easily, pushing and pulling it across the floor.	Person demonstrates excessive effort to move the broom across the floor when sweeping.
<i>Lifts</i> —Effectively raises or lifts task objects without evidence of excessive physical effort	Person easily lifts cleaning supplies out of the cart.	Person needs to use both hands to lift small lightweight containers of cleaning supplies out of the cart.
<i>Walks</i> —During task performance, ambu- lates on level surfaces without shuffling feet, becoming unstable, propping, or using assistive devices	Person walks steadily through the factory.	Person demonstrates unstable walking while performing janitorial duties or walks while supporting self on the cart.
<i>Transports</i> —Carries task objects from one place to another while walking or moving in a wheelchair	Person carries cleaning supplies from one factory location to another, either by walking or using a wheelchair, without effort.	Person is unstable when transporting cleaning supplies throughout the factory
<i>Calibrates</i> —Uses movements of appro- priate force, speed, or extent when interacting with task objects (e.g., does not crush task objects, pushes a door with enough force to close it without a bang)	Person uses an appropriate amount of force to squeeze liquid soap onto a cleaning cloth.	Person applies too little force to squeeze soap out of the container onto the cleaning cloth.
<i>Flows</i> —Uses smooth and fluid arm and wrist movements when interacting with task objects	Person demonstrates fluid arm and wrist movements when wiping tables.	Person demonstrates stiff and jerky arm and wrist movements when wiping tables.
Sustaining performance	Bathing an older p	arent as caregiver
<i>Endures</i> —Persists and completes the task without demonstrating physical fatigue, pausing to rest, or stopping to catch breath	Person completes bathing of parent without evidence of physical fatigue.	Person stops to rest, interrupting the task of bathing the parent.
Paces—Maintains a consistent and ef- fective rate or tempo of performance throughout the entire task performance	Person uses an appropriate tempo when bathing the parent.	Person sometimes rushes or delays ac- tions when bathing the parent.
interacting with, and using tangible task ob carrying out individual actions and steps; and	pup of performance skills that represent sma jects (e.g., tools, utensils, clothing, food or o nd preventing problems of occupational perf ecologically relevant daily life task" (Fisher 8	other supplies, digital devices, plant life); ormance from occurring or reoccurring in

	Examples	
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b
Performance Skills: Process Skills (cont	'd)	
Sustaining performance	Writing sentences for a school assignment	
Paces—Maintains a consistent and ef- fective rate or tempo of performance throughout the entire task performance	Person uses a consistent and even tempo when writing sentences.	Person rushes writing sentences, resulting in incorrectly formed letters or misspelled words.
Attends—Does not look away from task performance, maintaining the ongoing task progression	Person maintains gaze on the assignment and continues writing sentences without pause.	Person looks toward another student and pauses when writing sentences.
<i>Heeds</i> —Carries out and completes the task originally agreed on or specified by another person	Person completes the assignment, writing the number of sentences required.	Person writes fewer sentences than re- quired, not completing the assignment.
Applying knowledge	Taking prescribed medications	
<i>Chooses</i> —Selects necessary and appropriate type and number of objects for the task, including the task objects that one chooses or is directed to use (e.g., by a teacher)	Person chooses specified medicine bottles appropriate for the specific timed dose.	Person chooses an incorrect medicine bottle for the specific timed dose.
Uses—Applies task objects as they are intended (e.g., using a pencil sharpener to sharpen a pencil but not a crayon) and in a hygienic fashion	Person uses a medicine spoon to take a dose of liquid medicine.	Person uses a tablespoon to take a 1- teaspoon dose of liquid medicine.
Handles—Supports or stabilizes task objects appropriately, protecting them from being damaged, slipping, moving, or falling	Person supports the medicine bottle, keeping it upright without the bottle tip- ping or falling.	Person allows the medicine bottle to tip, and pills spill from the bottle.
<i>Inquires</i> —(1) Seeks needed verbal or written information by asking questions or reading directions or labels and (2) does not ask for information when fully oriented to the task and environment and recently aware of the answer	Person reads the label on the medicine bottle before taking the medication.	Person asks the care provider what dose to take having already read the dose on the label.
Organizing timing	Using an ATM to get cash to pay a babysitter	
<i>Initiates</i> —Starts or begins the next task action or task step without any hesitation	Person begins each step of ATM use without hesitation.	Person pauses before entering the PIN into the ATM.
<i>Continues</i> —Performs single actions or steps without any interruptions so that once an action or task step is initiated, performance continues without pauses or delays until the action or step is completed	Person completes each step of ATM use without delays.	Person starts to enter the PIN, pauses, and then continues entering the PIN.

(Continued)

	Examples			
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b		
Performance Skills: Process Skills (cont	Performance Skills: Process Skills <i>(cont'd)</i>			
Sequences—Performs steps in an effec- tive or logical order and with an absence of randomness in the ordering or in- appropriate repetition of steps	Person completes each step of ATM use in logical order.	Person attempts to enter the PIN before inserting the bank card into the card reader.		
<i>Terminates</i> —Brings to completion single actions or single steps without inappropriate persistence or premature cessation	Person completes each step of ATM use in the appropriate length of time.	Person persists in entering numbers after completing the four-digit PIN.		
Organizing space and objects	Managing clerical dution	es for a large company		
Searches/locates—Looks for and locates task objects in a logical manner	Person readily locates needed office supplies from shelves and drawers.	Person searches a shelf a second time to locate needed clerical supplies.		
<i>Gathers</i> —Collects related task objects into the same work space and regathers task objects that have spilled, fallen, or been misplaced	Person gathers required clerical tools and supplies in the assigned work space.	Person places required paper and pen in different work spaces and then must move them to the same work space.		
<i>Organizes</i> —Logically positions or spatially arranges task objects in an orderly fashion within a single work space or between multiple appropriate work spaces such that the work space is not too spread out or too crowded	Person organizes required clerical tools and supplies within the work space so all are within reach.	Person places books on top of papers, resulting in a crowded work space.		
<i>Restores</i> —Puts away task objects in appropriate places and ensures that the immediate work space is restored to its original condition	Person returns clerical tools and supplies to their original storage location.	Person puts pens and extra paper in a different storage closet from where originally found.		
<i>Navigates</i> —Moves body or wheelchair without bumping into obstacles when moving through the task environment or interacting with task objects	Person moves through the office space without bumping into office furniture or machines.	Person bumps hand into the edge of the desk when reaching for a pen from the pen holder.		
Adapting performance	Preparing a green salad for a family meal			
<i>Notices/responds</i> —Responds appropri- ately to (1) nonverbal task-related cues (e.g., heat, movement), (2) the spatial arrangement and alignment of task objects to one another, and (3) cup- board doors or drawers that have been left open during task performance	Person notices the carrot rolling off the cutting board and catches it before it rolls onto the floor.	Person delays noticing a rolling carrot, and it rolls off the cutting board onto the floor.		
Adjusts—Overcomes problems with on- going task performance effectively by (1) going to a new workspace; (2) moving task objects out of the current workspace; or (3) adjusting knobs, di- als, switches, or water taps	Person readily adjusts the flow of water from the tap when washing vegetables.	Person delays turning off the water tap after washing the vegetables.		

(Continued)

AOTA OFFICIAL DOCUMENT

The American Journal of Occupational Therapy, August 2020, Vol. 74, Suppl. 2 Downloaded from http://ajot.aota.org on 10/14/2020 Terms of use: http://AOTA.org/terms

	Examples	
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b
Performance Skills: Process Skills (cont	?'d)	
Accommodates—Prevents ineffective performance of all other motor and process skills and asks for assistance only when appropriate or needed	Person prevents problems from occurring during the salad preparation.	Person does not prevent problems from occurring, such as carrots rolling off the cutting board and onto the floor.
<i>Benefits</i> —Prevents ineffective perfor- mance of all other motor and process skills from recurring or persisting	Person prevents problems from continu- ing or reoccurring during the salad preparation.	Person retrieves the carrot from the floor and puts it back on the cutting board, and the carrot rolls off the board again.
Social Interaction Skills— "Social interaction skills are the group of performance skills that represent small, observable action related to communicating and interacting with others in the context of engaging in a personally and ecologically relevant dai life task performance that involves social interaction with others" (Fisher & Marterella, 2019, p. 342).		
Initiating and terminating social interaction	Participating in a com	nmunity support group
<i>Approaches/starts</i> —Approaches or initi- ates interaction with the social partner in a manner that is socially appropriate	Person politely begins interactions with support group members.	Person begins interactions with support group members by yelling at them from across the room.
<i>Concludes/disengages</i> —Effectively termi- nates the conversation or social inter- action, brings to closure the topic under discussion, and disengages or says goodbye	Person politely ends a conversation with a support group member.	Person abruptly ends interaction with the support group by walking out of the room.
Producing social interaction	Child playing in the sandbox with others to build roads for cars and trucks	
<i>Produces speech</i> —Produces spoken, signed, or augmentative (i.e., com- puter-generated) messages that are audible and clearly articulated	Person produces clear verbal, signed, or augmentative messages to communicate with other children playing in the sandbox.	Person mumbles when interacting with other children playing in the sandbox, and the other children do not understand the message.
<i>Gesticulates</i> —Uses socially appropriate gestures to communicate or support a message	Person gestures by waving or pointing while communicating with other children playing in the sandbox.	Person uses aggressive gestures when interacting with other children playing in the sandbox.
<i>Speaks fluently</i> —Speaks in a fluent and continuous manner, with an even pace (not too fast, not too slow) and without pauses or delays, while sending a message		Person hesitates or pauses when talking with other children playing in the sandbox.
Physically supporting social interaction	Older adult in a senior residence talking with other residents during a shared mealtime	
<i>Turns toward</i> —Actively positions or turns body and face toward the social partner or the person who is speaking	Person turns body and face toward other residents while interacting during the meal.	Person turns face away from other residents while interacting during the meal.
<i>Looks</i> —Makes eye contact with the social partner	Person makes eye contact with other residents while interacting during the meal.	Person looks down at own plate while interacting during the meal.

(Continued)

47

AOTA OFFICIAL DOCUMENT

	Examples			
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b		
Performance Skills: Social Interaction S	Performance Skills: Social Interaction Skills (cont'd)			
<i>Places self</i> —Positions self at an appropriate distance from the social partner	Person sits an appropriate distance from other residents at the table.	Person sits too far from other residents, interfering with interactions.		
<i>Touches</i> —Responds to and uses touch or bodily contact with the social partner in a socially appropriate manner	Person touches other residents appropri- ately during the meal.	Person reaches out, grasps another resident's shirt, and abruptly pulls on it during the meal.		
<i>Regulates</i> —Does not demonstrate irrele- vant, repetitive, or impulsive behaviors during social interaction	Person avoids demonstrating irrelevant, repetitive, or impulsive behaviors while interacting during the meal.	Person repeatedly taps the fork on the plate while interacting during the meal.		
Shaping content of social interaction	Serving ice cream to customers in an ice cream shop			
<i>Questions</i> —Requests relevant facts and information and asks questions that support the intended purpose of the social interaction	Person asks customers for their choice of ice cream flavor.	Person asks customers for their choice of ice cream flavor and then repeats the question after they respond.		
<i>Replies</i> —Keeps conversation going by replying appropriately to suggestions, opinions, questions, and comments	Person readily replies with relevant an- swers to customers' questions about ice cream products.	Person delays in replying to customers' questions or provides irrelevant information.		
<i>Discloses</i> —Reveals opinions, feelings, and private information about self or others in a socially appropriate manner	Person discloses no personal information about self or others to customers.	Person reveals socially inappropriate details about own family.		
<i>Expresses emotions</i> —Displays affect and emotions in a socially appropriate manner	Person displays socially appropriate emotions when sending messages to customers.	Person uses a sarcastic tone of voice when describing ice cream flavor options.		
<i>Disagrees</i> —Expresses differences of opinion in a socially appropriate manner	Person expresses a difference of opinion about ice cream products in a polite way.	Person becomes argumentative when a customer requests a flavor that is not available.		
<i>Thanks</i> —Uses appropriate words and gestures to acknowledge receipt of services, gifts, or compliments	Person thanks the customers for pur- chasing ice cream.	Person fails to say thank you after cus- tomers purchase ice cream.		
Maintaining flow of social interaction	Sharing suggestions with others in a support group for persons experiencing mental health challenges			
<i>Transitions</i> —Handles transitions in the conversation or changes the topic without disrupting the ongoing conversation	Person offers comments or suggestions that relate to the topic of mental health challenges, smoothly moving the topic in a relevant direction.	Person abruptly changes the topic of conversation to planning social activities during a discussion of mental health challenges.		
<i>Times response</i> —Replies to social mes- sages without delay or hesitation and without interrupting the social partner	Person replies to another group member's question about community supports for mental health challenges after briefly considering how best to respond.	Person replies to another group mem- ber's question about community sup- ports for mental health challenges before the other person finishes asking the question.		

(Continued)

AOTA OFFICIAL DOCUMENT

The American Journal of Occupational Therapy, August 2020, Vol. 74, Suppl. 2 Downloaded from http://ajot.aota.org on 10/14/2020 Terms of use: http://AOTA.org/terms

	Examples	
Specific Skill Definitions	Effective Performance ^a	Ineffective Performance ^b
Performance Skills: Social Interaction S	kills <i>(cont'd)</i>	
<i>Times duration</i> —Speaks for a reasonable length of time given the complexity of the message	Person sends messages about mental health challenges of an appropriate length.	Person sends prolonged messages con- taining extraneous details.
<i>Takes turns</i> —Speaks in turn and gives the social partner the freedom to take their turn	Person engages in back-and-forth con- versation with others in the group.	Person does not respond to comments from others during the group discussion.
Verbally supporting social interaction	Visiting a Social Security office to obtain	information relative to potential benefits
Matches language—Uses a tone of voice, dialect, and level of language that are so- cially appropriate and matched to the social partner's abilities and level of understanding	Person uses a tone of voice and vocabulary that match those of the Social Security agent.	Person uses a loud voice and slang when interacting with the Social Security agent.
<i>Clarifies</i> —Responds to gestures or verbal messages from the social partner sig- naling that the social partner does not comprehend or understand a message and ensures that the social partner is following the conversation	Person rephrases the initial question when the Social Security agent requests clarification.	Person asks an unrelated question when the Social Security agent requests clari- fication of the initial question.
Acknowledges and encourages— Acknowledges receipt of messages, encourages the social partner to con- tinue the social interaction, and en- courages all social partners to participate in the interaction	Person nods to indicate understanding of the information shared by the Social Se- curity agent.	Person does not nod or use words to acknowledge receipt of messages sent by the Social Security agent.
<i>Empathizes</i> —Expresses a supportive at- titude toward the social partner by agreeing with, empathizing with, or expressing understanding of the social partner's feelings and experiences	Person shows empathy when the Social Security agent expresses frustration with the slow computer system.	Person shows impatience when the So- cial Security agent expresses frustration with the slow computer system.
Adapting social interaction	Deciding which restaurant to go to with a group of friends	
<i>Heeds</i> —Uses goal-directed social inter- actions focused on carrying out and completing the intended purpose of the social interaction	Person maintains focus on deciding which restaurant to go to.	Person makes comments unrelated to choosing a restaurant, disrupting the group decision making.
Accommodates—Prevents ineffective or socially inappropriate social interaction	Person avoids making ineffective re- sponses to others about restaurant choice.	Person asks a question that is irrelevant to choosing a restaurant.
<i>Benefits</i> —Prevents problems with inef- fective or socially inappropriate social interaction from recurring or persisting	Person avoids making reoccurring inef- fective comments during the decision making.	Person persists in asking questions ir- relevant to choosing a restaurant.

Note. ATM = automated teller machine; PIN = personal identification number.

^aEffective use of motor and process performance skills is demonstrated when the client carries out an activity efficiently, safely, with ease, or without assistance. Effective use of social interaction performance skills is demonstrated when the client completes interactions in a manner that matches the demands of the social situation. ^bIneffective performance skills are demonstrated when the client routinely requires assistance or support to perform activities or engage in social interaction. Ineffective use of social interaction performance skills is demonstrated when the client engages in social interactions in a manner that does not appropriately meet the demands of the social situation. *Source.* From *Powerful Practice: A Model for Authentic Occupational Therapy,* by A. G. Fisher and A. Marterella, 2019, Fort Collins, CO: Center for Innovative OT Solutions. Copyright © 2019 by the Center for Innovative OT Solutions. Adapted with permission.

Table 8. Performance Skills for Groups

To address performance skills for a group client, occupational therapy practitioners analyze the motor, process, and social interaction skills of individual group members to identify whether ineffective performance skills may limit the group's collective outcome. Italicized words in the middle column are specific performance skills defined in Table 7.

Performance Skill Category	Ineffective Performance by an Individual Group Member	Impact on Group Collective Outcome
Group collective outcome: Religious organization committee furnishing spaces for a preschool for member families		
Motor—Obtaining and holding objects	 Member <i>reaches</i> with excessive effort for chairs stored in closet. Member <i>bends</i> with stiffness or excessive effort when reaching for the chairs. Member fumbles when <i>gripping</i> writing materials in preparation for recording committee decisions for planning. Member demonstrates limited finger dexterity to <i>manipulate</i> tools for assembling storage units for toys. Member is unable to <i>coordinate</i> one hand and trunk to stabilize self while gripping and loading toys onto shelves. 	Other members may need to take re- sponsibility for obtaining and holding objects to accommodate the member's ineffective motor performance skills during the process of furnishing pre- school spaces.
Process—Organizing space and objects	 Member repeatedly asks for help when <i>searching</i> for needed furniture or <i>locating</i> play equipment that is organized logically in near and distant places within the building. Member does not effectively <i>gather</i> required play activity materials in the designated play spaces. Member has difficulty <i>organizing</i> toys or play equipment within the various play spaces in a logical and orderly fashion. Member does not <i>restore</i> toys or play equipment to storage spaces to return the preschool space to an effective order. Member bumps into play furniture when <i>navigating</i> spaces to set up furniture to meet the needs of families or groups. 	The group may need to accommodate the member's limitations in effectively orga- nizing space and objects by adjusting the timing of the outcome to allow greater time to complete furnishing the preschool spaces.
Social interaction—Producing social interaction	 Member communicates in whispers when <i>producing speech</i> to communicate with other members about decisions for placing play equipment. Member delays in <i>gesticulating</i> so other members do not receive effective mes- sages while arranging toys and play equipment. Member <i>speaks fluently</i> but too quickly when communicating to friends, resulting in challenges for other members in deci- sion making for furnishing the preschool. 	

Source. Performance skill categories are from *Powerful Practice: A Model for Authentic Occupational Therapy*, by A. G. Fisher and A. Marterella, 2019, Fort Collins, CO: Center for Innovative OT Solutions. Copyright © 2019 by the Center for Innovative OT Solutions. Adapted with permission.

AOTA OFFICIAL DOCUMENT

Table 9. Client Factors

Client factors include (1) values, beliefs, and spirituality; (2) body functions; and (3) body structures. Client factors reside within the client and influence the client's performance in occupations.

Category	Examples Relevant to Occupational Therapy Practice
Values, Beliefs, and Spirituality—Client's (person's, group's, that influence or are influenced by engagement in occupations.	
<i>Values</i> —Acquired beliefs and commitments, derived from culture, about what is good, right, and important to do (Kielhofner, 2008)	Person • Honesty with self and others • Commitment to family
	<i>Group</i> • Obligation to provide a service • Fairness • Inclusion
	Population • Freedom of speech • Equal opportunities for all • Tolerance toward others
<i>Beliefs</i> —"Something that is accepted, considered to be true, or held as an opinion" ("Belief," 2020).	PersonOne is powerless to influence others.Hard work pays off.
	 Group Teaching others how to garden decreases their reliance on grocery stores. Writing letters as part of a neighborhood group can support th creation of a community park.
	<i>Population</i>Some personal rights are worth fighting for.A new health care policy, as yet untried, will positively affect society.
<i>Spirituality</i> —"A deep experience of meaning brought about by engaging in occupations that involve the enacting of personal values and beliefs, reflection, and intention within a supportive contextual environment" (Billock, 2005, p. 887). It is important	 Person Personal search for purpose and meaning in life Guidance of actions by a sense of value beyond the acquisition of wealth or fame
to recognize spirituality "as dynamic and often evolving" (Humbert, 2016, p. 12).	<i>Group</i> • Study of religious texts together • Attendance at a religious service
	PopulationCommon search for purpose and meaning in lifeGuidance of actions by values agreed on by the collective
Body Functions —"The physiological functions of body systems This section of the table is organized according to the classifica WHO (2001). This list is not all inclusive.	
	(Continue

GUIDELINES

Category	Examples Relevant to Occupational Therapy Practice
Body Functions <i>(cont'd)</i>	
Mental functions	
Specific mental functions	
Higher level cognitive	Judgment, concept formation, metacognition, executive func- tions, praxis, cognitive flexibility, insight
Attention	Sustained shifting and divided attention, concentration, distractibility
Memory	Short-term, long-term, and working memory
Perception	Discrimination of sensations (e.g., auditory, tactile, visual, ol- factory, gustatory, vestibular, proprioceptive)
Thought	Control and content of thought, awareness of reality vs. delu- sions, logical and coherent thought
Mental functions of sequencing complex movement	Mental functions that regulate the speed, response, quality, and time of motor production, such as restlessness, toe tapping, o hand wringing, in response to inner tension
Emotional	Regulation and range of emotions; appropriateness of emotions including anger, love, tension, and anxiety; lability of emotions
Experience of self and time	Awareness of one's identity (including gender identity), body, and position in the reality of one's environment and of time
Global mental functions	
Consciousness	State of awareness and alertness, including the clarity and continuity of the wakeful state
Orientation	Orientation to person, place, time, self, and others
Psychosocial	General mental functions, as they develop over the life span, required to understand and constructively integrate the menta functions that lead to the formation of the personal and inter- personal skills needed to establish reciprocal social interactions in terms of both meaning and purpose
Temperament and personality	Extroversion, introversion, agreeableness, conscientiousness, emotional stability, openness to experience, self-control, self- expression, confidence, motivation, impulse control, appetite
Energy	Energy level, motivation, appetite, craving, impulse
Sleep	Physiological process, quality of sleep
Sensory functions	
Visual functions	Quality of vision, visual acuity, visual stability, and visual field functions to promote visual awareness of environment at var ious distances for functioning
Hearing functions	Sound detection and discrimination; awareness of location and distance of sounds
Vestibular functions	Sensation related to position, balance, and secure movement against gravity
Taste functions	Association of taste qualities of bitterness, sweetness, sourness and saltiness
Smell functions	Sensing of odors and smells
Proprioceptive functions	Awareness of body position and space

AOTA OFFICIAL DOCUMENT

52

Table 9. Client Factors (cont'd)

Category	Examples Relevant to Occupational Therapy Practice	
Body Functions <i>(cont'd)</i>		
Touch functions	Feeling of being touched by others or touching various textures, such as those of food; presence of numbness, paresthesia, hyperesthesia	
Interoception	Internal detection of changes in one's internal organs through specific sensory receptors (e.g., awareness of hunger, thirst, digestion, state of alertness)	
Pain	Unpleasant feeling indicating potential or actual damage to some body structure; sensations of generalized or localized pain (e.g., diffuse, dull, sharp, phantom)	
Sensitivity to temperature and pressure	Thermal awareness (hot and cold), sense of force applied to skin (thermoreception)	
Neuromusculoskeletal and movement-related functions		
Functions of joints and bones		
Joint mobility	Joint range of motion	
Joint stability	Maintenance of structural integrity of joints throughout the body; physiological stability of joints related to structural integrity	
Muscle functions		
Muscle power	Strength	
Muscle tone	Degree of muscle tension (e.g., flaccidity, spasticity, fluctuation)	
Muscle endurance	Sustainability of muscle contraction	
Movement functions		
Motor reflexes	Involuntary contraction of muscles automatically induced by specific stimuli (e.g., stretch, asymmetrical tonic neck, symmetrical tonic neck)	
Involuntary movement reactions	Postural reactions, body adjustment reactions, supporting reactions	
Control of voluntary movement	Eye-hand and eye-foot coordination, bilateral integration, crossing of the midline, fine and gross motor control, oculo- motor function (e.g., saccades, pursuits, accommodation, binocularity)	
Gait patterns	Gait and mobility in relation to engagement in daily life activities (e.g., walking patterns and impairments, asymmetric gait, stiff gait)	
Cardiovascular, hematological, immune, and respiratory syst (<i>Note.</i> Occupational therapy practitioners have knowledge of th occurs among these functions to support health, well-being, ar	ese body functions and understand broadly the interaction that	
Cardiovascular system functions	Maintenance of blood pressure functions (hypertension, hypotension, postural hypotension), heart rate and rhythm	
Hematological and immune system functions	Protection against foreign substances, including infection, allergic reactions	
Respiratory system functions	Rate, rhythm, and depth of respiration	
Additional functions and sensations of the cardiovascular and respiratory systems	Physical endurance, aerobic capacity, stamina, fatigability	

53

AOTA OFFICIAL DOCUMENT

Table 9. Client Factors (cont'd)

Category	Examples Relevant to Occupational Therapy Practice	
Voice and speech functions; digestive, metabolic, and endor functions (<i>Note</i> . Occupational therapy practitioners have knowl interaction that occurs among these functions to support healt occupation.)	crine system functions; genitourinary and reproductive ledge of these body functions and understand broadly the	
Voice and speech functions	Fluency and rhythm, alternative vocalization functions	
Digestive, metabolic, and endocrine system functions	Digestive system functions, metabolic system, and endocrine system functions	
Genitourinary and reproductive functions	Genitourinary and reproductive functions	
Skin and related structure functions (<i>Note.</i> Occupational thera understand broadly the interaction that occurs among these func engagement in occupation.)	apy practitioners have knowledge of these body functions and tions to support health, well-being, and participation in life through	
Skin functions Hair and nail functions	Protection (presence or absence of wounds, cuts, or abrasions), repair (wound healing)	
Body Structures —"Anatomical parts of the body, such as orga (WHO, 2001, p. 10). This section of the table is organized acc definitions, refer to WHO (2001).		
Structure of the nervous system Structures related to the eyes and ears Structures involved in voice and speech Structures of the cardiovascular, immunological, and respiratory systems Structures related to the digestive, metabolic, and endocrine systems Structures related to the genitourinary and reproductive systems Structures related to movement	Occupational therapy practitioners have knowledge of body structures and understand broadly the interaction that occurs between these structures to support health, well-being, and participation in life through engagement in occupation.	

Note. The categorization of body functions and body structures is based on the *ICF* (WHO, 2001). The classification was selected because it has received wide exposure and presents a language that is understood by external audiences. *ICF* = *International Classification of Function, Disability and Health;* WHO = World Health Organization.

AOTA OFFICIAL DOCUMENT

Table 10. Occupational Therapy Process for Persons, Groups, and Populations

The occupational therapy process applies to work with persons, groups, and populations. The process for groups and populations mirrors that for persons. The process for populations includes public health approaches, and the process for groups may include both person and population methods to address occupational performance (Scaffa & Reitz, 2014).

Process	Process Proces		ss Step	
Component	Person	Group	Population	
Evaluation	 Consultation and screening: Review client history Consult with interprofessional team Administer standardized screening tools 	 Consultation and screening, environmental scan: Identify collective need on the basis of available data For each individual in the group, Review history Administer standardized screening tools Consult with interprofessional team 	 Environmental scan, trend analysis, preplanning: Collect data to inform design of intervention program by identifying information needs Identify health trends in targeted population and potential positive and negative impacts on occupational performance 	
	<i>Occupational profile:</i> • Interview client and caregiver	 Occupational profile or community profile: Interview persons who make up the group Engage with persons in the group to determine their interests, needs, and priorities 	 Needs assessment, community profile: Engage with persons within the population to determine their interests and needs and opportunities for collaboration Identify priorities through Surveys Interviews Group discussions or forums 	
	 Analysis of occupational performance: Assess occupational performance Conduct occupational and activity analysis Assess contexts Assess performance skills and patterns Assess client factors 	 Analysis of occupational performance: Conduct occupational and activity analysis Assess group context Assess the following for individual group members: Occupational performance Performance skills and patterns Client factors Analyze impact of individual performance on the group 	 Needs assessment, review of secondary data: Evaluate existing quantitative data, which may include Public health records Prevalence of disease or disability Demographic data Economic data 	
	 Synthesis of evaluation process: Review and consolidate information to select occupational outcomes and determine impact of perfor- mance patterns and client factors on occupation 	 Synthesis of evaluation process: Review and consolidate information to select collective occupational outcomes Review and consolidate information regarding each member's performance and its impact on the group and the group's occupational performance as a whole 	 Data analysis and interpretation: Review and consolidate information to support need for the program and identify any missing data 	
Intervention	Development of the intervention plan: • Identify client goals • Identify intervention outcomes • Select outcome measures	Development of the intervention plan or program: • Identify collective group goals	 Program planning: Identify short-term program objectives Identify long-term program goals 	

(Continued)

AOTA OFFICIAL DOCUMENT

Process	Process Step		
Component	Person	Group	Population
	 Select methods for service delivery, including theoretical framework 	 Identify intervention outcomes for the group Select outcome measures Select methods for service delivery, including theoretical framework 	 Select outcome measures to be used in program evaluation Select strategies for service deliv- ery, including theoretical framework
	 Intervention implementation: Carry out occupational therapy intervention to address specific occupations, contexts, and performance patterns and skills affecting performance 	 Intervention or program implementation: Carry out occupational therapy in- tervention or program to address the group's specific occupations, contexts, and performance patterns and skills affecting group performance 	 Program implementation: Carry out program or advocacy action to address identified occupational needs
	 Intervention review: Reevaluate and review client's response to intervention Review progress toward goals and outcomes Modify plan as needed 	 Intervention review or program evaluation: Reevaluate and review individual members' and the group's response to intervention Review progress toward goals and outcomes Modify plan as needed Evaluate efficiency of program Evaluate achievement of determined objectives 	 Program evaluation: Gather information on program implementation Measure the impact of the program Evaluate efficiency of program Evaluate achievement of determined objectives
Outcomes	 Outcomes: Use measures to assess progress toward outcomes Identify change in occupational participation 	 Outcomes: Use measures to assess progress toward outcomes Identify change in occupational performance of individual members and the group as a whole 	 Outcomes: Use measures to assess progress toward long-term program goals Identify change in occupational performance of targeted population
	 Transition: Facilitate client's move from one life role or experience to another, such as Moving to a new level of care Transitioning between providers Moving into a new setting or program 	 Transition: Facilitate group members' move from one life role or experience to another, such as Moving to a new level of care Transitioning between providers Moving into a new setting or program 	 Sustainability plan: Develop action plan to maintain program Identify sources of funding Build community capacity and support relationships to continue program
	 Discontinuation: Discontinue care after short- and long-term goals have been achieved or client chooses to no longer participate Implement discharge plan to sup- port performance after discontinu- ation of services 	 Discontinuation: Discontinue care after the group's short- and long-term goals have been achieved Implement discharge plan to support performance after discontinuation of services 	 Dissemination plan: Share results with participants, stakeholders, and community members Implement sustainability plan

Table 10. Occupational Therapy Process for Persons, Groups, and Populations (cont'd)

7412**410010p56**

Table 11. Occupation and Activity Demands

Occupation and activity demands are the components of occupations and activities that occupational therapy practitioners consider in their professional and clinical reasoning process. *Activity demands* are what is typically required to carry out the activity regardless of client and context. *Occupation demands* are what is required by the specific client (person, group, or population) to carry out an occupation. Depending on the context and needs of the client, occupation and activity demands can act as barriers to or supports for participation. Specific knowledge about activity demands assists practitioners in selecting occupations for therapeutic purposes.

Type of Demand	Activity Demands: Typically Required to Carry Out the Activity	Occupational Demands: Required by the Client (Person, Group, or Population) to Carry Out the Occupation
Relevance and importance	General meaning of the activity within the given culture	Meaning the client derives from the oc- cupation, which may be subjective and personally constructed; symbolic, un- conscious, and metaphorical; and aligned with the client's goals, values, beliefs, and needs and perceived utility
	<i>Person:</i> Knitting clothing items for personal use, for income from sale, or as a leisure activity	<i>Person:</i> Knitting as a way to practice mindfulness strategies for coping with anxiety
	<i>Group:</i> Cooking to provide nutrition, fulfill a family role, or engage in a leisure activity	<i>Group:</i> Preparation of a holiday meal with family to connect members to each other and to their culture and traditions
	<i>Population:</i> Presence of accessible restrooms in public spaces in compliance with federal law	Population: Creation of new accessible and all-gender restrooms to symbolize a community's commitment to safety and inclusion of members with disabilities and LGBTQ+ members
Objects used and their properties: Tools (e.g., scissors, dishes, shoes, volleyball),	<i>Person:</i> Computer workstation that include and chair	es a computer, keyboard, mouse, desk,
supplies (e.g., paints, milk, lipstick), equipment (e.g., workbench, stove, bas-	<i>Group:</i> Financial and transportation resources for a group of friends to attend a concert	
ketball hoop), and resources (e.g., money, transportation) required in the process of carrying out the activity or occupation and their inherent properties (e.g., heavy, rough, sharp, colorful, loud, bitter tasting)	noney, cess of on and y,	
Space demands: Physical environment	Person: Desk arrangement in an elementary school classroom	
requirements of the occupation or activity (e.g., size, arrangement, surface, lighting,	Group: Accessible meeting space to run a	fall prevention workshop
temperature, noise, humidity, ventilation)	<i>Population:</i> Noise, lighting, arrangement, and temperature controls for a sensory-friendly museum	
Social demands: Elements of the social	Person: Rules of engagement for a child a	at recess
and attitudinal environments required for the occupation or activity	<i>Group:</i> Expectations of travelers in an airport (e.g., waiting in line, following cues from staff and others, asking questions when needed)	
	Population: Understanding of the social and political climate of the geographic region	

(Continued)

Table 11. Occupation and Activity Demands (cont'd)

Type of Demand	Activity Demands: Typically Required to Carry Out the Activity	Occupational Demands: Required by the Client (Person, Group, or Population) to Carry Out the Occupation
Sequencing and timing demands: Tem- poral process required to carry out the	<i>Person:</i> Preferred sequence and timing of a client's morning routine to affirm social, cultural, and gender identity	
activity or occupation (e.g., specific steps, sequence of steps, timing requirements)	Group: Steps a class of students takes in	preparation to start the school day
	Population: Public train schedules	
Required actions and performance skills:	Person: Body movements required to drive a car	
Actions and performance skills (motor, process, and social interaction) that are an inherent part of the activity or occupation	<i>Group and population:</i> See "Performance Skills" section for discussion related to groups and population	
Required body functions: "Physiological	Person: Cognitive level required for a child to play a game	
functions of body systems (including psychological functions)" (WHO, 2001, p. 10) required to support the actions used to perform the activity or occupation		
Required body structures: "Anatomical	Person: Presence of upper limbs to play catch	
parts of the body such as organs, limbs, and their components" that support body functions (WHO, 2001, p. 10) and are required to perform the activity or occupation		

Note. WHO = World Health Organization.

58

AOTA OFFICIAL DOCUMENT

Table 12. Types of Occupational Therapy Interventions

Occupational therapy intervention types include occupations and activities, interventions to support occupations, education and training, advocacy, group interventions, and virtual interventions. Occupational therapy interventions facilitate engagement in occupation to enable persons, groups, and populations to achieve health, well-being, and participation in life. The examples provided illustrate the types of interventions that clients engage in (denoted as "client") and that occupational therapy practitioners provide (denoted as "practitioner") and are not intended to be all-inclusive.

Intervention Type	Description	Examples
therapeutic goals and address the und		s for specific clients are designed to meet and spirit. To use occupations and activities relation to the client's therapeutic goals and
Occupations	Broad and specific daily life events that are personalized and meaningful to the client	<i>Person</i> Client completes morning dressing and hy- giene using adaptive devices.
		<i>Group</i> Client plays a group game of tag on the playground to improve social participation.
		<i>Population</i> Practitioner creates an app to improve access for people with autism spectrum disorder using metropolitan paratransit systems.
Activities	Components of occupations that are objective and separate from the client's engagement or contexts. Activities as interventions are selected and designed to support the development of perfor- mance skills and performance patterns to enhance occupational engagement.	<i>Person</i> Client selects clothing and manipulates clothing fasteners in advance of dressing. <i>Group</i> Group members separate into two teams for a game of tag.
		<i>Population</i> Client establishes parent volunteer commit- tees at their children's school.
	tion for or concurrently with occupations a	nt for occupational performance are used as and activities or provided to a client as a
PAMs and mechanical modalities	Modalities, devices, and techniques to prepare the client for occupational performance. Such approaches should be part of a broader plan and not used exclusively.	<i>Person</i> Practitioner administers PAMs to decrease pain, assist with wound healing or edema control, or prepare muscles for movement to enhance occupational performance.
		<i>Group</i> Practitioner develops a reference manual of postmastectomy manual lymphatic drainage techniques for implementation at an outpa- tient facility.

(Continued)

Intervention Type	Description	Examples
Orthotics and prosthetics	Construction of devices to mobilize, immobilize, or support body structures to enhance participation in occupations	<i>Person</i> Practitioner fabricates and issues a wrist orthosis to facilitate movement and enhance participation in household activities.
		<i>Group</i> Group members participate in a basketball game with veterans using prosthetics after amputation.
Assistive technology and environ- mental modifications	Assessment, selection, provision, and education and training in use of high- and low-tech assistive technology; ap- plication of universal design principles;	<i>Person</i> Practitioner recommends using a visual support (e.g., social story) to guide behavior.
	and recommendations for changes to the environment or activity to support the client's ability to engage in occupations	<i>Group</i> Practitioner uses a smart board with speaker system during a social skills group session to improve participants' attention.
		<i>Population</i> Practitioner recommends that a large health care organization paint exits in their facilities to resemble bookshelves to deter patients with dementia from eloping.
Wheeled mobility	Products and technologies that facilitate a client's ability to maneuver through space, including seating and position- ing; improve mobility to enhance par- ticipation in desired daily occupations; and reduce risk for complications such as skin breakdown or limb contractures	<i>Person</i> Practitioner recommends, in conjunction with the wheelchair team, a sip-and-puff switch to allow the client to maneuver the power wheelchair independently and interface with an environmental control unit in the home.
		<i>Group</i> Group of wheelchair users in the same town host an educational peer support event.
Self-regulation	Actions the client performs to target specific client factors or performance skills. Intervention approaches may address sensory processing to promote emotional stability in preparation for social participation or work or leisure	<i>Person</i> Client participates in a fabricated sensory environment (e.g., through movement, tactile sensations, scents) to promote alertness before engaging in a school-based activity.
	activities or executive functioning to support engagement in occupation and meaningful activities. Such approaches involve active participation of the client and sometimes use of materials to simulate components of occupations.	<i>Group</i> Practitioner instructs a classroom teacher to implement mindfulness techniques, visual imagery, and rhythmic breathing after recess to enhance students' success in classroom activities.
		Population Practitioner consults with businesses and community sites to establish sensory-friendly environments for people with sensory pro- cessing deficits.

Table 12. Types of Occupational Therapy Interventions (cont'd)

(Continued)

Intervention Type	Description	Examples
Education and Training		
Education	Imparting of knowledge and information about occupation, health, well-being, and participation to enable the client to acquire helpful behaviors, habits, and routines	PersonPractitioner provides education regarding home and activity modifications to the spous or family member of a person with dementia to support maximum independence.Group Practitioner participates in a team care planning meeting to educate the family and team members on a patient's condition and level of function and establish a plan of care Practitioner educates town officials about th value of and strategies for constructing walking and biking paths accessible to peopl who use mobility devices.
Training	Facilitation of the acquisition of concrete skills for meeting specific goals in a real- life, applied situation. In this case, <i>skills</i> refers to measurable components of function that enable mastery. Training is differentiated from education by its goal of enhanced performance as opposed to enhanced understanding, although these goals often go hand in hand (Collins & O'Brien, 2003).	Person Practitioner instructs the client in the use of coping skills such as deep breathing to address anxiety symptoms before engaging in social interaction. Group Practitioner provides an in-service on applying new reimbursement and practice standards adopted by a facility. Population Practitioner develops a training program to support practice guidelines addressing occupational deprivation and cultural competence for practitioners working with refugees
Advocacy—Efforts directed to support health, well-being, and	ward promoting occupational justice and empower d occupational participation.	ring clients to seek and obtain resources to
Advocacy	Advocacy efforts undertaken by the practitioner	<i>Person</i> Practitioner collaborates with a client to procur

Table 12.	Types of (Occupational	Therapy	Interventions	(cont'd)
-----------	------------	--------------	---------	---------------	----------

(Continued)

reasonable accommodations at a work site.

Practitioner collaborates with and educates teachers in an elementary school about in-

Practitioner serves on the policy board of an organization to procure supportive housing accommodations for people with disabilities.

clusive classroom design.

Group

Population

AOTA OFFICIAL DOCUMENT

Intervention Type	Description	Examples
Self-advocacy	Advocacy efforts undertaken by the client with support by the practitioner	<i>Person</i> Client requests reasonable accommodations, such as audio textbooks, to support their learning disability.
		<i>Group</i> Client participates in an employee meeting to request and procure adjustable chairs to improve comfort at computer workstations.
		<i>Population</i> Client participates on a student committee partnering with school administration to develop cyberbullying prevention programs in their district.
	knowledge of the dynamics of group and s across the lifespan. Groups are used as a	social interaction and leadership techniques to method of service delivery.
Functional groups, activity groups, task groups, social groups, and other groups	Groups used in health care settings, within the community, or within orga- nizations that allow clients to explore and develop skills for participation, in- cluding basic social interaction skills and tools for self-regulation, goal set- ting, and positive choice making	<i>Person</i> Client participates in a group for adults with traumatic brain injury focused on individual goals for reentering the community after inpatient treatment.
		<i>Group</i> Group of older adults participates in volunteer days to maintain participation in the com- munity through shared goals.
		<i>Population</i> Practitioner works with middle school teachers in a district on approaches to ad- dress issues of self-efficacy and self-esteem as the basis for creating resiliency in children at risk for being bullied.
Virtual Interventions—Use of simulate such as telehealth or mHealth.	d, real-time, and near-time technologies fo	or service delivery absent of physical contact,
Telehealth (telecommunication and information technology) and mHealth (mobile telephone application technology)	Use of technology such as video con- ferencing, teleconferencing, or mobile telephone application technology to plan, implement, and evaluate occupa- tional therapy intervention, education, and consultation	<i>Person</i> Practitioner performs a telehealth therapy session with a client living in a rural area. <i>Group</i> Client participates in an initial online support group session to establish group protocols, procedures, and roles.
		<i>Population</i> Practitioner develops methods and standards for mHealth in community occupational therapy practice.

Table 12. Types of Occupational Therapy Interventions (cont'd)

Note. mHealth = mobile health; PAMs = physical agent modalities.

62

Table 13. Approaches to Intervention

Approaches to intervention are specific strategies selected to direct the evaluation and intervention processes on the basis of the client's desired outcomes, evaluation data, and research evidence. Approaches inform the selection of practice models, frames of references, and treatment theories.

Approach	Description	Examples
Create, promote (health promotion)	An intervention approach that does not assume a disability is present or that any aspect would interfere with performance. This approach is designed to provide enriched contextual and activity experi- ences that will enhance performance for all people in the natural contexts of life (adapted from Dunn et al., 1998, p. 534).	PersonDevelop a fatigue management program for a client recently diagnosed with multiple sclerosisGroup Create a resource list of developmentally appropriate toys to be distributed by staff at a day care programPopulation Develop a falls prevention curriculum for older adults for trainings at senior centers and day centers
Establish, restore (remediation, restoration)	Approach designed to change client variables to establish a skill or ability that has not yet developed or to restore a skill or ability that has been impaired (adapted from Dunn et al., 1998, p. 533)	PersonRestore a client's upper extremity movement to enable transfer of dishes from the dishwasher into the upper kitchen cabinetsCollaborate with a client to help establish morning routines needed to arrive at school or work on timeGroup Educate staff of a group home for clients with serious mental illness to develop a structured schedule, chunking tasks to decrease residents' risk of being over- whelmed by the many responsibilities of daily life rolesPopulation Restore access ramps to a church en- trance after a hurricane
Maintain	Approach designed to provide supports that will allow clients to preserve the performance capabilities that they have regained and that continue to meet their occupational needs. The assumption is that without continued maintenance in- tervention, performance would decrease and occupational needs would not be met, thereby affecting health, well-being, and quality of life.	Person Provide ongoing intervention for a client with amyotrophic lateral sclerosis to ad- dress participation in desired occupations through provision of assistive technology <i>Group</i> Maintain environmental modifications at a group home for young adults with physical disabilities for continued safety and engagement with housemates

AOTA OFFICIAL DOCUMENT

Table 13. Approaches to Intervention (cont'd)

Approach	Description	Examples
		<i>Population</i> Maintain safe and independent access for people with low vision by increasing hallway lighting in a community center
Modify (compensation, adaptation)	Approach directed at "finding ways to revise the current context or activity de- mands to support performance in the natural setting, [including] compensatory techniques [such as] enhancing some features to provide cues or reducing other features to reduce distractibility" (Dunn et al., 1998, p. 533)	PersonSimplify task sequence to help a personwith cognitive impairments complete amorning self-care routineGroupModify a college campus housing build-ing to accommodate a group of studentswith mobility impairmentsPopulationConsult with architects and builders todesign homes that will support aging inplace and use universal design principles
Prevent (disability prevention)	Approach designed to address the needs of clients with or without a disability who are at risk for occupational performance problems. This approach is designed to prevent the occurrence or evolution of barriers to performance in context. Inter- ventions may be directed at client, context, or activity variables (adapted from Dunn et al., 1998, p. 534).	use by introducing self-initiated routine strategies that support drug-free behavior <i>Group</i>

Table 14. Outcomes

Outcomes are the end result of the occupational therapy process; they describe what clients can achieve through occupational therapy intervention. Some outcomes are measurable and are used for intervention planning and review and discharge planning. These outcomes reflect the attainment of treatment goals that relate to engagement in occupation. Other outcomes are experienced by clients when they have realized the effects of engagement in occupation and are able to return to desired habits, routines, roles, and rituals.

Adaptation is embedded in all categories of outcomes. The examples listed specify how the broad outcome of health and participation in life may be operationalized.

Outcome Category	Description	Examples
Occupational performance	Act of doing and accomplishing a selected action (performance skill), activity, or oc- cupation (Fisher, 2009; Fisher & Griswold, 2019; Kielhofner, 2008) that results from the dynamic transaction among the client, the context, and the activity. Improving or enhancing skills and patterns in occupa- tional performance leads to engagement in occupations or activities (adapted in part from Law et al., 1996, p. 16).	 Person A patient with hip precautions showers safely with modified independence using a tub transfer bench and a long-handled sponge. Group A group of older adults cooks a holiday meal during their stay in a skilled nursing facility with minimal assistance from staff. Population A community welcomes children with spina bifidation public settings after a news story featuring occupational therapy practitioners
Improvement	Increased occupational performance through adaptation when a performance limitation is present	occupational therapy practitioners. Person A child with autism plays interactively with a peer. An older adult returns home from a skilled nursing facility as desired. Group Back strain in nursing personnel decreases as a result of an in-service education program on body mechanics for job duties that require bending and lifting. Population
Enhancement	Development of performance skills and performance patterns that augment exist- ing performance of life occupations when a performance limitation is not present	Accessible playground facilities for all children are constructed in city parks. <i>Person</i> A teenage mother experiences increased confidence and competence in parenting as a result of struc- tured social groups and child development classes <i>Group</i> Membership in the local senior citizen center increases as a result of expanded social wellness and exercise programs. School staff have increased ability to address and manage school-age youth violence as a result o conflict resolution training to address bullying.
		Population Older adults have increased opportunities to participate in community activities through ride- share programs.

(Continued)

Table 14. Outcomes (cont'd)

Outcome Category	Description	Examples
Prevention	Education or health promotion efforts designed to identify, reduce, or stop the onset and reduce the incidence of un- healthy conditions, risk factors, diseases, or injuries. Occupational therapy promotes a healthy lifestyle at the individual, group, population (societal), and government or policy level (adapted from AOTA, 2020b).	PersonA child with orthopedic impairments is providedwith appropriate seating and a play area.GroupA program of leisure and educational activities isimplemented at a drop-in center for adults withserious mental illness.PopulationAccess to occupational therapy services is provided in underserved areas where residentstypically receive other services.
Health and wellness	Health: State of physical, mental, and social well-being, as well as a positive concept emphasizing social and personal resources and physical capacities (WHO, 1986). Health for groups and populations also includes social responsibility of members to the group or population as a whole. <i>Wellness:</i> "Active process through which individuals [or groups or populations]	<i>Person</i> A person with a mental health challenge participates in an empowerment and advocacy group to improve services in the community. A person with attention deficit hyperactivity disorder demonstrates self-management through the ability to manage the various aspects of their life. <i>Group</i> A company-wide program for employees is
	become aware of and make choices toward a more successful existence" (Hettler, 1984, p. 1117). Wellness is more than a lack of disease symptoms; it is a state of mental and physical balance and fitness (adapted from "Wellness," 1997, p. 2110)	implemented to identify problems and solutions regarding the balance among work, leisure, and family life. <i>Population</i> The incidence of childhood obesity decreases.
Quality of life	Dynamic appraisal of the client's life sat- isfaction (perceptions of progress toward goals), hope (real or perceived belief that one can move toward a goal through se- lected pathways), self-concept (composite of beliefs and feelings about oneself), health and functioning (e.g., health status, self-care capabilities), and socioeconomic factors (e.g., vocation, education, income; adapted from Radomski, 1995)	PersonA deaf child from a hearing family participatesfully and actively during a recreational activity.GroupA facility experiences increased participation ofresidents during outings and independent travelas a result of independent living skills training forcare providers.Population
		A lobby is formed to support opportunities for social networking, advocacy activities, and sharing of scientific information for stroke sur- vivors and their families.

(Continued)

The American Journal of Occupational Therapy, August 2020, Vol. 74, Suppl. 2 Downloaded from http://ajot.aota.org on 10/14/2020 Terms of use: http://AOTA.org/terms

66

Table 14. Outcomes (cont'd)

Outcome Category	Description	Examples
Participation	Engagement in desired occupations in ways that are personally satisfying and congruent with expectations within the culture	<i>Person</i> A person recovers the ability to perform the essential duties of his or her job after a flexor tendon laceration.
		<i>Group</i> A family enjoys a vacation spent traveling cross- country in their adapted van.
		<i>Population</i> All children within a state have access to school sports programs.
Role competence	Ability to effectively meet the demands of the roles in which one engages	<i>Person</i> A person with cerebral palsy is able to take notes and type papers to meet the demands of the student role.
		<i>Group</i> A factory implements job rotation to allow sharing of higher demand tasks so employees can meet the demands of the worker role.
		<i>Population</i> Accessibility of polling places is improved, enabling all people with disabilities in the community to meet the demands of the citizen role.
Well-being	Contentment with one's health, self-es- teem, sense of belonging, security, and opportunities for self-determination, meaning, roles, and helping others (Hammell, 2009). <i>Well-being</i> is "a general term encompassing the total universe of human life domains, including physical, mental, and social aspects, that make up what can be called a 'good life'" (WHO, 2006, p. 211).	<i>Person</i> A person with amyotrophic lateral sclerosis achieves contentment with their ability to find meaning in fulfilling the role of parent through compensatory strategies and environmental modifications.
		<i>Group</i> Members of an outpatient depression and anxiety support group feel secure in their sense of group belonging and ability to help other members.
		<i>Population</i> Residents of a town celebrate the groundbreaking for a school being reconstructed after a natural disaster.

(Continued)

AOTA OFFICIAL DOCUMENT

Table 14. Outcomes (cont'd)

Outcome Category	Description	Examples
Occupational justice	Access to and participation in the full range of meaningful and enriching occupations afforded to others, including opportunities for social inclusion and resources to par- ticipate in occupations to satisfy personal, health, and societal needs (adapted from Townsend & Wilcock, 2004)	 <i>Person</i> An individual with intellectual and developmental disabilities serves on an advisory board to establish programs to be offered by a community recreation center. <i>Group</i> Workers have enough break time to eat lunch with their young children in the day care center. <i>Group and Population</i> People with persistent mental illness experience an increased sense of empowerment and selfadvocacy skills, enabling them to develop an antistigma campaign promoting engagement in the civic arena (group) and alternative adapted housing options for older adults to age in place (population).

Note. AOTA = American Occupational Therapy Association; WHO = World Health Organization.

References

68

- American Occupational Therapy Association. (1979). Occupational therapy product output reporting system and uniform terminology for reporting occupational therapy services. (Available from pracdept@aota.org)
- American Occupational Therapy Association. (1989). Uniform terminology for occupational therapy—Second edition. *American Journal of Occupational Therapy*, 43, 808–815. https://doi.org/10.5014/ajot.43.12.808
- American Occupational Therapy Association. (1994). Uniform terminology for occupational therapy—Third edition. *American Journal of Occupational Therapy*, 48, 1047–1054. https://doi.org/10.5014/ajot.48.11.1047
- American Occupational Therapy Association. (2002a). Occupational therapy practice framework: Domain and process. *American Journal of Occupational Therapy*, *56*, 609–639. https://doi.org/10.5014/ajot.56.6.609
- American Occupational Therapy Association. (2002b). Position paper: Broadening the construct of independence. *American Journal of Occupational Therapy*, *56*, 660. https://doi.org/10.5014/ajot.56.6.660
- American Occupational Therapy Association. (2008). Occupational therapy practice framework: Domain and process (2nd ed.). American Journal of Occupational Therapy, 62, 625–683. https://doi.org/10.5014/ajot.62.6.625
- American Occupational Therapy Association. (2011). *Definition of occupational therapy practice for the AOTA Model Practice Act*. Retrieved from http://www.aota.org/~/media/Corporate/Files/Advocacy/State/ Resources/PracticeAct/Model%20Definition%20of%20OT%20Practice %20%20Adopted%2041411.pdf
- American Occupational Therapy Association. (2014). Occupational therapy practice framework: Domain and process (3rd ed.). *American Journal of*

Occupational Therapy, 68(Suppl. 1), S1–S48. https://doi.org/10.5014/ajot. 2014.682006

- American Occupational Therapy Association. (2015a). Occupational therapy code of ethics (2015). *American Journal of Occupational Therapy*, 69(Suppl. 3), 6913410030. https://doi.org/10.5014/ajot.2015.696S03
- American Occupational Therapy Association. (2015b). Policy A.23: Categories of occupational therapy personnel and students. In *Policy manual* (2017 ed., pp. 26–27). Bethesda, MD: Author.
- American Occupational Therapy Association. (2015c). Standards of practice for occupational therapy. *American Journal of Occupational Therapy*, 69(Suppl. 3), 6913410057. https://doi.org/10.5014/ajot.2015.696S06
- American Occupational Therapy Association. (2017a). AOTA occupational profile template. *American Journal of Occupational Therapy*, 71(Suppl. 2), 7112420030. https://doi.org/10.5014/ajot.2017.716S12
- American Occupational Therapy Association. (2017b). AOTA's societal statement on disaster response and risk reduction. *American Journal of Occupational Therapy*, 71(Suppl. 2), 6913410057. https://10.5014/ajot.2017.716S11
- American Occupation Therapy Association. (2017c). Occupational therapy's role in medication management. *American Journal of Occupational Therapy*, 71(Suppl. 2), 7112410025. https://doi.org/10.5014/ajot.2017.716S02
- American Occupational Therapy Association. (2018a). Guidelines for documentation of occupational therapy. *American Journal of Occupational Therapy*, 72(Suppl. 2), 7212410010. https://doi.org/10.5014/ajot.2018.72S203
- American Occupational Therapy Association. (2018b). Occupational therapy's role in case management. *American Journal of Occupational Therapy*, 72(Suppl. 2), 7212410050. https://doi.org/10.5014/ajot.2018.72S206
- American Occupational Therapy Association. (2018c). Telehealth in occupational therapy. *American Journal of Occupational Therapy*, 72(Suppl. 2), 7212410059. https://doi.org/10.5014/ajot.2018.72S219

American Occupational Therapy Association. (2020a). Guidelines for supervision, roles, and responsibilities during the delivery of occupational therapy services. *American Journal of Occupational Therapy*, *74*(Suppl. 3), 7413410020. https://doi.org/10.5014/ajot.2020.74S3004

American Occupational Therapy Association. (2020b). Occupational therapy in the promotion of health and well-being. *American Journal of Occupational Therapy*, 74, 7403420010. https://doi.org/10.5014/ajot.2020.743003

American Occupational Therapy Association. (2020c). Occupational therapy's commitment to diversity, equity, and inclusion. *American Journal of Occupational Therapy*, 74(Suppl. 3), 7413410030. https://doi.org/10.5014/ajot.2020.74S3002.

Americans With Disabilities Act of 1990, Pub. L. 101-336, 42 U.S.C. § 12101. Asher, I. E. (Ed.). (2014). *Asher's occupational therapy assessment tools* (4th ed.). Bethesda, MD: AOTA Press.

Bandura, A. (1986). *Social foundations of thought and action: A social cognitive theory*. Englewood Cliffs, NJ: Prentice Hall.

Bedell, G. M. (2012). Measurement of social participation. In V. Anderson &
 M. H. Beauchamp (Eds.), *Developmental social neuroscience and childhood brain insult: Theory and practice* (pp. 184–206). New York: Guilford Press.

Belief. (2020). In *Merriam-Webster*. https://www.merriam-webster.com/ dictionary/belief

Bergen, D. (Ed.). (1988). *Play as a medium for learning and development: A handbook of theory and practice.* Portsmouth, NH: Heinemann.

Billock, C. (2005). Delving into the center: Women's lived experience of spirituality through occupation (Publication No. AAT 3219812) [Doctoral dissertation, University of Southern California]. Available from ProQuest Dissertations and Theses Global.

Centers for Medicare & Medicaid Services. (2019). Bundled Payments for Care Improvement (BPCI) initiative: General information. Retrieved from https://innovation.cms.gov/initiatives/bundled-payments

Christiansen, C. H., & Baum, M. C. (Eds.). (1997). Occupational therapy: Enabling function and well-being. Thorofare, NJ: Slack.

Christiansen, C., Baum, M. C., & Bass-Haugen, J. (Eds.). (2005). Occupational therapy: Performance, participation, and well-being. Thorofare, NJ: Slack.

Christiansen, C. H., & Hammecker, C. L. (2001). Self care. In B. R. Bonder & M. B. Wagner (Eds.), *Functional performance in older adults* (pp. 155–175). Philadelphia: F. A. Davis.

Christiansen, C. H., & Townsend, E. A. (2010). *Introduction to occupation: The art and science of living* (2nd ed.). Cranbury, NJ: Pearson Education.

Clark, F. A. (2000). The concept of habit and routine: A preliminary theoretical synthesis. OTJR: Occupation, Participation and Health, 20(Suppl. 1), 123S–137S. https://doi.org/10.1177/15394492000200S114

Cohn, E. S. (2001). Parent perspectives of occupational therapy using a sensory integration approach. *American Journal of Occupational Therapy*, 55, 285–294. https://doi.org/10.5014/ajot.55.3.285

Cohn, E. S. (2019). Asserting our competence and affirming the value of occupation with confidence. *American Journal of Occupational Therapy*, 73, 7306150010. https://doi.org/10.5014/ajot.2019.736002

Cohn, E., Miller, L. J., & Tickle-Degnen, L. (2000). Parental hopes for therapy outcomes: Children with sensory modulation disorders. *American Journal of Occupational Therapy*, 54, 36–43. https://doi.org/10.5014/ajot.54.1.36

Cole, B., & McLean, V. (2003). Therapeutic relationships redefined. *Occupational Therapy in Mental Health*, *19*, 33–56. https://doi.org/10.1300/J004v19n02_03

Collins, J., & O'Brien, N. P. (2003). *Greenwood dictionary of education*. Westport, CT: Greenwood Press. Cornerstone. (n.d.). In Cambridge Dictionary. Retrieved from https:// dictionary.cambridge.org/us/dictionary/english/cornerstone

Dennis, C. W., Dorsey, J. A., & Gitlow, L. (2015). A call for sustainable practice in occupational therapy. *Canadian Journal of Occupational Therapy*, 82, 160–168. https://doi.org/10.1177/0008417414566925

Dickie, V., Cutchin, M., & Humphry, R. (2006). Occupation as transactional experience: A critique of individualism in occupational science. *Journal of Occupational Science*, *13*, 83–93. https://doi.org/10.1080/14427591.2006.9686573

Dorsey, J., Ehrenfried, H., Finch, D., & Jaegers, L. (2019). Work. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 779–804). Philadelphia: Wolters Kluwer.

Doucet, B. M., & Gutman, S. A. (2013). Quantifying function: The rest of the measurement story. *American Journal of Occupational Therapy*, 67, 7–9. https://doi.org/10.5014/ajot.2013.007096

Dunlea, A. (1996). An opportunity for co-adaptation: The experience of mothers and their infants who are blind. In R. Zemke & F. Clark (Eds.), *Occupational* science: The evolving discipline (pp. 227–342). Philadelphia: F. A. Davis.

Dunn, W. W. (2000). Habit: What's the brain got to do with it? OTJR: Occupation, Participation and Health, 20(Suppl. 1), 6S–20S. https://doi.org/ 10.1177/15394492000200S102

Dunn, W., McClain, L. H., Brown, C., & Youngstrom, M. J. (1998). The ecology of human performance. In M. E. Neistadt & E. B. Crepeau (Eds.), *Willard* and Spackman's occupational therapy (9th ed., pp. 525–535). Philadelphia: Lippincott Williams & Wilkins.

Dunton, W. R. (1934). The need for and value of research in occupational therapy. *Occupational Therapy and Rehabilitation*, *13*, 325–328.

Eberle, S. G. (2014). The elements of play: Toward a philosophy and a definition of play. *American Journal of Play*, *6*, 214–233.

Edgelow, M., & Krupa, T. (2011). Randomized controlled pilot study of an occupational time-use intervention for people with serious mental illness. *American Journal of Occupational Therapy*, 65, 267–276. https://doi.org/ 10.5014/ajot.2011.001313

Eklund, M., Orban, K., Argentzell, E., Bejerholm, U., Tjörnstrand, C., Erlandsson, L. K., & Håkansson, C. (2017). The linkage between patterns of daily occupations and occupational balance: Applications within occupational science and occupational therapy practice. *Scandinavian Journal of Occupational Therapy*, 24, 41–56. https://doi.org/10.1080/11038128.2016.1224271

Esdaile, S. A., & Olson, J. A. (2004). Mothering occupations: Challenge, agency, and participation. Philadelphia: F. A. Davis.

Fiese, B. H. (2007). Routines and rituals: Opportunities for participation in family health. *OTJR: Occupation, Participation and Health, 27*(Suppl. 1), 41S–49S. https://doi.org/10.1177/15394492070270S106

Fiese, B. H., Tomcho, T. J., Douglas, M., Josephs, K., Poltrock, S., & Baker, T. (2002). A review of 50 years of research on naturally occurring family routines and rituals: Cause for celebration. *Journal of Family Psychology*, *16*, 381–390. https://doi.org/10.1037/0893-3200.16.4.381

Fisher, A. G. (2009). Occupational Therapy Intervention Process Model: A model for planning and implementing top-down, client-centered, and occupation-based interventions. Fort Collins, CO: Three Star Press.

Fisher, A. G., & Griswold, L. A. (2019). Performance skills: Implementing performance analyses to evaluate quality of occupational performance.
In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 335–350). Philadelphia: Wolters Kluwer.

GUIDELINES

Fisher, A. G., & Marterella, A. (2019). Powerful practice: A model for authentic occupational therapy. Fort Collins, CO: Center for Innovative OT Solutions.

- Framework. (2020). In American Heritage dictionary of the English language (5th ed.). Retrieved from https://ahdictionary.com/word/search.html?q=framework
- Gillen, G. (2013). A fork in the road: An occupational hazard. American Journal of Occupational Therapy, 67, 641–652. https://doi.org/10.5014/ajot.2013.676002
- Gillen, G., Hunter, E. G., Lieberman, D., & Stutzbach, M. (2019). AOTA's top 5 Choosing Wisely[®] recommendations. *American Journal of Occupational Therapy*, 73, 7302420010. https://doi.org/10.5014/ajot.2019.732001
- Gillen, G., & Schell, B. A. B. (2019). Introduction to evaluation, intervention, and outcomes for occupations. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 710–713). Philadelphia: Wolters Kluwer.
- Gitlin, L. N., & Corcoran, M. A. (2005). Occupational therapy and dementia care: The Home Environmental Skill-Building Program for individuals and families. Bethesda, MD: AOTA Press.
- Gitlin, L. N., Corcoran, M., Winter, L., Boyce, A., & Hauck, W. W. (2001). A randomized, controlled trial of a home environmental intervention: Effect on efficacy and upset in caregivers and on daily function of persons with dementia. *Gerontologist*, 41, 4–14. https://doi.org/10.1093/geront/41.1.4
- Gitlin, L. N., Winter, L., Burke, J., Chernett, N., Dennis, M. P., & Hauck, W. W. (2008). Tailored activities to manage neuropsychiatric behaviors in persons with dementia and reduce caregiver burden: A randomized pilot study. *American Journal of Geriatric Psychiatry*, 16, 229–239. https://doi. org/10.1097/01.JGP.0000300629.35408.94
- Gitlin, L. N., Winter, L., Corcoran, M., Dennis, M. P., Schinfeld, S., & Hauck, W. W. (2003). Effects of the home environmental skill-building program on the caregiver–care recipient dyad: 6-month outcomes from the Philadelphia REACH Initiative. *Gerontologist, 43*, 532–546. https://doi.org/10.1093/geront/43.4.532
- Graff, M. J., Vernooij-Dassen, M. J., Thijssen, M., Dekker, J., Hoefnagels, W. H., & Olderikkert, M. G. (2007). Effects of community occupational therapy on quality of life, mood, and health status in dementia patients and their caregivers: A randomized controlled trial. *Journals of Gerontology, Series A: Biological Sciences and Medical Sciences*, *62*, 1002–1009. https://doi.org/10.1093/gerona/62.9.1002
- Graham, F., Rodger, S., & Ziviani, J. (2013). Effectiveness of occupational performance coaching in improving children's and mothers' performance and mothers' self-competence. *American Journal of Occupational Therapy*, 67, 10–18. https://doi.org/10.5014/ajot.2013.004648
- Grajo, L. (2019). Theory of occupational adaptation. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 633–642). Philadelphia: Wolters Kluwer.
- Hall, J. (2017). Gender of friend. In T. K. Shackelford & V. A. Weekes-Shackelford (Eds.), *Encyclopedia of evolutionary psychological science*. Berlin: Springer. https://doi.org/10.1007/978-3-319-16999-6_1600-1
- Hammell, K. R. W. (2013). Occupation, well-being, and culture: Theory and cultural humility. *Canadian Journal of Occupational Therapy*, *80*, 224–234. https://doi.org/10.1177/0008417413500465
- Hammell, K. W. (2009). Self-care, productivity, and leisure, or dimensions of occupational experience? Rethinking occupational "categories." *Canadian Journal of Occupational Therapy*, *76*, 107–114. https://doi.org/10. 1177/000841740907600208

- Hanna, K., & Rodger, S. (2002). Towards family-centred practice in paediatric occupational therapy: A review of the literature on parent–therapist collaboration. *Australian Occupational Therapy Journal*, 49, 14–24. https://doi.org/10.1046/j.0045-0766.2001.00273.x
- Hettler, W. (1984). Wellness—The lifetime goal of a university experience. In J. D. Matarazzo, S. M. Weiss, J. A. Herd, N. E. Miller, & S. M. Weiss (Eds.), *Behavioral health: A handbook of health enhancement and disease* prevention (pp. 1117–1124). New York: Wiley.
- Hildenbrand, W. C., & Lamb, A. J. (2013). Occupational therapy in prevention and wellness: Retaining relevance in a new health care world. *American Journal of Occupational Therapy*, 67, 266–271. https://doi.org/10.5014/ajot.2013.673001
- Hinojosa, J., & Kramer, P. (Eds.). (2014). Evaluation in occupational therapy (4th ed.). Bethesda, MD: AOTA Press.
- Hinojosa, J., Kramer, P., & Crist, P. (2014). Evaluation: Where do we begin? In J. Hinojosa & P. Kramer (Eds.), *Evaluation in occupational therapy: Obtaining and interpreting data* (4th ed., pp. 1–18). Bethesda, MD: AOTA Press.
- Hinojosa, J., Kramer, P., Royeen, C. B., & Luebben, A. J. (2017). The core concept of occupation. In J. Hinojosa, P. Kramer, & C. Royeen (Eds.), *Perspectives on human occupations: Theories underlying practice* (pp. 23–39). Philadelphia: F. A. Davis.
- Hooper, B., & Wood, W. (2019). The philosophy of occupational therapy: A framework for practice. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 43–55). Philadelphia: Lippincott Williams & Wilkins.
- Humbert, T. K. (2016). Addressing spirituality in occupational therapy. In T. K. Humbert (Ed.), Spirituality and occupational therapy: A model for practice and research. Bethesda, MD: AOTA Press.
- Individuals With Disabilities Education Improvement Act of 2004, Pub. L. 108-446, 20 U.S.C. § 1400 *et seq.*
- Joint Commission. (2012). Transitions of care: The need for a more effective approach to continuing patient care (Hot Topics in Health Care). Retrieved from https://www.jointcommission.org/assets/1/18/Hot_Topics_ Transitions_of_Care.pdf
- Joint Commission. (2013). Transitions of care: The need for collaboration across entire care continuum (Hot Topics in Health Care). Retrieved from https:// www.jointcommission.org/sitecore/media-library/deprecated-unorganized/ imported-assets/tjc/system-folders/assetmanager/toc_hot_topicspdf/
- Khetani, M. A., & Coster, W. (2019). Social participation. In B. A. B. Schell & G.
 Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 847–860). Philadelphia: Wolters Kluwer.
- Kielhofner, G. (2008). *The Model of Human Occupation: Theory and application* (4th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Koome, F., Hocking, C., & Sutton, D. (2012). Why routines matter: The nature and meaning of family routine in the context of adolescent mental illness. *Journal of Occupational Science*, *19*, 312–325. https://doi.org/10.1080/ 14427591.2012.718245
- Larson, E. A., & Zemke, R. (2003). Shaping the temporal patterns of our lives: The social coordination of occupation. *Journal of Occupational Science*, *10*, 80–89. https://doi.org/10.1080/14427591.2003.9686514
- Law, M., Baum, M. C., & Dunn, W. (2005). Measuring occupational performance: Supporting best practice in occupational therapy (2nd ed.). Thorofare, NJ: Slack.

AOTA OFFICIAL DOCUMENT

- Law, M., Cooper, B., Strong, S., Stewart, D., Rigby, P., & Letts, L. (1996). Person–Environment–Occupation Model: A transactive approach to occupational performance. *Canadian Journal of Occupational Therapy*, *63*, 9–23. https://doi.org/10.1177/000841749606300103
- Lawlor, M. C., & Mattingly, C. (2019). Family perspectives on occupation, health, and disability. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's* occupational therapy (13th ed., pp. 196–211). Philadelphia: Wolters Kluwer.
- Lynch, H., Hayes, N., & Ryan, S. (2016). Exploring socio-cultural influences on infant play occupations in Irish home environments. *Journal of Occupational Science*, 23, 352–369. https://doi.org/10.1080/14427591. 2015.1080181
- Magasi, S., & Hammel, J. (2004). Social support and social network mobilization in African American woman who have experienced strokes. *Disability Studies Quarterly*, 24(4). https://doi.org/10.18061/dsq.v24i4.878
- Matuska, K., & Barrett, K. (2019). Patterns of occupations. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 212–220). Philadelphia: Wolters Kluwer.
- McElroy, T., Muyinda, H., Atim, S., Spittal, P., & Backman, C. L. (2012). War, displacement and productive occupations in northern Uganda. *Journal of Occupational Science*, 19, 198–212. https://doi.org/10.1080/14427591.2011.614681
- Meyer, A. (1922). The philosophy of occupational therapy. *Archives of Occupational Therapy*, *1*, 1–10.
- Mosey, A. C. (1996). *Applied scientific inquiry in the health professions: An epistemological orientation* (2nd ed.). Bethesda, MD: American Occupational Therapy Association.
- Moyers, P. A. (1999). The guide to occupational therapy practice. American Journal of Occupational Therapy, 53, 247–322. https://doi.org/10.5014/ajot.53.3.247
- National Quality Forum. (n.d). *Patient-reported outcomes*. Retrieved from https://www.qualityforum.org/Projects/n-r/Patient-Reported_Outcomes/ Patient-Reported_Outcomes.aspx
- Nilsson, I., & Townsend, E. (2010). Occupational justice—Bridging theory and practice. *Scandinavian Journal of Occupational Therapy*, *17*, 57–63. https://doi.org/10.3109/11038120903287182
- Nurit, W., & Michal, A. B. (2003). Rest: A qualitative exploration of the phenomenon. Occupational Therapy International, 10, 227–238. https://doi.org/10.1002/oti.187
- Olson, J. A. (2004). Mothering co-occupations in caring for infants and young children. In S. A. Esdaile & J. A. Olson (Eds.), *Mothering occupations* (pp. 28–51). Philadelphia: F. A. Davis.
- Orentlicher, M., Schefkind, S., & Gibson, R. (Eds.). (2015). *Transitions across the lifespan: An occupational therapy approach*. Bethesda, MD: AOTA Press.
- Parham, L. D., & Fazio, L. S. (Eds.). (1997). Play in occupational therapy for children. St. Louis: Mosby.
- Pickens, N., & Pizur-Barnekow, K. (2009). Co-occupation: Extending the dialogue. *Journal of Occupational Science*, *16*, 151–156. https://doi.org/ 10.1080/14427591.2009.9686656
- Piersol, C. V., Canton, K., Connor, S. E., Giller, I., Lipman, S., & Sager, S. (2017). Effectiveness of interventions for caregivers of people with Alzheimer's disease and related major neurocognitive disorders: A systematic review. *American Journal of Occupational Therapy*, *71*, 7105180020. https://doi.org/10.5014/ajot.2017.027581
- Primeau, L. (2000). Divisions of household work, routines, and child occupations in families. *Journal of Occupational Science*, *7*, 19–28. https://doi.org/10.1080/14427591.2000.9686461

- Provision of EHB, 45 C.F.R. §156.115(a)(5)(i) (2015). https://www.law.cornell. edu/cfr/text/45/156.115
- Radomski, M. V. (1995). There is more to life than putting on your pants. American Journal of Occupational Therapy, 49, 487–490. https://doi.org/ 10.5014/ajot.49.6.487
- Robinson Johnson, K., & Dickie, V. (2019). What is occupation? In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 320–333). Philadelphia: Wolters Kluwer.
- Rogers, A. T., Bai, G., Lavin, R. A., & Anderson, G. F. (2017). Higher hospital spending on occupational therapy is associated with lower readmission rates. *Medical Care Research and Review*, 74, 668–686. https://doi.org/ 10.1177/1077558716666981
- Rogers, J. C., & Holm, M. B. (1994). Assessment of self-care. In B. R. Bonder
 & M. B. Wagner (Eds.), *Functional performance in older adults* (pp. 181–202). Philadelphia: F. A. Davis.
- Scaffa, M. (2019). Occupational therapy interventions for groups, communities, and populations. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's* occupational therapy (13th ed., pp. 436–447). Philadelphia: Wolters Kluwer.
- Scaffa, M. E., & Reitz, S. M. (Eds.). (2014). Occupational therapy in community-based practice settings (2nd ed.). Philadelphia: F. A. Davis.
- Schell, B. A. B. (2019). Professional reasoning in practice. In B. A. B. Schell &
 G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 482–497). Philadelphia: Wolters Kluwer.
- Schell, B. A. B., & Gillen, G. (2019). Glossary. In B. A. B. Schell & G. Gillen (Eds.), Willard and Spackman's occupational therapy (13th ed. pp. 1191–1215). Philadelphia: Wolters Kluwer.
- Schell, B. A. B., Gillen, G., Crepeau, E., & Scaffa, M. (2019). Analyzing occupations and activity. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's* occupational therapy (13th ed., pp. 320–333). Philadelphia: Wolters Kluwer.
- Schell, B. A. B., Gillen, G., & Scaffa, M. (2014). Glossary. In B. A. B. Schell, G. Gillen & M. Scaffa (Eds.), *Willard and Spackman's occupational therapy* (12th ed., pp. 1229–1243). Philadelphia: Lippincott Williams & Wilkins.
- Schwartz, J. K., & Smith, R. O. (2017). Integration of medication management into occupational therapy practice. *American Journal of Occupational Therapy*, 71, 7104360010. https://doi.org/10.5014/ajot.2017.015032
- Segal, R. (2004). Family routines and rituals: A context for occupational therapy interventions. *American Journal of Occupational Therapy*, 58, 499–508. https://doi.org/10.5014/ajot.58.5.499
- Skard, G., & Bundy, A. (2008). Test of Playfulness. In L. D. Parham & L. Fazio (Eds.), *Play in occupational therapy for children* (2nd ed., pp. 71–93). St. Louis: Mosby. https://doi.org/10.1016/B978-032302954-4.10004-2
- Slagle, E. C. (1924). A year's development of occupational therapy in New York State hospitals. *Modern Hospital*, *22*, 98–104.
- Snodgrass, J., & Amini, D. (2017). Occupational therapy practice guidelines for adults with musculoskeletal conditions. Bethesda, MD: AOTA Press.
- Sutton-Smith, B. (2009). *The ambiguity of play*. Cambridge, MA: Harvard University Press.
- Taylor, R. R. (Ed.). (2017). *Kielhofner's Model of Human Occupation: Theory and application*. Philadelphia: Wolters Kluwer Health.
- Taylor, R. (2019). Therapeutic relationship and client collaboration: Applying the Intentional Relationship Model. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 527–538).
 Philadelphia: Lippincott Williams & Wilkins.

GUIDELINES

- Taylor, R. R. (2020). The intentional relationship: Occupational therapy and use of self. Philadelphia: F. A. Davis.
- Taylor, R. R., & Van Puymbrouck, L. (2013). Therapeutic use of self: Applying the Intentional Relationship Model in group therapy. In J. C. O'Brien & J. W. Solomon (Eds.), *Occupational analysis and group process* (pp. 36–52). St. Louis: Elsevier.
- Townsend, E., & Wilcock, A. A. (2004). Occupational justice and client-centred practice: A dialogue in progress. *Canadian Journal of Occupational Therapy*, *71*, 75–87. https://doi.org/10.1177/000841740407100203
- Trombly, C. A. (1995). Occupation: Purposefulness and meaningfulness as therapeutic mechanisms (Eleanor Clarke Slagle Lecture). *American Journal of Occupational Therapy*, 49, 960–972. https://doi.org/10.5014/ajot.49.10.960
- Uniform Data System for Medical Rehabilitation. (1996). *Guide for the Uniform Data Set for Medical Rehabilitation (including the FIM instrument)*. Buffalo, NY: Author.
- Unruh, A. M. (2004). Reflections on: "So . . . what do you do?" Occupation and the construction of identity. *Canadian Journal of Occupational Therapy*, 71, 290–295. https://doi.org/10.1177/000841740407100508
- Uyeshiro Simon, A., & Collins, C. E. R. (2017). Lifestyle Redesign[®] for chronic pain management: A retrospective clinical efficacy study. *American Journal of Occupational Therapy*, *71*, 7104190040. https://doi.org/10. 5014/ajot.2017.025502
- Wagman, P., Håkansson, C., & Jonsson, H. (2015). Occupational balance: A scoping review of current research and identified knowledge gaps. *Journal of Occupational Science*, *22*, 160–169. https://doi.org/10.1080/ 14427591.2014.986512

- Wellness. (1997). In *Taber's cyclopedic medical dictionary*. Philadelphia:F. A. Davis.
- Wilcock, A. A. (2006). *An occupational perspective of health* (2nd ed.). Thorofare, NJ: Slack.
- Wilcock, A. A., & Townsend, E. A. (2019). Occupational justice. In B. A. B. Schell & G. Gillen (Eds.), *Willard and Spackman's occupational therapy* (13th ed., pp. 643–659). Philadelphia: Lippincott Williams & Wilkins.

World Federation of Occupational Therapists. (2012a). About occupational therapy. Retrieved from https://www.wfot.org/about-occupational-therapy

World Federation of Occupational Therapists. (2012b). *Occupational science* [Position statement]. Retrieved from https://www.wfot.org/ resources/occupational-science

- World Federation of Occupational Therapists. (2019). Occupational therapy and community-centred practice [Position statement]. Retrieved from https://www. wfot.org/resources/occupational-therapy-and-community-centred-practice
- World Health Organization. (1986). *The Ottawa Charter for Health Promotion*. Retrieved from https://www.who.int/healthpromotion/conferences/previous/ottawa/en/
- World Health Organization. (2001). *International classification of functioning, disability and health*. Geneva: Author.
- World Health Organization. (2006). Constitution of the World Health Organization (45th ed.). Retrieved from https://www.who.int/governance/eb/ who_constitution_en.pdf
- World Health Organization. (2008). International classification of functioning, disability and health: ICF. Geneva: WHO Press.
- Zemke, R., & Clark, F. (1996). *Occupational science: An evolving discipline.* Philadelphia: F. A. Davis.

Authors

Cheryl Boop, MS, OTR/L Susan M. Cahill, PhD, OTR/L, FAOTA Charlotte Davis, MS, OTR/L Julie Dorsey, OTD, OTR/L, CEAS, FAOTA Varleisha Gibbs, PhD, OTD, OTR/L Brian Herr, MOT, OTR/L Kimberly Kearney, COTA/L Elizabeth "Liz" Griffin Lannigan, PhD, OTR/L, FAOTA Lizabeth Metzger, MS, OTR/L Julie Miller, MOT, OTR/L, SWC Amy Owens, OTR Krysta Rives, MBA, COTA/L, CKTP Caitlin Synovec, OTD, OTR/L, BCMH Wayne L. Winistorfer, MPA, OTR, FAOTA Deborah Lieberman, MHSA, OTR/L, FAOTA, *AOTA Headquarters Liaison*

for

The Commission on Practice

Julie Dorsey, OTD, OTR/L, CEAS, FAOTA, Chairperson

Acknowledgments

In addition to those named below, the COP thanks everyone who has contributed to the dialogue, feedback, and concepts presented in the document. Sincerest appreciation is extended to AOTA Staff members Chris Davis, Jennifer Folden, Caroline Polk, and Debbie Shelton for all their support. Further appreciation and thanks are extended to Anne G. Fisher, ScD, OT, FAOTA; Lou Ann Griswold, PhD, OTR/L, FAOTA; and Abbey Marterella, PhD, OTR/L.

The COP wishes to acknowledge the authors of the third edition of this document: Deborah Ann Amini, EdD, OTR/L, CHT, FAOTA, *Chairperson, 2011–2014;* Kathy Kannenberg, MA, OTR/L, CCM, *Chairperson-Elect, 2013–2014;* Stefanie Bodison, OTD, OTR/L; Pei-Fen Chang, PhD, OTR/L; Donna Colaianni, PhD, OTR/L, CHT; Beth Goodrich, OTR, ATP, PhD; Lisa Mahaffey, MS, OTR/L, FAOTA; Mashelle Painter, MEd, COTA/L; Michael Urban, MS, OTR/L, CEAS, MBA, CWCE; Dottie Handley-More, MS, OTR/L, *SIS Liaison*; Kiel Cooluris, MOT, OTR/L, *ASD Liaison;* Andrea McElroy, MS, OTR/L, *Immediate-Past ASD Liaison;* Deborah Lieberman, MHSA, OTR/L, FAOTA, *AOTA Headquarters Liaison.*

The COP wishes to acknowledge the authors of the second edition of this document: Susanne Smith Roley, MS, OTR/L, FAOTA, *Chairperson, 2005–2008;* Janet V. DeLany, DEd, OTR/L, FAOTA; Cynthia J. Barrows, MS, OTR/L; Susan Brownrigg, OTR/L; DeLana Honaker, PhD, OTR/L, BCP; Deanna Iris Sava, MS, OTR/L; Vibeke Talley, OTR/L; Kristi Voelkerding, BS, COTA/L, ATP; Deborah Ann Amini, MEd, OTR/L, CHT, FAOTA, *SIS Liaison;* Emily Smith, MOT, *ASD Liaison;* Pamela Toto, MS, OTR/L, BCG, FAOTA, *Immediate-Past SIS Liaison;* Sarah King, MOT, OTR, *Immediate-Past ASD Liaison;* Deborah Lieberman, MHSA, OTR/L, FAOTA, *AOTA Headquarters Liaison;* with contributions from M. Carolyn Baum, PhD, OTR/L, FAOTA; Ellen S. Cohn, ScD, OTR/L, FAOTA; Penelope A. Moyers Cleveland, EdD, OTR/L, BCMH, FAOTA; and Mary Jane Youngstrom, MS, OTR, FAOTA.

The COP also wishes to acknowledge the authors of the first edition of this document: Mary Jane Youngstrom, MS, OTR, FAOTA, *Chairperson (1998–2002);* Sara Jane Brayman, PhD, OTR, FAOTA, *Chairperson-Elect (2001–2002);* Paige Anthony, COTA; Mary Brinson, MS, OTR/L, FAOTA; Susan Brownrigg, OTR/L; Gloria Frolek Clark, MS, OTR/L, FAOTA; Susanne Smith Roley, MS, OTR; James Sellers, OTR/L; Nancy L. Van Slyke, EdD, OTR; Stacy M. Desmarais, MS, OTR/L, *ASD Liaison;* Jane Oldham, MOTS, *Immediate-Past ASCOTA Liaison;* Mary Vining Radomski, MA, OTR, FAOTA, *SIS Liaison;* Sarah D. Hertfelder, MEd, MOT, OTR, FAOTA, *National Office Liaison.*

Revised by the Commission on Practice, 2020

Adopted by the Representative Assembly May, 2020

Note. This document replaces the 2014 Occupational Therapy Practice Framework: Domain and Process (3rd ed.). Published in the American Journal of Occupational Therapy, 74(Suppl. 2), 7412410010. https://dx.doi.org/10.5014/ajot.2020.74S2001

Copyright © 2020 by the American Occupational Therapy Association.

Citation: American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy,* 74(Suppl. 2), 7412410010. https://doi.org/10.5014/ajot.2020.74S2001

Appendix A. Glossary

A

Activities

Actions designed and selected to support the development of performance skills and performance patterns to enhance occupational engagement.

Activities of daily living (ADLs)

Activities that are oriented toward taking care of one's own body (adapted from Rogers & Holm, 1994) and are completed on a daily basis. These activities are "fundamental to living in a social world; they enable basic survival and well-being" (Christiansen & Hammecker, 2001, p. 156; see Table 2).

Activity analysis

Generic and decontextualized analysis that seeks to develop an understanding of typical activity demands within a given culture.

Activity demands

Aspects of an activity needed to carry it out, including relevance and importance to the client, objects used and their properties, space demands, social demands, sequencing and timing, required actions and performance skills, and required underlying body functions and body structures (see Table 11).

Adaptation

Effective and efficient response by the client to occupational and contextual demands (Grajo, 2019).

Advocacy

Efforts directed toward promoting occupational justice and empowering clients to seek and obtain resources to fully participate in their daily life occupations. Efforts undertaken by the practitioner are considered advocacy, and those undertaken by the client are considered self-advocacy and can be promoted and supported by the practitioner (see Table 12).

Analysis of occupational performance

The step in the evaluation process in which the client's assets and limitations or potential problems are more specifically determined through assessment tools designed to analyze, measure, and inquire about factors that support or hinder occupational performance (see Exhibit 2).

Assessment

74

"A specific tool, instrument, or systematic interaction . . . used to understand a client's occupational profile, client factors, performance skills, performance patterns, and contextual and environmental factors, as well as activity demands that influence occupational performance" (Hinojosa et al., 2014, pp. 3–4).

В

Belief

Something that is accepted, considered to be true, or held as an opinion ("Belief," 2020).

Body functions

"Physiological functions of body systems (including psychological functions)" (World Health Organization, 2001, p. 10; see Table 9).

Body structures

"Anatomical parts of the body, such as organs, limbs, and their components" that support body functions (World Health Organization, 2001, p. 10; see Table 9).

С

Client

Person (including one involved in the care of a client), *group* (collection of individuals having shared characteristics or common or shared purpose, e.g., family members, workers, students, and those with similar interests or occupational challenges), or *population* (aggregate of people with common attributes such as contexts, characteristics, or concerns, including health risks; Scaffa & Reitz, 2014).

Client-centered care (client-centered practice)

Approach to service that incorporates respect for and partnership with clients as active participants in the therapy process. This approach emphasizes clients' knowledge and experience, strengths, capacity for choice, and overall autonomy (Schell & Gillen, 2019, p. 1194).

Client factors

Specific capacities, characteristics, or beliefs that reside within the person and that influence performance in occupations. Client factors include values, beliefs, and spirituality; body functions; and body structures (see Table 9).

Clinical reasoning

See Professional reasoning

Collaboration

"The complex interpretative acts in which the practitioners must understand the meanings of the interventions, the meanings of illness or disability in a person and family's life, and the feelings that accompany these experiences" (Lawlor & Mattingly, 2019, p. 201).

Community

Collection of populations that is changeable and diverse and includes various people, groups, networks, and organizations (Scaffa, 2019; World Federation of Occupational Therapists, 2019).

Context

Construct that constitutes the complete makeup of a person's life as well as the common and divergent factors that characterize groups and populations. Context includes environmental factors and personal factors (see Tables 4 and 5).

Co-occupation

Occupation that implicitly involves two or more individuals (Schell & Gillen, 2019, p. 1195) and includes aspects of physicality, emotionality, and intentionality (Pickens & Pizur-Barnekow, 2009).

Cornerstone

Something of significance on which everything else depends.

D

Domain

Profession's purview and areas in which its members have an established body of knowledge and expertise.

Ε

Education

As an occupation: Activities involved in learning and participating in the educational environment (see Table 2). As an environmental factor of context: Processes and methods for acquisition of knowledge, expertise, or skills (see Table 4).

As an intervention: Activities that impart knowledge and information about occupation, health, well-being, and participation, resulting in acquisition by the client of helpful behaviors, habits, and routines that may or may not require application at the time of the intervention session (see Table 12).

Empathy

Emotional exchange between occupational therapy practitioners and clients that allows more open communication, ensuring that practitioners connect with clients at an emotional level to assist them with their current life situation.

Engagement in occupation

Performance of occupations as the result of choice, motivation, and meaning within a supportive context.

Environmental factors

Aspects of the physical, social, and attitudinal surroundings in which people live and conduct their lives.

Evaluation

"The comprehensive process of obtaining and interpreting the data necessary to understand the person, system, or situation. . . . Evaluation requires synthesis of all data obtained, analytic interpretation of that data, reflective clinical reasoning, and consideration of occupational performance and contextual factors" (Hinojosa et al., 2014, p. 3).

76

G

Goal

Measurable and meaningful, occupation-based, long-term or short-term aim directly related to the client's ability and need to engage in desired occupations (AOTA, 2018a, p. 4).

Group

Collection of individuals having shared characteristics or a common or shared purpose (e.g., family members, workers, students, others with similar occupational interests or occupational challenges).

Group intervention

Use of distinct knowledge and leadership techniques to facilitate learning and skill acquisition across the lifespan through the dynamics of group and social interaction. Groups may be used as a method of service delivery (see Table 12).

Η

Habilitation

Health care services that help a person keep, learn, or improve skills and functioning for daily living (e.g., therapy for a child who does not walk or talk at the expected age). These services may include physical and occupational therapy, speech-language pathology, and other services for people with disabilities in a variety of inpatient and outpatient settings ("Provision of EHB," 2015).

Habits

"Specific, automatic behaviors performed repeatedly, relatively automatically, and with little variation" (Matuska & Barrett, 2019, p. 214). Habits can be healthy or unhealthy, efficient or inefficient, and supportive or harmful (Dunn, 2000).

Health

"State of complete physical, mental, and social well-being, and not merely the absence of disease or infirmity" (World Health Organization, 2006, p. 1).

Health management

Occupation focused on developing, managing, and maintaining routines for health and wellness by engaging in selfcare with the goal of improving or maintaining health, including self-management, to allow for participation in other occupations (see Table 2).

Health promotion

"Process of enabling people to increase control over, and to improve, their health. To reach a state of complete physical, mental, and social well-being, an individual or group must be able to identify and realize aspirations, to satisfy needs, and to change or cope with the environment" (World Health Organization, 1986).

Hope

Real or perceived belief that one can move toward a goal through selected pathways.

Independence

"Self-directed state of being characterized by an individual's ability to participate in necessary and preferred occupations in a satisfying manner irrespective of the amount or kind of external assistance desired or required" (AOTA, 2002a, p. 660).

Instrumental activities of daily living (IADLs)

Activities that support daily life within the home and community and that often require more complex interactions than those used in ADLs (see Table 2).

Interdependence

"Reliance that people have on one another as a natural consequence of group living" (Christiansen & Townsend, 2010, p. 419). "Interdependence engenders a spirit of social inclusion, mutual aid, and a moral commitment and responsibility to recognize and support difference" (Christiansen & Townsend, 2010, p. 187).

Interests

"What one finds enjoyable or satisfying to do" (Kielhofner, 2008, p. 42).

Intervention

"Process and skilled actions taken by occupational therapy practitioners in collaboration with the client to facilitate engagement in occupation related to health and participation. The intervention process includes the plan, implementation, and review" (AOTA, 2015c, p. 2).

Intervention approaches

Specific strategies selected to direct the process of interventions on the basis of the client's desired outcomes, evaluation data, and evidence (see Table 13).

Interventions to support occupations

Methods and tasks that prepare the client for occupational performance, used as part of a treatment session in preparation for or concurrently with occupations and activities or provided to a client as a home-based engagement to support daily occupational performance (see Table 12).

L

Leisure

"Nonobligatory activity that is intrinsically motivated and engaged in during discretionary time, that is, time not committed to obligatory occupations such as work, self-care, or sleep" (Parham & Fazio, 1997, p. 250; see Table 2).

78

Μ

Motor skills

The "group of performance skills that represent small, observable actions related to moving oneself or moving and interacting with tangible task objects (e.g., tools, utensils, clothing, food or other supplies, digital devices, plant life) in the context of performing a personally and ecologically relevant daily life task. They are commonly named in terms of type of task being performed (e.g., [activity of daily living] motor skills, school motor skills, work motor skills)" (Fisher & Marterella, 2019, p. 331; see Table 7).

0

Occupation

Everyday personalized activities that people do as individuals, in families, and with communities to occupy time and bring meaning and purpose to life. Occupations can involve the execution of multiple activities for completion and can result in various outcomes. The broad range of occupations is categorized as activities of daily living, instrumental activities of daily living, health management, rest and sleep, education, work, play, leisure, and social participation (see Table 2).

Occupation-based

Characteristic of the best practice method used in occupational therapy, in which the practitioner uses an evaluation process and types of interventions that actively engage the client in occupation (Fisher & Marterella, 2019).

Occupational analysis

Analysis that is performed with an understanding of "the specific situation of the client and therefore [of] the specific occupations the client wants or needs to do in the actual context in which these occupations are performed" (Schell et al., 2019, p. 322).

Occupational demands

Aspects of an activity needed to carry it out, including relevance and importance to the client, objects used and their properties, space demands, social demands, sequencing and timing, required actions and performance skills, and required underlying body functions and body structures (see Table 10).

Occupational identity

"Composite sense of who one is and wishes to become as an occupational being generated from one's history of occupational participation" (Schell & Gillen, 2019, p. 1205).

Occupational justice

"A justice that recognizes occupational rights to inclusive participation in everyday occupations for all persons in society, regardless of age, ability, gender, social class, or other differences" (Nilsson & Townsend, 2010, p. 58). Occupational justice includes access to and participation in the full range of meaningful and enriching occupations afforded to others, including opportunities for social inclusion and the resources to participate in occupations to satisfy personal, health, and societal needs (adapted from Townsend & Wilcock, 2004).

Occupational performance

Accomplishment of the selected occupation resulting from the dynamic transaction among the client, their context, and the occupation.

Occupational profile

Summary of the client's occupational history and experiences, patterns of daily living, interests, values, needs, and relevant contexts (see Exhibit 2).

Occupational science

"Way of thinking that enables an understanding of occupation, the occupational nature of humans, the relationship between occupation, health and wellbeing, and the influences that shape occupation" (World Federation of Occupational Therapists, 2012b, p. 2).

Occupational therapy

Therapeutic use of everyday life occupations with persons, groups, or populations (i.e., clients) for the purpose of enhancing or enabling participation. Occupational therapy practitioners use their knowledge of the transactional relationship among the person, their engagement in valued occupations, and the context to design occupation-based intervention plans. Occupational therapy services are provided for habilitation, rehabilitation, and promotion of health and wellness for clients with disability- and non-disability-related needs. Services promote acquisition and preservation of occupational identity for those who have or are at risk for developing an illness, injury, disease, disorder, condition, impairment, disability, activity limitation, or participation restriction (adapted from American Occupational Therapy Association, 2011).

Organization

Entity composed of individuals with a common purpose or enterprise, such as a business, industry, or agency.

Outcome

Result clients can achieve through the occupational therapy process (see Table 14).

Ρ

80

Participation

"Involvement in a life situation" (World Health Organization, 2001, p. 10).

Performance patterns

Habits, routines, roles, and rituals that may be associated with different lifestyles and used in the process of engaging in occupations or activities. These patterns are influenced by context and time and can support or hinder occupational performance (see Table 6).

Performance skills

Observable, goal-directed actions that result in a client's quality of performing desired occupations. Skills are supported by the context in which the performance occurred and by underlying client factors (Fisher & Marterella, 2019).

Person

Individual, including family member, caregiver, teacher, employee, or relevant other.

Personal factors

Unique features of the person reflecting the particular background of their life and living that are not part of a health condition or health state. Personal factors are generally considered to be enduring, stable attributes of the person, although some personal factors may change over time (see Table 5).

Play

Active engagement in an activity that is intrinsically motivated, internally controlled, and freely chosen and that may include the suspension of reality (Skard & Bundy, 2008). Play includes participation in a broad range of experiences including but not limited to exploration, humor, fantasy, risk, contest, and celebrations (Eberle, 2014; Sutton-Smith, 2009). Play is a complex and multidimensional phenomenon that is shaped by sociocultural factors (Lynch et al., 2016; see Table 2).

Population

Aggregate of people with common attributes such as contexts, characteristics, or concerns, including health risks.

Prevention

Education or health promotion efforts designed to identify, reduce, or prevent the onset and decrease the incidence of unhealthy conditions, risk factors, diseases, or injuries (American Occupational Therapy Association, 2020a).

Process

Series of steps occupational therapy practitioners use to operationalize their expertise in providing services to clients. The occupational therapy process includes evaluation, intervention, and outcomes; occurs within the purview of the occupational therapy domain; and involves collaboration among the occupational therapist, occupational therapy assistant, and client.

Process skills

The "group of performance skills that represent small, observable actions related to selecting, interacting with, and using tangible task objects (e.g., tools, utensils, clothing, food or other supplies, digital devices, plant life); carrying out individual actions and steps; and preventing problems of occupational performance from occurring or reoccurring in the context of performing a personally and ecologically relevant daily life task. They are commonly named in terms of type of task being performed (e.g., [activity of daily living] process skills, school process skills, work process skills)" (Fisher & Marterella, 2019, pp. 336–337; see Table 7).

Professional reasoning

"Process that practitioners use to plan, direct, perform, and reflect on client care" (Schell, 2019, p. 482).

Q

Quality of life

Dynamic appraisal of life satisfaction (perception of progress toward identifying goals), self-concept (beliefs and feelings about oneself), health and functioning (e.g., health status, self-care capabilities), and socioeconomic factors (e.g., vocation, education, income; adapted from Radomski, 1995).

R

Reevaluation

Reappraisal of the client's performance and goals to determine the type and amount of change that has taken place.

Rehabilitation

Services provided to persons experiencing deficits in key areas of physical and other types of function or limitations in participation in daily life activities. Interventions are designed to enable the achievement and maintenance of optimal physical, sensory, intellectual, psychological, and social functional levels. Rehabilitation services provide tools and techniques clients need to attain desired levels of independence and self-determination.

Rituals

For persons: Sets of symbolic actions with spiritual, cultural, or social meaning contributing to the client's identity and reinforcing values and beliefs. Rituals have a strong affective component (Fiese, 2007; Fiese et al., 2002; Segal, 2004; see Table 6).

For groups and populations: Shared social actions with traditional, emotional, purposive, and technological meaning contributing to values and beliefs within the group or population (see Table 6).

Roles

For persons: Sets of behaviors expected by society and shaped by culture and context that may be further conceptualized and defined by the client (see Table 6).

For groups and populations: Sets of behaviors by the group or population expected by society and shaped by culture and context that may be further conceptualized and defined by the group or population (see Table 6).

Routines

82

For persons, groups, and populations: Patterns of behavior that are observable, regular, and repetitive and that provide structure for daily life. They can be satisfying and promoting or damaging. Routines require momentary time commitment and are embedded in cultural and ecological contexts (Fiese et al., 2002; Segal, 2004; see Table 6).

S

Screening

"Process of reviewing available data, observing a client, or administering screening instruments to identify a person's (or a population's) potential strengths and limitations and the need for further assessment" (Hinojosa et al., 2014, p. 3).

Self-advocacy

Advocacy for oneself, including making one's own decisions about life, learning how to obtain information to gain an understanding about issues of personal interest or importance, developing a network of support, knowing one's rights and responsibilities, reaching out to others when in need of assistance, and learning about self-determination.

Service delivery

Set of approaches and methods for providing services to or on behalf of clients.

Skilled services

To be covered as skilled therapy, services must require the skills of a qualified occupational therapy practitioner and must be reasonable and necessary for the treatment of the patient's condition, illness, or injury. Skilled therapy services may be necessary to improve a patient's current condition, to maintain the patient's current condition, or to prevent or slow further deterioration of the patient's condition. Practitioners should check their payer policies to ensure they meet payer definitions and comply with payer requirements.

Social interaction skills

The "group of performance skills that represent small, observable actions related to communicating and interacting with others in the context of engaging in a personally and ecologically relevant daily life task performance that involves social interaction with others" (Fisher & Marterella, 2019, p. 342).

Social participation

"Interweaving of occupations to support desired engagement in community and family activities as well as those involving peers and friends" (Schell & Gillen, 2019, p. 711) involvement in a subset of activities that incorporate social situations with others (Bedell, 2012) and that support social interdependence (Magasi & Hammel, 2004; see Table 2).

Spirituality

"Deep experience of meaning brought about by engaging in occupations that involve the enacting of personal values and beliefs, reflection, and intention within a supportive contextual environment" (Billock, 2005, p. 887). It is important to recognize spirituality "as dynamic and often evolving" (Humbert, 2016, p. 12).

Т

Time management

Manner in which a person, group, or population organizes, schedules, and prioritizes certain activities.

Transaction

Process that involves two or more individuals or elements that reciprocally and continually influence and affect one another through the ongoing relationship (Dickie et al., 2006).

V

Values

Acquired beliefs and commitments, derived from culture, about what is good, right, and important to do (Kielhofner, 2008).

W

Well-being

"General term encompassing the total universe of human life domains, including physical, mental, and social aspects, that make up what can be called a 'good life'" (World Health Organization, 2006, p. 211).

Wellness

"The individual's perception of and responsibility for psychological and physical well-being as these contribute to overall satisfaction with one's life situation" (Schell & Gillen, 2019, p. 1215).

Work

Labor or exertion related to the development, production, delivery, or management of objects or services; benefits may be financial or nonfinancial (e.g., social connectedness, contributions to society, adding structure and routine to daily life; Christiansen & Townsend, 2010; Dorsey et al., 2019).

7412410010p84

Index

Note: Page numbers in *italic* refer to exhibits, figures, and tables.

activities defined, 74 interventions for, 59 activities of daily living (ADLs) overview, 30, 74 examples, 35 activity analysis, 19-20, 74 activity demands, 57-58, 74 adaptation, 74 advocacy, 61-62, 74 American Occupational Therapy Association (AOTA) Commission on Practice (COP), 3 Representative Assembly (RA), 2–3 analysis of occupational performance, 74 animals, 31 assessment, 74 assistive technology (AT), 60 bathing, 30 beliefs defined, 15, 75 occupational performance and, 51

body functions and body structures overview, 15, 75 occupational performance and, 51–54

cardiovascular system functions, care of others, care of pets and animals, case management, 19 child rearing, client factors

beliefs, 51 body functions and body structures, 51-54 defined, 75 domain and, 15 spirituality, 51 values, 51 client-centered care (client-centered practice), 75 clients defined, 75 examples, 29 terminology, 2, 24 clinical reasoning, 20, 75 Commission on Practice (COP), 3 communication management, 31 communication with the health care system, 32 community, 2, 75 community mobility, 29, 31 community participation, 34 consumers, 24 context defined, 76 environmental factors, 36-39 personal factors, 40 co-occupations, 76 cornerstones of occupational therapy practice, 6, 76 direct services, 18

discontinuation, 27 domain aspects of, 5, 6 client factors, 15 defined, 76 environmental factors, 9–10 occupational justice, 11–12 occupations and, 6–9

performance patterns, 12-13 performance skills, 12-15 personal factors, 10-11 dressing, 30 driving, 31 eating and swallowing, 30 education overview. 33, 76 examples, 35 interventions for, 61 empathy, 76 employment, 33-34. see also work engagement in occupation, 5-6, 76 enhancement, 65-66 environmental factors, 9-10, 36-39, 76 environmental modifications, 60 episodic care, 19 evaluation overview, 23, 76 process, 16, 55 synthesis of, 23

family participation, *34* family-centered care approaches, 19 feeding, *29, 30* financial management, *31* friendships, *34* functional mobility, *30*

goals, 77 group interventions, *62,* 77 groups defined, 2, 77 examples, *29*

GUIDELINES

performance patterns, *41–42* performance skills and, 14, *50* process, *55–56 The Guide to Occupational Therapy Practice* (Moyers), 3

habilitation, 77 habits, 12, *41*, 77 health and wellness, 5, *66*, 77 health management overview, *32* defined, 77 examples, *29*, *35* health promotion, 24, 77 hematological and immune system functions, *53* home establishment and management, *29*, *31* hope, 77

immune system functions, 53 improvement, 65 independence, 78 indirect services, 18–19 instrumental activities of daily living (IADLs) overview, 30-31, 78 examples, 35 interdependence, 78 interests, 78 intervention approaches to, 63-64, 78 defined, 78 for education, 61 group interventions, 62 intervention implementation, 25 intervention plan, 24-25 intervention review, 25 process, 16-17, 23-26, 55-56 supporting occupations, 78 for training, 61 types of, 59-62

virtual interventions, 62 intimate partner relationships, 34 job performance and maintenance, 33. see also work leisure overview, 34, 78 examples, 35 meal preparation and cleanup, 31 medication management, 32 members, 24 mental functions, 52 motor skills, 13, 43-44, 50, 79 movement-related functions, 53 neuromusculoskeletal functions, 53 nutrition management, 32 occupational adaptation, 26 occupational analysis, 19-20, 79 occupational demands, 79 occupational identity, 79 occupational justice, 11-12, 67-68.79 occupational performance analysis, 16, 23 client factors, 51-54 defined, 80 outcomes, 65 occupational profile, 16, 21-22, 80 occupational science, 80 occupational therapy, 1, 4, 80 Occupational Therapy Code of Ethics, 24 occupational therapy practice cornerstones, 6 occupational therapy practitioners, 1 Occupational Therapy Product Output Reporting System and Uniform Terminology for

Reporting Occupational Therapy Services, 2 occupation-based practice, 79 occupations activities of daily living (ADLs), 30, 35 defined, 79 domain and, 6-9 education, 33, 35 health management, 32, 35 instrumental activities of daily living (IADLs), 30-31, 35 interventions for, 59 leisure, 34, 35 play, 34, 35 rest and sleep, 32-33, 35 social participation, 34, 35 work, 33–34, 35 organization, 80 organization-level practice, 19 orthotics and prosthetics, 60 outcomes overview, 26-27, 80 descriptions and examples, 65-68 process, 17, 56 PAMs and mechanical modalities, 59 participation, 5, 67, 80 patient-reported outcomes (PROs), 27. see also outcomes patients, 24 peer group participation, 34 performance patterns, 12–13, 41-42, 80 performance skills defined, 81 domain and, 12-15 motor skills, 13, 43-44, 50 process skills, 13, 44-47, 50 social interaction skills, 13, 47-49 personal care device management, 32 personal factors, 10-11, 40, 81 personal hygiene and grooming, 30

GUIDELINES

persons

defined, 2, 81 examples, 29 performance patterns, 41 performance skills and, 14, 43-49 process, 55-56 pets and animals, 31 physical activity, 32 play overview, 34, 81 examples, 35 populations defined, 2, 81 examples, 29 performance patterns, 41-42 performance skills and, 15 process, 55-56 prevention, 66, 81 process overview, 15-19 activity analysis, 19-20 aspects of, 5 case management, 19 clinical reasoning, 20 defined, 81 direct services, 18 episodic care, 19 evaluation, 16, 23 family-centered care approaches, 19 groups, 55-56 indirect services, 18-19 intervention, 16-17, 23-26 occupational analysis, 19-20 occupational performance, 16 occupational profile, 16 organization-level practice, 19 outcomes, 17 persons, 55-56 populations, 55-56 professional reasoning, 20 service delivery approaches, 18-19 systems-level practice, 19

telehealth, 19 therapeutic use of self, 20 process skills overview, 13, *81* performance skills, *44–47, 50* professional reasoning, 20, 81 prosthetics, *60*

quality of life, 66, 82

reevaluation, 82 rehabilitation, 82 religious and spiritual expression, *31* Representative Assembly (RA), 2–3 respiratory system functions, *53* rest and sleep, *32–33, 35* retirement preparation and adjustment, *34* revisions, 3–4 rituals, 12, *41–42,* 82 role competence, *67* roles, 12, *41–42,* 82 routines, 12, *41–42,* 82

safety and emergency maintenance, 31 screening, 83 self-advocacy, 62, 83 self-regulation, 60 sensory functions, 52-53 service delivery, 18-19, 83 sexual activity, 30 shopping, 31 showering, 30 skilled services, 83 skin and related structure functions. 54 sleep, 33. see also rest and sleep social and emotional health promotion and maintenance, 32 social interaction skills, 13, 47-49,83

social participation overview, 34, 83 examples, 29, 35 speech functions, 54 spiritual expression, 31 spirituality defined, 15, 83 occupational performance and, 51 Standards of Practice for Occupational Therapy, 24 students, 24 swallowing, 30 symptom and condition management, 32 systems-level practice, 19 telehealth, 19, 62

therapeutic use of self, 20 time, time management and time use, 12, 83 toileting and toilet hygiene, 30 training interventions, 61 transaction, 83 transition, 27

Uniform Terminology for Occupational Therapy, 2

values defined, 15, occupational performance and, virtual interventions, voice and speech functions, volunteer exploration and participation,

well-being, 5, 67, 84 wellness, 84 wheeled mobility, 60 work overview, 33–34, 84 examples, 35 work participation, examples, 29