

Form-IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBMWTF)]

Sl No.	Particulars		
1	Particulars of the Occupier	:	CHC Phiringia
	(i) Name of the authorized person (occupier or : operator of facility)	:	Dr. Prabodh Kumar Pradhan, BPHO.
	(ii) Name of HCF or CBMWTF		CHC Phiringia
	(iii) Address for Correspondence		At/Po. Phiringia
	(iv) Address of Facility		Ps. Phiringia
	(v) Tel. No, Fax. No		
	(vi) E-mail ID		bpophir@gmail.com
	(vii) URL of Website		www.chcphiringia.org
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF		Stae Govt
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules		Authorisation No.: 11396/2019-20
	(xi) Status of Consents under Water Act and Air Act		Valid up to: 31/03/2025
2	Type of Health Care Facility		
	(i) Bedded Hospital		No of Beds: 30
	(ii) Non-bedded Hospital (Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		31/03/2025
3	Details of CBMWTF		M/s. Nischita Multi Service Pvt Ltd
	(i) Number of health care facilities covered by CBMWTF.		
	(ii) No. Of Beds covered by CBMWTF		
	(iii) Installed treatment and		

	disposal capacity of CBMWTF		_____ kg / Day			
	(iv) Quantity of Bio-medical waste treated or disposed by CBMWTF		_____ kg / Day			
4	Quantity of waste generated or disposed in kg per Annum (on monthly average basis)		Yellow Category: Avg 16 Kg Per Month			
			Red Category: Avg 12 Kg Per Month			
			White: 1.5 Kg Per Month			
			Blue Category: 4.5 kg Per Month			
			General Solid Waste: 40 Kg per Month			
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility					
	(i)Details of the on-sit storage		Size:			
	Facility		Capacity:			
			Provision of on-site storage: (cold storage or any other provision)			
	(ii) Disposal facilities		Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
			Incinerators	0	0	0
			Plasma pyrolysis	0	0	0
			Autoclaves	1	0	0
			Microwave	0	0	0
			Hydroclave	0	0	0
			Shredder	1	0	0
			Needle tip Cutter or destroyer	4	0	0
			Sharps			
			Encapsulation or concrete pit			
			Deep burial pits	2	600 gm	192 kg
			Chemical disinfection			
			Any other treatment equipment			

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum		Red Category (like plastic, glass, etc) (Handing over to CBWTDF)		
	(iv) No. Of Vehicles used for collection and transportation of biomedical waste		1		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in kg per annum			Quantity Generated	Where disposed
			Incineration		
			Ash		
			ETP Sludge		
	(vi) Name of Common Bio-medical Waste Treatment Facility Operator through which wastes are disposed of				
	(vii) List of Member HCF not handed over Bio-medical waste.		M/s. Nischita Multi Service Pvt Ltd		
6	Do you have Bio-medical waste Management committee? If YES, attach minutes of the meeting held during the reporting period.		Yes		
7	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management		Once in a year		
	(ii) Number of personnel trained		31		
	(iii) Number of personnel trained at the time of induction				
	(iv) Number of personnel not undergone any training so far		Nil		
	(v) Whether standard manual for training is available?		Yes		
8	Details of the accident occurred during the year				
	(i) Number of Accidents occurred		2 times		
	(ii) Number of persons affected		2 Nos		
	(iii) Remedial Action taken (please attach details if any)		No (accident occurred during sterile)		
	(iv) Any Fatality occurred, details		No		
9	Are you meeting the standards of air pollution from the incinerator? How many times in last year could		NA		

	not met the standards?		
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Drum Shock method ..treated with Sodium Hypochloride solution.
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year		
12	Any other relevant information		(Air pollution Control Devices attached with the Incinerator)

Certified that, the above report is for the period of January 2023 to December 2023.

O Pandey
12/01/24

Name and Signature of the Head of the Institution