



Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	CHC Phiringia
	(i) Name of the authorized person (occupier or operator of facility)	CHC Phiringia
	(ii) Name of HCF or CBMWTF	CHC Phiringia
	(iii) Address for Correspondence	At: Phiringia Po: Phiringia Block: Phiringia Dist; Kandhamal.
	(iv) Address of Facility	Block Public Health Officer At : Phiringia Po: Phiringia Block: Phiringia Dist; kandhamal. Pin: 762011
	(v) Tel. No, Fax. No	8280913855
	(vi) E-mail ID	bpophir@gmail.com
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	Latitude: (N Decimal degrees) Longitude: (E Decimal degrees)
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorization No636/SPCB/ date: 16/01/2018 valid up to 31-03-2025
(xi). Status of Consents under Water Act and Air Act	Valid up to: NA	
2.	Type of Health Care Facility	No. of Beds:30
	(i) Bedded Hospital	
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	NA
(iii) License number and its date of expiry	NA	

3.	Details of CBMWTF				
	(i) Number healthcare facilities covered by CBMWTF	1			
	(ii) No of beds covered by CBMWTF	30			
	(iii) Installed treatment and disposal capacity of CBMWTF:	10 Kg per day			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category : 30 Kg per month		
			Red Category : 30 Kg per Month		
			White: 30 Kg per Month		
			Blue Category :60 Kg per Month		
			General Solid waste: 150 kg per month		
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility disposal facilities :		Size :		
			Capacity :		
			Provision of on-site storage : (cold storage or any other provision)		
		Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum
		Incinerators	0		
		Plasma Pyrolysis	0		
		Autoclaves	3	1.5 KG	
		Microwave	0		
		Hydroclave	0		
	Shredder	0			
	Needle tip cutter or destroyer -	2	300 gm per day		
	Sharps encapsulation or concrete pit -	1	250 gm per day		
	Deep burial pits:	1	5 kg per		

		Chemical disinfection: -	0		
		Any other treatment equipment:	0		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.		0		
	(iv) No of vehicles used for collection and transportation of biomedical waste	1 (The vehicle of District is used for collecting and transport of biomedical waste.)			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		0		
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	CHC Phiringia			
	(vii) List of member HCF not handed over bio-medical waste.		0		
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes		
7.	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management.		1		
	(ii) number of personnel trained		25		
	(iii) number of personnel trained at the time of induction		25		
	(iv) number of personnel not undergone any training so far		0		
	(v) whether standard manual for training is available?		Yes		
	(vi) any other information)		0		
8.	Details of the accident occurred during the year				
	(i) Number of Accidents occurred		0		
	(ii) Number of the persons affected		0		

	(iii) Remedial Action taken (Please attach details if any)	0
	(iv) Any Fatality occurred, details.	0
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	0
	Details of Continuous online emission monitoring systems installed	0
10.	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?	0
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	0
12.	Any other relevant information	0

Certified that the above report is for the period from January-2024 to December -2024 information given above is true to the best of my knowledge and belief and that I have not concealed and information.

I do also hereby undertake to provide any further information sought by the prescribed Authority in relation to these rules and to fulfill any conditions stipulated by the prescribed Authority.

P. Anandan
31/12/24

Name and Signature of the Head of the Institution

Date:

Place *Phimoga*