



Standing-seam panel layout and takeoff

13-7/8 in net coverage | No extra inch added | Rectangular blanks | Field measurements control tapered cuts

381 panels / 7,294.93 LF of rectangular blanks

Main: 343 panels / 6,905.43 LF Storage: 38 panels / 389.50 LF

Includes dimension reference and 12 one-page full-blank installer diagrams.

Section	Roof plane	Pitch	Count	Blank LF	Profile status
A	West wing - west	12:12	40	1,070.00	Field-based
B	East-facing west wing and south gable	12:12	51	862.97	Field-based
C	Main roof - north	8:12	70	1,860.75	Field-based
D	Main roof - south	8:12	65	1,628.88	Field-based
F	East lower roof	8:12	6	179.00	Field-based
G	South low roof	2:12	28	359.33	Field-based
H	Front gable - west	12:12	27	311.67	Field-based
I	Front gable - east	12:12	27	311.67	Field-based
J	Southwest low roof	2:12	18	180.00	Field-based
K	Small gable - west	12:12	11	141.17	Field-based
M	Detached storage - west	8:12	19	194.75	Field-based
N	Detached storage - east	8:12	19	194.75	Field-based


Panel lengths include the installer allowance. Form all panels as full rectangular blanks and cut tapers in the field.
Every panel is rolled as a full-width rectangle at its longest edge. Field trim areas remain included in roll footage; no triangular offcut reuse assumed.
Counts follow seam-grid intersections; full panel net coverage remains 13.875 in. Shared-grid edge strips are field ripped.
B south end = 24 ft 9 in; D short edge = 8 ft 2 in; East straight span = 13 ft 6 in; H/I straight portion = 14 ft 3 in.
Mobile SSQ3: roll each section separately in panel-number order. Sticker every panel with section/number and length; stack by section.
Source: roof measurements and reference roof geometry.



Complete numbered panel layout - main building

Panel IDs only | North up | reference roof plan footprint is schematic; field blank lengths are on section sheets

- A
- B
- C
- D
- F
- G
- H
- I
- J
- K
- M
- N



C/D/F/G share continuous seams. See the seam alignment reference for the datum, edge coverage and derived G offset.

Uniform drawn net coverage for all sections. Roof outline is schematic; use section sheets for full blank lengths.



Complete numbered panel layout - storage

Sections M/N | 8:12 pitch | 21 ft 1 in section width | Full roll-form length 10 ft 3 in


M - 19 panels N - 19 panels

M-001	N-001
M-002	N-002
M-003	N-003
M-004	N-004
M-005	N-005
M-006	N-006
M-007	N-007
M-008	N-008
M-009	N-009
M-010	N-010
M-011	N-011
M-012	N-012
M-013	N-013
M-014	N-014
M-015	N-015
M-016	N-016
M-017	N-017
M-018	N-018
M-019	N-019



Roof layout - dimensions and pitches

reference roof plan section locations and field dimensions | No panel numbering | Schematic, not drawn to the annotated dimensions



READING THIS DRAWING

Blue: field / user dimensions
Orange *: derived dimensions
Gray R#: references explained below
L = full blank length along roof slope. W = section width across the panels, used for panel count.
Field panel lengths already include the extra 1 inch. No additional inch is added. Taper cut dimensions appear on the section sheets.

DETACHED STORAGE



TAPER REFERENCES

R1 B apex: 6'-10" along slope. C west taper starts at the B projection.
R2 D short edge: 8'-2" along slope at the H/I ridge. Corner panel is D-022.
R3 H/I full-length straight portion: 14'-3". Taper across panels = 30'-10" - 14'-3" = 16'-7".
R4 B-040 longest rectangular blank: 24'-9". South taper ends at this blank length; full 26'-9" occurs beyond B.

C/D/F/G share one seam grid: first seam 7-5/8 in east of the C/D west ridge datum, then 13.875 in spacing. See page 3.

GLOBAL PANEL COVERAGE: 13-7/8 in

L values are rectangular roll-form blanks at the longest edge; tapers are cut in the field.
Width labels with * are calculated spans, not direct field measurements. Exact decimal values are on page 2.
Panel cut lengths include allowance. Taper dimensions appear in the dimension register.



Dimension register and taper controls

Dimensions separated into measured inputs, derived spans, and reference dimensions

SECTION	PITCH	FULL BLANK L	ACROSS-PANEL W	W (INCHES)	WIDTH BASIS
A West wing - west	12:12	26'-9"	45'-4"	544.000	Field measurement
B West wing / south gable	12:12	Wing 26'-9" / G 12'-10"	Wing 45 ft 4 in; gable 12 ft	688.000	Field measurement
C Main roof - north	8:12	29'-10"	80'-5" *	965.000	Derived - see below
D Main roof - south	8:12	W 29'-7" / E 34'-8"	74'-3"	891.000	Field measurement
F East lower roof	8:12	29'-10"	6'-2"	74.000	Field measurement
G South low roof	2:12	12'-10"	31'-8"	380.000	Field measurement
H Front gable - west	12:12	15'-7"	30'-10"	370.000	Field measurement
I Front gable - east	12:12	15'-7"	30'-10"	370.000	Field measurement
J Southwest low roof	2:12	10'-0"	20'-6"	246.000	Field measurement
K Small gable - west	12:12	12'-10"	12'-0"	144.000	Field measurement
M Detached storage - west	8:12	10'-3"	21'-1"	253.000	Field measurement
N Detached storage - east	8:12	10'-3"	21'-1"	253.000	Field measurement

DERIVED SPANS AND TAPER GEOMETRY

C span	74'-3" main ridge + 6'-2" east strip = 80'-5" (965.000 in).
Gable half-span	15'-7" / sqrt(2) = 11'-0 1/4" (132.229 in horizontal projection).
South east span	13'-6" east straight span + gable half-span = 24'-6 1/4" (294.229 in).
South west span	74'-3" main ridge - south east span = 49'-8 3/4" (596.771 in).
B north taper	sqrt(357^2 - (321 - 82)^2) = 22'-1 1/4" (265.194 in across panels).
B apex position	4'-9" north straight + north taper = 26'-10 1/4" (322.194 in from north start).
B south taper	Interpolate from 82 in at the apex to the field 297 in / 24'-9" at the 544 in section boundary.
C/D west taper	Projected span 14'-1"; slope change 26'-2 1/2".
H/I taper	370 in ridge - 171 in straight = 199 in / 16'-7" across panels.
H/I straight	171 in / 14'-3" full-length straight run.
D front tapers	West: 355 - 98 = 257 in slope change. East: 416 - 98 = 318 in slope change. Both reach the same 98 in short edge.
D short edge	98 in / 8'-2" field lengths at the H/I ridge. Longest blank edges are calculated across each full panel strip.
Shared seam grid	C/D/F/G: first seam 7.625 in east of west ridge datum, then 13.875 in. Edge coverage and origins appear on page 3.
C east return	24'-8" (296.000 in) remains the field length for the shortened east return in C.

Display rule: dimension labels round to the nearest 1/8 in; decimal inputs above retain calculation precision.

Roll cuts round UP to 1/8 in. Coverage stays 13.875 in. Added allowance = 0 in.


Source: roof measurements and reference roof geometry.



Seam alignment - C / D / G / F

Common west-to-east datum | Dimensions below are inches of installed net coverage | Edge strips are field ripped

C - Main roof - north / 70 panels




Start = 0.000000 in; west edge coverage = 7.625000 in; east edge coverage = 13.875000 in

D - Main roof - south / 65 panels




Start = 0.000000 in; west edge coverage = 7.625000 in; east edge coverage = 9.250000 in

G - South low roof / 28 panels



Start = 84.542064 in; west edge coverage = 6.332936 in; east edge coverage = 12.917064 in

F - East lower roof / 6 panels



Start = 891.000000 in; west edge coverage = 4.625000 in; east edge coverage = 13.875000 in

DATUM: west end of the C/D main ridge. First seam = 7.625 in east; subsequent seams = 7.625 + n x 13.875 in.

C and D start at 0.000 in. F starts at the field main ridge length of 891.000 in / 74 ft 3 in.

G start is DERIVED: South west span - H gable half-span - G width = 596.771032 - 132.228968 - 380 = 84.542064 in.

G ends at the west edge of H. Verify the derived G offset against the field layout before setting the seam datum.

Matching panels: C-001 through C-065 align with D-001 through D-065 within their shared span.

G-001 through G-028 align with D-032 through D-059. F-001 to F-005 align with C-066 to C-070; F-006 aligns with C-001.

D-001 long-end installed coverage = 9-1/4 in. C/H/I edge rips finish at the short end.

Full roll-form blanks retain 13.875 in net width; only installed edge coverage is reduced. All taper blanks use their longest retained edge.



Installer notes and installation order

Mobile SSQ3 | Read with the individual section diagrams | Across-panel coordinate left to right; slope length top to bottom

Roll each section separately in increasing panel-number order. Sticker every panel with section/number and full blank length; stack per section.

All stock is 13-7/8 in net coverage. Form square blanks at the labeled longest retained edge. Field lengths already include the 1 in allowance; add 0 in.

On installer diagrams, solid blue outlines the full blank; dotted red marks field cuts; orange is material removed. Short blanks use external labels. Developed views show slope dimensions.

C/D/F/G use one continuous seam grid: first seam 7-5/8 in east of the west main-ridge datum, then every 13-7/8 in. C has 7-5/8 in west coverage and a full-width east edge. D east coverage is 9-1/4 in; preserve it to align seams.

SECTION A | West wing - west

Start with A-001 at the north end; proceed south.

Field: 45 ft 4 in section width; 26 ft 9 in final cut.

SECTION B | East-facing west wing and south gable

Start with B-001 at the full-length north end. Complete B-001 to B-040, then the south gable B-041 to B-051.

Pitch 12:12. West wing width 45 ft 4 in; south gable width 12 ft 0 in. West wing full cut 26 ft 9 in; south gable full cut 12 ft 10 in. West wing: B-001 through B-040, north straight 4 ft 9 in, apex slope length 6 ft 10 in, and B-040 longest blank 24 ft 9 in. South gable: B-041 through B-051, full blank length 12 ft 10 in. Form both zones as section B and stack in numeric order.

SECTION C | Main roof - north

Main run: start C-001 at the east end of the 29 ft 10 in main roof and proceed west through C-065. East return: start C-066 at the east end and proceed west through C-070.

Field: main ridge 74 ft 3 in plus east strip 6 ft 2 in; full length 29 ft 10 in; east return 24 ft 8 in. West taper uses the B projection and 29 ft 9 in valley. East return length = 24 ft 8 in. Shared-grid setup: west section boundary 0.000000 in from datum; west edge coverage 7.625000 in; east edge coverage 13.875000 in. Measure seams from the common datum; full stock net width remains 13.875 in.

SECTION D | Main roof - south

Start D-001 at the longest east end; proceed west through D-065. D-001 has 9-1/4 in installed edge coverage; the shared seam grid requires this long-end rip.

Main ridge span 74 ft 3 in; west full length 29 ft 7 in; east full length 34 ft 8 in; short edge 8 ft 2 in at the H/I ridge. West full length = 29 ft 7 in; east full length = 34 ft 8 in. H/I ridge short edge = 8 ft 2 in. The panel crossing this corner is D-022; form its longest edge. Shared-grid setup: west section boundary 0.000000 in from datum; west edge coverage 7.625000 in; east edge coverage 9.250000 in. Measure seams from the common datum; full stock net width remains 13.875 in.

SECTION F | East lower roof

Start F-001 at the east end; proceed west.

Field width 6 ft 2 in; final cut 29 ft 10 in. Shared seams with C. Global section start = 891.000000 in east of the C/D west ridge datum. G offset is derived from the south west span minus gable half-span minus G width. F offset is the 74 ft 3 in main ridge. Shared-grid setup: west section boundary 891.000000 in from datum; west edge coverage 4.625000 in; east edge coverage 13.875000 in. Measure seams from the common datum; full stock net width remains 13.875 in.

SECTION G | South low roof

Start G-001 at the east end; proceed west.

Field width 31 ft 8 in; panel length 12 ft 10 in, pitch 2:12. Shared seams with D. Global section start = 84.542064 in east of the C/D west ridge datum. G offset is derived from the south west span minus gable half-span minus G width. F offset is the 74 ft 3 in main ridge. Shared-grid setup: west section boundary 84.542064 in from datum; west edge coverage 6.332936 in; east edge coverage 12.917064 in. Measure seams from the common datum; full stock net width remains 13.875 in.



Installer notes and installation order

Mobile SSQ3 | Read with the individual section diagrams | Across-panel coordinate left to right; slope length top to bottom

SECTION H | Front gable - west

Start H-001 at the full-length south end; proceed north toward H-027 and the short-end rip.
Field ridge 30 ft 10 in; full cut 15 ft 7 in; full-length straight portion 14 ft 3 in. Full-length straight run = 14 ft 3 in. Across-panel taper = 30 ft 10 in minus 14 ft 3 in = 16 ft 7 in.

SECTION I | Front gable - east

Start I-001 at the full-length south end; proceed north toward I-027 and the short-end rip.
Field ridge 30 ft 10 in; full cut 15 ft 7 in; full-length straight portion 14 ft 3 in. Full-length straight run = 14 ft 3 in. Across-panel taper = 30 ft 10 in minus 14 ft 3 in = 16 ft 7 in.

SECTION J | Southwest low roof

Start J-001 at the west end; proceed east.
Field width 20 ft 6 in; final cut 10 ft 0 in, pitch 2:12.

SECTION K | Small gable - west

Start K-001 at the north end; proceed south.
Field side/ridge 12 ft 0 in; final cut 12 ft 10 in and pitch 12:12.

SECTION M | Detached storage - west

Start M-001 at the north end; proceed south.
width 21 ft 1 in, final cut 10 ft 3 in, pitch 8:12.

SECTION N | Detached storage - east

Start N-001 at the north end; proceed south.
width 21 ft 1 in, final cut 10 ft 3 in, pitch 8:12.



Section A - West wing - west


40 panels | Pitch 12:12 | 1,070.00 blank LF | Start with A-001 at the north end; proceed south

A-001 26'-9"
A-002 26'-9"
A-003 26'-9"
A-004 26'-9"
A-005 26'-9"
A-006 26'-9"
A-007 26'-9"
A-008 26'-9"
A-009 26'-9"
A-010 26'-9"
A-011 26'-9"
A-012 26'-9"
A-013 26'-9"
A-014 26'-9"
A-015 26'-9"
A-016 26'-9"
A-017 26'-9"
A-018 26'-9"
A-019 26'-9"
A-020 26'-9"
A-021 26'-9"
A-022 26'-9"
A-023 26'-9"
A-024 26'-9"
A-025 26'-9"
A-026 26'-9"
A-027 26'-9"
A-028 26'-9"
A-029 26'-9"
A-030 26'-9"
A-031 26'-9"
A-032 26'-9"
A-033 26'-9"
A-034 26'-9"
A-035 26'-9"
A-036 26'-9"
A-037 26'-9"
A-038 26'-9"
A-039 26'-9"
A-040 26'-9"



Section B - East-facing west wing and south gable


51 panels | Pitch 12:12 | 862.97 blank LF | Start with B-001 at the full-length north end





Section C - Main roof - north


70 panels | Pitch 8:12 | 1,860.75 blank LF | Start C-001: main run east to west; C-066: east return east to west





Section D - Main roof - south

65 panels | Pitch 8:12 | 1,628.88 blank LF | Start D-001 at the longest east end; proceed west through D-065





Section F - East lower roof

6 panels | Pitch 8:12 | 179.00 blank LF | Start F-001 at the east end; proceed west

F-006	29'-10"
F-005	29'-10"
F-004	29'-10"
F-003	29'-10"
F-002	29'-10"
F-001	29'-10"



Section G - South low roof


28 panels | Pitch 2:12 | 359.33 blank LF | Start G-001 at the east end; proceed west

G-028 12'-10"	G-027 12'-10"	G-026 12'-10"	G-025 12'-10"	G-024 12'-10"	G-023 12'-10"	G-022 12'-10"	G-021 12'-10"	G-020 12'-10"	G-019 12'-10"	G-018 12'-10"	G-017 12'-10"	G-016 12'-10"	G-015 12'-10"	G-014 12'-10"	G-013 12'-10"	G-012 12'-10"	G-011 12'-10"	G-010 12'-10"	G-009 12'-10"	G-008 12'-10"	G-007 12'-10"	G-006 12'-10"	G-005 12'-10"	G-004 12'-10"	G-003 12'-10"	G-002 12'-10"	G-001 12'-10"
---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------



Section H - Front gable - west


27 panels | Pitch 12:12 | 311.67 blank LF | Start H-001 at the full-length south end; proceed north toward H-027 and the short-end rip





Section I - Front gable - east

27 panels | Pitch 12:12 | 311.67 blank LF | Start I-001 at the full-length south end; proceed north toward I-027 and the short-end rip





Section J - Southwest low roof

18 panels | Pitch 2:12 | 180.00 blank LF | Start J-001 at the west end; proceed east

J-001 10'-0"
J-002 10'-0"
J-003 10'-0"
J-004 10'-0"
J-005 10'-0"
J-006 10'-0"
J-007 10'-0"
J-008 10'-0"
J-009 10'-0"
J-010 10'-0"
J-011 10'-0"
J-012 10'-0"
J-013 10'-0"
J-014 10'-0"
J-015 10'-0"
J-016 10'-0"
J-017 10'-0"
J-018 10'-0"



Section K - Small gable - west

11 panels | Pitch 12:12 | 141.17 blank LF | Start K-001 at the north end; proceed south

K-001 12'-10"	K-002 12'-10"	K-003 12'-10"	K-004 12'-10"	K-005 12'-10"	K-006 12'-10"	K-007 12'-10"	K-008 12'-10"	K-009 12'-10"	K-010 12'-10"	K-011 12'-10"
---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------	---------------



Section M - Detached storage - west

19 panels | Pitch 8:12 | 194.75 blank LF | Start M-001 at the north end; proceed south

M-001 10'-3"	M-002 10'-3"	M-003 10'-3"	M-004 10'-3"	M-005 10'-3"	M-006 10'-3"	M-007 10'-3"	M-008 10'-3"	M-009 10'-3"	M-010 10'-3"	M-011 10'-3"	M-012 10'-3"	M-013 10'-3"	M-014 10'-3"	M-015 10'-3"	M-016 10'-3"	M-017 10'-3"	M-018 10'-3"	M-019 10'-3"
--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------



Section N - Detached storage - east

19 panels | Pitch 8:12 | 194.75 blank LF | Start N-001 at the north end; proceed south

N-001 10'-3"	N-002 10'-3"	N-003 10'-3"	N-004 10'-3"	N-005 10'-3"	N-006 10'-3"	N-007 10'-3"	N-008 10'-3"	N-009 10'-3"	N-010 10'-3"	N-011 10'-3"	N-012 10'-3"	N-013 10'-3"	N-014 10'-3"	N-015 10'-3"	N-016 10'-3"	N-017 10'-3"	N-018 10'-3"	N-019 10'-3"
--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------



Individual panel takeoff - Section A

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
A-001	12:12	26'-9"	321.000	13.875	No	A-001 / 26'-9"
A-002	12:12	26'-9"	321.000	13.875	No	A-002 / 26'-9"
A-003	12:12	26'-9"	321.000	13.875	No	A-003 / 26'-9"
A-004	12:12	26'-9"	321.000	13.875	No	A-004 / 26'-9"
A-005	12:12	26'-9"	321.000	13.875	No	A-005 / 26'-9"
A-006	12:12	26'-9"	321.000	13.875	No	A-006 / 26'-9"
A-007	12:12	26'-9"	321.000	13.875	No	A-007 / 26'-9"
A-008	12:12	26'-9"	321.000	13.875	No	A-008 / 26'-9"
A-009	12:12	26'-9"	321.000	13.875	No	A-009 / 26'-9"
A-010	12:12	26'-9"	321.000	13.875	No	A-010 / 26'-9"
A-011	12:12	26'-9"	321.000	13.875	No	A-011 / 26'-9"
A-012	12:12	26'-9"	321.000	13.875	No	A-012 / 26'-9"
A-013	12:12	26'-9"	321.000	13.875	No	A-013 / 26'-9"
A-014	12:12	26'-9"	321.000	13.875	No	A-014 / 26'-9"
A-015	12:12	26'-9"	321.000	13.875	No	A-015 / 26'-9"
A-016	12:12	26'-9"	321.000	13.875	No	A-016 / 26'-9"
A-017	12:12	26'-9"	321.000	13.875	No	A-017 / 26'-9"
A-018	12:12	26'-9"	321.000	13.875	No	A-018 / 26'-9"
A-019	12:12	26'-9"	321.000	13.875	No	A-019 / 26'-9"
A-020	12:12	26'-9"	321.000	13.875	No	A-020 / 26'-9"
A-021	12:12	26'-9"	321.000	13.875	No	A-021 / 26'-9"
A-022	12:12	26'-9"	321.000	13.875	No	A-022 / 26'-9"
A-023	12:12	26'-9"	321.000	13.875	No	A-023 / 26'-9"
A-024	12:12	26'-9"	321.000	13.875	No	A-024 / 26'-9"
A-025	12:12	26'-9"	321.000	13.875	No	A-025 / 26'-9"
A-026	12:12	26'-9"	321.000	13.875	No	A-026 / 26'-9"
A-027	12:12	26'-9"	321.000	13.875	No	A-027 / 26'-9"
A-028	12:12	26'-9"	321.000	13.875	No	A-028 / 26'-9"
A-029	12:12	26'-9"	321.000	13.875	No	A-029 / 26'-9"



Individual panel takeoff - Section A

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
A-030	12:12	26'-9"	321.000	13.875	No	A-030 / 26'-9"
A-031	12:12	26'-9"	321.000	13.875	No	A-031 / 26'-9"
A-032	12:12	26'-9"	321.000	13.875	No	A-032 / 26'-9"
A-033	12:12	26'-9"	321.000	13.875	No	A-033 / 26'-9"
A-034	12:12	26'-9"	321.000	13.875	No	A-034 / 26'-9"
A-035	12:12	26'-9"	321.000	13.875	No	A-035 / 26'-9"
A-036	12:12	26'-9"	321.000	13.875	No	A-036 / 26'-9"
A-037	12:12	26'-9"	321.000	13.875	No	A-037 / 26'-9"
A-038	12:12	26'-9"	321.000	13.875	No	A-038 / 26'-9"
A-039	12:12	26'-9"	321.000	13.875	No	A-039 / 26'-9"
A-040	12:12	26'-9"	321.000	2.875	No	A-040 / 26'-9"



Individual panel takeoff - Section B

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
B-001	12:12	26'-9"	321.000	13.875	No	B-001 / 26'-9"
B-002	12:12	26'-9"	321.000	13.875	No	B-002 / 26'-9"
B-003	12:12	26'-9"	321.000	13.875	No	B-003 / 26'-9"
B-004	12:12	26'-9"	321.000	13.875	No	B-004 / 26'-9"
B-005	12:12	26'-9"	321.000	13.875	Yes	B-005 / 26'-9"
B-006	12:12	25'-9 7/8"	309.875	13.875	Yes	B-006 / 25'-9 7/8"
B-007	12:12	24'-9 3/8"	297.375	13.875	Yes	B-007 / 24'-9 3/8"
B-008	12:12	23'-8 7/8"	284.875	13.875	Yes	B-008 / 23'-8 7/8"
B-009	12:12	22'-8 3/8"	272.375	13.875	Yes	B-009 / 22'-8 3/8"
B-010	12:12	21'-7 7/8"	259.875	13.875	Yes	B-010 / 21'-7 7/8"
B-011	12:12	20'-7 3/8"	247.375	13.875	Yes	B-011 / 20'-7 3/8"
B-012	12:12	19'-6 7/8"	234.875	13.875	Yes	B-012 / 19'-6 7/8"
B-013	12:12	18'-6 3/8"	222.375	13.875	Yes	B-013 / 18'-6 3/8"
B-014	12:12	17'-5 7/8"	209.875	13.875	Yes	B-014 / 17'-5 7/8"
B-015	12:12	16'-5 3/8"	197.375	13.875	Yes	B-015 / 16'-5 3/8"
B-016	12:12	15'-4 7/8"	184.875	13.875	Yes	B-016 / 15'-4 7/8"
B-017	12:12	14'-4 3/8"	172.375	13.875	Yes	B-017 / 14'-4 3/8"
B-018	12:12	13'-3 7/8"	159.875	13.875	Yes	B-018 / 13'-3 7/8"
B-019	12:12	12'-3 3/8"	147.375	13.875	Yes	B-019 / 12'-3 3/8"
B-020	12:12	11'-2 7/8"	134.875	13.875	Yes	B-020 / 11'-2 7/8"
B-021	12:12	10'-2 3/8"	122.375	13.875	Yes	B-021 / 10'-2 3/8"
B-022	12:12	9'-1 7/8"	109.875	13.875	Yes	B-022 / 9'-1 7/8"
B-023	12:12	8'-1 3/8"	97.375	13.875	Yes	B-023 / 8'-1 3/8"
B-024	12:12	7'-8 1/2"	92.500	13.875	Yes	B-024 / 7'-8 1/2"
B-025	12:12	8'-10"	106.000	13.875	Yes	B-025 / 8'-10"
B-026	12:12	9'-11 3/8"	119.375	13.875	Yes	B-026 / 9'-11 3/8"
B-027	12:12	11'-0 7/8"	132.875	13.875	Yes	B-027 / 11'-0 7/8"
B-028	12:12	12'-2 3/8"	146.375	13.875	Yes	B-028 / 12'-2 3/8"
B-029	12:12	13'-3 3/4"	159.750	13.875	Yes	B-029 / 13'-3 3/4"



Individual panel takeoff - Section B

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
B-030	12:12	14'-5 1/4"	173.250	13.875	Yes	B-030 / 14'-5 1/4"
B-031	12:12	15'-6 5/8"	186.625	13.875	Yes	B-031 / 15'-6 5/8"
B-032	12:12	16'-8 1/8"	200.125	13.875	Yes	B-032 / 16'-8 1/8"
B-033	12:12	17'-9 5/8"	213.625	13.875	Yes	B-033 / 17'-9 5/8"
B-034	12:12	18'-11"	227.000	13.875	Yes	B-034 / 18'-11"
B-035	12:12	20'-0 1/2"	240.500	13.875	Yes	B-035 / 20'-0 1/2"
B-036	12:12	21'-1 7/8"	253.875	13.875	Yes	B-036 / 21'-1 7/8"
B-037	12:12	22'-3 3/8"	267.375	13.875	Yes	B-037 / 22'-3 3/8"
B-038	12:12	23'-4 7/8"	280.875	13.875	Yes	B-038 / 23'-4 7/8"
B-039	12:12	24'-6 1/4"	294.250	13.875	Yes	B-039 / 24'-6 1/4"
B-040	12:12	24'-9"	297.000	2.875	Yes	B-040 / 24'-9"
B-041	12:12	12'-10"	154.000	13.875	No	B-041 / 12'-10"
B-042	12:12	12'-10"	154.000	13.875	No	B-042 / 12'-10"
B-043	12:12	12'-10"	154.000	13.875	No	B-043 / 12'-10"
B-044	12:12	12'-10"	154.000	13.875	No	B-044 / 12'-10"
B-045	12:12	12'-10"	154.000	13.875	No	B-045 / 12'-10"
B-046	12:12	12'-10"	154.000	13.875	No	B-046 / 12'-10"
B-047	12:12	12'-10"	154.000	13.875	No	B-047 / 12'-10"
B-048	12:12	12'-10"	154.000	13.875	No	B-048 / 12'-10"
B-049	12:12	12'-10"	154.000	13.875	No	B-049 / 12'-10"
B-050	12:12	12'-10"	154.000	13.875	No	B-050 / 12'-10"
B-051	12:12	12'-10"	154.000	5.250	No	B-051 / 12'-10"



Individual panel takeoff - Section C

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
C-001	8:12	29'-10"	358.000	13.875	Yes	C-001 / 29'-10"
C-002	8:12	29'-10"	358.000	13.875	No	C-002 / 29'-10"
C-003	8:12	29'-10"	358.000	13.875	No	C-003 / 29'-10"
C-004	8:12	29'-10"	358.000	13.875	No	C-004 / 29'-10"
C-005	8:12	29'-10"	358.000	13.875	No	C-005 / 29'-10"
C-006	8:12	29'-10"	358.000	13.875	No	C-006 / 29'-10"
C-007	8:12	29'-10"	358.000	13.875	No	C-007 / 29'-10"
C-008	8:12	29'-10"	358.000	13.875	No	C-008 / 29'-10"
C-009	8:12	29'-10"	358.000	13.875	No	C-009 / 29'-10"
C-010	8:12	29'-10"	358.000	13.875	No	C-010 / 29'-10"
C-011	8:12	29'-10"	358.000	13.875	No	C-011 / 29'-10"
C-012	8:12	29'-10"	358.000	13.875	No	C-012 / 29'-10"
C-013	8:12	29'-10"	358.000	13.875	No	C-013 / 29'-10"
C-014	8:12	29'-10"	358.000	13.875	No	C-014 / 29'-10"
C-015	8:12	29'-10"	358.000	13.875	No	C-015 / 29'-10"
C-016	8:12	29'-10"	358.000	13.875	No	C-016 / 29'-10"
C-017	8:12	29'-10"	358.000	13.875	No	C-017 / 29'-10"
C-018	8:12	29'-10"	358.000	13.875	No	C-018 / 29'-10"
C-019	8:12	29'-10"	358.000	13.875	No	C-019 / 29'-10"
C-020	8:12	29'-10"	358.000	13.875	No	C-020 / 29'-10"
C-021	8:12	29'-10"	358.000	13.875	No	C-021 / 29'-10"
C-022	8:12	29'-10"	358.000	13.875	No	C-022 / 29'-10"
C-023	8:12	29'-10"	358.000	13.875	No	C-023 / 29'-10"
C-024	8:12	29'-10"	358.000	13.875	No	C-024 / 29'-10"
C-025	8:12	29'-10"	358.000	13.875	No	C-025 / 29'-10"
C-026	8:12	29'-10"	358.000	13.875	No	C-026 / 29'-10"
C-027	8:12	29'-10"	358.000	13.875	No	C-027 / 29'-10"
C-028	8:12	29'-10"	358.000	13.875	No	C-028 / 29'-10"
C-029	8:12	29'-10"	358.000	13.875	No	C-029 / 29'-10"



Individual panel takeoff - Section C

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
C-030	8:12	29'-10"	358.000	13.875	No	C-030 / 29'-10"
C-031	8:12	29'-10"	358.000	13.875	No	C-031 / 29'-10"
C-032	8:12	29'-10"	358.000	13.875	No	C-032 / 29'-10"
C-033	8:12	29'-10"	358.000	13.875	No	C-033 / 29'-10"
C-034	8:12	29'-10"	358.000	13.875	No	C-034 / 29'-10"
C-035	8:12	29'-10"	358.000	13.875	No	C-035 / 29'-10"
C-036	8:12	29'-10"	358.000	13.875	No	C-036 / 29'-10"
C-037	8:12	29'-10"	358.000	13.875	No	C-037 / 29'-10"
C-038	8:12	29'-10"	358.000	13.875	No	C-038 / 29'-10"
C-039	8:12	29'-10"	358.000	13.875	No	C-039 / 29'-10"
C-040	8:12	29'-10"	358.000	13.875	No	C-040 / 29'-10"
C-041	8:12	29'-10"	358.000	13.875	No	C-041 / 29'-10"
C-042	8:12	29'-10"	358.000	13.875	No	C-042 / 29'-10"
C-043	8:12	29'-10"	358.000	13.875	No	C-043 / 29'-10"
C-044	8:12	29'-10"	358.000	13.875	No	C-044 / 29'-10"
C-045	8:12	29'-10"	358.000	13.875	No	C-045 / 29'-10"
C-046	8:12	29'-10"	358.000	13.875	No	C-046 / 29'-10"
C-047	8:12	29'-10"	358.000	13.875	No	C-047 / 29'-10"
C-048	8:12	29'-10"	358.000	13.875	No	C-048 / 29'-10"
C-049	8:12	29'-10"	358.000	13.875	No	C-049 / 29'-10"
C-050	8:12	29'-10"	358.000	13.875	No	C-050 / 29'-10"
C-051	8:12	29'-10"	358.000	13.875	No	C-051 / 29'-10"
C-052	8:12	29'-10"	358.000	13.875	No	C-052 / 29'-10"
C-053	8:12	29'-10"	358.000	13.875	Yes	C-053 / 29'-10"
C-054	8:12	24'-10 1/4"	298.250	13.875	Yes	C-054 / 24'-10 1/4"
C-055	8:12	22'-8 3/8"	272.375	13.875	Yes	C-055 / 22'-8 3/8"
C-056	8:12	20'-6 5/8"	246.625	13.875	Yes	C-056 / 20'-6 5/8"
C-057	8:12	18'-4 3/4"	220.750	13.875	Yes	C-057 / 18'-4 3/4"
C-058	8:12	16'-3"	195.000	13.875	Yes	C-058 / 16'-3"



Individual panel takeoff - Section C

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
C-059	8:12	14'-1 1/8"	169.125	13.875	Yes	C-059 / 14'-1 1/8"
C-060	8:12	11'-11 3/8"	143.375	13.875	Yes	C-060 / 11'-11 3/8"
C-061	8:12	9'-9 1/2"	117.500	13.875	Yes	C-061 / 9'-9 1/2"
C-062	8:12	7'-7 3/4"	91.750	13.875	Yes	C-062 / 7'-7 3/4"
C-063	8:12	5'-5 7/8"	65.875	13.875	Yes	C-063 / 5'-5 7/8"
C-064	8:12	3'-4 1/8"	40.125	13.875	Yes	C-064 / 3'-4 1/8"
C-065	8:12	1'-2 1/4"	14.250	7.625	Yes	C-065 / 1'-2 1/4"
C-066	8:12	24'-8"	296.000	13.875	No	C-066 / 24'-8"
C-067	8:12	24'-8"	296.000	13.875	No	C-067 / 24'-8"
C-068	8:12	24'-8"	296.000	13.875	No	C-068 / 24'-8"
C-069	8:12	24'-8"	296.000	13.875	No	C-069 / 24'-8"
C-070	8:12	24'-8"	296.000	13.875	No	C-070 / 24'-8"



Individual panel takeoff - Section D

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
D-001	8:12	34'-8"	416.000	9.250	No	D-001 / 34'-8"
D-002	8:12	34'-8"	416.000	13.875	No	D-002 / 34'-8"
D-003	8:12	34'-8"	416.000	13.875	No	D-003 / 34'-8"
D-004	8:12	34'-8"	416.000	13.875	No	D-004 / 34'-8"
D-005	8:12	34'-8"	416.000	13.875	No	D-005 / 34'-8"
D-006	8:12	34'-8"	416.000	13.875	No	D-006 / 34'-8"
D-007	8:12	34'-8"	416.000	13.875	No	D-007 / 34'-8"
D-008	8:12	34'-8"	416.000	13.875	No	D-008 / 34'-8"
D-009	8:12	34'-8"	416.000	13.875	No	D-009 / 34'-8"
D-010	8:12	34'-8"	416.000	13.875	No	D-010 / 34'-8"
D-011	8:12	34'-8"	416.000	13.875	No	D-011 / 34'-8"
D-012	8:12	34'-8"	416.000	13.875	No	D-012 / 34'-8"
D-013	8:12	34'-8"	416.000	13.875	Yes	D-013 / 34'-8"
D-014	8:12	31'-11"	383.000	13.875	Yes	D-014 / 31'-11"
D-015	8:12	29'-1 5/8"	349.625	13.875	Yes	D-015 / 29'-1 5/8"
D-016	8:12	26'-4 1/4"	316.250	13.875	Yes	D-016 / 26'-4 1/4"
D-017	8:12	23'-6 7/8"	282.875	13.875	Yes	D-017 / 23'-6 7/8"
D-018	8:12	20'-9 1/2"	249.500	13.875	Yes	D-018 / 20'-9 1/2"
D-019	8:12	18'-0 1/8"	216.125	13.875	Yes	D-019 / 18'-0 1/8"
D-020	8:12	15'-2 3/4"	182.750	13.875	Yes	D-020 / 15'-2 3/4"
D-021	8:12	12'-5 3/8"	149.375	13.875	Yes	D-021 / 12'-5 3/8"
D-022	8:12	9'-8"	116.000	13.875	Yes	D-022 / 9'-8"
D-023	8:12	11'-5 1/2"	137.500	13.875	Yes	D-023 / 11'-5 1/2"
D-024	8:12	13'-8 3/8"	164.375	13.875	Yes	D-024 / 13'-8 3/8"
D-025	8:12	15'-11 3/8"	191.375	13.875	Yes	D-025 / 15'-11 3/8"
D-026	8:12	18'-2 3/8"	218.375	13.875	Yes	D-026 / 18'-2 3/8"
D-027	8:12	20'-5 3/8"	245.375	13.875	Yes	D-027 / 20'-5 3/8"
D-028	8:12	22'-8 1/4"	272.250	13.875	Yes	D-028 / 22'-8 1/4"
D-029	8:12	24'-11 1/4"	299.250	13.875	Yes	D-029 / 24'-11 1/4"



Individual panel takeoff - Section D

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
D-030	8:12	27'-2 1/4"	326.250	13.875	Yes	D-030 / 27'-2 1/4"
D-031	8:12	29'-5 1/4"	353.250	13.875	Yes	D-031 / 29'-5 1/4"
D-032	8:12	29'-7"	355.000	13.875	Yes	D-032 / 29'-7"
D-033	8:12	29'-7"	355.000	13.875	No	D-033 / 29'-7"
D-034	8:12	29'-7"	355.000	13.875	No	D-034 / 29'-7"
D-035	8:12	29'-7"	355.000	13.875	No	D-035 / 29'-7"
D-036	8:12	29'-7"	355.000	13.875	No	D-036 / 29'-7"
D-037	8:12	29'-7"	355.000	13.875	No	D-037 / 29'-7"
D-038	8:12	29'-7"	355.000	13.875	No	D-038 / 29'-7"
D-039	8:12	29'-7"	355.000	13.875	No	D-039 / 29'-7"
D-040	8:12	29'-7"	355.000	13.875	No	D-040 / 29'-7"
D-041	8:12	29'-7"	355.000	13.875	No	D-041 / 29'-7"
D-042	8:12	29'-7"	355.000	13.875	No	D-042 / 29'-7"
D-043	8:12	29'-7"	355.000	13.875	No	D-043 / 29'-7"
D-044	8:12	29'-7"	355.000	13.875	No	D-044 / 29'-7"
D-045	8:12	29'-7"	355.000	13.875	No	D-045 / 29'-7"
D-046	8:12	29'-7"	355.000	13.875	No	D-046 / 29'-7"
D-047	8:12	29'-7"	355.000	13.875	No	D-047 / 29'-7"
D-048	8:12	29'-7"	355.000	13.875	No	D-048 / 29'-7"
D-049	8:12	29'-7"	355.000	13.875	No	D-049 / 29'-7"
D-050	8:12	29'-7"	355.000	13.875	No	D-050 / 29'-7"
D-051	8:12	29'-7"	355.000	13.875	No	D-051 / 29'-7"
D-052	8:12	29'-7"	355.000	13.875	No	D-052 / 29'-7"
D-053	8:12	29'-7"	355.000	13.875	Yes	D-053 / 29'-7"
D-054	8:12	24'-10 1/4"	298.250	13.875	Yes	D-054 / 24'-10 1/4"
D-055	8:12	22'-8 3/8"	272.375	13.875	Yes	D-055 / 22'-8 3/8"
D-056	8:12	20'-6 5/8"	246.625	13.875	Yes	D-056 / 20'-6 5/8"
D-057	8:12	18'-4 3/4"	220.750	13.875	Yes	D-057 / 18'-4 3/4"
D-058	8:12	16'-3"	195.000	13.875	Yes	D-058 / 16'-3"



Individual panel takeoff - Section D

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
D-059	8:12	14'-1 1/8"	169.125	13.875	Yes	D-059 / 14'-1 1/8"
D-060	8:12	11'-11 3/8"	143.375	13.875	Yes	D-060 / 11'-11 3/8"
D-061	8:12	9'-9 1/2"	117.500	13.875	Yes	D-061 / 9'-9 1/2"
D-062	8:12	7'-7 3/4"	91.750	13.875	Yes	D-062 / 7'-7 3/4"
D-063	8:12	5'-5 7/8"	65.875	13.875	Yes	D-063 / 5'-5 7/8"
D-064	8:12	3'-4 1/8"	40.125	13.875	Yes	D-064 / 3'-4 1/8"
D-065	8:12	1'-2 1/4"	14.250	7.625	Yes	D-065 / 1'-2 1/4"



Individual panel takeoff - Section F

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
F-001	8:12	29'-10"	358.000	13.875	No	F-001 / 29'-10"
F-002	8:12	29'-10"	358.000	13.875	No	F-002 / 29'-10"
F-003	8:12	29'-10"	358.000	13.875	No	F-003 / 29'-10"
F-004	8:12	29'-10"	358.000	13.875	No	F-004 / 29'-10"
F-005	8:12	29'-10"	358.000	13.875	No	F-005 / 29'-10"
F-006	8:12	29'-10"	358.000	4.625	No	F-006 / 29'-10"



Individual panel takeoff - Section G

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
G-001	2:12	12'-10"	154.000	12.917	No	G-001 / 12'-10"
G-002	2:12	12'-10"	154.000	13.875	No	G-002 / 12'-10"
G-003	2:12	12'-10"	154.000	13.875	No	G-003 / 12'-10"
G-004	2:12	12'-10"	154.000	13.875	No	G-004 / 12'-10"
G-005	2:12	12'-10"	154.000	13.875	No	G-005 / 12'-10"
G-006	2:12	12'-10"	154.000	13.875	No	G-006 / 12'-10"
G-007	2:12	12'-10"	154.000	13.875	No	G-007 / 12'-10"
G-008	2:12	12'-10"	154.000	13.875	No	G-008 / 12'-10"
G-009	2:12	12'-10"	154.000	13.875	No	G-009 / 12'-10"
G-010	2:12	12'-10"	154.000	13.875	No	G-010 / 12'-10"
G-011	2:12	12'-10"	154.000	13.875	No	G-011 / 12'-10"
G-012	2:12	12'-10"	154.000	13.875	No	G-012 / 12'-10"
G-013	2:12	12'-10"	154.000	13.875	No	G-013 / 12'-10"
G-014	2:12	12'-10"	154.000	13.875	No	G-014 / 12'-10"
G-015	2:12	12'-10"	154.000	13.875	No	G-015 / 12'-10"
G-016	2:12	12'-10"	154.000	13.875	No	G-016 / 12'-10"
G-017	2:12	12'-10"	154.000	13.875	No	G-017 / 12'-10"
G-018	2:12	12'-10"	154.000	13.875	No	G-018 / 12'-10"
G-019	2:12	12'-10"	154.000	13.875	No	G-019 / 12'-10"
G-020	2:12	12'-10"	154.000	13.875	No	G-020 / 12'-10"
G-021	2:12	12'-10"	154.000	13.875	No	G-021 / 12'-10"
G-022	2:12	12'-10"	154.000	13.875	No	G-022 / 12'-10"
G-023	2:12	12'-10"	154.000	13.875	No	G-023 / 12'-10"
G-024	2:12	12'-10"	154.000	13.875	No	G-024 / 12'-10"
G-025	2:12	12'-10"	154.000	13.875	No	G-025 / 12'-10"
G-026	2:12	12'-10"	154.000	13.875	No	G-026 / 12'-10"
G-027	2:12	12'-10"	154.000	13.875	No	G-027 / 12'-10"
G-028	2:12	12'-10"	154.000	6.333	No	G-028 / 12'-10"



Individual panel takeoff - Section H

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
H-001	12:12	15'-7"	187.000	13.875	No	H-001 / 15'-7"
H-002	12:12	15'-7"	187.000	13.875	No	H-002 / 15'-7"
H-003	12:12	15'-7"	187.000	13.875	No	H-003 / 15'-7"
H-004	12:12	15'-7"	187.000	13.875	No	H-004 / 15'-7"
H-005	12:12	15'-7"	187.000	13.875	No	H-005 / 15'-7"
H-006	12:12	15'-7"	187.000	13.875	No	H-006 / 15'-7"
H-007	12:12	15'-7"	187.000	13.875	No	H-007 / 15'-7"
H-008	12:12	15'-7"	187.000	13.875	No	H-008 / 15'-7"
H-009	12:12	15'-7"	187.000	13.875	No	H-009 / 15'-7"
H-010	12:12	15'-7"	187.000	13.875	No	H-010 / 15'-7"
H-011	12:12	15'-7"	187.000	13.875	No	H-011 / 15'-7"
H-012	12:12	15'-7"	187.000	13.875	No	H-012 / 15'-7"
H-013	12:12	15'-7"	187.000	13.875	Yes	H-013 / 15'-7"
H-014	12:12	14'-10 1/4"	178.250	13.875	Yes	H-014 / 14'-10 1/4"
H-015	12:12	13'-9 1/4"	165.250	13.875	Yes	H-015 / 13'-9 1/4"
H-016	12:12	12'-8 1/8"	152.125	13.875	Yes	H-016 / 12'-8 1/8"
H-017	12:12	11'-7 1/8"	139.125	13.875	Yes	H-017 / 11'-7 1/8"
H-018	12:12	10'-6 1/8"	126.125	13.875	Yes	H-018 / 10'-6 1/8"
H-019	12:12	9'-5"	113.000	13.875	Yes	H-019 / 9'-5"
H-020	12:12	8'-4"	100.000	13.875	Yes	H-020 / 8'-4"
H-021	12:12	7'-3"	87.000	13.875	Yes	H-021 / 7'-3"
H-022	12:12	6'-2"	74.000	13.875	Yes	H-022 / 6'-2"
H-023	12:12	5'-0 7/8"	60.875	13.875	Yes	H-023 / 5'-0 7/8"
H-024	12:12	3'-11 7/8"	47.875	13.875	Yes	H-024 / 3'-11 7/8"
H-025	12:12	2'-10 7/8"	34.875	13.875	Yes	H-025 / 2'-10 7/8"
H-026	12:12	1'-9 3/4"	21.750	13.875	Yes	H-026 / 1'-9 3/4"
H-027	12:12	0'-8 3/4"	8.750	9.250	Yes	H-027 / 0'-8 3/4"



Individual panel takeoff - Section I

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
I-001	12:12	15'-7"	187.000	13.875	No	I-001 / 15'-7"
I-002	12:12	15'-7"	187.000	13.875	No	I-002 / 15'-7"
I-003	12:12	15'-7"	187.000	13.875	No	I-003 / 15'-7"
I-004	12:12	15'-7"	187.000	13.875	No	I-004 / 15'-7"
I-005	12:12	15'-7"	187.000	13.875	No	I-005 / 15'-7"
I-006	12:12	15'-7"	187.000	13.875	No	I-006 / 15'-7"
I-007	12:12	15'-7"	187.000	13.875	No	I-007 / 15'-7"
I-008	12:12	15'-7"	187.000	13.875	No	I-008 / 15'-7"
I-009	12:12	15'-7"	187.000	13.875	No	I-009 / 15'-7"
I-010	12:12	15'-7"	187.000	13.875	No	I-010 / 15'-7"
I-011	12:12	15'-7"	187.000	13.875	No	I-011 / 15'-7"
I-012	12:12	15'-7"	187.000	13.875	No	I-012 / 15'-7"
I-013	12:12	15'-7"	187.000	13.875	Yes	I-013 / 15'-7"
I-014	12:12	14'-10 1/4"	178.250	13.875	Yes	I-014 / 14'-10 1/4"
I-015	12:12	13'-9 1/4"	165.250	13.875	Yes	I-015 / 13'-9 1/4"
I-016	12:12	12'-8 1/8"	152.125	13.875	Yes	I-016 / 12'-8 1/8"
I-017	12:12	11'-7 1/8"	139.125	13.875	Yes	I-017 / 11'-7 1/8"
I-018	12:12	10'-6 1/8"	126.125	13.875	Yes	I-018 / 10'-6 1/8"
I-019	12:12	9'-5"	113.000	13.875	Yes	I-019 / 9'-5"
I-020	12:12	8'-4"	100.000	13.875	Yes	I-020 / 8'-4"
I-021	12:12	7'-3"	87.000	13.875	Yes	I-021 / 7'-3"
I-022	12:12	6'-2"	74.000	13.875	Yes	I-022 / 6'-2"
I-023	12:12	5'-0 7/8"	60.875	13.875	Yes	I-023 / 5'-0 7/8"
I-024	12:12	3'-11 7/8"	47.875	13.875	Yes	I-024 / 3'-11 7/8"
I-025	12:12	2'-10 7/8"	34.875	13.875	Yes	I-025 / 2'-10 7/8"
I-026	12:12	1'-9 3/4"	21.750	13.875	Yes	I-026 / 1'-9 3/4"
I-027	12:12	0'-8 3/4"	8.750	9.250	Yes	I-027 / 0'-8 3/4"



Individual panel takeoff - Section J

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
J-001	2:12	10'-0"	120.000	13.875	No	J-001 / 10'-0"
J-002	2:12	10'-0"	120.000	13.875	No	J-002 / 10'-0"
J-003	2:12	10'-0"	120.000	13.875	No	J-003 / 10'-0"
J-004	2:12	10'-0"	120.000	13.875	No	J-004 / 10'-0"
J-005	2:12	10'-0"	120.000	13.875	No	J-005 / 10'-0"
J-006	2:12	10'-0"	120.000	13.875	No	J-006 / 10'-0"
J-007	2:12	10'-0"	120.000	13.875	No	J-007 / 10'-0"
J-008	2:12	10'-0"	120.000	13.875	No	J-008 / 10'-0"
J-009	2:12	10'-0"	120.000	13.875	No	J-009 / 10'-0"
J-010	2:12	10'-0"	120.000	13.875	No	J-010 / 10'-0"
J-011	2:12	10'-0"	120.000	13.875	No	J-011 / 10'-0"
J-012	2:12	10'-0"	120.000	13.875	No	J-012 / 10'-0"
J-013	2:12	10'-0"	120.000	13.875	No	J-013 / 10'-0"
J-014	2:12	10'-0"	120.000	13.875	No	J-014 / 10'-0"
J-015	2:12	10'-0"	120.000	13.875	No	J-015 / 10'-0"
J-016	2:12	10'-0"	120.000	13.875	No	J-016 / 10'-0"
J-017	2:12	10'-0"	120.000	13.875	No	J-017 / 10'-0"
J-018	2:12	10'-0"	120.000	10.125	No	J-018 / 10'-0"



Individual panel takeoff - Section K

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
K-001	12:12	12'-10"	154.000	13.875	No	K-001 / 12'-10"
K-002	12:12	12'-10"	154.000	13.875	No	K-002 / 12'-10"
K-003	12:12	12'-10"	154.000	13.875	No	K-003 / 12'-10"
K-004	12:12	12'-10"	154.000	13.875	No	K-004 / 12'-10"
K-005	12:12	12'-10"	154.000	13.875	No	K-005 / 12'-10"
K-006	12:12	12'-10"	154.000	13.875	No	K-006 / 12'-10"
K-007	12:12	12'-10"	154.000	13.875	No	K-007 / 12'-10"
K-008	12:12	12'-10"	154.000	13.875	No	K-008 / 12'-10"
K-009	12:12	12'-10"	154.000	13.875	No	K-009 / 12'-10"
K-010	12:12	12'-10"	154.000	13.875	No	K-010 / 12'-10"
K-011	12:12	12'-10"	154.000	5.250	No	K-011 / 12'-10"



Individual panel takeoff - Section M

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
M-001	8:12	10'-3"	123.000	13.875	No	M-001 / 10'-3"
M-002	8:12	10'-3"	123.000	13.875	No	M-002 / 10'-3"
M-003	8:12	10'-3"	123.000	13.875	No	M-003 / 10'-3"
M-004	8:12	10'-3"	123.000	13.875	No	M-004 / 10'-3"
M-005	8:12	10'-3"	123.000	13.875	No	M-005 / 10'-3"
M-006	8:12	10'-3"	123.000	13.875	No	M-006 / 10'-3"
M-007	8:12	10'-3"	123.000	13.875	No	M-007 / 10'-3"
M-008	8:12	10'-3"	123.000	13.875	No	M-008 / 10'-3"
M-009	8:12	10'-3"	123.000	13.875	No	M-009 / 10'-3"
M-010	8:12	10'-3"	123.000	13.875	No	M-010 / 10'-3"
M-011	8:12	10'-3"	123.000	13.875	No	M-011 / 10'-3"
M-012	8:12	10'-3"	123.000	13.875	No	M-012 / 10'-3"
M-013	8:12	10'-3"	123.000	13.875	No	M-013 / 10'-3"
M-014	8:12	10'-3"	123.000	13.875	No	M-014 / 10'-3"
M-015	8:12	10'-3"	123.000	13.875	No	M-015 / 10'-3"
M-016	8:12	10'-3"	123.000	13.875	No	M-016 / 10'-3"
M-017	8:12	10'-3"	123.000	13.875	No	M-017 / 10'-3"
M-018	8:12	10'-3"	123.000	13.875	No	M-018 / 10'-3"
M-019	8:12	10'-3"	123.000	3.250	No	M-019 / 10'-3"



Individual panel takeoff - Section N

Mobile SSQ3 | Roll sequentially; sticker every panel and stack by section | Full rectangular blank lengths

Panel ID	Pitch	Full roll-form cut	Cut inches	Coverage inches	Field taper	Sticker text
N-001	8:12	10'-3"	123.000	13.875	No	N-001 / 10'-3"
N-002	8:12	10'-3"	123.000	13.875	No	N-002 / 10'-3"
N-003	8:12	10'-3"	123.000	13.875	No	N-003 / 10'-3"
N-004	8:12	10'-3"	123.000	13.875	No	N-004 / 10'-3"
N-005	8:12	10'-3"	123.000	13.875	No	N-005 / 10'-3"
N-006	8:12	10'-3"	123.000	13.875	No	N-006 / 10'-3"
N-007	8:12	10'-3"	123.000	13.875	No	N-007 / 10'-3"
N-008	8:12	10'-3"	123.000	13.875	No	N-008 / 10'-3"
N-009	8:12	10'-3"	123.000	13.875	No	N-009 / 10'-3"
N-010	8:12	10'-3"	123.000	13.875	No	N-010 / 10'-3"
N-011	8:12	10'-3"	123.000	13.875	No	N-011 / 10'-3"
N-012	8:12	10'-3"	123.000	13.875	No	N-012 / 10'-3"
N-013	8:12	10'-3"	123.000	13.875	No	N-013 / 10'-3"
N-014	8:12	10'-3"	123.000	13.875	No	N-014 / 10'-3"
N-015	8:12	10'-3"	123.000	13.875	No	N-015 / 10'-3"
N-016	8:12	10'-3"	123.000	13.875	No	N-016 / 10'-3"
N-017	8:12	10'-3"	123.000	13.875	No	N-017 / 10'-3"
N-018	8:12	10'-3"	123.000	13.875	No	N-018 / 10'-3"
N-019	8:12	10'-3"	123.000	3.250	No	N-019 / 10'-3"