

Certificate of Analysis
Compliance Test

Client Information:

Bak8d
14 Allen St
Farmingdale, NY 11735Batch # 001
Batch Date: 2025-05-21
Extracted From: HEMP

Test Reg State: Florida

Order # BAK250521-010001
Order Date: 2025-05-21
Sample # AAGT025Sampling Date: 2025-06-02
Lab Batch Date: 2025-06-02
Completion Date: 2025-06-10

Initial Gross Weight: 14.300 g

Number of Units: 1
Net Weight per Unit: 1000.000 mg

Product Image

Potency
TestedHeavy Metals
PassedPesticides
Passed

Potency 25 (LCUV)

Specimen Weight: 206.520 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBC	15.000	1.80E-5	0.0125	<LOQ	<LOQ
CBCA	15.000	1.07E-4	0.0125	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.0125	<LOQ	<LOQ
CBDa	15.000	1.00E-5	0.0125	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBDVA	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBG	15.000	2.48E-4	0.0125	<LOQ	<LOQ
CBGA	15.000	8.00E-5	0.0125	<LOQ	<LOQ
CBL	15.000	3.50E-5	0.0125	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBNA	15.000	9.50E-5	0.0125	<LOQ	<LOQ
CBT	15.000	2.00E-4	0.0125	<LOQ	<LOQ
Delta-8 THC	15.000	2.60E-5	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
Delta-8 THCV	15.000	4.00E-5	0.0125	<LOQ	<LOQ
Delta-9 THC	15.000	1.30E-5	0.0125	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	<LOQ	<LOQ
Delta8-THCP *	15.000	3.75E-4	0.0125	<LOQ	<LOQ
Delta9-THCP *	15.000	1.17E-5	0.01	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
THCA-A	15.000	3.20E-5	0.0125	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	15.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0125	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			<LOQ	<LOQ
Total Active THC	15.000			<LOQ	<LOQ



Potency Summary

Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN None Detected
Total Cannabinoids None Detected	

Sample was oven dried before potency testing.

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Client supplied the net weight of mg The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

Bak8d
14 Allen St
Farmingdale, NY 11735

Batch # 001
Batch Date: 2025-05-21
Extracted From: HEMP

Test Reg State: Florida

Order # BAK250521-010001
Order Date: 2025-05-21
Sample # AAGT025

Sampling Date: 2025-06-02
Lab Batch Date: 2025-06-02
Completion Date: 2025-06-10

Initial Gross Weight: 14.300 g

Number of Units: 1
Net Weight per Unit: 1000.000 mg



Heavy Metals

Specimen Weight: 252.000 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 198

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Bak8d
14 Allen St
Farmingdale, NY 11735

Batch # 001
Batch Date: 2025-05-21
Extracted From: HEMP

Test Reg State: Florida

Order # BAK250521-010001
Order Date: 2025-05-21
Sample # AAGT025

Sampling Date: 2025-06-02
Lab Batch Date: 2025-06-02
Completion Date: 2025-06-10

Initial Gross Weight: 14.300 g

Number of Units: 1
Net Weight per Unit: 1000.000 mg



Pesticides

Specimen Weight: 580.400 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.580

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

