


OG



Summary

Test
Heavy Metals

Date Tested

Result
In Progress

Cannabinoids

Pass

21.417%		ND		22.226%	
Total THC		Total CBD		Total Cannabinoids	
Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	%	mg/g	
THCa	0.01	0.01	24.138	241.38	
Δ9-THC	0.01	0.01	0.248	2.48	
Δ8-THC	0.01	0.01	ND	ND	
THCVa	0.01	0.10	0.149	1.49	
THCV	0.01	0.10	ND	ND	
CBDa	0.01	0.01	ND	ND	
CBD	0.01	0.01	ND	ND	
CBDVa	0.01	0.10	ND	ND	
CBDV	0.01	0.10	ND	ND	
CBN	0.01	0.10	ND	ND	
CBGa	0.01	0.10	0.773	7.73	
CBG	0.01	0.10	ND	ND	
CBC	0.01	0.10	ND	ND	
(6aR,9S)-d10-THC	0.01	0.01	ND	ND	
(6aR,9R)-d10-THC	0.01	0.01	ND	ND	
Total THC			21.417	214.170	
Total CBD			ND	ND	
Total			25.308	253.08	

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeledj

Raquel Keledjian
Lab Director
12/18/2023

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



OG
Heavy Metals
In Progress

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	NR	NT
Cadmium	0.0167	0.05	0.2	NR	NT
Lead	0.0167	0.05	0.5	NR	NT
Mercury	0.0167	0.05	0.1	NR	NT

Date Tested: 12/18/2023

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 16 CCR § 5723




 Raquel Keledjian
 Lab Director
 12/18/2023

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian