

STATUS: RELEASED REVISION: 00 DATE: 09/07/2022

 Analysis ID No.
 232726

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20230627

 Page No.
 Page 1 of 5

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Prof Whyte's Kratom	N/A
Address:	Submitted Sample Lot:
7901 SW 6th CT Plantation, FL 33324	07233056-00
Phone Number:	Submitted Sample Description:
954-470-1891	Red Gummies Stored in Retail Packaging; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Kasey Cacciato / kasey@professorwhytes.com	Kratom Extract / Edible

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	0.690 w/w% 6.904 mg/g 32.947 mg/unit	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	0.081 w/w% 0.810 mg/g 3.865 mg/unit	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	0.050 w/w% 0.502 mg/g 2.395 mg/unit	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	0.047 w/w% 0.471 mg/g 2.250 mg/unit	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only* % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/unit: Report Only*	0.869 w/w% 8.687 mg/g 41.457 mg/unit	Results Reported

	MICROBIOLOGICAL ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail	
Total Aerobic Plate Count (TAPC)	Isolation Agar	10 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS	
Total Yeast & Mold (TYM)	Isolation Agar	10 CFU/gm	NMT 1,000 CFU/gm	< LOQ	PASS	
Coliforms	Isolation Agar	10 CFU/gm	NMT 100 CFU/gm	< LOQ	PASS	
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS	
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS	

Santé Laboratories, LLC - 8201 East Riverside Drive, STE 650, Austin, Texas 78744 USA Email: Testing@santelabs.com - Telephone: 512-309-5830 - Website: www.santelabs.com



STATUS: RELEASED REVISION: 00 DATE: 09/07/2022

 Analysis ID No.
 232726

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20230627

 Page No.
 Page 2 of 5

	HEAVY METALS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail	
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	16.8 ppb	PASS	
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	< LOQ	PASS	
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	< LOQ	PASS	
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	< LOQ	PASS	
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 20,000 ppb	50.3 ppb	PASS	

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
1,1-Dichloroethene	USP <467> by GC-MS	0.020 ppm	NMT 8 ppm	< LOQ	PASS
1,1,1-Trichloroethane	USP <467> by GC-MS	3.75 ppm	NMT 1,500 ppm	< LOQ	PASS
1,2-Dichloroethane	USP <467> by GC-MS	0.013 ppm	NMT 5 ppm	< LOQ	PASS
Benzene	USP <467> by GC-MS	0.005 ppm	NMT 2 ppm	< LOQ	PASS
Carbon tetrachloride	USP <467> by GC-MS	0.010 ppm	NMT 4 ppm	< LOQ	PASS
1,2-dichloroethene (E,Z)	USP <467> by GC-MS	4.675 ppm	NMT 1870 ppm	< LOQ	PASS
1,2-Dimethoxyethane	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,2,3,4- tetrahydronapthalene	USP <467> by GC-MS	0.25 ppm	NMT 100 ppm	< LOQ	PASS
1,4-Dioxane	USP <467> by GC-MS	0.95 ppm	NMT 380 ppm	< LOQ	PASS
2-Hexanone	USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS
4-methyl-2- pentanone	USP <467> by GC-MS	12.5 ppm	NMT 4,500 ppm	< LOQ	PASS
Acetonitrile	USP <467> by GC-MS	1.025 ppm	NMT 410 ppm	< LOQ	PASS
Chlorobenzene	USP <467> by GC-MS	0.9 ppm	NMT 360 ppm	< LOQ	PASS
Chloroform	USP <467> by GC-MS	0.15 ppm	NMT 60 ppm	< LOQ	PASS
Cumene	USP <467> by GC-MS	0.175 ppm	NMT 70 ppm	< LOQ	PASS
Cyclohexane	USP <467> by GC-MS	9.7 ppm	NMT 3,880 ppm	< LOQ	PASS
Dichloromethane	USP <467> by GC-MS	1.5 ppm	NMT 600 ppm	< LOQ	PASS
Ethylbenzene	USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS
Hexane, n-	USP <467> by GC-MS	0.725 ppm	NMT 290 ppm	< LOQ	PASS



STATUS: RELEASED REVISION: 00 DATE: 09/07/2022

 Analysis ID No.
 232726

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20230627

 Page No.
 Page 3 of 5

RESIDUAL SOLVENTS ASSAY					
Test Method	LOQ	Specifications	Test Results	Pass / Fail	
USP <467> by GC-MS	7.5 ppm	NMT 3,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	2.95 ppm	NMT 1,180 ppm	< LOQ	PASS	
USP <467> by GC-MS	0.125 ppm	NMT 50 ppm	< LOQ	PASS	
USP <467> by GC-MS	0.50 ppm	NMT 200 ppm	< LOQ	PASS	
USP <467> by GC-MS	1.8 ppm	NMT 720 ppm	< LOQ	PASS	
USP <467> by GC-MS	2.225 ppm	NMT 890 ppm	< LOQ	PASS	
USP <467> by GC-MS	0.20 ppm	NMT 80 ppm	< LOQ	PASS	
USP <467> by GC-MS	108.5 ppm	NMT 2,170 ppm	< LOQ	PASS	
USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS	
USP <467> by GC-MS	5.425 ppm	NMT 2,170 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS	
	USP <467> by GC-MS USP <467> by GC-MS	Test Method LOQ USP <467> by GC-MS 7.5 ppm USP <467> by GC-MS 2.95 ppm USP <467> by GC-MS 0.125 ppm USP <467> by GC-MS 0.50 ppm USP <467> by GC-MS 1.8 ppm USP <467> by GC-MS 2.225 ppm USP <467> by GC-MS 0.20 ppm USP <467> by GC-MS 108.5 ppm USP <467> by GC-MS 5.425 ppm USP <467> by GC-MS 12.5 ppm USP <467	Test Method LOQ Specifications USP <467> by GC-MS 7.5 ppm NMT 3,000 ppm USP <467> by GC-MS 2.95 ppm NMT 1,180 ppm USP <467> by GC-MS 0.125 ppm NMT 50 ppm USP <467> by GC-MS 0.50 ppm NMT 200 ppm USP <467> by GC-MS 1.8 ppm NMT 200 ppm USP <467> by GC-MS 2.225 ppm NMT 890 ppm USP <467> by GC-MS 0.20 ppm NMT 80 ppm USP <467> by GC-MS 108.5 ppm NMT 2,170 ppm USP <467> by GC-MS 5.425 ppm NMT 2,170 ppm USP <467> by GC-MS 5.425 ppm NMT 2,170 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS 12.5 ppm NMT 5,000 ppm USP <467> by GC-MS	Test Method LOQ Specifications Test Results USP <467> by GC-MS 7.5 ppm NMT 3,000 ppm < LOQ	



STATUS: RELEASED REVISION: 00 DATE: 09/07/2022

Analysis ID No. 232726

TDA License No. 2020002

ISO/IEC No. 1055838

Purchase Order: 20230627

Page No. Page 4 of 5

RESIDUAL SOLVENTS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Heptane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isobutyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Isopropyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Methyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
N,N- Dimethylsulfoxide	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Pentane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propyl acetate	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
t-Butyl Methyl Ether	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, iso-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Butane, n-	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS
Propane	USP <467> by GC-MS	12.5 ppm	NMT 5,000 ppm	< LOQ	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION		
Santé Laboratories	Santé Sample ID: 232726		
8201 East Riverside Drive, STE 650	Receipt Date: 09/01/2023 / 11:00 AM CST / C. Ritchie		
Austin, Texas 78744 USA	Receipt Condition: Good Analysis Start Date: 09/05/2023		

ADDITIONAL REPORT NOTES

The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP <232>. Microbiological limits according to specifications defined by AHPA for botanical extracts. * Unit Weight: 4.772 grams, this is based on the average of six (6) unit weights

©2020 Santé Laboratories, LLC – All Rights Reserved

	VERSION HISTORY					
Version	Version Effective Date Summary of Changes					
00	09/07/2023	Initial Release				



STATUS: RELEASED REVISION: 00 DATE: 09/07/2022

 Analysis ID No.
 232726

 TDA License No.
 2020002

 ISO/IEC No.
 1055838

 Purchase Order:
 20230627

 Page No.
 Page 5 of 5

PRODUCT SAMPLE / IMAGE



REVIEWED AND APPROVED BY

Date

DocuSigned by:

07 September 2023 | 2:18:19 PM PDT

E49DDA845186484...

Data Management Specialist

Santé Laboratories

Yvonne Rivera