




Feeno





<b>01. MAESTRO SERIES</b>	<b>2 - 3</b>
<b>02. BEDS</b>	<b>4 - 7</b>
<b>03. EXAMINATION TABLES</b>	<b>8 - 10</b>
<b>04. BEDSIDE TABLES</b>	<b>11</b>
<b>05. STRETCHERS</b>	<b>12 - 14</b>
<b>06. WHEEL CHAIRS</b>	<b>15</b>
<b>07. MEDICAL CARTS</b>	<b>16 - 18</b>
<b>08. PEDIATRIC TROLLEYS</b>	<b>19</b>
<b>09. TROLLEYS</b>	<b>20 - 21</b>
<b>10. SOILED AND CLEAN TRANSPORT</b>	<b>22</b>
<b>11. BEDSIDE CABINETS</b>	<b>23</b>
<b>12. OT &amp; CSSD STORAGE</b>	<b>24</b>
<b>13. STOOLS AND CHAIRS</b>	<b>25</b>
<b>14. WAITING CHAIRS</b>	<b>26</b>
<b>15. ACCESSORIES</b>	<b>27</b>
<b>16. SCRUB SINKS</b>	<b>28 - 29</b>





## Five Function Motorized Bed

Embedded control panels  
on both patient and nurse  
side

Quick release  
manual CPR

Four section metallic  
perforated top

Anti-collision  
wheels

Full length Polymer  
Moulded Split Type Safety  
Siderails

Imported robust  
linear actuators

Angle indicator on  
side rails

Ergonomic easy  
drop-down side  
rails

Fire retardant anti-bacterial  
waterproof 32 D mattress

Twin wheel with central  
pedal locking system

Weight capacity:  
200 kgs

Polymer molded head  
and foot panels

One touch  
electronic CPR



### Product specifications

Overall Dimensions: L 2200 X W 1050 MM, Mattress Platform: L 1950 X W 880 MM, Platform Height: 460 to 770 MM (without mattress)

Backrest: 0 Deg - 70 Deg, Kneerest: 0 Deg - 45 Deg,  
Trendelenburg: 0 Deg - 17 Deg, Reverse Trendelenburg: 0 Deg - 17 Deg


\*Optional: Remote/Nurse Panel

\*Optional accessories: O2 cylinder cage, bed extension and battery backup

\*Also Available in Three Function



## Five Function Manual Bed



Low Height



High Height



Backrest



Kneerest



Trendelenburg



Reverse Trendelenburg

### Product specifications

Overall Dimensions: L 2200 X W 1050 MM, Mattress Platform: L 1950 X W 880 MM, Platform Height: 460 to 770 MM (without mattress)

Backrest: 0 Deg - 70 Deg, Kneerest: 0 Deg - 45 Deg, Trendelenburg: 0 Deg - 17 Deg, Reverse Trendelenburg: 0 Deg - 17 Deg

\*Optional: Pedal-assisted central locking system

\*Also Available in Three, Two and One Function





## Five Function Electric Bed | FB01

1. Overall dimension: L 2150 x W 965 x H 485-710mm
2. Backrest Kneerest ,Height, Tredelenburg and Rev Tredelenburg functions operated electrically.
3. Castors of 125 mm dia, two with brakes.
4. Tuck away type ABS side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Three Function Electric Bed | FB02

1. Overall dimension: L 2150 x W 965 x H 485-710mm
2. Backrest Kneerest & Height functions operated electrically.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Two Function Electric Bed | FB03

1. Overall dimension: L 2150 x W 965 x H 485-710mm
2. Backrest and Kneerest functions operated electrically.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## One Function Electric Bed | FB04

1. Overall dimension: L 2150 x W 965 x H 485-710mm
2. Backrest function operated electrically.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Five Function Manual Bed | FB05

1. Overall dimension: L 2150 x W 965 x H 485-710mm
2. Backrest, Kneerest, Height, Trendelenburg & Rev Trendelenburg functions operated manually by crank.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Three Function Manual Bed | FB06

1. Overall dimension: L 2150 x W 965 x H 485-710mm
2. Backrest, Kneerest & Height functions operated manually by crank.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Fowler Bed | FB07

1. Overall dimension: L 2100 x W 900 x H 500mm
2. Backrest and Kneerest function operated manually by crank.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Semi-Fowler Bed | FB08

1. Overall dimension: L 2100 x W 900 x H 500mm
2. Backrest function operated manually by crank.
3. Castors of 125 mm dia, two with brakes.
4. Aluminum Collapsible side safety rails
5. Detachable ABS Head & Foot board.
6. High density foam water proof mattress.



## Pediatric Hospital Bed | FB09

1. Provided with heightened ends and side rails for child safety
2. High density foam water proof mattress.
3. Dimension is L 1470 x W 850 x H 1230 mm





## Attendant bed with storage

| FB10

1. Provided with bottom shelf and 2 cabinets
2. High density foam water proof mattress
3. Dimension is L 1830 x W 560 x H 575 mm.
4. Optional: Stainless steel pipe work



## Attendant bed | FB11

1. High density foam water proof mattress
2. Dimension is L 1830 x W 560 x H 575 mm.
3. Optional: Stainless steel pipe work



## Foldable Attendant Bed | FB12

1. Foldable bed convertible to chair position
2. High density foam water proof mattress
3. Dimension is L 1900 x W 620 x H 580 mm.





## Examination Couch | FTA01

1. Back rest adjustable with Gas Spring/Rachet mechanism.
2. High density foam waterproof mattress in two splits for patient comfort.
3. Provided with three drawers and three utility cabinets with inbuilt foot step.
4. Dimension is 1870 (L)\* 560 (W) \*810 (H) mm



## Gynac Couch | FTA02

1. Back rest adjustable with Gas Spring/Rachet mechanism.
2. High density foam waterproof mattress in two splits for patient comfort.
3. Provided with three drawers and three utility cabinets with inbuilt foot step.
4. Provide with U cut and lithotomy stirrups.
5. Dimension is 1870 (L)\* 560 (W) \*810 (H) mm



## Examination Table | FTA03

1. Back rest adjustable with Rachet mechanism.
2. High density foam waterproof mattress in single section for patient comfort.
3. Dimension is 1870 (L)\* 500 (W) \*810 (H) mm



## Examination Table (Motorised) | FTA04

1. Electrically operated Height and Backrest adjustment.
2. Provided with one drawer for storage and tissue paper roller at the bottom.
3. High density waterproof mattress in two splits for patient comfort.
4. Overall dimensions: L 1930 x W 610 x H 530 to 830 mm (including mattress)



## Ultrasound Table (Motorised) | FTA05

1. Electrically operated Height adjustment.
2. High density waterproof mattress in single section for patient comfort.
4. Overall dimensions: L 1930 x W 610 x H 530 to 830 mm (including mattress)



## Lithotomy Table | FTA05

1. Backrest and Legrest adjustable by ratchet.
2. Provided with U cut and Lithotomy Stirrups
3. High density foam water proof mattress in three splits for patient comfort.
4. Dimension :1830 L x 680 W x 760 H mm.
5. Stainless steel frame work.



## Lithotomy Table | FTA06



## Labor Table | FTA07



## Cardiac table manual | FTA08

1. Overbed table with wooden/ABS top.
2. Size: 770 × 380 × 740 - 1090 mm.
3. Framework is made of Epoxy steel.
4. Adjustable height from 740 - 1090 mm by knob
5. 4 Swivel castors all with brakes.



## Cardiac table hydraulic | FTA09

1. Overbed table with ABS top.
2. Size: 900 × 450 × 740 - 1090 mm
3. Framework is made of Epoxy steel.
4. Adjustable height from 740 - 1090 mm by pneumatic pump
5. 4 Swivel castors all with brakes.



## Cardiac table hydraulic | FTA10

1. Overbed table with wooden top.
2. Size: 770 × 380 × 740 - 1090 mm
3. Framework is made of Epoxy steel.
4. Adjustable height from 740 - 1090 mm by pneumatic pump
5. 4 Swivel castors all with brakes.





## ABS Recovery Trolley | FS03

1. Surface top made of ABS X ray Translucent material.
2. Backrest adjustable by gas spring and height adjustable manually by crank.
3. Tuck away type ABS side rails.
4. Cylinder provision and high density foam waterproof mattress.
5. Overall dimensions: L 1950 x W 650 x H 530-830mm



## Emergency Recovery trolley | FS04

1. Surface top made of laminated board for X ray.
2. Height adjustable by foot pump hydraulic.
3. Backrest adjustment manual and Trendelenburg & Rev Trendelenburg adjustment by gas spring.
4. Drop down type stainless steel safety side rails.
5. Cylinder provision and high density foam waterproof mattress.
6. Overall dimensions: L 2080 x W 710 x H 680-920mm



## Stretcher on Trolley With Backrest Adjustment | FS05

1. Backrest adjustable by ratchet mechanism.
2. Drop down type mild steel side rails.
3. Provision of O2 cylinder holder.
4. High density foam water proof mattress.
5. Overall dimensions: L 2030 x W 610 x H 870mm

**Stretcher on Trolley** | FS06



**Folding Stretcher** | FS07



**Foldable Stretcher** | FS09



**Spine Board** | FS10



**Scoop Board** | FS11





## Ambulance Stretcher | FS12

1. The product made of high quality aluminum, with foam mattress, smart, safe and reliable.
2. With four castors on front, can be adjustable according the different ambulance height.
3. With safety lock device, it must be open when the stretcher gets into the ambulance and must be locked after getting out.
4. By controlling two handles, just needs one person can operate it.
5. With one set of fixture, can lock the stretcher.



## Ambulance Stretcher & Wheelchair | FS13

1. Both ends can be tilted the height can be adjusted twelve high positions. When loading the ambulance stretcher up to the ambulance.
2. The height of the backrest and the knee part can be adjusted by pneumatic spring which makes the wounded feel comfortable.
3. The surface can be used as a carrying stretcher when the ambulance stretcher is separated from the main part.
4. The mechanical folding legs are controlled by the handles on both sides. The ambulance stretcher can be locked up after being aboard through the chute.
5. Overall Size 195\*56\*86cm



FW01



FW02



FW03



FW04







## Crash Cart | FC01

1. Framework is made up of SS Tubes.
2. Provision of M.S oxygen cylinder holder.
3. Six colour removable bins.
4. Two polystyrene lockable storage units with three drawers each.
5. Provided with S.S I.V rod.
6. The cart is mounted on 125 mm dia castors 2 with brakes.
7. Overall dimensions L 700 X W 490 X H 1630 mm



## ABS Crash Cart | FC02

1. One piece ABS top board with raised-edge design with soft plastic glass.
2. 304 stainless steel guard rail .
3. One defibrillator shelf and one sliding side shelf.
4. IV pole with rotary hook.
5. Two small drawers, two middle drawers and one big drawer with centralized lock.
6. The left working area is storage box.
7. The right working area is dust basket.
8. Provided with luxurious noiseless caster (two with brakes).



**Anesthesia Cart | FC03**



**Emergency Cart | FC04**



1. Precision welded Aluminum frame with durable high impact ABS Panels with centralized locking system.
2. Smooth Panels, surface and seamless drawers promoting simple cleaning for infection prevention.
3. 5 drawers with separators and Wide selection of organizing styles and systems available.
4. Accessories: IV pole, defib/monitor shelf, sliding side shelf, O2 cylinder holder, power outlet, CPR board and waste box
5. Overall dimension: L 1100 x W 870 x H 600mm



## Emergency Cart With Digital Keypad | FC05



## Drug Cart With Digital keypad | FC06



1. Centralized cart lock with Digital keypad facilitating up to 4 users with different pass codes.
2. Smooth Panels, surface and seamless drawers promoting simple cleaning for infection prevention.
3. Wide selection of organizing styles and systems available (no. of drawers, drug columns etc.)
4. Precision welded Aluminum frame with durable high impact ABS Panels.
5. Wide selection of accessories (Defib tray, IV pole, Cylinder cage, etc.)
6. Available in standard, Intermediate or compact height.
7. Mounted on 100mm noiseless heavy duty castors with diagonal locking system.



## Baby Cart | FC07

1. Aluminum column, transparent and hi-intensity baby basin, make the appearance of the whole cart to be beautiful, decent and practical.
2. The height can be adjusted by gas spring, easy for mother and the baby to communicate Hi-Low:980mm-780mm.
3. Trendelenburg /Anti-Trendelenburg function 0-15 degrees.
4. Three colors for choice, green, pink and blue.



## Baby Trolley | FC08



## Baby Cradle | FC09







**Instrument Trolley** | FT01



**Drug Trolley** | FT02



**Utility Trolley** | FT03



**Dressing Trolley** | FT04



**CSSD Trolley** | FT05



**Double Drawer Trolley** | FT06



**C-Shaped Trolley** | FT07



**Mayo Trolley** | FT08



**Double Stand Mayo Trolley** | FT09



**Transport Trolley** | FT10



**Platform Trolley** | FT11



**Z Shaped Trolley** | FT12



**ECG Trolley** | FT13





**Clean Lenin Trolley | FL01**



**Clean/Soiled Lenin Trolley | FL02**



**Lenin Trolley | FL03**



**BMW Trolley | FL04**





**Bedside Cabinet ABS | FST01**



**Bedside Cabinet STD | FST02**



**Bedside Cabinet DLX | FST03**







**Storage Rack** | FST04



**Sterile Cabinet** | FST05



**Work Table** | FST06



**CSSD Table** | FST07





**Revolving Stool SS** | FSE01



**Revolving Stool** | FSE02



**OT Stool** | FSE03



**OT Chair** | FSE04



**Phlebotomy Chair** | FSE05





**Three Seater Chair** | FSE06



**Three Seater Cushion Chair** | FSE07



**PU Waiting Chair** | FSE08





**Swab stand** | FG01    **Single bucket stand** | FG02    **Double bucket stand** | FG03



**IV Pole** | FG04

**Oxygen Cylinder Trolley** | FG05



**Step Stool** | FG06

**Double Step Stool** | FG07





**Scrub Station (Sensor Operated) | FG08**



**Scrub Station (Foot Operated) | FG09**



**Scrub Station (Elbow Operated) | FG10**



**Scrub Sink (Wall Mounted) | FG11**



**Instrument washing Scrub Station | FG12**



**CSSD Scrub Station | FG13**





📍 Hyderabad | Mumbai

**Registered Office:**

3-5-954, Narayanaguda, Hyderabad, Telangana - 500029, India.

**Branch Office:**

Plot no. 1521, Kusum Nivas, Chembur, Mumbai, MH - 400071, India

**Factory - Unit 1:**

Plot no. 55, Phase III, Cherlapally, Hyderabad, Telangana-500051, India.

**Factory - Unit 2:**

Plot no. 227 & 228, Korremula, Narapally, Hyderabad, Telangana - 561207, India.

**Contact:**

+91 789 302 8089

+91 913 373 3007

**Email:** [info@feeno.in](mailto:info@feeno.in)

**Website:** [www.feeno.in](http://www.feeno.in)

