PSI Labs California PSI LABS Monrovia, CA 91016

Tropicana Cherry Lab ID: 230824-680-MP-5

METRC Batch: ; METRC Sample: Sample ID: 2308PHS1074.3028 Strain: Tropicana Cherry Matrix: Plant Type: Flower - Cured Sample Size: ; Batch:

Cannabinoids

Produced: Collected: Received: Completed: 08/25/2023 Batch#:



Producer 3701 Moore Production LLC Lic.# 3701 W Moore Ave Santa Ana, CA 92704

Summary

(855) 734-6640

/www.psilabs.org/

Lic# C8-0000022-LIC

08/25/2023 08/25/2023

Date Tested

Result Pass Pass Complete

Pass

22.741% Total THC		ND		24.214% Total Cannabinoids		
		Total CBD				
Analyte	LOD	LOQ	Results	Results		
	mg/g	mg/g	%	mg/g		
THCa	0.01	0.01	25.930	259.30		
Δ9-THC	0.01	0.01	ND	ND		
Δ8-THC	0.01	0.01	ND	ND		
THCVa	0.01	0.10	0.278	2.78		
THCV	0.01	0.10	ND	ND		
CBDa	0.01	0.01	ND	ND		
CBD	0.01	0.01	ND	ND		
CBDVa	0.01	0.10	ND	ND		
CBDV	0.01	0.10	ND	ND		
CBN	0.01	0.10	ND	ND		
CBGa	0.01	0.10	1.402	14.02		
CBG	0.01	0.10	ND	ND		
CBC	0.01	0.10	ND	ND		
(6aR,9S)-d10-THC	0.01	0.01	ND	ND		
(6aR,9R)-d10-THC	0.01	0.01	ND	ND		
Total THC	0.01	0.01	22.741	227.410		
Total CBD			ND	ND		
Total			27.610	276.10		

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717





08/25/2023

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

1 of 2



(855) 734-6640 /www.psilabs.org/ Lic# C8-0000022-LIC **QA** Testing

2 of 2

Tropicana Cherry Lab ID: 230824-680-MP-5

METRC Batch: ; METRC Sample: Sample ID: 2308PHS1074.3028 Strain: Tropicana Cherry Matrix: Plant Type: Flower - Cured Cample Grav: Batch	Produced: Collected: Received: Completed: 08/25/2023	Producer 3701 Moore Production LLC Lic.# 3701 W Moore Ave State App. CA 92704	
Sample Size: ; Batch:	Batch#:	Santa Ana, CA 92704	

Terpenes

Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/g	%	
δ-Limonene	0.42	1.25	5.38	0.538	
β-Caryophyllene	0.42	1.25	3.92	0.392	
Linalool	0.42	1.25	1.49	0.149	
1,8-Cineole	0.42	1.25	ND	ND	
α-Bisabolol	0.17	0.50	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
α-Humulene	0.42	1.25	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
α-Pinene	0.42	1.25	ND	ND	
α-Terpinene	0.42	1.25	ND	ND	
β-Myrcene	0.42	1.25	ND	ND	
β-Ocimene	0.42	1.25	ND	ND	
β-Pinene	0.42	1.25	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Camphene	0.42	1.25	ND	ND	
Camphor	0.42	1.25	ND	ND	
cis-Nerolidol	0.13	0.39	ND	ND	
δ-3-Carene	0.42	1.25	ND	ND	
y-Terpinene	0.42	1.25	ND	ND	
Guaiol	0.17	0.50	ND	ND	
Isopulegol	0.42	1.25	ND	ND	
p-Cymene	0.42	1.25	ND	ND	
Terpinolene	0.42	1.25	ND	ND	
trans-Nerolidol	0.25	0.76	ND	ND	
Total			10.78	1.078	

Primary Aromas



Date Tested: 08/25/2023

LOQ = Link of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by GC-FID, SOP 6.02, 16 CCR §5725



Rkeledy

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Raquel Keledjian Lab Director 08/25/2023

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian