

REFERENCES

- [1] C. Adams, *The knot book. An elementary introduction to the mathematical theory of knots*, Revised reprint of the 1994 original, American Mathematical Society, Providence, RI, 2004. xiv+307 pp.
- [2] C. Adams, J. Brock, J. Bugbee, T. Comar, K. Faigin, A. Huston, A. Joseph, D. Pesikoff, *Almost alternating links*, *Topology Appl.* 46 (1992), no. 2, 151-165.
- [3] C. Adams, C., T. Kindred, *A classification of spanning surfaces for alternating links*, *Alg. Geom. Topology* 13 (2013), no. 5, 2967-3007. arXiv:1205.5520
- [4] R.J. Aumann, *Asphericity of alternating knots*, *Ann. of Math.* 64 (1956), 374-392.
- [5] S. Baader, *Hopf plumbing and minimal diagrams*, *Comment. Math. Helv.* 80 (2005), 631-642.
- [6] Y. Bae, H.R. Morton, *The spread and extreme terms of Jones polynomials*, *J. Knot Theory Ramifications* 12 (2003), 359-373.
- [7] J. Baldwin, O. Plamenevskaya, *Khovanov homology, open books, and tight contact structures*, (2008).
- [8] C.L.J. Balm, *Topics in knot theory: On generalized crossing changes and the additivity of the Turaev genus*, Thesis (Ph.D.) – Michigan State University (2013).
- [9] D. Bar-Natan, *On Khovanov's categorification of the Jones polynomial*, *Alg. Geom. Topology* 2 (2002), 337-370.
- [10] D. Bar-Natan, *Khovanov's homology for tangles and cobordisms*, *Geom. Topology* 9 (2005), 1443-1499.
- [11] D. Bar-Natan, J. Fulman, L.H. Kauffman, *An elementary proof that all spanning surfaces of a link are tube-equivalent*, *J. Knot Theory Ramifications* 7 (1998), no. 7, 873-879.
- [12] P. Bartholomew, S. McQuarrie, J. Purcell, K. Weser, *Volume and geometry of homogeneously adequate knots.*, *J. Knot Theory Ramifications* 24 (2015), no. 8, 1550044, 29pp.
- [13] K. Bessho, *Incompressible surfaces bounded by links*, Master Thesis, Osaka University, 1994 (in Japanese).

- [14] R. Blair, M. Campisi, S. Taylor, M. Tomova, *Distortion and the bridge distance of knots*, arXiv: 1705.08490.
- [15] F. Bonahon, L. Siebenmann, *New geometric splittings of classical knots and the classification and symmetries of arborescent knots*, independently published (1979), 365 pp.
- [16] A. Champanerkar, I. Kofman, *A survey on the Turaev genus of knots*, arXiv:1406.1945, preprint.
- [17] A. Champanerkar, I. Kofman, N. Stoltzfus, *Graphs on surfaces and Khovanov homology*, *Algebr. and Geom. Topol.* 7 (2007), 1531-1540.
- [18] A. Champanerkar, I. Kofman, N. Stoltzfus, *Quasi-tree expansion for the Bollobás-Riordan-Tutte polynomial*, *Bull. Lond. Math. Soc.* 43 (2011), no. 5, 972-984.
- [19] B.E. Clark, *Crosscaps and knots*, *Internat. J. Math. Math. Sci.* 1 (1978), no. 1, 113-123.
- [20] J.H. Conway, *An enumeration of knots and links and some of their algebraic properties*, 1970 *Computational Problems in Abstract Algebra* (Proc. Conf., Oxford, 1967), 329-358, Pergamon, Oxford
- [21] P.R. Cromwell, *Homogeneous links*, *J. London Math. Soc.* (2) 39 (1989), no. 3, 535-552.
- [22] O.T. Dasbach, D. Futer, E. Kalfagianni, X.-S. Lin, N. Stoltzfus, *The Jones polynomial and graphs on surfaces*, *J. Combin. Theory Ser. B* 98 (2008), no. 2, 384-399.
- [23] O.T. Dasbach, A. Lowrance, *Turaev genus, knot signature, and the knot homology concordance invariants*, *Proc. Amer. Math. Soc.* 139 (2011), no. 7, 2631-2645.
- [24] O.T. Dasbach, A. Lowrance, *A Turaev surface approach to Khovanov homology*, arXiv:1107.2344v2.
- [25] N. Dunfield, *A knot without a nonorientable essential spanning surface*, *Illinois J. Math.* 60 (2016), no. 1, 179-184.
- [26] I.A. Dynnikov, *A new way to represent links, one-dimensional formalism and un-tangling technology.*, *Acta Appl. Math.* 69 (2001), no. 3, 243-283.
- [27] D. Futer, E. Kalfagianni, J. Purcell, *Guts of surfaces and the colored Jones polynomial*, *Lecture Notes in Mathematics*, 2069. Springer, Heidelberg, 2013.

- [28] D. Futer, E. Kalfagianni, J. Purcell, *Quasifuchsian state surfaces*, Trans. Amer. Math. Soc. 366 (2014), no. 8, 4323-4343.
- [29] D. Gabai, *Foliations and topology of 3-manifolds I*, Bull. Amer. math. Soc. (N.S.) 8 (1983), no. 1, 77-80.
- [30] D. Gabai, *The Murasugi sum is a natural geometric operation*, Low-dimensional topology (San Francisco, Calif., 1981), 131-143, Contemp. Math., 20, Amer. Math. Soc., Providence, RI, 1983.
- [31] D. Gabai, *Foliations and genera of links*, Topology 23 (1984), no. 4, 381-394.
- [32] D. Gabai, *The Murasugi sum is a natural geometric operation II*, Combinatorial methods in topology and algebraic geometry (Rochester, N.Y., 1982), 93-100, Contemp. Math., 44, Amer. Math. Soc., Providence, RI, 1985.
- [33] D. Gabai, *Genera of the alternating links*, Duke Math J. Vol 53 (1986), no. 3, 677-681.
- [34] D. Gabai, *Genera of the arborescent links*, Mem. Amer. Math. Soc. 59 (1986), no. 339, i-viii and 1-98.
- [35] D. Gabai, *Detecting fibred links in S^3* , Comment. Math. Helv. 61 (1986), no. 4, 519-555.
- [36] D. Gabai, *Foliations and topology of 3-manifolds II*, J. Differential Geometry 26 (1987), 461-478.
- [37] D. Gabai, W.H.Kazez, *The classification of maps of surfaces*, Invent. Math. 90 (1987), no. 2, 219-242.
- [38] D. Gabai, W.H.Kazez, *The classification of maps of nonorientable surfaces*, Math. Ann. 281 (1988), no. 4, 687-702.
- [39] S. Garoufalidis, *The Jones slopes of a knot*, Quantum Topol. 2 (2011), no. 1, 43-69.
- [40] C. McA. Gordon, R.A. Litherland, *On the signature of a link*, Invent. Math. 47 (1978), no. 1, 53-69.
- [41] J. Greene, *Alternating links and definite surfaces*, with an appendix by A. Juhasz, M Lackenby, Duke Math. J. 166 (2017), no. 11, 2133-2151.
- [42] M. Gromov, *Filling Riemannian manifolds*, J. Differential Geom. 18 (1983), no. 1, 1-147.

- [43] J. Harer, *How to construct all fibered knots and links*, *Topology* 21 (1982), no. 3, 263-280.
- [44] A. Hatcher, *Notes on basic 3-manifold topology*, unpublished.
- [45] A. Hatcher, W. Thurston, *Incompressible surfaces in 2-bridge knot complements*, *Inv. Math.* 79 (1985), 225-246.
- [46] M. Hirasawa, M. Teragaito, *Crosscap numbers of 2-bridge knots*, *Topology* 45 (2006), no. 3, 513-530.
- [47] J. Hoste, M. Thistlethwaite, J. Weeks, *The first 1,701,936 knots*, *Math. Intelligencer* 20 (1998), no. 4, 33-48.
- [48] J. Howie, *Boundary slopes of some non-Montesinos knots*, arXiv:1401.2726v1
- [49] J. Howie, *A characterisation of alternating knot exteriors*, *Geom. Topol.* 21 (2017), no. 4, 2353-2371.
- [50] M. Hughes, S. Kim, *Immersed Mobius bands in knot complements*, arXiv:1801.00320
- [51] K. Ichihara, S. Mizushima, *Crosscap numbers of pretzel knots*, *Topology Appl.* 157 (2010), no. 1, 193-201.
- [52] K. Ichihara, M. Ozawa, *Accidental surfaces and exceptional surgeries*, *Osaka J. Math.* 39 (2002), no. 2, 335-343.
- [53] M. Jacobsson, *An invariant of link cobordisms from Khovanov homology*, *Algebr. Geom. Topol.* 4 (2004), 1211-1251.
- [54] J. Johnson, Y. Moriah, *Bridge distance and plat projections*, *Algebr. Geom. Topol.* 16 (2016), no. 6, 3361-3384.
- [55] V.F.R. Jones, *A polynomial invariant for knots via von Neumann algebras*, *Bull. Amer. Math. Soc. (N.S.)* 12 (1985), no. 1, 103-111.
- [56] E. Kalfagianni, C. Lee, *Crosscap numbers and the Jones polynomial*, *Adv. Math.* 286 (2016), 308-337.
- [57] L.H. Kauffman, *State models and the Jones polynomial*, *Topology* 26 (1987), no. 3, 395-407.
- [58] L.H. Kauffman, *The Conway polynomial*, *Topology* 20 (1981), no. 1, 101-108.

- [59] M. Khovanov, *A categorification of the Jones polynomial*, Duke Math. J. 101 (2000) 359-426.
- [60] M. Khovanov, *Patterns in knot cohomology I*, Experiment. Math. 12 (2003), no. 3, 365-374.
- [61] P.B. Kronheimer; T.S. Mrowka, *Khovanov homology is an unknot-detector*, Publ. Math. Inst. Hautes tudes Sci. No. 113 (2011), 97-208.
- [62] R.H. Kyle, *Branched covering spaces and the quadratic forms of links*, Ann. of Math. (2) 59, 539-548.
- [63] E.S. Lee, *The support of the Khovanov's invariants for alternating knots*, arXiv:math.GT/0210213 (2002).
- [64] E.S. Lee, *An endomorphism of the Khovanov invariant*, Adv. Math. 197 (2005), no 2, 554-586.
- [65] W.B.R. Lickorish and M.B. Thistlethwaite, *Some links with non-trivial polynomials and their crossing numbers*, Comment. Math. Helv. 63 (1988), no. 4, 527-539.
- [66] A. Lowrance, *On knot Floer width and Turaev genus*, Algebr. Geom. Topol. 8 (2008), no. 2, 1141-1162.
- [67] H. Lyon, *Knots without unknotted incompressible spanning surfaces*, Proc. Amer. Math. Soc. 35 (1972), no. 2, 617-620.
- [68] E.J. Mayland Jr., K. Murasugi, *On a structural property of the groups of alternating links*, Canad. J. Math. 28 (1976), no. 3, 568-588.
- [69] W. Menasco, *Closed incompressible surfaces in alternating knot and link complements*, Topology 23 (1984), no. 1, 37-44.
- [70] W. Menasco, *Determining incompressibility of surfaces in alternating knot and link complements*, Pacific J. Math. 117 (1985), no. 2, 353-370.
- [71] W. Menasco, M. Thistlethwaite, *The Tait flyping conjecture*, Bull. Amer. Math. Soc. (N.S.) 25 (1991), no. 2, 403-412.
- [72] Menasco, William, Thistlethwaite, Morwen *A geometric proof that alternating knots are nontrivial*, Math. Proc. Cambridge Philos. Soc. 109 (1991), no. 3, 425-431.
- [73] W. Menasco, M. Thistlethwaite, *Surfaces with boundary in alternating knot exteriors*, J. Reine Angew. Math. 426 (1992), 47-65.

- [74] W. Menasco, M. Thistlethwaite, *The classification of alternating links*, Ann. of Math. (2) 138 (1993), no. 1, 113-171.
- [75] J. M. Montesinos, *Varietades de Seifert que son Recubridores Ciclicies de dos Hojas*, Bol. Soc. Math. Mexicana, 18 (1973), 1-32.
- [76] H.R. Morton, *Seifert circles and knot polynomials*, Math. Proc. Cambridge Philos. Soc. 99 (1986), no. 1, 107-109.
- [77] H. Murakami, A. Yasuhara, *Crosscap number of a knot*, Pacific J. Math. 171 (1995), no. 1, 261-273.
- [78] K. Murasugi, *On the Alexander polynomials of the alternating knot*, Osaka Math. J. 10 (1958), 181-189.
- [79] K. Murasugi, *On a certain subgroup of the group of an alternating link*, Amer. J. Math. 85 (1963), 544-550.
- [80] K. Murasugi, *Signatures and Alexander polynomials of two-bridge knots*. C. R. Math. Rep. Acad. Sci. Canada 5 (1983), no. 3, 133-136.
- [81] K. Murasugi, *On the Alexander polynomial of alternating algebraic knots*. J. Austral. Math. Soc. Ser. A 39 (1985), no. 3, 317-333.
- [82] K. Murasugi, *Jones polynomials and classical conjectures in knot theory*, Topology 26 (1987), no. 2, 187-194.
- [83] K. Murasugi, J. Przytycki, *The skein polynomial of a planar star product of two links*, Math. Proc. Cambridge Philos. Soc. 106 (1989), no. 2, 273-276.
- [84] M. Ozawa, *Additivity of free genus of knots*. Topology 40 (2001), no. 4, 659-665.
- [85] M. Ozawa, *Non-triviality of generalized alternating knots*, J. Knot Theory Ramifications 15 (2006), no. 3, 351-360. arXiv:math/0504012
- [86] M. Ozawa, *Essential state surfaces for knots and links*, J. Aust. Math. Soc. 91 (2011), no. 3, 391-404.
- [87] M. Ozawa, *Bridge position and the representativity of spatial graphs*, Topology Appl. 159 (2012), no. 4, 936-947. arXiv:0909.1162
- [88] M. Ozawa, *The representativity of pretzel knots*, J. Knot Theory Ramifications 21 (2012), no. 2, 1250016, 13 pp. arXiv:0911.2979

- [89] M. Ozawa, J.H. Rubinstein, *On the Neuwirth conjecture for knots*, Comm. Anal. Geom. 20 (2012), no. 5, 1019-1060.
- [90] J. Pardon, *A link concordance invariant from Lee homology*, Algebr. Geom. Topol. 6 (2006), 1081-1098.
- [91] J. Pardon, *On the distortion of knots on embedded surfaces*, Ann. of Math. (2) 174 (2011), no. 1, 637-646. arXiv:1010.1972
- [92] O. Plamenevskaya, *Transverse knots and Khovanov homology*, Math. Res. Lett. 13 (2006), no. 4, 571-586.
- [93] P.G. Tait, *On Knots I, II, and III*, Scientific papers 1 (1898), 273-347.
- [94] M. Teragaito, *Crosscap numbers of torus knots*, Topology Appl. 138 (2004), no. 1-3, 219-238.
- [95] M.B. Thistlethwaite, *A spanning tree expansion of the Jones polynomial*, Topology 26 (1987), no. 3, 297-309.
- [96] L. Traldi, *Link mutations and Goeritz matrices*, arXiv:1712.02428.
- [97] L. Tu, *Introduction to manifolds*, Second edition, Universitext, Springer, New York, 2011. xviii+411 pp.
- [98] V.G. Turaev, *A simple proof of the Murasugi and Kauffman theorems on alternating links*, Enseign. Math. (2) 33 (1987), no. 3-4, 203-225.
- [99] V. Turaev, P. Turner, *Unoriented TQFT and link homology*, Algebr. Geom. Topol. 12 (2012), 1069-1093.
- [100] O. Viro, *Khovanov homology, its definitions and ramifications*, Fund. Math. 184 (2004), 317-342.
- [101] S. Wehrli, *A spanning tree model for Khovanov homology*, J. Knot Theory Ramifications 17 (2008), no. 12, 1561-1574.
- [102] S. Wehrli, *Mutation invariance of Khovanov homology over \mathbb{F}_2* , Quantum Topol. 1 (2010), no. 2, 111-128.
- [103] H. Whitney, *On the topology of differentiable manifolds*, Lectures in topology, pp. 101-141. University of Michigan Press, Ann Arbor, Mich., 1941.
- [104] R. Yamamoto, *Stallings twists which can be realized by plumbing and deplumbing Hopf bands*, J. Knot Theory Ramifications 12 (2003), no. 6, 867-876.

- [105] A. Yasuhara, *An elementary proof that all unoriented spanning surfaces of a link are related by attaching/deleting tubes and Mobius bands*, J. Knot Theory Ramifications 23 (2014), no. 1, 5 pp.