



Model  
**S-3420**



Model  
**S-3600**



## *Over The Patient Systems*

BDS offers a variety of arm-mounted Over the Patient Delivery Systems. Our wide range of configurations include traditional three handpiece systems, a European style and simple hygiene controls. We have a configuration to suit any need, from a new operator to replacement equipment.

Durability by Design  
[www.beaverstatedental.com](http://www.beaverstatedental.com)  
800.237.2303

- Clean &  
Contemporary

# Over-the-Patient *Systems*

## S-3600 and S-3606

- Three-handpiece automatic with air/water controls
  - Plastic cover with smooth edges
  - Ergonomic, easy-access controls
  - Heavy-duty, pneumatic air-brake flex-arm (24" rigid and 24" flex sections with 24" vertical travel)
  - System Purge feature flushes entire water system and replaces with clean water
  - 107-145 Unit mount touch pad available on S-3600, S-3606, S-3630 & S-3636 only.
- 
- S-3600 = Over-post mount (shown)
  - S-3606 = Top-post mount



**Unit Mount Touch Pad  
107-145**  
available on S-3600,  
S-3606, S-3630  
& S-3636

*Unit head dimensions (w x d) (15.5" x 15.5")*

## S-3630 and S-3636

- Three-handpiece automatic with air/water controls
  - Plastic cover with smooth edges
  - Ergonomic, easy-access controls
  - Heavy-duty, pneumatic air-brake flex-arm (24" rigid and 24" flex sections with 24" vertical travel)
  - System Purge feature flushes entire water system and replaces with clean water
  - 107-145 Unit mount touch pad available on S-3600, S-3606, S-3630 & S-3636 only.
  - Unit mount swivel tray 9-3/4" x 13-1/2"
- 
- S-3630 = Over-post mount (shown)
  - S-3636 = Top-post mount



*Unit head dimensions (w x d) (15.5" x 15.5")*

## S-3420 and S-3426

- Three-handpiece automatic with air/water controls
  - Manual counter-balanced flex-arm (27.5" rigid and 26.5" flex sections with 27" vertical travel)
  - Suitable for doctor or hygienist use
- 
- S-3420 = Over-post mount (shown)
  - S-3426 = Top-post mount



*Unit head dimensions (w x d) (10.5" x 8")*

## Model

### **S-6300 and S-6307**

- Three-handpiece automatic with air/water controls
- Ergonomic and functional Euro styling
- Side mount, recessed controls
- Heavy-duty, pneumatic air-brake flex-arm (24" rigid and 24" flex sections with 24" vertical travel)
- System Purge feature flushes entire water system and replaces with clean water
  
- S-6300 = Over-post mount
- S-6307 = Top-post mount (shown)



*Unit head dimensions (w x d) (13.25" x 11.5")*

## Model

### **S-3300 and S-3306**

- Three-handpiece automatic with air/water controls
- Rugged aluminum cover
- Side mount, recessed controls
- Heavy-duty, pneumatic air-brake flex-arm (24" rigid and 24" flex sections with 24" vertical travel)
- System Purge feature flushes entire water system and replaces with clean water
  
- S-3300 = Over-post mount (shown)
- S-3306 = Top-post mount



*Unit head dimensions (w x d) (14" x 14")*

## Model

### **S-2500 and S-2506**

- Two-handpiece automatic with air/water controls
- Manual counter-balanced flex-arm (27.5" rigid and 26.5" flex sections with 27" vertical travel)
- Fixed instrument tray
- Designed for hygienist use

- S-2500 = Over-post mount (shown)
- S-2506 = Top-post mount



*Unit head dimensions (w x d) (8" x 6")*

Features of Over-the-Patient Systems	S-3600	S-3606	S-3630	S-3636	S-3300	S-3306	S-6300	S-6307	S-3420	S-3426	S-2500	S-2506
2 handpiece automatic control											■	■
3 handpiece automatic control	■	■	■	■	■	■	■	■	■	■		
3-way air/water syringe	■	■	■	■	■	■	■	■	■	■	■	■
Master on/off toggle with indicator	■	■	■	■	■	■	■	■				
Master on/off toggle									■	■	■	■
Pressure adjustment for each handpiece	■	■	■	■	■	■	■	■	■	■	■	■
Easy to read pressure gauge	■	■	■	■	■	■	■	■	■	■	■	■
Non-retracting water coolant with adjustment									■	■	■	■
Non-retracting water coolant, adjustment, & purge	■	■	■	■	■	■	■	■				
Air coolant adjustment	■	■	■	■	■	■	■	■				
Asepsis handpiece tubing	■	■	■	■	■	■	■	■	■	■	■	■
Stainless Steel instrument tray, with non-slip pad					■	■	■	■				
Asepsis flex-arm system with pneumatic brake	■	■	■	■	■	■	■	■				
Manual flex-arm system with friction brake									■	■	■	■
Unit mount post, 28"		■		■		■		■		■		■
Standard disc foot control	■	■	■	■	■	■	■	■	■	■	■	■
Utility center assembly with master valves & regulators	■	■	■	■	■	■	■	■	■	■	■	■
7' umbilical tubing	■	■	■	■	■	■	■	■	■	■	■	■



Hand Built  
in the USA

115 S. Elliott Rd.  
Newberg, OR 97132  
800.237.2303

[www.beaverstatedental.com](http://www.beaverstatedental.com)

