



Customer ID: 231110-1

Certificate of Analysis

Company: Guy's Greens LLC Sample ID: Fruity Pebbles

Date Sampled: N/A Analyst: 048

Grower License #: SCLT0280 Date Received: 11/10/2023 Report ID: C231110CL

Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	1.181	0.118
Camphene	0.010	0.203	0.020
β-Myrcene	0.010	0.916	0.092
b-Pinene	0.010	1.595	0.160
3-Carene	0.010	0.029	0.003
α-Terpinene	0.010	0.027	0.003
Limonene	0.010	7.168	0.717
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.386	0.039
Y-Terpinene	0.010	0.045	0.005
Terpinolene	0.010	0.079	0.008
Linalool	0.010	0.284	0.028
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	4.025	0.403
α-Humulene	0.010	2.000	0.200
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	0.241	0.024
Caryophyllene Oxide	0.010	0.061	0.006
α-Bisabolol	0.010	0.032	0.003
Total Terpenes		18.272	1.829

8.57%

Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:

Luke K.M

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)