

## TABLE SAWS

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
8-1/4"	<a href="#">AC-21060DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8-1/4"	<a href="#">IA-21060DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8-1/4"	<a href="#">ML-21060H</a>	60	5/8"	<a href="#">HATB</a>	-5	.118"	7300
8-1/4"	<a href="#">PRF-21048BW</a>	48	5/8"KO	<a href="#">MTCG</a>	0	.087"	5800
8-1/4"	<a href="#">PT-21018</a>	18	5/8"KO	<a href="#">ATB</a>	25	.075"	7300
8-1/4"	<a href="#">PT-21040</a>	40	5/8"KO	<a href="#">ATB</a>	15	.079"	7300
8-1/4"	<a href="#">PT-21060</a>	60	5/8"KO	<a href="#">ATAF</a>	12	.079"	7300
250mm	<a href="#">IL-25080H3</a>	80	30mm	<a href="#">HATB</a>	-5	.118"	5870
250mm	<a href="#">IW-25040CBD3</a>	40	30mm	<a href="#">ATB</a>	20	.128"	5870
250mm	<a href="#">IW-25080AB3</a>	80	30mm	<a href="#">ATAFR</a>	10	.128"	5870
250mm	<a href="#">IW-25580ABD3</a>	80	30mm	<a href="#">ATBR</a>	15	.128"	5870
250mm	<a href="#">IW-25080D3</a>	80	30mm	<a href="#">TCG</a>	10	.128"	5870
10"	<a href="#">BP-25506</a>	6	5/8"	<a href="#">FTG</a>	8	.098"	5870
10"	<a href="#">BP-25532</a>	32	5/8"	<a href="#">ATAF</a>	5	.091"	5870
10"	<a href="#">GM-25540</a>	40	5/8"	<a href="#">ATB</a>	20	.111"	5870
10"	<a href="#">IL-25580H1</a>	80	5/8"	<a href="#">HATB</a>	-5	.118"	5870
10"	<a href="#">IS-25560D1</a>	60	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">IW-25524CBD1</a>	24	5/8"	<a href="#">ATB</a>	20	.126"	5870
10"	<a href="#">IW-25530D1</a>	30	5/8"	<a href="#">TCG</a>	20	.142"	5870
10"	<a href="#">IW-25540CBD1</a>	40	5/8"	<a href="#">ATB</a>	10	.118"	5870
10"	<a href="#">IW-25540D1</a>	40	5/8"	<a href="#">TCG</a>	10	.118"	5870
10"	<a href="#">IW-25560CBD1</a>	60	5/8"	<a href="#">ATB</a>	10	.118"	5870
10"	<a href="#">IW-25560D1</a>	60	5/8"	<a href="#">TCG</a>	10	.118"	5870
10"	<a href="#">ML-255100AB</a>	100	5/8"	<a href="#">ATAFR</a>	0	.118"	5870
10"	<a href="#">ML-255100H</a>	100	5/8"	<a href="#">HATB</a>	-5	.118"	5870
10"	<a href="#">ML-25580AB</a>	80	5/8"	<a href="#">ATAFR</a>	0	.118"	5870
10"	<a href="#">ML-25580H</a>	80	5/8"	<a href="#">HATB</a>	-5	.118"	5870
10"	<a href="#">PC-25580CB</a>	80	5/8"	<a href="#">ATAF</a>	5	.102"	5870
10"	<a href="#">PR-255100AB</a>	100	5/8"	<a href="#">ATAFR</a>	15	.118"	5870
10"	<a href="#">PR-25560CBN</a>	60	5/8"	<a href="#">ATB</a>	20	.110"	5870
10"	<a href="#">PR-25560D</a>	60	5/8"	<a href="#">TCG</a>	10	.110"	5870
10"	<a href="#">PR-25580CBN</a>	80	5/8"	<a href="#">ATB</a>	20	.118"	5870

10"	<a href="#">PR-25580D</a>	80	5/8"	<a href="#">TCG</a>	10	.118"	5870
10"	<a href="#">PRP-255120AB3</a>	120	5/8"	<a href="#">ATAFR</a>	0	.079"	5870
10"	<a href="#">PRP-25580CB</a>	80	5/8"	<a href="#">ATAF</a>	5	.125"	5870
10"	<a href="#">PRS-25560</a>	60	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">PRS-25580</a>	80	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">RS-25524CBN</a>	24	5/8"	<a href="#">ATB</a>	20	.126"	5870
10"	<a href="#">RS-25524-U</a>	24	5/8"	<a href="#">ATB</a>	20	.079"	5870
10"	<a href="#">RS-25536CBN</a>	36	5/8"	<a href="#">ATB</a>	20	.126"	5870
10"	<a href="#">RS-25540</a>	40	5/8"	<a href="#">ATAF</a>	15	.118"	5870
10"	<a href="#">RS-25540-U</a>	40	5/8"	<a href="#">ATAF</a>	20	.079"	5870
10"	<a href="#">RS-25548CBN</a>	48	5/8"	<a href="#">ATB</a>	20	.126"	5870
10"	<a href="#">RS-25550</a>	50	5/8"	<a href="#">ATBR</a>	15	.125"	5870
10"	<a href="#">RS-25550-2</a>	50	5/8"	<a href="#">ATBR</a>	15	.125"	5870
10"	<a href="#">RS-25560</a>	60	5/8"	<a href="#">ATAF</a>	10	.118"	5870
10"	<a href="#">RS-25560D</a>	60	5/8"	<a href="#">TCG</a>	10	.126"	5870
300mm	<a href="#">IL-300100H3</a>	100	30mm	<a href="#">HATB</a>	-5	.118"	5000
30mm	<a href="#">IW-30028CBD3</a>	28	30mm	<a href="#">ATB</a>	25	.128"	5000
300mm	<a href="#">IW-30050CBD3</a>	50	30mm	<a href="#">ATB</a>	20	.128"	5000
300mm	<a href="#">IW-300100AB3</a>	100	30mm	<a href="#">ATAFR</a>	10	.128"	5000
300mm	<a href="#">IW-300100ABD3</a>	100	30mm	<a href="#">ATBR</a>	15	.128"	5000
300mm	<a href="#">IW-300100D3</a>	100	30mm	<a href="#">TCG</a>	10	.128"	5000
12"	<a href="#">BP-30540</a>	40	1"	<a href="#">ATAF</a>	5	.091"	5000
12"	<a href="#">GM-30560</a>	60	1"	<a href="#">ATB</a>	20	.118"	5000
12"	<a href="#">IL-305100H2</a>	100	1"	<a href="#">HATB</a>	-5	.118"	5000
12"	<a href="#">IS-30580D2</a>	80	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">IW-30528CBD2</a>	28	1"	<a href="#">ATB</a>	20	.126"	5000
12"	<a href="#">IW-30536D2</a>	36	1"	<a href="#">TCG</a>	20	.157"	5000
12"	<a href="#">IW-30550AB2A</a>	50	1"	<a href="#">ATAFR</a>	20	.118"	5000
12"	<a href="#">ML-305100AB</a>	100	1"	<a href="#">ATAFR</a>	0	.126"	5000
12"	<a href="#">ML-305100H</a>	100	1"	<a href="#">HATB</a>	-5	.126"	4700
12"	<a href="#">ML-305120AB</a>	120	1"	<a href="#">ATAFR</a>	0	.126"	5000
12"	<a href="#">ML-30580H</a>	80	1"	<a href="#">HATB</a>	-5	.126"	5000
12"	<a href="#">PC-305100CB</a>	100	1"	<a href="#">ATAF</a>	5	.110"	5000
12"	<a href="#">PR-305100AB</a>	100	1"	<a href="#">ATAFR</a>	15	.118"	5000
12"	<a href="#">PR-30560CBN</a>	60	1"	<a href="#">ATB</a>	20	.118"	5000

12"	<a href="#">PR-30580CBN</a>	80	1"	<a href="#">ATB</a>	20	.118"	5000
12"	<a href="#">PRP-305100CB</a>	100	1"	<a href="#">ATAF</a>	5	.134"	5000
12"	<a href="#">PRS-305100</a>	100	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">PRS-30580</a>	80	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">RS-30524CBN</a>	24	1"	<a href="#">ATB</a>	20	.134"	5000
12"	<a href="#">RS-30536CBN</a>	36	1"	<a href="#">ATB</a>	20	.134"	5000
12"	<a href="#">RS-30548CBN</a>	48	1"	<a href="#">ATB</a>	20	.134"	5000
12"	<a href="#">RS-30560</a>	60	1"	<a href="#">ATBR</a>	15	.134"	5000
350mm	<a href="#">IL-350100H3</a>	100	30mm	<a href="#">HATB</a>	-5	.118"	4300
350mm	<a href="#">IW-35032CBD3</a>	32	30mm	<a href="#">ATB</a>	25	.136"	4300
350mm	<a href="#">IW-35060CBD3</a>	60	30mm	<a href="#">ATB</a>	20	.136"	4300
350mm	<a href="#">IW-350100AB3</a>	100	30mm	<a href="#">ATAFR</a>	10	.136"	4300
350mm	<a href="#">IW-350100ABD3</a>	100	30mm	<a href="#">ATBR</a>	15	.136"	4300
350mm	<a href="#">IW-350100D3</a>	100	30mm	<a href="#">TCG</a>	10	.136"	4300
14"	<a href="#">GM-35560</a>	60	1"	<a href="#">ATB</a>	20	.126"	4300
14"	<a href="#">IW-35532CBD2</a>	32	1"	<a href="#">ATB</a>	20	.138"	4300
14"	<a href="#">IW-35540D2</a>	40	1"	<a href="#">TCG</a>	20	.157"	4300
14"	<a href="#">ML-355100H</a>	100	1"	<a href="#">HATB</a>	-5	.126"	4700
14"	<a href="#">ML-355100HE</a>	100	1"	<a href="#">HATB</a>	-5	.126"	4700
14"	<a href="#">ML-355120AB</a>	120	1"	<a href="#">ATAFR</a>	0	.126"	4300
14"	<a href="#">PC-355100CB</a>	100	1"	<a href="#">ATAF</a>	5	.118"	4300
14"	<a href="#">PR-355100AB</a>	100	1"	<a href="#">ATAFR</a>	15	.118"	4300
14"	<a href="#">PR-35580AB</a>	80	1"	<a href="#">ATAFR</a>	15	.118"	4300
14"	<a href="#">PRP-355100CB</a>	100	1"	<a href="#">ATAF</a>	5	.134"	4300
14"	<a href="#">PRS-355100</a>	100	1"	<a href="#">TCG</a>	-5	.126"	4300
14"	<a href="#">RS-35524CBN</a>	24	1"	<a href="#">ATB</a>	20	.142"	4300
14"	<a href="#">RS-35536CBN</a>	36	1"	<a href="#">ATB</a>	20	.142"	4300
14"	<a href="#">RS-35548CBN</a>	48	1"	<a href="#">ATB</a>	20	.142"	4300
16"	<a href="#">PR-405100CBN</a>	100	1"	<a href="#">ATB</a>	20	.126"	3690
16"	<a href="#">RS-40536CBN</a>	36	1"	<a href="#">ATB</a>	20	.134"	3690
16"	<a href="#">RS-40560CB</a>	60	1"	<a href="#">ATAF</a>	15	.134"	3690

## CIRCULAR SAWS

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
7"	<a href="#">HM-18036D</a>	36	20mm	<a href="#">TCG</a>	2	.067"	4000
7"	<a href="#">HMC-18036BW</a>	36	20mm	<a href="#">MTCG</a>	0	.073"	4000
7"	<a href="#">SPS-18064</a>	56	20mm	<a href="#">MTCG</a>	0	.063"	4000
7"	<a href="#">TSD-180D</a>	N/A	5/8"KO	<a href="#">TSD</a>	N/A	.089"	8300
7-1/4"	<a href="#">AC-18560D</a>	60	5/8"KO	<a href="#">TCG</a>	0	.079"	8300
7-1/4"	<a href="#">IA-18560D</a>	60	5/8"KO	<a href="#">TCG</a>	0	.079"	8300
7-1/4"	<a href="#">BP-18505</a>	5	5/8"KO	<a href="#">FTG</a>	12	.091"	8300
7-1/4"	<a href="#">BP-18524</a>	24	5/8"KO	<a href="#">FTG</a>	10	.075"	8300
7-1/4"	<a href="#">HM-18536D</a>	36	5/8"	<a href="#">TCG</a>	2	.067"	4800
7-1/4"	<a href="#">HMC-18536BW</a>	36	5/8"	<a href="#">MTCG</a>	0	.073"	4800
7-1/4"	<a href="#">PC-18560CB</a>	60	5/8"KO	<a href="#">ATAF</a>	5	.079"	8300
7-1/4"	<a href="#">PRA-18560D</a>	60	5/8"KO	<a href="#">TCG</a>	0	.110"	8300
7-1/4"	<a href="#">PRF-18536BWK</a>	36	5/8"KO	<a href="#">MTCG</a>	0	.079"	8300
7-1/4"	<a href="#">PRF-18536BWK2</a>	36	20mm	<a href="#">MTCG</a>	0	.079"	8300
7-1/4"	<a href="#">PRF-18538BW</a>	38	5/8"KO	<a href="#">ATB</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18538BW2</a>	38	20mm	<a href="#">ATB</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18538DS</a>	38	5/8"KO	<a href="#">TCG</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18548BW</a>	48	5/8"KO	<a href="#">ATB</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18548BW2</a>	48	20mm	<a href="#">ATB</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18548BWK</a>	48	5/8"KO	<a href="#">MTCG</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18548BWK2</a>	48	20mm	<a href="#">MTCG</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18548DS</a>	48	5/8"KO	<a href="#">TCG</a>	0	.079"	5800
7-1/4"	<a href="#">PRF-18556CB</a>	56	5/8"KO	<a href="#">ATAF</a>	-10	.071"	5800
7-1/4"	<a href="#">PRF-18570BW2</a>	70	20mm	<a href="#">ATB</a>	-10	.069"	5800
7-1/4"	<a href="#">PRF-18570CBN</a>	70	5/8"KO	<a href="#">ATB</a>	-10	.069"	5800
7-1/4"	<a href="#">PRS-18540</a>	40	5/8"KO	<a href="#">TCG</a>	-5	.094"	5800
7-1/4"	<a href="#">PT-18516B</a>	16	5/8"KO	<a href="#">ATB</a>	27	.073"	8300
7-1/4"	<a href="#">PT-18520B</a>	20	5/8"KO	<a href="#">ATB</a>	27	.073"	8300
7-1/4"	<a href="#">PT-18524AM</a>	24	5/8"KO	<a href="#">ATB</a>	20	.070"	8300
7-1/4"	<a href="#">PT-18524-P</a>	24	5/8"KO	<a href="#">ATB</a>	20	.070"	8300
7-1/4"	<a href="#">PT-18524V</a>	24	5/8"KO	<a href="#">ATB</a>	20	.070"	8300

7-1/4"	<a href="#">PT-18540</a>	40	5/8"KO	<a href="#">ATB</a>	27	.073"	8300
7-1/4"	<a href="#">PT-18540CB</a>	40	5/8"KO	<a href="#">ATAF</a>	12	.073"	8300
7-1/4"	<a href="#">PT-18540-T</a>	40	5/8"KO	<a href="#">ATB</a>	18	.063"	8300
7-1/4"	<a href="#">PT-18552-T</a>	52	5/8"KO	<a href="#">ATAF</a>	18	.063"	8300
7-1/4"	<a href="#">SL-18552</a>	52	5/8"KO	<a href="#">ATAF</a>	18	.063"	8300
7-1/4"	<a href="#">SL-18560C</a>	60	5/8"KO	<a href="#">ATAF</a>	15	.063"	8300
8"	<a href="#">HM-20342D</a>	42	5/8"	<a href="#">TCG</a>	2	.067"	4300
8"	<a href="#">HMC-20342BW</a>	42	5/8"	<a href="#">MTCG</a>	0	.073"	4300
8"	<a href="#">HMC-20342DM</a>	42	5/8"	<a href="#">TCG</a>	-5	.065"	4300
8"	<a href="#">SPS-20372</a>	72	5/8"	<a href="#">MTCG</a>	0	.071"	3000
8-1/4"	<a href="#">AC-21060DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8-1/4"	<a href="#">IA-21060DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8-1/4"	<a href="#">ML-21080AB</a>	80	5/8"	<a href="#">ATAFR</a>	0	.110"	7300
8-1/4"	<a href="#">PRF-21048BW</a>	48	5/8"KO	<a href="#">MTCG</a>	0	.087"	5800
8-1/4"	<a href="#">PRF-21048BWK</a>	48	5/8"KO	<a href="#">MTCG</a>	0	.079"	5800
8-1/4"	<a href="#">PT-21018</a>	18	5/8"KO	<a href="#">ATB</a>	25	.075"	7300
8-1/4"	<a href="#">PT-21040</a>	40	5/8"KO	<a href="#">ATB</a>	15	.079"	7300
8-1/4"	<a href="#">PT-21060</a>	60	5/8"KO	<a href="#">ATAF</a>	12	.079"	7300
9"	<a href="#">HM-23048D</a>	48	1"	<a href="#">TCG</a>	2	.067"	3000
9"	<a href="#">HMC-23048BW</a>	48	1"	<a href="#">MTCG</a>	0	.073"	3000
9"	<a href="#">SPS-23080</a>	80	1"	<a href="#">MTCG</a>	0	.071"	3000
10"	<a href="#">BP-25506</a>	6	5/8"	<a href="#">FTG</a>	8	.098"	5870
10"	<a href="#">PRF-25550D</a>	50	1", 5/8"	<a href="#">TCG</a>	0	.098"	1900
10"	<a href="#">PRF-25550DS</a>	50	1", 5/8"	<a href="#">TCG</a>	0	.098"	1900
10-1/4"	<a href="#">PT-26036</a>	36	5/8"KO	<a href="#">ATAF</a>	20	.079"	5870
16"	<a href="#">PR-405100CBN</a>	100	1"	<a href="#">ATB</a>	20	.126"	3690
16"	<a href="#">RS-40536CBN</a>	36	1"	<a href="#">ATB</a>	20	.134"	3690
16"	<a href="#">RS-400560CB</a>	100	1"	<a href="#">ATAF</a>	15	.134"	3690

## RADIAL ARM SAWS

---

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
10"	<a href="#">IW-25540AB1</a>	40	5/8"	<a href="#">ATBR</a>	-3	.079"	5870
12"	<a href="#">IW-30550AB2</a>	50	1"	<a href="#">ATBR</a>	-3	.079"	5000
14"	<a href="#">IW-35560AB2</a>	60	1"	<a href="#">ATBR</a>	-3	.087"	4300
15"	<a href="#">IW-38060AB2</a>	60	1"	<a href="#">ATBR</a>	-3	.087"	4020

## PLUNGE-CUT SAW BLADE SERIES



TENRYU proudly introduces a new choice of quality saw blades for plunge cut saws. These blades are suitable for:

- The FESTOOL® TS55 & TS75 machines
- and others



5 years R&D work and study for ultimate plunge-cut saw blades in various applications.

- **Resin filled laser cut slots to reduce cutting noise and to reduce vibration**
- **PTFE coated plate to reduce pitch build-up and to lower resistance**
- **Select grade of carbide tips for industrial quality jobs**
- **ATAF shear face grind for splinter-free cross cuts**

Note: Miter Saw Blades for FESTOOL KAPEX miter saw are available.

### PLUNGE-CUT SAW BLADE SERIES

MODEL #	DIA.	TEETH	ARBOR	GRIND	KERF	RAKE	PLATE	APPLICATION
PSW-16012CBD2	160mm	12	20mm	<a href="#">ATB</a>	.087"	20	.063"	Wood (Rip cuts)
PSW-16028CBD2	160mm	28	20mm	<a href="#">ATB</a>	.087"	15	.063"	Wood (Combination)
PSW-16048AB2	160mm	48	20mm	<a href="#">ATAFR</a>	.087"	10	.063"	Wood (Cross cuts)
PSL-16048ABM2	160mm	48	20mm	<a href="#">ATAFR</a>	.087"	-5	.063"	Melamine
PSL-16048D2	160mm	48	20mm	<a href="#">TCG</a>	.087"	5	.063"	Laminate Flooring
PSA-16056D2	160mm	56	20mm	<a href="#">TCG</a>	.087"	-3	.063"	Aluminum
PSW-16052CB2TK	160mm	52	20mm	<a href="#">ATAF</a>	.063"	15	.040"	Wood (Finish cuts) with Rivin
PSW-21018CBD3	210mm	18	30mm	<a href="#">ATB</a>	.094"	20	.063"	Fast ripping on wood
PSW-21036CBD3	210mm	36	30mm	<a href="#">ATB</a>	.087"	15	.063"	Combination (Ripping and cro on wood)
PSW-21054AB3	210mm	54	30mm	<a href="#">ATAFR</a>	.087"	10	.063"	Fine cross cutting on wood
PSL-21052D3	210mm	52	30mm	<a href="#">TCG</a>	.094"	5	.063"	Laminate, composite, or floori materials cutting
PSA-21068D3	210mm	68	30mm	<a href="#">TCG</a>	.094"	-3	.063"	Aluminum cutting

## MITER SAWS

---

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
8-1/4"	<a href="#">AC-21060DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8-1/4"	<a href="#">IA-21060DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8-1/2"	<a href="#">AC-21660DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7000
8-1/2"	<a href="#">IA-21660DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7000
8-1/4"	<a href="#">ML-21080AB</a>	80	5/8"	<a href="#">ATAFR</a>	0	.110"	7300
8-1/2"	<a href="#">PRA-21660DN</a>	60	5/8"	<a href="#">TCG</a>	-5	.110"	7000
8-1/4"	<a href="#">PRF-21048BW</a>	48	5/8"KO	<a href="#">MTCG</a>	0	.087"	5800
8-1/4"	<a href="#">PT-21018</a>	18	5/8"KO	<a href="#">ATB</a>	25	.075"	7300
8-1/4"	<a href="#">PT-21040</a>	40	5/8"KO	<a href="#">ATB</a>	15	.079"	7300
8-1/4"	<a href="#">PT-21060</a>	60	5/8"KO	<a href="#">ATAF</a>	12	.079"	7300
8-1/2"	<a href="#">PT-21624</a>	24	5/8"	<a href="#">ATB</a>	15	.087"	7000
8-1/2"	<a href="#">PT-21640</a>	40	5/8"	<a href="#">ATB</a>	15	.087"	7000
8-1/2"	<a href="#">PT-21660-1</a>	60	5/8"	<a href="#">ATAF</a>	5	.079"	7000
8-1/2"	<a href="#">PT-21680</a>	80	5/8"	<a href="#">ATAF</a>	10	.087"	7000
8-1/2"	<a href="#">SL-21660</a>	60	5/8"	<a href="#">ATAF</a>	5	.079"	7000
9"	<a href="#">PT-23040</a>	40	5/8"	<a href="#">ATAF</a>	5	.087"	6400
10"	<a href="#">AC-255100DN</a>	100	5/8"	<a href="#">TCG</a>	-5	.094"	5870
10"	<a href="#">AC-25560DN</a>	60	5/8"	<a href="#">TCG</a>	-5	.087"	5870
10"	<a href="#">AC-25580DN</a>	80	5/8"	<a href="#">TCG</a>	-5	.094"	5870
10"	<a href="#">BP-25506</a>	6	5/8"	<a href="#">FTG</a>	8	.098"	5870
10"	<a href="#">BP-25532</a>	32	5/8"	<a href="#">ATAF</a>	5	.091"	5870
10"	<a href="#">IA-25560DN</a>	60	5/8"	<a href="#">TCG</a>	-5	.087"	5870
10"	<a href="#">IA-25580DN</a>	80	5/8"	<a href="#">TCG</a>	-5	.094"	5870
10"	<a href="#">IA-25596BX1</a>	96	5/8"	<a href="#">MTCG</a>	-5	.094"	5870
10"	<a href="#">IA-255100DN</a>	100	5/8"	<a href="#">TCG</a>	-5	.094"	5870
10"	<a href="#">IS-25560D1</a>	60	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">IW-25540AB1</a>	40	5/8"	<a href="#">ATBR</a>	-3	.110"	5870
10"	<a href="#">IW-25540CB1</a>	40	5/8"	<a href="#">ATAF</a>	5	.091"	5870
10"	<a href="#">IW-25560CB1</a>	60	5/8"	<a href="#">ATAF</a>	5	.091"	5870

10"	<a href="#">IW-25580AB1</a>	80	5/8"	<a href="#">ATBR</a>	-5	.096"	5870
10"	<a href="#">IW-25580CB1</a>	80	5/8"	<a href="#">ATAF</a>	5	.091"	5870
10"	<a href="#">MP-255100AB</a>	100	5/8"	<a href="#">ATAFR</a>	-3	.110"	5870
10"	<a href="#">MP-25560AB</a>	60	5/8"	<a href="#">ATAFR</a>	-3	.110"	5870
10"	<a href="#">MP-25560CB</a>	60	5/8"	<a href="#">ATAF</a>	0	.118"	5870
10"	<a href="#">MP-25580AB</a>	80	5/8"	<a href="#">ATAFR</a>	-3	.110"	5870
10"	<a href="#">MP-25580CB</a>	80	5/8"	<a href="#">ATAF</a>	0	.118"	5870
10"	<a href="#">PC-25580CB</a>	80	5/8"	<a href="#">ATAF</a>	5	.102"	5870
10"	<a href="#">PRA-255100DN</a>	100	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">PRA-25580DN</a>	80	5/8"	<a href="#">TCG</a>	-5	.126"	5870
10"	<a href="#">PRP-25580CB</a>	80	5/8"	<a href="#">ATAF</a>	5	.125"	5870
10"	<a href="#">PRS-25560</a>	60	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">PRS-25580</a>	80	5/8"	<a href="#">TCG</a>	-5	.102"	5870
10"	<a href="#">PT-25540</a>	40	5/8"	<a href="#">ATB</a>	0	.083"	5870
10"	<a href="#">PT-25550</a>	50	5/8"	<a href="#">ATAF</a>	15	.091"	5870
10"	<a href="#">PT-25560</a>	60	5/8"	<a href="#">ATB</a>	0	.083"	5870
10"	<a href="#">PT-25560D</a>	60	5/8"	<a href="#">TCG</a>	10	.087"	5870
10"	<a href="#">PT-25572A</a>	72	5/8"	<a href="#">ATB</a>	15	.098"	5870
10"	<a href="#">PT-25590</a>	90	5/8"	<a href="#">ATAF</a>	10	.091"	5870
10"	<a href="#">SL-25540</a>	40	5/8"	<a href="#">ATAF</a>	5	.098"	5870
10"	<a href="#">SL-25560</a>	60	5/8"	<a href="#">ATAF</a>	5	.098"	5870
10"	<a href="#">SL-25572</a>	72	5/8"	<a href="#">ATAF</a>	10	.110"	5870
10"	<a href="#">SL-25580</a>	80	5/8"	<a href="#">ATAF</a>	5	.091"	5870
300mm	<a href="#">IA-300108BX3</a>	108	30mm	<a href="#">MTCG</a>	-5	.110"	5000
12"	<a href="#">AC-305100DN</a>	100	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">AC-30580DN</a>	80	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">BP-30508</a>	8	1"	<a href="#">FTG</a>	8	.098"	5000
12"	<a href="#">BP-30540</a>	40	1"	<a href="#">ATAF</a>	5	.091"	5000
12"	<a href="#">IA-30580DN</a>	80	1"	<a href="#">TCG</a>	-5	.094"	5000
12"	<a href="#">IA-305100DN</a>	100	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">IA-305100BX1</a>	108	5/8"	<a href="#">MTCG</a>	-5	.110"	5000
12"	<a href="#">IA-305108BX2</a>	108	1"	<a href="#">MTCG</a>	-5	.110"	5000
12"	<a href="#">IS-30580D2</a>	80	1"	<a href="#">TCG</a>	-5	.110"	5000



12"	<a href="#">IW-305100AB2</a>	100	1"	<a href="#">ATBR</a>	-5	.104	5000
12"	<a href="#">IW-30540CB2</a>	40	1"	<a href="#">ATAF</a>	5	.094"	5000
12"	<a href="#">IW-30550AB2</a>	50	1"	<a href="#">ATBR</a>	-3	.110"	5000
12"	<a href="#">IW-30560CB2</a>	60	1"	<a href="#">ATAF</a>	5	.094"	5000
12"	<a href="#">IW-30580AB2</a>	80	1"	<a href="#">ATBR</a>	-5	.104	5000
12"	<a href="#">IW-30580CB2</a>	80	1"	<a href="#">ATAF</a>	5	.094"	5000
12"	<a href="#">MP-305100AB</a>	100	1"	<a href="#">ATAFR</a>	-3	.118"	5000
12"	<a href="#">MP-305100AB2</a>	100	5/8"	<a href="#">ATAFR</a>	-3	.118"	5000
12"	<a href="#">MP-305100CB</a>	100	1"	<a href="#">ATAF</a>	0	.126"	5000
12"	<a href="#">MP-305100CB2</a>	100	5/8"	<a href="#">ATAF</a>	0	.126"	5000
12"	<a href="#">MP-30560AB</a>	60	1"	<a href="#">ATAFR</a>	-3	.118"	5000
12"	<a href="#">MP-30560CB</a>	60	1"	<a href="#">ATAF</a>	-5	.118"	5000
12"	<a href="#">MP-30580AB</a>	80	1"	<a href="#">ATAFR</a>	-3	.118"	5000
12"	<a href="#">MP-30580CB</a>	80	1"	<a href="#">ATAF</a>	0	.118"	5000
12"	<a href="#">PC-305100CB</a>	100	1"	<a href="#">ATAF</a>	5	.110"	5000
12"	<a href="#">PRA-305100DN</a>	100	1"	<a href="#">TCG</a>	-5	.134"	5000
12"	<a href="#">PRA-305100DN2</a>	100	5/8"	<a href="#">TCG</a>	-5	.134"	5000
12"	<a href="#">PRP-305100CB</a>	100	1"	<a href="#">ATAF</a>	5	.134"	5000
12"	<a href="#">PRS-305100</a>	100	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">PRS-30580</a>	80	1"	<a href="#">TCG</a>	-5	.110"	5000
12"	<a href="#">PT-305100</a>	100	1"	<a href="#">ATAF</a>	5	.094"	5000
12"	<a href="#">PT-30560</a>	60	1"	<a href="#">ATAF</a>	3	.094"	5000
12"	<a href="#">PT-30580</a>	80	1"	<a href="#">ATAF</a>	5	.094"	5000
12"	<a href="#">SL-30540</a>	40	1"	<a href="#">ATAF</a>	5	.098"	5000
12"	<a href="#">SL-30560</a>	60	1"	<a href="#">ATAF</a>	5	.098"	5000
12"	<a href="#">SL-30580</a>	80	1"	<a href="#">ATAF</a>	5	.091"	5000
12"	<a href="#">SL-305100</a>	100	1"	<a href="#">ATAF</a>	5	.091"	5000
14"	<a href="#">AC-355100DN</a>	100	1"	<a href="#">TCG</a>	-5	.118"	4300
14"	<a href="#">IW-35560AB2</a>	60	1"	<a href="#">ATBR</a>	-3	.118"	4300

14"	<a href="#">PRA-355100DN</a>	100	1"	<a href="#">TCG</a>	-5	.134"	4300
15"	<a href="#">AC-380100DN</a>	100	1"	<a href="#">TCG</a>	-5	.118"	4020
15"	<a href="#">IW-38060AB2</a>	60	1"	<a href="#">ATBR</a>	-3	.118"	4020
15"	<a href="#">MP-380100CB</a>	100	1"	<a href="#">ATAF</a>	0	.126"	4020
16"	<a href="#">AC-405120DN</a>	120	1"	<a href="#">TCG</a>	-5	.134"	3690
16"	<a href="#">IA-405120DN</a>	120	1"	<a href="#">TCG</a>	-5	.134"	3690
16"	<a href="#">PRS-405120</a>	120	1"	<a href="#">TCG</a>	-5	.134"	3690
18"	<a href="#">IA-455120DN</a>	120	1"	<a href="#">TCG</a>	-5	.142"	3300
18"	<a href="#">PRS-455120</a>	120	1"	<a href="#">TCG</a>	-5	.134"	3400
20"	<a href="#">IA-510120DN</a>	120	1"	<a href="#">TCG</a>	-5	.150"	3000

## CORDLESS SAWS

---

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
3-3/8"	<a href="#">CF-08520</a>	20	15mm	<a href="#">ATB</a>	10	.039"	2240
3-3/8"	<a href="#">CF-085D</a>		15mm	TURBO			2240
5-3/8"	<a href="#">CF-13530M</a>	30	10mm	<a href="#">MTCG</a>	0	.059"	3200
5-3/8"	<a href="#">CF-13530W</a>	30	10mm	<a href="#">ATAF</a>	20	.047"	3200
5-3/8"	<a href="#">CF-13550M</a>	50	10mm	<a href="#">MTCG</a>	0	.055"	3200
5-3/8"	<a href="#">CF-13556S</a>	56	20mm	<a href="#">MTCG</a>	0	.043"	3700
5-1/2"	<a href="#">CF-14036W</a>	36	10mm	<a href="#">ATAF</a>	15	.063"	4200
6"	<a href="#">CF-15218W</a>	18	1/2"	<a href="#">ATAF</a>	15	.063"	2600
6"	<a href="#">CF-15236W</a>	36	1/2"	<a href="#">ATAF</a>	15	.063"	2600
6"	<a href="#">CF-15238M</a>	38	1/2"	<a href="#">MTCG</a>	0	.063"	2600
6"	<a href="#">CF-15254A</a>	54	1/2"	<a href="#">ATB</a>	0	.063"	2600
6-1/4"	<a href="#">PRF-16048</a>	48	5/8"KO	<a href="#">MTCG</a>	0	.079"	2400
6-1/2"	<a href="#">CF-16524W</a>	24	5/8"	<a href="#">ATAF</a>	20	.059"	2600
6-1/2"	<a href="#">CF-16540W</a>	40	5/8"	<a href="#">ATAF</a>	20	.059"	2600
6-1/2"	<a href="#">CF-16548M</a>	48	5/8"	<a href="#">MTCG</a>	0	.079"	2600
6-1/2"	<a href="#">CF-16560A</a>	60	5/8"	<a href="#">ATB</a>	0	.079"	2600
6-1/2"	<a href="#">SL-16552</a>	52	5/8"KO	<a href="#">ATAF</a>	18	.063"	9250
6-3/4"	<a href="#">CF-17340M</a>	40	20mm	<a href="#">ATB</a>	0	.071"	3500

## FESTOOL KAPEX

---

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
260mm	<a href="#">MP-26080AB</a>	80	30mm	<a href="#">ATAFR</a>	-3	.110"	5870
260mm	<a href="#">SL-26072</a>	72	30mm	<a href="#">ATAF</a>	10	.110"	5870

## PANEL SAWS

---

DIA.	MODEL #	TEETH	ARBOR	GRIND	RAKE	KERF	RPM
8"	<a href="#">AC-20360DN</a>	60	5/8"	<a href="#">TCG</a>	-5	.087"	7300
8"	<a href="#">IA-20360DN</a>	60	5/8"KO	<a href="#">TCG</a>	-5	.087"	7300
8"	<a href="#">PP-20360AB</a>	60	5/8"	<a href="#">ATAFR</a>	0	.110"	7300
8"	<a href="#">PRS-20360</a>	60	5/8"	<a href="#">TCG</a>	-5	.094"	7300
8"	<a href="#">PT-20360</a>	60	5/8"	<a href="#">ATAF</a>	5	.087"	7300
220mm	<a href="#">PP-22060AB</a>	60	30mm	<a href="#">ATAFR</a>	0	.110"	6900
220mm	<a href="#">PRS-22064</a>	64	30mm	<a href="#">TCG</a>	-5	.102"	6900
300mm	<a href="#">PP-30075AB</a>	75	30mm	<a href="#">ATAFR</a>	0	.110"	5100
300mm	<a href="#">PRS-30080</a>	80	30mm	<a href="#">TCG</a>	-5	.110"	5100