

Wissahickon Valley Public Library

Renovation & Addition



VITETTA

DESIGN TEAM

ARCHITECT:

VITETTA
Baldwin Tower
1510 Chester Pike, Suite 104
Edlystone, PA 19022

CIVIL ENGINEER:

Charles E. Shoemaker, Inc.
1007 Edge Hill Road
Abington, PA 19001

STRUCTURAL ENGINEER:

MachTech Engineering
2 Mill Road, Suite 100
Wilmington, DE 19806

MEP ENGINEER:


DEEC Engineering
3155 Chapel Street
Newark, DE 19711

AUGUST 16, 2019 FOR RE-BID


DRAWING LIST

Cover Sheet			
G-101	CODE PLAN	M000	MECHANICAL TITLE SHEET
AD-101	BASEMENT FLOOR DEMOLITION PLAN	MD101	MECHANICAL DEMOLITION PLANS
AD-102	FIRST FLOOR DEMOLITION PLAN	M101	BASEMENT & LEVEL 1 MECHANICAL PLANS
AD-103	ROOF DEMOLITION PLAN	M102	MECHANICAL ROOF PLAN
AD-201	DEMOLITION ELEVATIONS	M200	MECHANICAL DETAILS & SCHEDULES
A-101	BASEMENT FLOOR PLAN	M300	MECHANICAL SEQUENCES & DIAGRAMS
A-102	FIRST FLOOR PLAN	PD101	BASEMENT & LEVEL 1 PLUMBING DEMO PLANS
A-103	ROOF PLAN	P101	PLUMBING DOMESTIC WATER PLANS
A-131	FIRST FLOOR REFLECTED CEILING PLAN	P102	PLUMBING SANITARY & STORM PLANS
A-201	ELEVATIONS	P110	ROOF PLUMBING PLAN
A-301	BUILDING SECTIONS	P200	RISER DIAGRAMS
A-302	BUILDING SECTIONS	P201	PLUMBING SCHEDULES AND DETAILS
A-401	WALL SECTIONS	E000	ELECTRICAL COVER SHEET
A-402	WALL SECTIONS	ED101	BASEMENT & LEVEL 1 ELECTRICAL DEMO PLAN
A-403	INTERIOR ELEVATIONS	E301	BASEMENT & LEVEL 1 LIGHTING PLANS
A-404	INTERIOR ELEVATIONS	E401	BASEMENT & LEVEL 1 POWER PLANS
A-405	SITE DETAILS	E402	ROOF POWER PLANS
A-501	WALL TYPES AND DETAILS	E700	ELECTRICAL DIAGRAMS
A-502	DETAILS	E701	ELECTRICAL SCHEDULES
A-503	DETAILS		
A-504	DETAILS		
A-601	SCHEDULES		
F-102	FIRST FLOOR FURNITURE PLAN		
C-101	COVER		
C-102	LAND DEVELOPMENT PLAN		
C-103	EXISTING AND DEMOLITION PLAN		
C-104	GRADING AND UTILITY PLAN		
C-105	EROSION CONTROL PLAN		
C-106	CONSTRUCTION DETAILS PLAN		
C-107	CONSTRUCTION DETAILS PLAN		
C-108	AERIAL PHOTO EXHIBIT		
S-001	COVER SHEET		
S-002	GENERAL NOTES		
S-003	PROJECT SCHEDULES & SPECIAL INSPECTIONS		
S-100	FOUNDATION PLAN		
S-101	ROOF FRAMING PLAN		
S-500	TYPICAL FOUNDATION DETAILS		
S-501	FOUNDATION SECTIONS		
S-510	TYPICAL FRAMING DETAILS		
S-511	FRAMING SECTIONS		

BID DOCUMENTS



NOTES:
 PROVIDE DRAFTSTOPPING/FIRE BLOCKING AT SOFFITS PER IBC & NFPA REQUIREMENTS.
 PROVIDE DRAFTSTOPPING/FIRE BLOCKING AT VERTICAL CHASES/PENETRATIONS PER IBC & NFPA REQUIREMENTS.



LIST OF APPLICABLE CODES

INTERNATIONAL CODE COUNCIL (ICC) MODEL CODES, INCLUDING:
 -INTERNATIONAL BUILDING CODE (IBC), 2015 EDITION CHAPTERS 2-29 AND 31-35, APPENDICES C, E, G, H, AND I.
 -EXISTING BUILDINGS - IBC 2015 EXISTING BUILDING CODE.
 -INTERNATIONAL MECHANICAL CODE (IMC), 2015
 -INTERNATIONAL PLUMBING CODE, 2015
 -INTERNATIONAL FIRE CODE, 2015
 -INTERNATIONAL PERFORMANCE CODE, 2015
 -INTERNATIONAL FUEL GAS CODE, 2015 INCLUDING APPENDICES A, B, C AND D.
 -NATIONAL ELECTRICAL CODE (NEC), 2015 (BY REFERENCE)
 -INTERNATIONAL ENERGY CODE (IECC), 2015
 -INTERNATIONAL ACCESSIBILITY CODE (IBC), 2015 EDITION
 -BARRIER-FREE SUBCODE AND ANSI A117.1-2009
 NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) INCLUDING:
 -NFPA 72
 NOTE: RECOMMENDED PRACTICES AND APPENDICES WITHIN NFPA DOCUMENTS SHALL BE CONSIDERED REQUIREMENTS. WHERE CONFLICTS ARISE BETWEEN ICC MODEL CODES AND NFPA DOCUMENTS, THE MOST STRINGENT SHALL APPLY.

EGRESS SYMBOLS

EGRESS SIGNAGE
 ☉ CEILING MOUNTED EXIT LIGHT
 ☉ WALL MOUNTED EXIT LIGHT
 → EXIT DIRECTION INDICATORS

OCCUPANT LOAD PER ROOM
 [XX] - AREA (NSF) OF ROOM
 [XX] - AREA PER OCCUPANT (BY CODE)
 [XX] - OCCUPANT LOAD
 (ACT = ACTUAL)

EGRESS DOOR CAPACITY
 [36] - DOOR SIZE
 [54] - CLEAR DOOR WIDTH
 [27] - MAX ALLOWABLE LOAD
 [57] - ACTUAL LOAD

EGRESS STAIR CAPACITY
 [XX] - STAIR WIDTH
 [XX] - MAX ALLOWABLE LOAD
 [XX] - ACTUAL LOAD

DISTANCE TO MEANS OF EGRESS
 [XX] PRIMARY MEANS OF EGRESS
 [XX] SECONDARY MEANS OF EGRESS
 [XX] ACCESSIBLE ROUTE

MISCELLANEOUS SYMBOLS

NEW SINGLE OR DOUBLE DOOR, EACH LEAF OF ALL NEW DOORS ARE 3'-0" WIDE UNLESS INDICATED OTHERWISE
 EXISTING SINGLE OR DOUBLE DOOR

● F.E. FIRE EXTINGUISHER IN SEMI RECESSED CABINET, TYPE 3A
 ● F.E. (E) EXISTING FIRE EXTINGUISHER TO REMAIN.

IBC 2009

BUILDING USE (303.1):	EXISTING USE: A-3
CONSTRUCTION TYPE (602.2):	TYPE IIB
SPRINKLER SYSTEM (903.2.1.3):	NOT REQUIRED PER NOTE 1.
FLAME SPREAD RATING (803.9):	CLASS A FOR EXIT ENCLOSURES AND PASSAGEWAYS AND CORRIDORS CLASS C FOR ROOMS AND ENCLOSED SPACES
HEIGHT LIMITATIONS (506.2):	4 STORIES, 85 FEET
ACTUAL HEIGHT:	1 STORIES, 14'-6"
AREA LIMITATIONS (503):	9,690 SF
ACTUAL AREA:	6,130 SF
NUMBER OF EXITS (1015.1):	2 EXITS FROM ANY SPACE WITH GREATER THAN 50 OCCUPANTS
EGRESS CAPACITY (1005.1):	.3" FOR STAIRWAYS .2" FOR ALL OTHER EGRESS COMPONENTS
OCCUPANT LOAD (1004):	LIBRARY STACK AREA 100 SF PER PERSON LIBRARY READING ROOM 50 SF PER PERSON MEETING ROOMS - 7 SF PER PERSON (CHAIRS) 15 SF PER PERSON (CHAIRS AND TABLES) OFFICE - 100 SF PER PERSON
MAXIMUM TRAVEL DISTANCE TO EXIT (1016.1):	200'-0"
MAXIMUM TRAVEL DISTANCE TO FIRE EXTINGUISHER 75'-0" (906.2):	
FIRE ALARM (907.2.2):	NEW PROVIDED.
DEAD END LIMITATIONS (1018.4):	20'-0"
EXIT DOOR HARDWARE (1008.1.10):	PANIC HARDWARE IS REQUIRED.
EXIT DOOR SWING (1008.1.2):	SHALL SWING IN THE DIRECTION OF EGRESS TRAVEL

INTERNATIONAL PLUMBING CODE 2009

PLUMBING FIXTURE REQUIREMENTS:
 (BASED ON OCCUPANT LOAD OF BUILDING = 6,130SF / 50SF PER PERSON - LIBRARY READING ROOM = 123 OCCUPANTS = 61 MALES, 62 FEMALES)

WATER CLOSETS	1 FOR 125 MALE OCCUPANTS 1 FOR 65 FEMALE OCCUPANTS 2 REQUIRED = 2 PROVIDED
LAVATORIES:	1 FOR 200 OCCUPANTS 1 REQUIRED = 2 PROVIDED
DRINKING FOUNTAINS:	1 PER 500 OCCUPANTS 1 REQUIRED = 1 PROVIDED
SERVICE SINK	1 REQUIRED, 1 EXISTING

CONSULTANTS

CIVIL ENGINEER
 CHARLES E. SHOEMAKE, INC.
 1007 EDGE HILL ROAD
 ABINGTON, PA 19001

STRUCTURAL ENGINEER
 MACINTOSH ENGINEERING
 300 DELAWARE AVENUE, SUITE 820
 WILMINGTON, DE 19801
 T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL PLUMBING ENGINEER
 DEDD ENGINEERING DESIGN CONSULTING
 315 S. CHAPEL STREET
 NEWARK, DE 19711
 T 302.738.7172

SEAL

PROJECT # 6230.00
 ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
 DO NOT SCALE DRAWINGS
 ©2019, VITETTA

PROJECT TITLE

**WISSAHICKON VALLEY PUBLIC LIBRARY
 ADDITIONS & ALTERATIONS**
 209 RACE STREET
 AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

CODE PLAN

SCALE: AS NOTED
 DRAWN: SVV
 CHECKED: AMC
 APPROVED: [Signature]
 DATE: APRIL 12, 2019

REVISIONS
 SYMBOL DATE DESCRIPTION
 L_01 08/16/2019 FOR RE-BID

DRAWING #

G-101

WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE
BASEMENT & FOUNDATION
DEMOLITION PLAN

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
[Symbol]	08/16/2019	FOR RE-BID
[Symbol]		
[Symbol]		
[Symbol]		

DRAWING #
AD-101

GENERAL NOTES:


- REMOVE ALL LOOSE TRASH, INSECT NESTS, ANIMAL MATERIALS AND DEBRIS. FINAL BUILDING CONDITION SHALL BE BROOM CLEAN AFTER ALL REMOVALS ARE COMPLETED. DO NOT DISCARD ANY MATERIALS TO REMAIN.
- ALL ELEMENTS SHOWN AS DASHED LINES SHALL BE CAREFULLY REMOVED FROM ADJACENT EXISTING SURFACES SHALL BE PROTECTED FROM DAMAGE.
- BURNING OF REMOVED MATERIALS ON PROJECT SITE IS NOT PERMITTED. ALL REMOVAL MATERIALS SHALL BE TRANSPORTED AND REMOVED FROM SITE BY LEGAL MEANS AND DISPOSED OF IN A LEGAL MANNER OFF SITE.
- CONTRACTOR TO INSTALL ALL SHORING REQUIRED TO SUPPORT CONSTRUCTION DURING DEMOLITION PHASE.
- FREE STANDING FURNITURE LEFT IN THE BUILDING AND LIBRARY SHELVING SHALL BE REMOVED. THE LIBRARY SHELVING IS ANCHORED INTO THE EXISTING CMU. ANY DAMAGE RESULTING FROM THE REMOVAL OF THE SHELVES SHALL BE PATCHED. SEE DETAIL 3/A-501.
- HAZARDOUS MATERIALS ARE POSSIBLY KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL TAKE ALL NECESSARY CARE TO WORK WITHIN THE BUILDING. ALL EXISTING ASBESTOS FLOOR TILE SHALL BE LEFT IN PLACE AND COVERED WITH NEW FLOORING. ALL TRENCHING IN THE FLOOR WILL REQUIRE THE REMOVAL OF THE TILE. CONTRACTOR SHALL CONTRACT WITH HAZARDOUS REMOVAL CONTRACTOR FOR ALL REMOVAL AND DISPOSAL.
- REMOVE ALL EXISTING ELECTRICAL AND DATA COMPONENTS INCLUDING LIGHTING. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. ALL WIREMOLD AND DATA POLES SHALL BE REMOVED.
- REMOVE ALL WINDOW TREATMENTS AND ASSOCIATED COMPONENTS.

DEMOLITION NOTES:

- REMOVE EXISTING STAIR/RAILING CONSTRUCTION AND ALL ASSOCIATED COMPONENTS.
- REMOVED EXISTING WALL AND ASSOCIATED FOUNDATION/FOOTING IN ITS ENTIRETY.
- REMOVE EXISTING LOUVER AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING MASONRY WALL CONSTRUCTION AND ALL ASSOCIATED COMPONENTS. SEE NEW CONSTRUCTION DRAWINGS FOR DIMENSIONS.
- REMOVE EXISTING PARTITION WALL AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING WINDOW AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING DOOR AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING PLUMBING FIXTURE AND ALL ASSOCIATED COMPONENTS.
- TRENCH EXISTING FLOORING AND SLAB FOR INSTALLATION OF NEW UTILITIES. PATCH SLAB PER STRUCTURAL DRAWINGS. FLOORING KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- REMOVE EXISTING MECHANICAL SYSTEM ELEMENTS. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
- REMOVE EXISTING SOFFIT ENCLOSURE FINISHES FOR WORK WITHIN SOFFIT. SOFFIT FRAMING TO REMAIN INTACT AND UNDEFORMED.
- REMOVE EXISTING WALL PANEL AND ALL ASSOCIATED COMPONENTS. PANEL KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- REMOVE FINISH MATERIALS FROM WALL TO COMPLETE WORK BEHIND WALL. PATCH WALL TO MATCH EXISTING.
- REMOVE EXISTING CABINETS AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING SHELVING. PATCH ALL RESULTING HOLES IN WALLS/FLOOR.
- REMOVE EXISTING VESTIBULE CONSTRUCTION AND ASSOCIATED COMPONENTS.
- REMOVE EXISTING ACCORDION WALL, TRACK AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING LANDSCAPING.
- REMOVE EXISTING CANOPY AND ALL ASSOCIATED COMPONENTS.
- COLLUMN TO REMAIN.
- PATCH WALLS TO ACCEPT NEW FINISHES.
- REMOVE EXISTING ROOFING DOWN TO DECKING.
- REMOVE EXISTING METAL COPING AND CAST STONE UNDERNEATH AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING SCUPPER BOX, DOWNSPOUT AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING LETTERS. FILL ALL HOLES IN BRICK AND MORTAR JOINTS.
- REMOVE EXISTING EXTERIOR LIGHTING AND ALL ASSOCIATED COMPONENTS.
- EXISTING PLAQUE TO REMAIN.
- REMOVE EXISTING ASBESTOS TILE ON EXISTING TREADS AND RISERS ON STEPS DOWN TO EXISTING CONSTRUCTION.
- REMOVE EXISTING WINDOW SILL AND MASONRY CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK. COORDINATE FINAL LOCATION AND DIMENSION OF WITH DUCTWORK REQUIREMENTS.
- EXISTING SHELVING TO REMAIN.
- REMOVE EXISTING DRAIN BODY AND ALL ASSOCIATED COMPONENTS.
- CUT NEW OPENING IN EXISTING DECKING FOR INSTALLATION OF NEW MECHANICAL EQUIPMENT. SEE STRUCTURAL DRAWINGS FOR FRAMING REQUIREMENTS WHERE EXISTING DECKING IS REMOVED.
- REMOVE EXISTING CONDUIT AND ALL ASSOCIATED SUPPORTS AND COMPONENTS.
- SAW CUT MASONRY WALL CONSTRUCTION FOR INSTALLATION OF NEW OPENING.

LEGEND:

- EXISTING WALL
- EXISTING DOOR
- DEMO WALL
- DEMO DOOR
- DEMO NOTE



1 BASEMENT/ FOUNDATION DEMOLITION PLAN
SCALE= 1/4" = 1'-0"

WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

FIRST FLOOR
DEMOLITION PLAN

SCALE	AS NOTED
DRAWN	SV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
L-01	08/16/2019	FOR RE-BID

LEGEND:


[Solid Line]	EXISTING WALL
[Dashed Line]	EXISTING DOOR
[Dotted Line]	DEMO WALL
[Dotted Line]	DEMO DOOR
[Circle with Number]	DEMO NOTE

GENERAL NOTES:


- REMOVE ALL LOOSE TRASH, INSECT NESTS, ANIMAL MATERIALS AND DEBRIS. FINAL BUILDING CONDITION SHALL BE BROOM CLEAN AFTER ALL REMOVALS ARE COMPLETED. DO NOT DISCARD ANY MATERIALS TO REMAIN.
- ALL ELEMENTS SHOWN AS DASHED LINES SHALL BE CAREFULLY REMOVED. ADJACENT EXISTING SURFACES SHALL BE PROTECTED FROM DAMAGE.
- BURNING OF REMOVED MATERIALS ON PROJECT SITE IS NOT PERMITTED. ALL REMOVAL MATERIALS SHALL BE TRANSPORTED AND REMOVED FROM SITE BY LEGAL MEANS AND DISPOSED OF IN A LEGAL MANNER OFF SITE.
- CONTRACTOR TO INSTALL ALL SHORING REQUIRED TO SUPPORT CONSTRUCTION DURING DEMOLITION PHASE.
- FREE STANDING FURNITURE LEFT IN THE BUILDING AND LIBRARY SHELVING SHALL BE REMOVED. THE LIBRARY SHELVING IS ANCHORED INTO THE EXISTING CMU. ANY DAMAGE RESULTING FROM THE REMOVAL OF THE SHELVES SHALL BE PATCHED. SEE DETAIL 3/A-501.
- HAZARDOUS MATERIALS ARE POSSIBLY KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL TAKE ALL NECESSARY CARE TO WORK WITHIN THE BUILDING. ALL EXISTING ASBESTOS FLOOR TILE SHALL BE LEFT IN PLACE AND COVERED WITH NEW FLOORING. ALL TRENCHING IN THE FLOOR WILL REQUIRE THE REMOVAL OF THE TILE. CONTRACTOR SHALL CONTRACT WITH HAZARDOUS REMOVAL CONTRACTOR FOR ALL REMOVAL AND DISPOSAL.
- REMOVE ALL EXISTING ELECTRICAL AND DATA COMPONENTS INCLUDING LIGHTING. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. ALL WIREMOLD AND DATA POLES SHALL BE REMOVED.
- REMOVE ALL WINDOW TREATMENTS AND ASSOCIATED COMPONENTS.

DEMOLITION NOTES:

- REMOVE EXISTING STAIR/RAILING CONSTRUCTION AND ALL ASSOCIATED COMPONENTS.
- REMOVED EXISTING WALL AND ASSOCIATED FOUNDATION/FOOTING IN ITS ENTIRETY.
- REMOVE EXISTING LOUVER AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING MASONRY WALL CONSTRUCTION AND ALL ASSOCIATED COMPONENTS. SEE NEW CONSTRUCTION DRAWINGS FOR DIMENSIONS.
- REMOVE EXISTING PARTITION WALL AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING WINDOW AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING DOOR AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING PLUMBING FIXTURE AND ALL ASSOCIATED COMPONENTS.
- TRENCH EXISTING FLOORING AND SLAB FOR INSTALLATION OF NEW UTILITIES. PATCH SLAB PER STRUCTURAL DRAWINGS. FLOORING KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- REMOVE EXISTING MECHANICAL SYSTEM ELEMENTS. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
- REMOVE EXISTING SOFFIT ENCLOSURE FINISHES FOR WORK WITHIN SOFFIT. SOFFIT FRAMING TO REMAIN INTACT AND UNDEFORMED.
- REMOVE EXISTING WALL PANEL AND ALL ASSOCIATED COMPONENTS. PANEL KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- REMOVE FINISH MATERIALS FROM WALL TO COMPLETE WORK BEHIND WALL. PATCH WALL TO MATCH EXISTING.
- REMOVE EXISTING CABINETS AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING SHELVING. PATCH ALL RESULTING HOLES IN WALLS/FLOOR.
- REMOVE EXISTING VESTIBULE CONSTRUCTION AND ASSOCIATED COMPONENTS.
- REMOVE EXISTING ACCORDION WALL, TRACK AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING LANDSCAPING.
- REMOVE EXISTING CANOPY AND ALL ASSOCIATED COMPONENTS.
- COLUMN TO REMAIN.
- PATCH WALLS TO ACCEPT NEW FINISHES.
- REMOVE EXISTING ROOFING DOWN TO DECKING.
- REMOVE EXISTING METAL COPING AND CAST STONE UNDERNEATH AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING SCUPPER BOX, DOWNSPOUT AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING LETTERS. FILL ALL HOLES IN BRICK AND MORTAR JOINTS.
- REMOVE EXISTING EXTERIOR LIGHTING AND ALL ASSOCIATED COMPONENTS.
- EXISTING PLAQUE TO REMAIN.
- REMOVE EXISTING ASBESTOS TILE ON EXISTING TREADS AND RISERS ON STEPS DOWN TO EXISTING CONSTRUCTION.
- REMOVE EXISTING WINDOW SILL AND MASONRY CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK. COORDINATE FINAL LOCATION AND DIMENSION OF WITH DUCTWORK REQUIREMENTS.
- EXISTING SHELVING TO REMAIN.
- REMOVE EXISTING DRAIN BODY AND ALL ASSOCIATED COMPONENTS.
- CUT NEW OPENING IN EXISTING DECKING FOR INSTALLATION OF NEW MECHANICAL EQUIPMENT. SEE STRUCTURAL DRAWINGS FOR FRAMING REQUIREMENTS WHERE EXISTING DECKING IS REMOVED.
- REMOVE EXISTING CONDUIT AND ALL ASSOCIATED SUPPORTS AND COMPONENTS.
- SAW CUT MASONRY WALL CONSTRUCTION FOR INSTALLATION OF NEW OPENING.



1 FIRST FLOOR DEMOLITION PLAN
SCALE= 1/4" = 1'-0"



CONSULTANTS

CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAFEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL

PROJECT # 6230.00

ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION

DO NOT SCALE DRAWINGS
©2019, VITETTA

PROJECT TITLE

WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
 209 RACE STREET
 AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

ROOF DEMOLITION PLAN

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID

DRAWING #

AD-103

GENERAL NOTES:



- REMOVE ALL LOOSE TRASH, INSECT NESTS, ANIMAL MATERIALS AND DEBRIS. FINAL BUILDING CONDITION SHALL BE BROOM CLEAN AFTER ALL REMOVALS ARE COMPLETED. DO NOT DISCARD ANY MATERIALS TO REMAIN.
- ALL ELEMENTS SHOWN AS DASHED LINES SHALL BE CAREFULLY REMOVED FROM ADJACENT EXISTING SURFACES SHALL BE PROTECTED FROM DAMAGE.
- BURNING OF REMOVED MATERIALS ON PROJECT SITE IS NOT PERMITTED. ALL REMOVAL MATERIALS SHALL BE TRANSPORTED AND REMOVED FROM SITE BY LEGAL MEANS AND DISPOSED OF IN A LEGAL MANNER OFF SITE.
- CONTRACTOR TO INSTALL ALL SHORING REQUIRED TO SUPPORT CONSTRUCTION DURING DEMOLITION PHASE.
- FREE STANDING FURNITURE LEFT IN THE BUILDING AND LIBRARY SHELVING SHALL BE REMOVED. THE LIBRARY SHELVING IS ANCHORED INTO THE EXISTING CMU. ANY DAMAGE RESULTING FROM THE REMOVAL OF THE SHELVES SHALL BE PATCHED. SEE DETAIL 3/A-501.
- HAZARDOUS MATERIALS ARE POSSIBLY KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL TAKE ALL NECESSARY CARE TO WORK WITHIN THE BUILDING. ALL EXISTING ASBESTOS FLOOR TILE SHALL BE LEFT IN PLACE AND COVERED WITH NEW FLOORING. ALL TRENCHING IN THE FLOOR WILL REQUIRE THE REMOVAL OF THE TILE. CONTRACTOR SHALL CONTRACT WITH HAZARDOUS REMOVAL CONTRACTOR FOR ALL REMOVAL AND DISPOSAL.
- REMOVE ALL EXISTING ELECTRICAL AND DATA COMPONENTS INCLUDING LIGHTING. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. ALL WIREMOLD AND DATA POLES SHALL BE REMOVED.
- REMOVE ALL WINDOW TREATMENTS AND ASSOCIATED COMPONENTS.

DEMOLITION NOTES:

- REMOVE EXISTING STAIR/RAILING CONSTRUCTION AND ALL ASSOCIATED COMPONENTS.
- REMOVED EXISTING WALL AND ASSOCIATED FOUNDATION/FOOTING IN ITS ENTIRETY.
- REMOVE EXISTING LOUVER AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING MASONRY WALL CONSTRUCTION AND ALL ASSOCIATED COMPONENTS. SEE NEW CONSTRUCTION DRAWINGS FOR DIMENSIONS.
- REMOVE EXISTING PARTITION WALL AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING WINDOW AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING DOOR AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING PLUMBING FIXTURE AND ALL ASSOCIATED COMPONENTS.
- TRENCH EXISTING FLOORING AND SLAB FOR INSTALLATION OF NEW UTILITIES. PATCH SLAB PER STRUCTURAL DRAWINGS. FLOORING KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- REMOVE EXISTING MECHANICAL SYSTEM ELEMENTS. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
- REMOVE EXISTING SOFFIT ENCLOSURE FINISHES FOR WORK WITHIN SOFFIT. SOFFIT FRAMING TO REMAIN INTACT AND UNDEFORMED.
- REMOVE EXISTING WALL PANEL AND ALL ASSOCIATED COMPONENTS. PANEL KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- REMOVE FINISH MATERIALS FROM WALL TO COMPLETE WORK BEHIND WALL. PATCH WALL TO MATCH EXISTING.
- REMOVE EXISTING CABINETS AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING SHELVING. PATCH ALL RESULTING HOLES IN WALLS/FLOOR.
- REMOVE EXISTING VESTIBULE CONSTRUCTION AND ASSOCIATED COMPONENTS.
- REMOVE EXISTING ACCORDION WALL, TRACK AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING LANDSCAPING.
- REMOVE EXISTING CANOPY AND ALL ASSOCIATED COMPONENTS.
- COLLUMN TO REMAIN.
- PATCH WALLS TO ACCEPT NEW FINISHES.
- REMOVE EXISTING ROOFING DOWN TO DECKING.
- REMOVE EXISTING METAL COPING AND CAST STONE UNDERNEATH AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING SCUPPER BOX, DOWNSPOUT AND ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING LETTERS. FILL ALL HOLES IN BRICK AND MORTAR JOINTS.
- REMOVE EXISTING EXTERIOR LIGHTING AND ALL ASSOCIATED COMPONENTS.
- EXISTING PLAQUE TO REMAIN.
- REMOVE EXISTING ASBESTOS TILE ON EXISTING TREADS AND RISERS ON STEPS DOWN TO EXISTING CONSTRUCTION.
- REMOVE EXISTING WINDOW SILL AND MASONRY CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK. COORDINATE FINAL LOCATION AND DIMENSION OF WITH DUCTWORK REQUIREMENTS.
- EXISTING SHELVING TO REMAIN.
- REMOVE EXISTING DRAIN BODY AND ALL ASSOCIATED COMPONENTS.
- CUT NEW OPENING IN EXISTING DECKING FOR INSTALLATION OF NEW MECHANICAL EQUIPMENT. SEE STRUCTURAL DRAWINGS FOR FRAMING REQUIREMENTS WHERE EXISTING DECKING IS REMOVED.
- REMOVE EXISTING CONDUIT AND ALL ASSOCIATED SUPPORTS AND COMPONENTS.
- SAW CUT MASONRY WALL CONSTRUCTION FOR INSTALLATION OF NEW OPENING.

LEGEND:

- EXISTING WALL
- EXISTING DOOR
- DEMO WALL
- DEMO DOOR
- DEMO NOTE



1 ROOF DEMOLITION PLAN
SCALE = 1/4" = 1'-0"

CONSULTANTS

CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019 VITETTA

PROJECT TITLE

WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

DEMOLITION
ELEVATIONS

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

REVISIONS		
SYMBOL	DATE	DESCRIPTION
L_01	08/16/2019	FOR RE-BID

DRAWING #

AD-201

GENERAL NOTES:

1. REMOVE ALL LOOSE TRASH, INSECT NESTS, ANIMAL MATERIALS AND DEBRIS. FINAL BUILDING CONDITION SHALL BE BROOM CLEAN AFTER ALL REMOVALS ARE COMPLETED. DO NOT DISCARD ANY MATERIALS TO REMAIN.
2. ALL ELEMENTS SHOWN AS DASHED LINES SHALL BE CAREFULLY REMOVED. ADJACENT EXISTING SURFACES SHALL BE PROTECTED FROM DAMAGE.
3. BURNING OF REMOVED MATERIALS ON PROJECT SITE IS NOT PERMITTED. ALL REMOVAL MATERIALS SHALL BE TRANSPORTED AND REMOVED FROM SITE BY LEGAL MEANS AND DISPOSED OF IN A LEGAL MANNER OFF SITE.
4. CONTRACTOR TO INSTALL ALL SHORING REQUIRED TO SUPPORT CONSTRUCTION DURING DEMOLITION PHASE.
5. FREE STANDING FURNITURE LEFT IN THE BUILDING AND LIBRARY SHELVING SHALL BE REMOVED. THE LIBRARY SHELVING IS ANCHORED INTO THE EXISTING CMU. ANY DAMAGE RESULTING FROM THE REMOVAL OF THE SHELVES SHALL BE PATCHED. SEE DETAIL 3/A-501.
6. HAZARDOUS MATERIALS ARE POSSIBLY KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL TAKE ALL NECESSARY CARE TO WORK WITHIN THE BUILDING. ALL EXISTING ASBESTOS FLOOR TILE SHALL BE LEFT IN PLACE AND COVERED WITH NEW FLOORING. ALL TRENCHING IN THE FLOOR WILL REQUIRE THE REMOVAL OF THE TILE. CONTRACTOR SHALL CONTRACT WITH HAZARDOUS REMOVAL CONTRACTOR FOR ALL REMOVAL AND DISPOSAL.
7. REMOVE ALL EXISTING ELECTRICAL AND DATA COMPONENTS INCLUDING LIGHTING. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. ALL WIREMOLD AND DATA POLES SHALL BE REMOVED.
8. REMOVE ALL WINDOW TREATMENTS AND ASSOCIATED COMPONENTS.


DEMOLITION NOTES:

- 017 REMOVE EXISTING STAIR/RAILING CONSTRUCTION AND ALL ASSOCIATED COMPONENTS.
- 022 REMOVED EXISTING WALL AND ASSOCIATED FOUNDATION/FOOTING IN ITS ENTIRETY.
- 033 REMOVE EXISTING LOUVER AND ALL ASSOCIATED COMPONENTS.
- 034 REMOVE EXISTING MASONRY WALL CONSTRUCTION AND ALL ASSOCIATED COMPONENTS. SEE NEW CONSTRUCTION DRAWINGS FOR DIMENSIONS.
- 035 REMOVE EXISTING PARTITION WALL AND ALL ASSOCIATED COMPONENTS.
- 036 REMOVE EXISTING WINDOW AND ALL ASSOCIATED COMPONENTS.
- 037 REMOVE EXISTING DOOR AND ALL ASSOCIATED COMPONENTS.
- 038 REMOVE EXISTING PLUMBING FIXTURE AND ALL ASSOCIATED COMPONENTS.
- 039 TRENCH EXISTING FLOORING AND SLAB FOR INSTALLATION OF NEW UTILITIES. PATCH SLAB PER STRUCTURAL DRAWINGS. FLOORING KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- 010 REMOVE EXISTING MECHANICAL SYSTEM ELEMENTS. SEE MECHANICAL DRAWINGS FOR FURTHER INFORMATION.
- 011 REMOVE EXISTING SOFFIT ENCLOSURE FINISHES FOR WORK WITHIN SOFFIT. SOFFIT FRAMING TO REMAIN INTACT AND UNDAUNAGED.
- 012 REMOVE EXISTING WALL PANEL AND ALL ASSOCIATED COMPONENTS. PANEL KNOWN TO CONTAIN HAZARDOUS MATERIALS.
- 013 REMOVE FINISH MATERIALS FROM WALL TO COMPLETE WORK BEHIND WALL. PATCH WALL TO MATCH EXISTING.
- 014 REMOVE EXISTING CABINETS AND ALL ASSOCIATED COMPONENTS.
- 015 REMOVE EXISTING SHELVING. PATCH ALL RESULTING HOLES IN WALLS/FLOOR.
- 016 REMOVE EXISTING VESTIBULE CONSTRUCTION AND ASSOCIATED COMPONENTS.
- 017 REMOVE EXISTING ACCORDION WALL, TRACK AND ALL ASSOCIATED COMPONENTS.
- 018 REMOVE EXISTING LANDSCAPING.
- 019 REMOVE EXISTING CANOPY AND ALL ASSOCIATED COMPONENTS.
- 020 COLUMN TO REMAIN.
- 021 PATCH WALLS TO ACCEPT NEW FINISHES.
- 022 REMOVE EXISTING ROOFING DOWN TO DECKING.
- 023 REMOVE EXISTING METAL COPING AND CAST STONE UNDERNEATH AND ALL ASSOCIATED COMPONENTS.
- 024 REMOVE EXISTING SCUPPER BOX, DOWNSPOUT AND ALL ASSOCIATED COMPONENTS.
- 025 REMOVE EXISTING LETTERS. FILL ALL HOLES IN BRICK AND MORTAR JOINTS.
- 026 REMOVE EXISTING EXTERIOR LIGHTING AND ALL ASSOCIATED COMPONENTS.
- 027 EXISTING PLAQUE TO REMAIN.
- 028 REMOVE EXISTING ASBESTOS TILE ON EXISTING TREADS AND RISERS ON STEPS DOWN TO EXISTING CONSTRUCTION.
- 029 REMOVE EXISTING WINDOW SILL AND MASONRY CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK. COORDINATE FINAL LOCATION AND DIMENSION OF WITH DUCTWORK REQUIREMENTS.
- 030 EXISTING SHELVING TO REMAIN.
- 031 REMOVE EXISTING DRAIN BODY AND ALL ASSOCIATED COMPONENTS.
- 032 CUT NEW OPENING IN EXISTING DECKING FOR INSTALLATION OF NEW MECHANICAL EQUIPMENT. SEE STRUCTURAL DRAWINGS FOR FRAMING REQUIREMENTS WHERE EXISTING DECKING IS REMOVED.
- 033 REMOVE EXISTING CONDUIT AND ALL ASSOCIATED SUPPORTS AND COMPONENTS.
- 034 SAW CUT MASONRY WALL CONSTRUCTION FOR INSTALLATION OF NEW OPENING.


LEGEND:

- EXISTING WALL
- EXISTING DOOR
- DEMO WALL
- DEMO DOOR
- DEMO NOTE


WISSAHICKON VALLEY
PUBLIC LIBRARY




1 SOUTH ELEVATION
SCALE= 1/4" = 1'-0"




2 EAST ELEVATION
SCALE= 1/4" = 1'-0"



3 NORTH ELEVATION
SCALE= 1/4" = 1'-0"



4 WEST ELEVATION
SCALE= 1/4" = 1'-0"



GENERAL NOTES:

1. DO NOT SCALE THE DRAWINGS.
2. THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
3. ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
4. ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
5. THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
6. ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
7. ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
8. REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
9. THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
10. HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
11. WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:


1. NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
2. NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
3. EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
4. NEW BASE UNIT CABINETS.
5. INSTALL NEW ADJUSTABLE SHELVES.
6. NEW UPPER WALL CABINETS.
7. NEW WATER FOUNTAIN.
8. NEW FOLDING WALL PARTITION.
9. INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
10. NEW SOFFIT ABOVE.
11. NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
12. ROOF TYPE 1. SEE DETAIL 1/A-501.
13. ROOF TYPE 2. SEE DETAIL 2/A-501.
14. NEW DOWNSPOUT AND CONDUCTOR HEAD.
15. NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
16. PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
17. NEW PLUMBING FIXTURE.
18. NEW GRAB BARS.
19. PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
20. FOLDING WALL PARTITION TRACK ABOVE.
21. NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
22. NEW CANOPY.
23. NEW METAL COPING.
24. ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
25. INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
26. NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
27. MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINTEL INFORMATION.
28. PROVIDE NEW BOOK DEPOSITORY.
29. NEW CIRCULATION DESK, NIC.
30. EXISTING STAIRS TO REMAIN.
31. NEW FOOTING. SEE STRUCTURAL DRAWINGS.
32. NEW METAL WALL PANEL SYSTEM.
33. NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
34. NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
35. NEW ROOF DRAIN. SEE DETAIL 6/A-502.
36. NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
37. NEW RAINWATER CONDUCTOR.
38. NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
39. NEW PLANTER.
40. NEW VINYL FLOORING.
41. INSTALL RECESSED KNOX BOX 48" AFF.
42. ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
43. PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
44. INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
45. EXISTING HANDRAIL TO REMAIN.
46. EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
47. NEW CURB WALL. SEE CIVIL DRAWINGS.
48. 12" DEEP METAL SHELVING.
49. 18" DEEP METAL SHELVING.
50. NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.

LEGEND:

- EXISTING WALL
- EXISTING DOOR
- NEW WALL
- NEW DOOR
- KEY NOTE
- WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
- DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
- WALL TYPE. SEE SHEET A-501 FOR INFORMATION

SYMBOL	DATE	DESCRIPTION
L-01	08/16/2019	FOR RE-BID

1 BASEMENT/ FOUNDATION PLAN
SCALE= 1/4" = 1'-0"



WISSAHICKON VALLEY PUBLIC LIBRARY ADDITIONS & ALTERATIONS 209 RACE STREET AMBLER, PENNSYLVANIA 19002

FIRST FLOOR PLAN

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

REVISIONS	SYMBOL	DATE	DESCRIPTION
	01	08/16/2019	FOR RE-BID

A-102

GENERAL NOTES:


- DO NOT SCALE THE DRAWINGS.
- THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
- ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
- THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
- ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
- ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
- REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
- THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
- HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
- WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:

- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
- NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
- EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
- NEW BASE UNIT CABINETS.
- INSTALL NEW ADJUSTABLE SHELVES.
- NEW UPPER WALL CABINETS.
- NEW WATER FOUNTAIN.
- NEW FOLDING WALL PARTITION.
- INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
- NEW SOFFIT ABOVE.
- NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
- ROOF TYPE 1. SEE DETAIL 1/A-501.
- ROOF TYPE 2. SEE DETAIL 2/A-501
- NEW DOWNSPOUT AND CONDUCTOR HEAD.
- NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
- PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
- NEW PLUMBING FIXTURE.
- NEW GRAB BARS.
- PROVIDE BLOCKING IN NEW WALLS TO HANG INSTRUTR/EQUIPMENT/DEVICES.
- FOLDING WALL PARTITION TRACK ABOVE.
- NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
- NEW CANOPY.
- NEW METAL COPING.
- ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
- INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
- NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
- MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINEL INFORMATION.
- PROVIDE NEW BOOK DEPOSITORY.
- NEW CIRCULATION DESK, NIC.
- EXISTING STAIRS TO REMAIN.
- NEW FOOTING. SEE STRUCTURAL DRAWINGS.
- NEW METAL WALL PANEL SYSTEM.
- NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
- NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
- NEW ROOF DRAIN. SEE DETAIL 6/A-502.
- NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
- NEW RAINWATER CONDUCTOR.
- NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
- NEW PLANTER.
- NEW VINYL FLOORING.
- INSTALL RECESSED KNOX BOX 48" AFF.
- ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
- PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
- INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
- EXISTING HANDRAIL TO REMAIN.
- 12" DEEP METAL SHELVING.
- 18" DEEP METAL SHELVING.
- NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.

LEGEND:


- EXISTING WALL
- EXISTING DOOR
- NEW WALL
- NEW DOOR
- KEY NOTE
- WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
- DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
- WALL TYPE. SEE SHEET A-501 FOR INFORMATION.




1 FIRST FLOOR PLAN
SCALE= 1/4" = 1'-0"

- GENERAL NOTES:
- DO NOT SCALE THE DRAWINGS.
 - THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
 - ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
 - ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
 - THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
 - ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
 - ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
 - REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
 - THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
 - HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
 - WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

- CONSTRUCTION NOTES:
- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
 - NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
 - EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
 - NEW BASE UNIT CABINETS.
 - INSTALL NEW ADJUSTABLE SHELVES.
 - NEW UPPER WALL CABINETS.
 - NEW WATER FOUNTAIN.
 - NEW FOLDING WALL PARTITION.
 - INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
 - NEW SOFFIT ABOVE.
 - NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
 - ROOF TYPE 1. SEE DETAIL 1/A-501.
 - ROOF TYPE 2. SEE DETAIL 2/A-501.
 - NEW DOWNSPOUT AND CONDUCTOR HEAD.
 - NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
 - PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
 - NEW PLUMBING FIXTURE.
 - NEW GRAB BARS.
 - PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
 - FOLDING WALL PARTITION TRACK ABOVE.
 - NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
 - NEW CANOPY.
 - NEW METAL COPING.
 - ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
 - INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
 - NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
 - MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINTEL INFORMATION.
 - PROVIDE NEW BOOK DEPOSITORY.
 - NEW CIRCULATION DESK, NIC.
 - EXISTING STAIRS TO REMAIN.
 - NEW FOOTING. SEE STRUCTURAL DRAWINGS.
 - NEW METAL WALL PANEL SYSTEM.
 - NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
 - NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
 - NEW ROOF DRAIN. SEE DETAIL 6/A-502.
 - NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
 - NEW RAINWATER CONDUCTOR.
 - NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
 - NEW PLANTER.
 - NEW VINYL FLOORING.
 - INSTALL RECESSED KNOX BOX 48" AFF.
 - ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
 - PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
 - INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
 - EXISTING HANDRAIL TO REMAIN.
 - EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
 - NEW CURB WALL. SEE CIVIL DRAWINGS.
 - 12" DEEP METAL SHELVING.
 - 18" DEEP METAL SHELVING.
 - NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.
- LEGEND:
- EXISTING WALL
 - EXISTING DOOR
 - NEW WALL
 - NEW DOOR
 - KEY NOTE
 - WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
 - DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
 - WALL TYPE. SEE SHEET A-501 FOR INFORMATION



1 ROOF PLAN
SCALE = 1/4" = 1'-0"





CEILING GENERAL NOTES:

- CEILING TYPES INDICATED ON THE PLANS AS:
 - C-3 CEILING TYPE
 - 10'-11" CEILING HEIGHT
- CONTRACTOR SHALL COORDINATE CEILING DEVICE LOCATIONS WITH ALL TRADES.
- ALL EXISTING CEILING ELEMENTS TO REMAIN SHALL BE PREPARED, PRIMED AND PAINTED.

CEILING KEY NOTES:

- NEW PAINTED GWB SOFFIT.
- EXISTING SOFFIT. REMOVE ALL FINISHES DOWN TO EXISTING FRAMING FOR ACCESS TO EXISTING DUCTWORK. INSTALL NEW GWB ON EXISTING FRAMING. PREPARE, PRIME AND PAINT.
- EXISTING WOOD BEAM. PREPARE, PRIME AND PAINT.
- NEW PAINTED WOOD BEAM.
- NEW LIGHT FIXTURE. SEE ELECTRICAL DRAWINGS.
- NEW CEILING MOUNTED ELECTRIC HEATER. SEE MECHANICAL DRAWINGS.
- GWB BULKHEAD AROUND WINDOW. SEE DETAIL.



VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS

CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019, VITETTA

**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

**FIRST FLOOR
REFLECTED CEILING
PLAN**

SCALE: AS NOTED
DRAWN: SMV
CHECKED: AMC
APPROVED: _____
DATE: APRIL 12, 2019

REVISIONS

SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID

DRAWING #

A-132

1 FIRST FLOOR PLAN
SCALE= 1/4" = 1'-0"

CONSULTANTS

CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION

DO NOT SCALE DRAWINGS
©2019, VITETTA

PROJECT TITLE

**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

ELEVATIONS

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

REVISIONS	SYMBOL	DATE	DESCRIPTION
01		08/16/2019	FOR RE-BID

LEGEND	SYMBOL	DESCRIPTION
EXISTING WALL	[Line Style]	EXISTING WALL
EXISTING DOOR	[Line Style]	EXISTING DOOR
NEW WALL	[Line Style]	NEW WALL
NEW DOOR	[Line Style]	NEW DOOR
KEY NOTE	[Line Style]	KEY NOTE
WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION	[Line Style]	WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION	[Line Style]	DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
WALL TYPE. SEE SHEET A-501 FOR INFORMATION	[Line Style]	WALL TYPE. SEE SHEET A-501 FOR INFORMATION

DRAWING


A-201

GENERAL NOTES:


- DO NOT SCALE THE DRAWINGS.
- THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
- ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
- THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
- ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
- ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
- REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
- THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
- HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
- WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:


- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
- NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
- EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
- NEW BASE UNIT CABINETS.
- INSTALL NEW ADJUSTABLE SHELVES.
- NEW UPPER WALL CABINETS.
- NEW WATER FOUNTAIN.
- NEW FOLDING WALL PARTITION.
- INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
- NEW SOFFIT ABOVE.
- NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
- ROOF TYPE 1. SEE DETAIL 1/A-501.
- ROOF TYPE 2. SEE DETAIL 2/A-501
- NEW DOWNSPOUT AND CONDUCTOR HEAD.
- NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
- PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
- NEW PLUMBING FIXTURE.
- NEW GRAB BARS.
- PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
- FOLDING WALL PARTITION TRACK ABOVE.
- NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
- NEW CANOPY.
- NEW METAL COPING.
- ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
- INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
- NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
- MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINTEL INFORMATION.
- PROVIDE NEW BOOK DEPOSITORY.
- NEW CIRCULATION DESK, NIC.
- EXISTING STAIRS TO REMAIN.
- NEW FOOTING. SEE STRUCTURAL DRAWINGS.
- NEW METAL WALL PANEL SYSTEM.
- NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
- NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
- NEW ROOF DRAIN. SEE DETAIL 6/A-502.
- NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
- NEW RAINWATER CONDUCTOR.
- NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
- NEW PLANTER.
- NEW VINYL FLOORING.
- INSTALL RECESSED KNOX BOX 48" AFF.
- ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
- PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
- INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
- EXISTING HANDRAIL TO REMAIN.
- EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
- NEW CURB WALL. SEE CIVIL DRAWINGS.
- 12" DEEP METAL SHELVING.
- 18" DEEP METAL SHELVING.
- NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.




1 SOUTH ELEVATION
SCALE= 1/4" = 1'-0"



2 EAST ELEVATION
SCALE= 1/4" = 1'-0"



3 NORTH ELEVATION
SCALE= 1/4" = 1'-0"



4 WEST ELEVATION
SCALE= 1/4" = 1'-0"

CONSULTANTS

CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL

PROJECT # 6230.00

ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.

DO NOT SCALE DRAWINGS
©2019, VITETTA

PROJECT TITLE

WISSAHICKON VALLEY PUBLIC LIBRARY ADDITIONS & ALTERATIONS 209 RACE STREET AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

SECTIONS

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

REVISIONS	SYMBOL	DATE	DESCRIPTION

LEGEND:	
EXISTING WALL	
EXISTING DOOR	
NEW WALL	
NEW DOOR	
KEY NOTE	
WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION	
DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION	
WALL TYPE. SEE SHEET A-501 FOR INFORMATION	

DRAWING


A-301

GENERAL NOTES:


- DO NOT SCALE THE DRAWINGS.
- THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
- ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
- THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
- ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
- ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
- REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
- THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
- HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
- WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:


- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
- NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
- EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
- NEW BASE UNIT CABINETS.
- INSTALL NEW ADJUSTABLE SHELVES.
- NEW UPPER WALL CABINETS.
- NEW WATER FOUNTAIN.
- NEW FOLDING WALL PARTITION.
- INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
- NEW SOFFIT ABOVE.
- NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
- ROOF TYPE 1. SEE DETAIL 1/A-501.
- ROOF TYPE 2. SEE DETAIL 2/A-501
- NEW DOWNSPOUT AND CONDUCTOR HEAD.
- NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
- PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
- NEW PLUMBING FIXTURE.
- NEW GRAB BARS.
- PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
- FOLDING WALL PARTITION TRACK ABOVE.
- NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
- NEW CANOPY.
- NEW METAL COPING.
- ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
- INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
- NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
- MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINTEL INFORMATION.
- PROVIDE NEW BOOK DEPOSITORY.
- NEW CIRCULATION DESK, NIC.
- EXISTING STAIRS TO REMAIN.
- NEW FOOTING. SEE STRUCTURAL DRAWINGS.
- NEW METAL WALL PANEL SYSTEM.
- NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
- NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
- NEW ROOF DRAIN. SEE DETAIL 6/A-502.
- NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
- NEW RAINWATER CONDUCTOR.
- NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
- NEW PLANTER.
- NEW VINYL FLOORING.
- INSTALL RECESSED KNOX BOX 48" AFF.
- ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
- PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
- INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
- EXISTING HANDRAIL TO REMAIN.
- EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
- NEW CURB WALL. SEE CIVIL DRAWINGS.
- 12" DEEP METAL SHELVING.
- 18" DEEP METAL SHELVING.
- NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.



1 LONGITUDINAL SECTION
SCALE= 1/4" = 1'-0"



2 TRANSVERSE SECTION
SCALE= 1/4" = 1'-0"



3 TRANSVERSE SECTION
SCALE= 1/4" = 1'-0"

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID

GENERAL NOTES:


- DO NOT SCALE THE DRAWINGS.
- THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
- ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
- THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
- ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
- ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
- REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
- THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
- HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
- WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:


- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
- NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
- EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
- NEW BASE UNIT CABINETS.
- INSTALL NEW ADJUSTABLE SHELVES.
- NEW UPPER WALL CABINETS.
- NEW WATER FOUNTAIN.
- NEW FOLDING WALL PARTITION.
- INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
- NEW SOFFIT ABOVE.
- NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
- ROOF TYPE 1. SEE DETAIL 1/A-501.
- ROOF TYPE 2. SEE DETAIL 2/A-501
- NEW DOWNSPOUT AND CONDUCTOR HEAD.
- NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
- PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
- NEW PLUMBING FIXTURE.
- NEW GRAB BARS.
- PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
- FOLDING WALL PARTITION TRACK ABOVE.
- NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
- NEW CANOPY.
- NEW METAL COPING.
- ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
- INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
- NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
- MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINTEL INFORMATION.
- PROVIDE NEW BOOK DEPOSITORY.
- NEW CIRCULATION DESK, NIC.
- EXISTING STAIRS TO REMAIN.
- NEW FOOTING. SEE STRUCTURAL DRAWINGS.
- NEW METAL WALL PANEL SYSTEM.
- NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
- NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
- NEW ROOF DRAIN. SEE DETAIL 6/A-502.
- NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
- NEW RAINWATER CONDUCTOR.
- NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
- NEW PLANTER.
- NEW VINYL FLOORING.
- INSTALL RECESSED KNOX BOX 48" AFF.
- ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
- PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
- INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
- EXISTING HANDRAIL TO REMAIN.
- EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
- NEW CURB WALL. SEE CIVIL DRAWINGS.
- 12" DEEP METAL SHELVING.
- 18" DEEP METAL SHELVING.
- NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.

LEGEND:


- EXISTING WALL
- EXISTING DOOR
- NEW WALL
- NEW DOOR
- KEY NOTE
- WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
- DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
- WALL TYPE. SEE SHEET A-501 FOR INFORMATION.



1 TRANSVERSE SECTION
SCALE= 1/4" = 1'-0"




2 TRANSVERSE SECTION
SCALE= 1/4" = 1'-0"




SEE SPECIFICATIONS FOR ALL WEEP INFORMATION.

4 WALL SECTION
SCALE= 1" = 1'-0"




SEE SPECIFICATIONS FOR ALL WEEP INFORMATION.

3 WALL SECTION
SCALE= 1" = 1'-0"



SEE SPECIFICATIONS FOR ALL WEEP INFORMATION.

2 WALL SECTION
SCALE= 1" = 1'-0"




SEE SPECIFICATIONS FOR ALL WEEP INFORMATION.


1 WALL SECTION
SCALE= 1" = 1'-0"

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019


SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID




3 WALL SECTION
SCALE= 1" = 1'-0"



2 WALL SECTION
SCALE= 1" = 1'-0"



1 WALL SECTION
SCALE= 1" = 1'-0"




4 WALL SECTION
SCALE= 1" = 1'-0"


**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

WALL SECTIONS


SCALE	AS NOTED	
DRAWN	SVV	
CHECKED	AMC	
APPROVED		
DATE	APRIL 12, 2019	
REVISIONS		
SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID




4 PARITAL PLAN
SCALE= 1/2" = 1'-0"




11 PARITAL PLAN
SCALE= 1/2" = 1'-0"




1 RESTROOM 108 EAST ELEVATION
SCALE= 1/2" = 1'-0"




2 RESTROOM 108 NORTH ELEVATION
SCALE= 1/2" = 1'-0"




3 RESTROOM 108 WEST ELEVATION
SCALE= 1/2" = 1'-0"




5 RESTROOM 108 SOUTH ELEVATION
SCALE= 1/2" = 1'-0"




6 RESTROOM 109 EAST ELEVATION
SCALE= 1/2" = 1'-0"




7 RESTROOM 109 WEST ELEVATION
SCALE= 1/2" = 1'-0"




8 KITCHENETTE ELEVATION
SCALE= 1/2" = 1'-0"



9 RESTROOM 109 SOUTH ELEVATION
SCALE= 1/2" = 1'-0"



10 RESTROOM 109 NORTH ELEVATION
SCALE= 1/2" = 1'-0"



12 CASEWORK SECTION
SCALE= 1/2" = 1'-0"

FURNITURE/ FIXTURES/ EQUIPMENT:

TA1	42" GRAB BAR
TA2	36" GRAB BAR
TA3	18" GRAB BAR
TA4	TOILET TISSUE DISPENSER
TA5	COAT HOOK
TA6	WASTE RECEPTACLE
TA7	PAPER TOWEL DISPENSER
TA8	MIRROR UNIT
TA9	DIAPER CHANGING STATION
TA10	ADA PIPE GUARDS
DF1	DRINKING FOUNTAIN
AP1	NEW UNDERCOUNTER REFRIGERATOR

VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001
STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201
MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019, VITETTA

**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002**

INTERIOR ELEVATIONS

SCALE: AS NOTED
DRAWN: SVV
CHECKED: AMC
APPROVED: [Signature]
DATE: APRIL 12, 2019


REVISIONS
SYMBOL DATE DESCRIPTION
01 08/16/2019 FOR RE-BID

LEGEND:
--- EXISTING WALL
- - - EXISTING DOOR
= = = NEW WALL
- - - NEW DOOR
K KEY NOTE
WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
WALL TYPE. SEE SHEET A-501 FOR INFORMATION.


A-403

- GENERAL NOTES:**
- DO NOT SCALE THE DRAWINGS.
 - THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
 - ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
 - ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
 - THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
 - ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
 - ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
 - REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
 - THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
 - HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
 - WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.


- CONSTRUCTION NOTES:**
- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
 - NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
 - EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
 - NEW BASE UNIT CABINETS.
 - INSTALL NEW ADJUSTABLE SHELVES.
 - NEW UPPER WALL CABINETS.
 - NEW WATER FOUNTAIN.
 - NEW FOLDING WALL PARTITION.
 - INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
 - NEW SOFFIT ABOVE.
 - NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
 - ROOF TYPE 1. SEE DETAIL 1/A-501.
 - ROOF TYPE 2. SEE DETAIL 2/A-501
 - NEW DOWNSPOUT AND CONDUCTOR HEAD.
 - NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
 - PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
 - NEW PLUMBING FIXTURE.
 - NEW GRAB BARS.
 - PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
 - FOLDING WALL PARTITION TRACK ABOVE.
 - NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
 - NEW CANOPY.
 - NEW METAL COPING.
 - ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
 - INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
 - NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
 - MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINEL INFORMATION.
 - PROVIDE NEW BOOK DEPOSITORY.
 - NEW CIRCULATION DESK, NIC.
 - EXISTING STAIRS TO REMAIN.
 - NEW FOOTING. SEE STRUCTURAL DRAWINGS.
 - NEW METAL WALL PANEL SYSTEM.
 - NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
 - NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
 - NEW ROOF DRAIN. SEE DETAIL 6/A-502.
 - NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
 - NEW RAINWATER CONDUCTOR.
 - NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
 - NEW PLANTER.
 - NEW VINYL FLOORING.
 - INSTALL RECESSED KNOX BOX 48" AFF.
 - ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
 - PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
 - INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
 - EXISTING HANDRAIL TO REMAIN.
 - EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
 - NEW CURB WALL. SEE CIVIL DRAWINGS.
 - 12" DEEP METAL SHELVING.
 - 18" DEEP METAL SHELVING.
 - NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.




3 PARTIAL PLAN
SCALE= 1/2" = 1'-0"




1 WORKROOM EAST WALL ELEVATION
SCALE= 1/2" = 1'-0"




2 WORKROOM SOUTH WALL ELEVATION
SCALE= 1/2" = 1'-0"




4 WORKROOM - NORTH WALL ELEVATION
SCALE= 1/2" = 1'-0"




5 CASEWORK SECTION
SCALE= 1" = 1'-0"



6 CASEWORK SECTION
SCALE= 1" = 1'-0"



7 CASEWORK SECTION
SCALE= 1" = 1'-0"



8 CASEWORK SECTION
SCALE= 1" = 1'-0"

GENERAL NOTES:

- DO NOT SCALE THE DRAWINGS.
- THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
- ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
- THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
- ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
- ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
- REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
- THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
- HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
- WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:

- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
- NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
- EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
- NEW BASE UNIT CABINETS.
- INSTALL NEW ADJUSTABLE SHELVES.
- NEW UPPER WALL CABINETS.
- NEW WATER FOUNTAIN.
- NEW FOLDING WALL PARTITION.
- INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
- NEW SOFFIT ABOVE.
- NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
- ROOF TYPE 1. SEE DETAIL 1/A-501.
- ROOF TYPE 2. SEE DETAIL 2/A-501.
- NEW DOWNSPOUT AND CONDUCTOR HEAD.
- NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
- PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
- NEW PLUMBING FIXTURE.
- NEW GRAB BARS.
- PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
- FOLDING WALL PARTITION TRACK ABOVE.
- NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
- NEW CANOPY.
- NEW METAL COPING.
- ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
- INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
- NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
- MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINTEL INFORMATION.
- PROVIDE NEW BOOK DEPOSITORY.
- NEW CIRCULATION DESK, NIC.
- EXISTING STAIRS TO REMAIN.
- NEW FOOTING. SEE STRUCTURAL DRAWINGS.
- NEW METAL WALL PANEL SYSTEM.
- NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
- NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
- NEW ROOF DRAIN. SEE DETAIL 6/A-502.
- NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
- NEW RAINWATER CONDUCTOR.
- NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
- NEW PLANTER.
- NEW VINYL FLOORING.
- INSTALL RECESSED KNOX BOX 48" AFF.
- ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
- PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
- INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
- EXISTING HANDRAIL TO REMAIN.
- EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
- NEW CURB WALL. SEE CIVIL DRAWINGS.
- 12" DEEP METAL SHELVING.
- 18" DEEP METAL SHELVING.
- NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.

LEGEND:

- EXISTING WALL
- EXISTING DOOR
- NEW WALL
- NEW DOOR
- KEY NOTE
- WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
- DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION.
- WALL TYPE. SEE SHEET A-501 FOR INFORMATION.

VITETTA

ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019, VITETTA

WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE


INTERIOR ELEVATIONS

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019


SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID

DRAWING #


A-404




3 RAMP PLAN
SCALE = 1/4" = 1'-0"




1 SECTION THRU STAIR
SCALE = 1" = 1'-0"




4 HANDRAIL
SCALE = 3" = 1'-0"



2 PLANTER CAP PATTERN
SCALE = 6" = 1'-0"



5 STEP LIGHT
SCALE = 6" = 1'-0"



6 SECTION THRU RAMP
SCALE = 1/2" = 1'-0"

GENERAL NOTES:

- DO NOT SCALE THE DRAWINGS.
- THE DRAWINGS REPRESENT THE GENERAL EXISTING CONDITION AND LAYOUT. THEY DO NOT NECESSARILY REPRESENT A COMPLETE FIELD VERIFIED LAYOUT. THE CONTRACTOR SHALL VERIFY THE LAYOUT AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE PROCEEDING.
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF FINISH MATERIALS.
- ALL DIMENSIONS SHALL BE CONFIRMED IN THE FIELD PRIOR TO WORK BEING COMPLETED.
- THE WORK CONSISTS OF RENOVATION OF AN EXISTING STRUCTURE. EXERCISE EXTREME CARE IN ALL ASPECTS OF THE WORK. DO NOT USE METHODS WHICH WILL RESULT IN UNNECESSARY LOSS OF EXISTING DETAIL OR MATERIAL.
- ALL EXISTING ROOMS SHALL RECEIVE NEW FINISHES (PAINT, CARPET, BASE, CEILING) UNLESS NOTED OTHERWISE. SEE FINISH SCHEDULE ON SHEET A-601 FOR ADDITIONAL INFORMATION.
- ALL LOOSE FURNITURE IS NOT IN CONTRACT UNLESS NOTED OTHERWISE. FURNITURE IS SHOWN FOR INFORMATION PURPOSES ONLY.
- REMOVE ALL EXISTING BIRD AND INSECT NESTS FROM BUILDING.
- THE EXISTING MASONRY SHALL RECEIVE A GENERAL CLEANING.
- HAZARDOUS MATERIAL IS KNOWN TO BE IN THE BUILDING. CONTRACTOR SHALL EXERCISE CARE IN WORK SURROUNDING HAZARDOUS MATERIAL. SEE SPECIFICATIONS FOR REMEDIATION INFORMATION.
- WHERE EXISTING CONSTRUCTION IS REMOVED, PATCH ALL SURFACES TO REMAIN TO SMOOTH LEVEL SURFACE TO MATCH SURROUNDING SURFACES.

CONSTRUCTION NOTES:

- NEW CONCRETE STAIRS. SEE SHEET A-405 FOR INFORMATION.
- NEW RECESSED WALK-OFF MAT. MAT-1. SEE DETAIL 4/A-503.
- EXISTING SOFFIT FRAMING TO REMAIN. SEE SHEET A-132 FOR ADDITIONAL INFORMATION.
- NEW BASE UNIT CABINETS.
- INSTALL NEW ADJUSTABLE SHELVES.
- NEW UPPER WALL CABINETS.
- NEW WATER FOUNTAIN.
- NEW FOLDING WALL PARTITION.
- INSTALL PAINTED CMU RETURN OVER EXISTING WALL WHERE EXISTING WALL/FINISHES WERE REMOVED.
- NEW SOFFIT ABOVE.
- NEW STORE FRONT WINDOW SYSTEM WITH MOTORIZED ROLLER SHADES.
- ROOF TYPE 1. SEE DETAIL 1/A-501.
- ROOF TYPE 2. SEE DETAIL 2/A-501.
- NEW DOWNSPOUT AND CONDUCTOR HEAD.
- NEW EXTERIOR LIGHTING. SEE E-SERIES DRAWINGS.
- PROVIDE NEW SUPPORT FOR EXISTING STAIRS WHERE WALL PARTITION IS REMOVED.
- NEW PLUMBING FIXTURE.
- NEW GRAB BARS.
- PROVIDE BLOCKING IN NEW WALLS TO HANG UNISTRUT/EQUIPMENT/DEVICES.
- FOLDING WALL PARTITION TRACK ABOVE.
- NEW ACCESSIBLE RAMP. POWDER COATED GUARDRAILS AND POWDER COATED HANDRAILS.
- NEW CANOPY.
- NEW METAL COPING.
- ELECTRICAL/DATA FLOOR BOX. SEE ELECTRICAL DRAWINGS.
- INFILL EXISTING MASONRY OPENING WITH NEW 8" CMU.
- NEW CARPET TO BE INSTALLED ON TOP OF EXISTING ASBESTOS TILE.
- MECHANICAL PENETRATION THRU WALL. CONFIRM EXACT LOCATION AND DIMENSIONS WITH MECHANICAL UNITS. SEE STRUCTURAL DRAWINGS FOR LINE1 INFORMATION.
- PROVIDE NEW BOOK DEPOSITORY.
- NEW CIRCULATION DESK, NIC.
- EXISTING STAIRS TO REMAIN.
- NEW FOOTING. SEE STRUCTURAL DRAWINGS.
- NEW METAL WALL PANEL SYSTEM.
- NEW COLUMN ENCLOSURE. SEE DETAIL 6/A-503.
- NEW STAINLESS STEEL LETTERS MOUNTED TO BRICK WALL. LETTERS SHALL BE 2" CLEAR OF FACE OF WALL. SEE DETAIL 3/A-503.
- NEW ROOF DRAIN. SEE DETAIL 6/A-502.
- NEW MECHANICAL VENT. SEE MECHANICAL DRAWINGS.
- NEW RAINWATER CONDUCTOR.
- NEW MECHANICAL DUCTWORK/EQUIPMENT. SEE MECHANICAL DRAWINGS.
- NEW PLANTER.
- NEW VINYL FLOORING.
- INSTALL RECESSED KNOX BOX 48" AFF.
- ELECTRIC HEATER. SEE ELECTRICAL DRAWINGS FOR INFORMATION.
- PUSH BUTTON SWITCH FOR ELECTRONIC DOORS.
- INFILL EXISTING PARAPET AT SCUPPER WITH CMU.
- EXISTING HANDRAIL TO REMAIN.
- EXISTING COLUMN ENCLOSURE TO REMAIN. PREPARE, PRIME AND PAINT.
- NEW CURB WALL. SEE CIVIL DRAWINGS.
- 12" DEEP METAL SHELVING.
- 18" DEEP METAL SHELVING.
- NEW CONCRETE SLAB. SEE CIVIL DRAWINGS.

LEGEND:

- EXISTING WALL
- EXISTING DOOR
- NEW WALL
- NEW DOOR
- KEY NOTE
- WINDOW NUMBER. SEE SHEET A-601 FOR INFORMATION
- DOOR NUMBER. SEE SHEET A-601 FOR INFORMATION
- WALL TYPE. SEE SHEET A-501 FOR INFORMATION

VITETTA

ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019 VITETTA

WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

SITE DETAILS

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

REVISIONS	SYMBOL	DATE	DESCRIPTION
	01	08/16/2019	FOR RE-BID

DRAWING #

A-405














**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002**


WALL TYPES & DETAILS

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019


REVISIONS	SYMBOL	DATE	DESCRIPTION
	01	08/16/2019	FOR RE-BID

A-501







1 CANOPY ROOF
SCALE = 3" = 1'-0"




2 EXISTING PARAPET
SCALE = 3" = 1'-0"




3 NEW PARAPET
SCALE = 3" = 1'-0"




4 ROOF VENT
SCALE = 3" = 1'-0"




5 EXISTING TO NEW ROOF
SCALE = 3" = 1'-0"




6 ROOF DRAIN
SCALE = 3" = 1'-0"




7 ROOF PENETRATION
SCALE = 3" = 1'-0"




8 LOUVER JAMB
SCALE = 6" = 1'-0"



9 LOUVER SECTION
SCALE = 3" = 1'-0"



10 SILL
SCALE = 3" = 1'-0"



11 SCUPPER
SCALE = 3" = 1'-0"

VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPEL STREET
NEWARK, DE 19711
T 302.738.7172

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019, VITETTA


**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE
DETAILS


SCALE: AS NOTED
DRAWN: SVV
CHECKED: AMC
APPROVED: [Signature]
DATE: APRIL 12, 2019

REVISIONS
SYMBOL DATE DESCRIPTION
L_01 08/16/2019 FOR RE-BID


DRAWING #
A-502




1 EXISTING STEPS
SCALE= 3" = 1'-0"




2 MOVEABLE PARTITION
SCALE= 3" = 1'-0"




3 LETTER SIZES
SCALE= 3" = 1'-0"




4 RECESSED FLOOR MAT
SCALE= 3" = 1'-0"




5 EXISTING TO NEW BUILDING JOINT
SCALE= 3" = 1'-0"




6 COLUMN ENCLOSURES
SCALE= 3" = 1'-0"




9 NEW SOFFIT
SCALE= 3" = 1'-0"



10 EXISTING SOFFIT
SCALE= 3" = 1'-0"



7 COLUMN ENCLOSURE @ MEETING ROOM
SCALE= 3" = 1'-0"



8 COLUMN ENCLOSURE
SCALE= 3" = 1'-0"

VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPPEL STREET
NEWARK, DE 19711
T 302.738.7172

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019, VITETTA


PROJECT TITLE
**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE
DETAILS


SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

REVISIONS	SYMBOL	DATE	DESCRIPTION
	01	08/16/2019	FOR RE-BID


DRAWING #
A-503




1 HEAD DETAIL
SCALE = 6" = 1'-0"




2 JAMB
SCALE = 3" = 1'-0"




3 JAMB
SCALE = 6" = 1'-0"




4 JAMB
SCALE = 3" = 1'-0"




5 DOOR/TRANSOM HEAD
SCALE = 3" = 1'-0"




6 HEAD/JAMB
SCALE = 6" = 1'-0"




7 JAMB
SCALE = 6" = 1'-0"




8 JAMBS
SCALE = 6" = 1'-0"




9 WINDOW HEAD
SCALE = 3" = 1'-0"




10 WINDOW JAMB
SCALE = 3" = 1'-0"




11 WINDOW JAMB
SCALE = 3" = 1'-0"



12 WINDOW JAMB
SCALE = 3" = 1'-0"



13 HEAD / JAMB
SCALE = 6" = 1'-0"



VITETTA
ARCHITECTURE ENGINEERING PLANNING INTERIOR DESIGN
BALDWIN TOWER
1510 CHESTER PIKE, SUITE 104
EDDYSTONE, PA 19022
T 215.218.4747 F 215.405.2729

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001

STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201

MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPEL STREET
NEWARK, DE 19711
T 302.738.7172

PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019, VITETTA

**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

DETAILS

SCALE	AS NOTED	
DRAWN	SVV	
CHECKED	AMC	
APPROVED		
DATE	APRIL 12, 2019	
REVISIONS		
SYMBOL	DATE	DESCRIPTION
1	08/16/2019	FOR RE-BID

DRAWING #
A-504

CONSULTANTS
CIVIL ENGINEER
CHARLES E. SHOEMAKE, INC.
1007 EDGE HILL ROAD
ABINGTON, PA 19001
STRUCTURAL ENGINEER
MACINTOSH ENGINEERING
300 DELAWARE AVENUE, SUITE 820
WILMINGTON, DE 19801
T 302.252.9200 F 302.252.9201
MECHANICAL/ELECTRICAL/PLUMBING ENGINEER
DEDC ENGINEERING DESIGN CONSULTING
315 S. CHAPEL STREET
NEWARK, DE 19711
T 302.738.7172

SEAL
PROJECT # 6230.00
ALL DIMENSIONS MUST BE VERIFIED BY CONTRACTOR AND THE ARCHITECT NOTIFIED OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE CONSTRUCTION.
DO NOT SCALE DRAWINGS
©2019 VITETTA
PROJECT TITLE

**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS**
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

DRAWING TITLE

**FIRST FLOOR
FURNITURE PLAN**

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
L_01	08/16/2019	FOR RE-BID


DRAWING #

F-102

FURNITURE NOT IN CONTRACT. SHEET ISSUED FOR INFORMATION AND COORDINATION ONLY.

FURNITURE SHALL BE INSTALLED DURING CONSTRUCTION. CONTRACTOR TO ACCOMMODATE.

- FURNITURE NOTES:**
- DRAWINGS ARE PROVIDED FOR INFORMATION ONLY. FREE-STANDING FURNITURE IS NOT IN CONTRACTOR'S SCOPE OF WORK.
 - FURNITURE SHOWN SHADED IS IN CONTRACT. SEE SHEET A-102 FOR INFORMATION.



1 FIRST FLOOR PLAN
SCALE= 1/4" = 1'-0"
TRUE NORTH PROJECT NORTH


WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002

FIRST FLOOR
FURNITURE PLAN


SCALE	AS NOTED
DRAWN	SNV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
L 01	08/16/2019	FOR RE-BID

- FURNITURE NOTES:**
- BB1 BOOK BIN TO MATCH WISSAHICKON LIBRARY
 - B1 BOOK TRUCK
 - C1 STACKING CHAIR
 - C2 OFFICE CHAIR
 - C3A LOUNGE CHAIR - ARCICOM SUNBRELLA BALI OCEAN BACK; ARCICOM SUNBRELLA FIJI SPRING SEAT
 - C3B LOUNGE CHAIR - ARCICOM SUNBRELLA FIJI SPRING
 - C3C LOUNGE CHAIR - ARCICOM SUNBRELLA FIJI OCEAN
 - C4 TASK CHAIR
 - C5 LOUNGE SETTEE - ARCICOM SUNBRELLA BALI OCEAN BACK; ARCICOM SUNBRELLA FIJI SPRING SEAT
 - C6 CHILD CHAIR
 - D1 5'-0" x 2'-6" DESK SHELL W/ 3 MODESTY PANEL & PENCIL DRAWER
 - D2 4'-0" x 2'-0" DESK SHELL
 - D3 25-1/2" HIGH MOBILE PEDESTAL
 - D4 CUSTOM CIRCULATION DESK
 - D5 WORK DESK
 - EP1 2 PIECE END PANEL
 - EP2 1 PIECE END PANEL
 - T1 FOLDING TABLE
 - T2 42" DIAMETER COFFEE TABLE
 - T3 4'-0" x 2'-0" COMPUTER TABLE
 - T4 CAFE TABLE
 - T5 END TABLE
 - T6 WORK TABLE
 - T7 CHILD COMPUTER CARROLL
 - T8 CHILD ROUND TABLE



1 FIRST FLOOR PLAN
SCALE= 1/4" = 1'-0"



**WISSAHICKON VALLEY PUBLIC LIBRARY
ADDITIONS & ALTERATIONS
209 RACE STREET
AMBLER, PENNSYLVANIA 19002**

**FIRST FLOOR
SIGNAGE PLAN**

SCALE	AS NOTED
DRAWN	SVV
CHECKED	AMC
APPROVED	
DATE	APRIL 12, 2019

SYMBOL	DATE	DESCRIPTION
01	08/16/2019	FOR RE-BID


F-104

SIGNAGE GENERAL NOTES:

- ALL SIGNAGE SHALL MEET ACCESSIBILITY STANDARDS.
- ALL WALL SIGNAGE FACE MOUNTED SHALL BE ATTACHED USING VHB DOUBLE SIDED ACRYLIC FOAM TAPE.
- FINAL ROOM NUMBERS AND NAMES TO BE DETERMINED.

SIGNAGE LEGEND:

- A** ROOM IDENTIFICATION SIGN.




- LIST OF SIGNS:
MEETING ROOM (3)
WORKROOM (3)
CHILDREN'S ROOM
IT
STORAGE

- B** COLLECTION IDENTIFICATION SIGN.




- LIST OF SIGNS:
NEW BOOKS
DVDs
FRIENDS' BOOKS

- C** SUSPENDED SIGN.




- CUSTOM VINYL LOGO. COLOR 1. COLOR 2.
5/8" VINYL TEXT. COLOR 1. COLOR 1.


- D** END PANEL SIGNS






- E** POSTED OCCUPANCY



- F** RESTROOM IDENTIFICATION SIGN.



- G** HOURS OF OPERATION



1 FIRST FLOOR PLAN
SCALE= 1/4" = 1'-0"

